

Well Name: RED HILLS NORTH UNIT	Well Location: T25S / R33E / SEC 12 / SESW / 32.139591 / -103.528157	County or Parish/State: LEA / NM
Well Number: 201	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM30400	Unit or CA Name: RED HILLS NORTH	Unit or CA Number: NMNM104037X
US Well Number: 3002532050	Operator: EOG RESOURCES INCORPORATED	

Accepted for record only BLM approval required NMOCD 9/17/24 KF

Subsequent Report

Sundry ID: 2798895

Type of Submission: Subsequent Report	Type of Action: Temporary Abandonment
Date Sundry Submitted: 09/11/2024	Time Sundry Submitted: 08:07
Date Operation Actually Began: 08/01/2024	

Actual Procedure: EOG TA'D THIS WELL ON 8/05/2024. PLEASE FIND THE ATTACHED FINAL WELLBORE DIAGRAM AND WELL WORK DONE.

SR Attachments

Actual Procedure

RHNU_201_FINAL_TA_20240911080715.pdf

SR Conditions of Approval

Specialist Review

TA_COA_20240911141824.pdf

Well Name: RED HILLS NORTH UNIT	Well Location: T25S / R33E / SEC 12 / SESW / 32.139591 / -103.528157	County or Parish/State: LEA / NM
Well Number: 201	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM30400	Unit or CA Name: RED HILLS NORTH	Unit or CA Number: NMNM104037X
US Well Number: 3002532050	Operator: EOG RESOURCES INCORPORATED	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: KRISTINA AGEE

Signed on: SEP 11, 2024 08:07 AM

Name: EOG RESOURCES INCORPORATED

Title: Senior Regulatory Administrator

Street Address: 5509 Champions Dr.

City: MidlandState: TX

Phone: (432) 686-6996

Email address: kristina_agee@eogresources.com

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Approved

Disposition Date: 09/11/2024

Signature: Jonathon Shepard

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.	
6. If Indian, Allottee or Tribe Name	
7. If Unit of CA/Agreement, Name and/or No.	
8. Well Name and No.	
9. API Well No.	
10. Field and Pool or Exploratory Area	11. Country or Parish, State

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	Title
Signature	Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SESW / 660 FSL / 1980 FWL / TWSP: 25S / RANGE: 33E / SECTION: 12 / LAT: 32.139591 / LONG: -103.528157 (TVD: 0 feet, MD: 0 feet)

BHL: SESW / 660 FSL / 1980 FWL / TWSP: 25S / SECTION: / LAT: 32.139591 / LONG: 103.528157 (TVD: 0 feet, MD: 0 feet)

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office
620 East Greene Street
Carlsbad, New Mexico 88220
575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.

RED HILLS NORTH UNIT #201

30-025-32050

WELL WORK TO TA WELL:

8/1/2024 MIRU WOR, ND WH & NU BOP, POOH LAY DOWN PUMP & RODS

8/2/2024 RELEASE TAC & POOH W/ TBG

 MIRU WL, RIH W/ GR & JB TO 12,190', POOH WL

 RIH W/ 5.5" CIBP, SET CIBP @ 12,150', PU 25', RIH TAG CIBP, POOH WL


 RIH W/ DUMP BAILER, DUMP 35' CMT ON CIBP, POOH RDMO WL

8/3/24 TIH W/ 2.875" TBG, TAG TOC @ 12,102', CIRC PKR FLUID, SET TBG @ 12,064'

 ND BOP & NU WH, RDMO

8/5/24 PERFORM MIT ON 5.5" CSG, TEST GOOD – APPROVED BY HOBBS BLM

RHNU #201





Detailed Job Breakdown



JOB REPORT

COMPANY DETAILS

Company: EOG RHNU 201
Contact: T.O.
Phone:


Email:

JOB DETAILS

DATE 8/5/2024 10:28:33AM
START TIME 8/5/2024 10:28:33AM
END TIME 8/5/2024 11:16:24AM
Ticket#:
Other:
Other:

Operator:
LSD#:
Licence #:
Contractor:
AFE:

Comments:



Casing (PSI)								
Time								
10:28	27.839	0						
10:28	42.839	0						
10:28	57.839	0						
10:29	12.840	0						
10:29	27.840	0						
10:29	42.840	0						
10:29	57.840	0						
10:30	12.839	0						
10:30	27.839	0						
10:30	42.839	0						
10:30	57.840	0						
10:31	12.840	0						
10:31	27.840	0						
10:31	42.840	0						
10:31	57.839	0						
10:32	12.839	0						
10:32	27.839	0						
10:32	42.840	0						
10:32	57.840	0						
10:33	12.840	0						
10:33	27.840	0						
10:33	42.839	3						
10:33	57.839	109						
10:34	12.839	173						
10:34	27.840	261						
10:34	42.840	318						
10:34	57.840	400						
10:35	12.840	479						
10:35	27.839	503						
10:35	42.839	520						
10:35	57.839	561						
10:36	12.840	516						
10:36	27.840	541						
10:36	42.840	531						
10:36	57.840	520						
10:37	12.839	535						
10:37	27.839	527						
10:37	42.839	525						
10:37	57.840	531						
10:38	12.840	526						
10:38	27.840	526						
10:38	42.840	528						
10:38	57.840	526						
10:39	12.839	526						
10:39	27.839	526						
10:39	42.840	525						
10:39	57.840	526						
10:40	12.840	524						

Casing (PSI)								
Time								
10:40	27.840	525						
10:40	42.840	523						
10:40	57.839	523						
10:41	12.839	523						
10:41	27.840	523						
10:41	42.840	523						
10:41	57.840	521						
10:42	12.840	521						
10:42	27.840	522						
10:42	42.839	522						
10:42	57.839	521						
10:43	12.840	520						
10:43	27.840	521						
10:43	42.840	519						
10:43	57.840	520						
10:44	12.840	520						
10:44	27.839	520						
10:44	42.839	521						
10:44	57.840	519						
10:45	12.840	520						
10:45	27.840	520						
10:45	42.840	520						
10:45	57.840	519						
10:46	12.839	518						
10:46	27.839	519						
10:46	42.840	518						
10:46	57.840	518						
10:47	12.840	518						
10:47	27.840	517						
10:47	42.840	518						
10:47	57.839	517						
10:48	12.839	517						
10:48	27.840	517						
10:48	42.840	517						
10:48	57.840	517						
10:49	12.840	517						
10:49	27.840	517						
10:49	42.839	516						
10:49	57.839	516						
10:50	12.840	515						
10:50	27.840	516						
10:50	42.840	516						
10:50	57.840	515						
10:51	12.840	516						
10:51	27.839	515						
10:51	42.839	515						
10:51	57.840	516						
10:52	12.840	516						

10:52:27

Detailed Job Breakdown

August/05/2024

Casing (PSI)								
Time								
10:52	27.840	515						
10:52	42.840	515						
10:52	57.840	515						
10:53	12.839	515						
10:53	27.839	513						
10:53	42.840	514						
10:53	57.840	515						
10:54	12.840	514						
10:54	27.840	513						
10:54	42.840	512						
10:54	57.839	512						
10:55	12.839	514						
10:55	27.840	513						
10:55	42.840	512						
10:55	57.840	512						
10:56	12.840	514						
10:56	27.840	513						
10:56	42.839	512						
10:56	57.839	511						
10:57	12.840	512						
10:57	27.840	511						
10:57	42.840	511						
10:57	57.840	511						
10:58	12.840	511						
10:58	27.839	512						
10:58	42.839	510						
10:58	57.840	511						
10:59	12.840	510						
10:59	27.840	512						
10:59	42.840	510						
10:59	57.840	510						
11:00	12.839	511						
11:00	27.839	510						
11:00	42.840	508						
11:00	57.840	509						
11:01	12.840	507						
11:01	27.840	509						
11:01	42.840	508						
11:01	57.839	508						
11:02	12.839	508						
11:02	27.840	508						
11:02	42.840	508						
11:02	57.840	508						
11:03	12.840	508						
11:03	27.840	510						
11:03	42.839	508						
11:03	57.839	507						
11:04	12.840	507						

Casing (PSI)								
Time								
11:04	27.840	507						
11:04	42.840	507						
11:04	57.840	507						
11:05	12.840	508						
11:05	27.839	507						
11:05	42.839	507						
11:05	57.840	507						
11:06	12.840	507						
11:06	27.840	506						
11:06	42.840	507						
11:06	57.840	506						
11:07	12.839	506						
11:07	27.839	506						
11:07	42.840	504						
11:07	57.840	504						
11:08	12.840	504						
11:08	27.840	505						
11:08	42.840	504						
11:08	57.839	504						
11:09	12.839	506						
11:09	27.839	506						
11:09	42.840	504						
11:09	57.840	503						
11:10	12.840	485						
11:10	27.840	456						
11:10	42.839	447						
11:10	57.839	408						
11:11	12.839	369						
11:11	27.840	327						
11:11	42.840	279						
11:11	57.840	241						
11:12	12.840	195						
11:12	27.839	147						
11:12	42.839	104						
11:12	57.839	56						
11:13	12.840	17						
11:13	27.840	0						
11:13	42.840	0						
11:13	57.840	0						
11:14	12.839	0						
11:14	27.839	0						
11:14	42.839	0						
11:14	57.840	0						
11:15	12.840	0						
11:15	27.840	0						
11:15	42.840	0						
11:15	57.839	0						
11:16	12.839	0						

RED HILLS NORTH UNIT #201

30-025-32050

WELL WORK TO TA WELL:

8/1/2024 MIRU WOR, ND WH & NU BOP, POOH LAY DOWN PUMP & RODS

8/2/2024 RELEASE TAC & POOH W/ TBG

 MIRU WL, RIH W/ GR & JB TO 12,190', POOH WL

 RIH W/ 5.5" CIBP, SET CIBP @ 12,150', PU 25', RIH TAG CIBP, POOH WL

 RIH W/ DUMP BAILER, DUMP 35' CMT ON CIBP, POOH RDMO WL

8/3/24 TIH W/ 2.875" TBG, TAG TOC @ 12,102', CIRC PKR FLUID, SET TBG @ 12,064'

 ND BOP & NU WH, RDMO

8/5/24 PERFORM MIT ON 5.5" CSG, TEST GOOD – APPROVED BY HOBBS BLM



Detailed Job Breakdown



JOB REPORT

COMPANY DETAILS

Company: EOG RHNU 201
Contact: T.O.
Phone:


Email:

JOB DETAILS

DATE 8/5/2024 10:28:33AM
START TIME 8/5/2024 10:28:33AM
END TIME 8/5/2024 11:16:24AM
Ticket#:
Other:
Other:

Operator:
LSD#:
Licence #:
Contractor:
AFE:

Comments:



Casing (PSI)								
Time								
10:28	27.839	0						
10:28	42.839	0						
10:28	57.839	0						
10:29	12.840	0						
10:29	27.840	0						
10:29	42.840	0						
10:29	57.840	0						
10:30	12.839	0						
10:30	27.839	0						
10:30	42.839	0						
10:30	57.840	0						
10:31	12.840	0						
10:31	27.840	0						
10:31	42.840	0						
10:31	57.839	0						
10:32	12.839	0						
10:32	27.839	0						
10:32	42.840	0						
10:32	57.840	0						
10:33	12.840	0						
10:33	27.840	0						
10:33	42.839	3						
10:33	57.839	109						
10:34	12.839	173						
10:34	27.840	261						
10:34	42.840	318						
10:34	57.840	400						
10:35	12.840	479						
10:35	27.839	503						
10:35	42.839	520						
10:35	57.839	561						
10:36	12.840	516						
10:36	27.840	541						
10:36	42.840	531						
10:36	57.840	520						
10:37	12.839	535						
10:37	27.839	527						
10:37	42.839	525						
10:37	57.840	531						
10:38	12.840	526						
10:38	27.840	526						
10:38	42.840	528						
10:38	57.840	526						
10:39	12.839	526						
10:39	27.839	526						
10:39	42.840	525						
10:39	57.840	526						
10:40	12.840	524						

Casing (PSI)								
Time								
10:40	27.840	525						
10:40	42.840	523						
10:40	57.839	523						
10:41	12.839	523						
10:41	27.840	523						
10:41	42.840	523						
10:41	57.840	521						
10:42	12.840	521						
10:42	27.840	522						
10:42	42.839	522						
10:42	57.839	521						
10:43	12.840	520						
10:43	27.840	521						
10:43	42.840	519						
10:43	57.840	520						
10:44	12.840	520						
10:44	27.839	520						
10:44	42.839	521						
10:44	57.840	519						
10:45	12.840	520						
10:45	27.840	520						
10:45	42.840	520						
10:45	57.840	519						
10:46	12.839	518						
10:46	27.839	519						
10:46	42.840	518						
10:46	57.840	518						
10:47	12.840	518						
10:47	27.840	517						
10:47	42.840	518						
10:47	57.839	517						
10:48	12.839	517						
10:48	27.840	517						
10:48	42.840	517						
10:48	57.840	517						
10:49	12.840	517						
10:49	27.840	517						
10:49	42.839	516						
10:49	57.839	516						
10:50	12.840	515						
10:50	27.840	516						
10:50	42.840	516						
10:50	57.840	515						
10:51	12.840	516						
10:51	27.839	515						
10:51	42.839	515						
10:51	57.840	516						
10:52	12.840	516						

10:52:27

Detailed Job Breakdown

August/05/2024

Casing (PSI)								
Time								
10:52	27.840	515						
10:52	42.840	515						
10:52	57.840	515						
10:53	12.839	515						
10:53	27.839	513						
10:53	42.840	514						
10:53	57.840	515						
10:54	12.840	514						
10:54	27.840	513						
10:54	42.840	512						
10:54	57.839	512						
10:55	12.839	514						
10:55	27.840	513						
10:55	42.840	512						
10:55	57.840	512						
10:56	12.840	514						
10:56	27.840	513						
10:56	42.839	512						
10:56	57.839	511						
10:57	12.840	512						
10:57	27.840	511						
10:57	42.840	511						
10:57	57.840	511						
10:58	12.840	511						
10:58	27.839	512						
10:58	42.839	510						
10:58	57.840	511						
10:59	12.840	510						
10:59	27.840	512						
10:59	42.840	510						
10:59	57.840	510						
11:00	12.839	511						
11:00	27.839	510						
11:00	42.840	508						
11:00	57.840	509						
11:01	12.840	507						
11:01	27.840	509						
11:01	42.840	508						
11:01	57.839	508						
11:02	12.839	508						
11:02	27.840	508						
11:02	42.840	508						
11:02	57.840	508						
11:03	12.840	508						
11:03	27.840	510						
11:03	42.839	508						
11:03	57.839	507						
11:04	12.840	507						

11:04:27

Detailed Job Breakdown

August/05/2024

Casing (PSI)								
Time								
11:04	27.840	507						
11:04	42.840	507						
11:04	57.840	507						
11:05	12.840	508						
11:05	27.839	507						
11:05	42.839	507						
11:05	57.840	507						
11:06	12.840	507						
11:06	27.840	506						
11:06	42.840	507						
11:06	57.840	506						
11:07	12.839	506						
11:07	27.839	506						
11:07	42.840	504						
11:07	57.840	504						
11:08	12.840	504						
11:08	27.840	505						
11:08	42.840	504						
11:08	57.839	504						
11:09	12.839	506						
11:09	27.839	506						
11:09	42.840	504						
11:09	57.840	503						
11:10	12.840	485						
11:10	27.840	456						
11:10	42.839	447						
11:10	57.839	408						
11:11	12.839	369						
11:11	27.840	327						
11:11	42.840	279						
11:11	57.840	241						
11:12	12.840	195						
11:12	27.839	147						
11:12	42.839	104						
11:12	57.839	56						
11:13	12.840	17						
11:13	27.840	0						
11:13	42.840	0						
11:13	57.840	0						
11:14	12.839	0						
11:14	27.839	0						
11:14	42.839	0						
11:14	57.840	0						
11:15	12.840	0						
11:15	27.840	0						
11:15	42.840	0						
11:15	57.839	0						
11:16	12.839	0						

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 382754

CONDITIONS

Operator: EOG RESOURCES INC 5509 Champions Drive Midland, TX 79706	OGRID: 7377
	Action Number: 382754
	Action Type: [C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Accepted for record only BLM approval required NMOCD 9/17/24 KF	9/17/2024