

Form 3160-5  
(June 2019)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT

FORM APPROVED  
OMB No. 1004-0137  
Expires: October 31, 2021

5. Lease Serial No. NMNM113420

6. If Indian, Allottee or Tribe Name

SUNDRY NOTICES AND REPORTS ON WELLS  
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on page 2

1. Type of Well  
☒ Oil Well    ☐ Gas Well    ☐ Other

2. Name of Operator EOG RESOURCES INCORPORATED

3a. Address 1111 BAGBY SKY LOBBY 2, HOUSTON, TX 77030    3b. Phone No. (include area code) (713) 651-7000

4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 15/T25S/R34E/NMP

7. If Unit of CA/Agreement, Name and/or No.

8. Well Name and No. PISTOLERO 15 FED/201H

9. API Well No. 30-025-52548

10. Field and Pool or Exploratory Area RED HILLS; UPPER BONE SPRING, SHALE

11. Country or Parish, State LEA/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

| TYPE OF SUBMISSION                                   | TYPE OF ACTION                                   |   |  |   |  |
|--|--|---|--|---|--|
| <input checked="" type="checkbox"/> Notice of Intent | <input type="checkbox"/> Acidize                 | <input type="checkbox"/> Deepen               | <input type="checkbox"/> Production (Start/Resume) | <input type="checkbox"/> Water Shut-Off |  |
| <input type="checkbox"/> Subsequent Report           | <input type="checkbox"/> Alter Casing            | <input type="checkbox"/> Hydraulic Fracturing | <input type="checkbox"/> Reclamation               | <input type="checkbox"/> Well Integrity |  |
| <input type="checkbox"/> Final Abandonment Notice    | <input type="checkbox"/> Casing Repair           | <input type="checkbox"/> New Construction     | <input type="checkbox"/> Recomplete                | <input type="checkbox"/> Other          |  |
|  | <input checked="" type="checkbox"/> Change Plans | <input type="checkbox"/> Plug and Abandon     | <input type="checkbox"/> Temporarily Abandon       |   |  |
|  | <input type="checkbox"/> Convert to Injection    | <input type="checkbox"/> Plug Back            | <input type="checkbox"/> Water Disposal            |   |  |

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Pistolero 15 Fed Com 506H (FKA 201H) API #: 30-025-52548

EOG respectfully requests an amendment to our approved APD for this well to reflect the following changes:

Change name from Pistolero 15 Fed 201H to Pistolero 15 Fed Com 506H.

Change BHL from T-25-S, R-34-E, Sec 15, 100' FSL, 825' FWL, Lea Co., NM, to T-25-S, R-34-E, Sec 27, 100' FSL, 1390' FWL, Lea Co., N.M.

Change target formation to Leonard B.

Update casing and cement program to current design - Batch Sundry ID #2779141.

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) STAR HARRELL / Ph: (432) 848-9161

Title Regulatory Specialist

Signature (Electronic Submission)

Date 03/11/2024

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by KEITH P IMMATTY / Ph: (575) 988-4722 / Approved

Title ENGINEER

Date 03/19/2024

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CARLSBAD

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office  
☐ AMENDED REPORT



## Pistolero 15 Fed Com 506H

### Revised Permit Information 02/01/2024:

Well Name: Pistolero 15 Fed Com 506H; FKA Pistolero 15 Fed Com 201H

Location: SHL: 322' FNL & 1154' FWL, Section 15, T-25-S, R-34-E, Lea Co., N.M.

BHL: 100' FSL & 1390' FWL, Section 27, T-25-S, R-34-E, Lea Co., N.M.

### 1. CASING PROGRAM

| Hole Size | Interval MD |         | Interval TVD |         | Csg OD  | Weight | Grade   | Conn        |
|-----------|-------------|---------|--------------|---------|---------|--------|---------|-------------|
|           | From (ft)   | To (ft) | From (ft)    | To (ft) |         |        |         |             |
| 16"       | 0           | 990     | 0            | 1,000   | 13-3/8" | 54.5#  | J-55    | STC         |
| 11"       | 0           | 5,169   | 0            | 5,160   | 9-5/8"  | 40#    | J-55    | LTC         |
| 7-7/8"    | 0           | 10,331  | 0            | 9,518   | 6"      | 22.3#  | P110-EC | DWC/C IS    |
| 6-3/4"    | 10,331      | 26,384  | 9,518        | 10,889  | 5-1/2"  | 20#    | P110-EC | DWC/C IS MS |

\*\*For highlighted rows above, variance is requested to run entire string of either 6" or 5-1/2" casing string above due to availability.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" and 5-1/2" casings in the 7-7/8" and 6-3/4" hole sizes. An expansion additive will be utilized, in the cement slurry, for the entire length of the 7-7/8" and 6-3/4" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Onshore Order #2 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

### 2. CEMENTING PROGRAM:

| Depth             | No. Sacks | Wt. ppg | Yld Ft3/sk | Slurry Description   |
|-------------------|-----------|---------|------------|--|
| 1,000'<br>13-3/8" | 260       | 13.5    | 1.73       | Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl <sub>2</sub> + 0.25 lb/sk Cello-Flake (TOC @ Surface)                               |
|                   | 160       | 14.8    | 1.34       | Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 800')  |
| 5,160'<br>9-5/8"  | 470       | 12.7    | 2.22       | Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)   |
|                   | #NUM!     | 14.8    | 1.32       | Tail: Class C + 10% NaCl + 3% MagOx (TOC @ 4134')  |
| 26,384'<br>6"     | 580       | 10.5    | 3.21       | Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC @ 4670')   |
|                   | 1880      | 13.2    | 1.52       | Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ 10430') |



### Pistolero 15 Fed Com 506H

| Additive            | Purpose                                 |
|---------------------|---|
| Bentonite Gel       | Lightweight/Lost circulation prevention |
| Calcium Chloride    | Accelerator                             |
| Cello-flake         | Lost circulation prevention             |
| Sodium Metasilicate | Accelerator                             |
| MagOx               | Expansive agent                         |
| Pre-Mag-M           | Expansive agent                         |
| Sodium Chloride     | Accelerator                             |
| FL-62               | Fluid loss control                      |
| Halad-344           | Fluid loss control                      |
| Halad-9             | Fluid loss control                      |
| HR-601              | Retarder                                |
| Microbond           | Expansive Agent                         |

Cement integrity tests will be performed immediately following plug bump.

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

### 3. MUD PROGRAM:

| Depth (TVD)      | Type        | Weight (ppg) | Viscosity | Water Loss |
|------------------|-------------|--------------|-----------|------------|
| 0 – 1,000'       | Fresh - Gel | 8.6-8.8      | 28-34     | N/c        |
| 1,000' – 5,160'  | Brine       | 9.0-10.5     | 28-34     | N/c        |
| 5,160' – 26,384' | Oil Base    | 8.8-9.5      | 58-68     | N/c - 6    |



**Pistolero 15 Fed Com 506H**

**4. VARIANCE REQUESTS:**

EOG requests the additional variance(s) in the attached document(s):

Variances requested include (supporting documents attached):

- BOP Break Testing for 5M Intermediate Intervals (EOG BLM Variance 3a\_b)
- Offline Cementing for Surface and Intermediate Intervals (EOG BLM Variance 3a\_b)
- Salt Interval Washout Annular Clearance (EOG BLM Variance 4a)



**Pistolero 15 Fed Com 506H**

**8. TUBING REQUIREMENTS:**

EOG respectfully requests an exception to the following NMOCD rule:

- 19.15.16.10 Casing AND TUBING REQUIREMENTS:  
J (3): "The operator shall set tubing as near the bottom as practical and tubing perforations shall not be more than 250 feet above top of pay zone."

With horizontal flowing and gas lifted wells an end of tubing depth placed at or slightly above KOP is a conservative way to ensure the tubing stays clean from debris, plugging, and allows for fewer well interventions post offset completion. The deeper the tubulars are run into the curve, the higher the probability is that the tubing will become stuck in sand and or well debris as the well produces over time. An additional consideration for EOT placement during artificial lift installations is avoiding the high dog leg severity and inclinations found in the curve section of the wellbore to help improve reliability and performance. Dog leg severity and inclinations tend not to hamper gas lifted or flowing wells, but they do effect other forms of artificial lift like rod pump or ESP (electric submersible pump). Keeping the EOT above KOP is an industry best practice for those respective forms of artificial lift.




Pistolero 15 Fed Com 506H

322' FNL  
1154' FWL  
Section 15  
T-25-S, R-34-E

Proposed Wellbore  
  
API: 30-025-\*\*\*\*\*

KB: 3358'  
GL: 3333'





## Pistolero 15 Fed Com 506H

**1. GEOLOGIC NAME OF SURFACE FORMATION:**

Permian

**2. ESTIMATED TOPS OF IMPORTANT GEOLOGICAL MARKERS:**

|                        |         |
|------------------------|---------|
| Rustler                | 875'    |
| Tamarisk Anhydrite     | 960'    |
| Top of Salt            | 1,255'  |
| Base of Salt           | 5,061'  |
| Lamar                  | 5,323'  |
| Bell Canyon            | 5,346'  |
| Cherry Canyon          | 6,301'  |
| Brushy Canyon          | 7,887'  |
| Bone Spring Lime       | 9,298'  |
| Leonard (Avalon) Shale | 9,335'  |
| 1st Bone Spring Sand   | 9,606'  |
| 2nd Bone Spring Shale  | 10,317' |
| 2nd Bone Spring Sand   | 10,836' |
| 3rd Bone Spring Carb   | 11,372' |
| 3rd Bone Spring Sand   | 11,904' |
| Wolfcamp               | 12,358' |
| TD                     | 10,889' |

**3. ESTIMATED DEPTHS OF ANTICIPATED FRESH WATER, OIL OR GAS:**

|                        |         |             |
|------------------------|---------|-------------|
| Upper Permian Sands    | 0- 400' | Fresh Water |
| Bell Canyon            | 5,346'  | Oil         |
| Cherry Canyon          | 6,301'  | Oil         |
| Brushy Canyon          | 7,887'  | Oil         |
| Leonard (Avalon) Shale | 9,335'  | Oil         |
| 1st Bone Spring Sand   | 9,606'  | Oil         |
| 2nd Bone Spring Shale  | 10,317' | Oil         |
| 2nd Bone Spring Sand   | 10,836' | Oil         |



# Midland

Lea County, NM (NAD 83 NME)

Pistolero 15 Fed

#506H

OH

Plan: Plan #0.2

## Standard Planning Report

28 February, 2024

Planning Report

|           |                             |                              |                       |
|-----------|-----------------------------|------------------------------|-----------------------|
| Database: | PEDM                        | Local Co-ordinate Reference: | Well #506H            |
| Company:  | Midland                     | TVD Reference:               | kb = 26' @ 3359.0usft |
| Project:  | Lea County, NM (NAD 83 NME) | MD Reference:                | kb = 26' @ 3359.0usft |
| Site:     | Pistolero 15 Fed            | North Reference:             | Grid                  |
| Well:     | #506H                       | Survey Calculation Method:   | Minimum Curvature     |
| Wellbore: | OH                          |                              |                       |
| Design:   | Plan #0.2                   |                              |                       |

|             |                             |               |                |
|-------------|-----------------------------|---------------|----------------|
| Project     | Lea County, NM (NAD 83 NME) |               |                |
| Map System: | US State Plane 1983         | System Datum: | Mean Sea Level |
| Geo Datum:  | North American Datum 1983   |               |                |
| Map Zone:   | New Mexico Eastern Zone     |               |                |

|                       |                  |           |                 |            |                   |
|-----------------------|------------------|-----------|-----------------|------------|-------------------|
| Site                  | Pistolero 15 Fed |           |                 |            |                   |
| Site Position:        |                  | Northing: | 414,055.00 usft | Latitude:  | 32° 8' 7.059 N    |
| From:                 | Map              | Easting:  | 812,078.00 usft | Longitude: | 103° 27' 31.217 W |
| Position Uncertainty: |                  | 0.0 usft  | Slot Radius:    | 13-3/16 "  |                   |

|                      |          |                     |           |                 |              |                   |
|----------------------|----------|---------------------|-----------|-----------------|--------------|-------------------|
| Well                 | #506H    |                     |           |                 |              |                   |
| Well Position        | +N/-S    | 0.0 usft            | Northing: | 414,626.00 usft | Latitude:    | 32° 8' 12.807 N   |
|                      | +E/-W    | 0.0 usft            | Easting:  | 810,855.00 usft | Longitude:   | 103° 27' 45.385 W |
| Position Uncertainty | 0.0 usft | Wellhead Elevation: | usft      | Ground Level:   | 3,333.0 usft |                   |
| Grid Convergence:    | 0.46 °   |                     |           |                 |              |                   |

|           |            |             |                 |               |                     |
|-----------|------------|-------------|-----------------|---------------|---------------------|
| Wellbore  | OH         |             |                 |               |                     |
| Magnetics | Model Name | Sample Date | Declination (°) | Dip Angle (°) | Field Strength (nT) |
|           | IGRF2020   | 2/21/2023   | 6.29            | 59.78         | 47,277.96136936     |

|                   |                         |              |               |               |  |
|-------------------|-------------------------|--------------|---------------|---------------|--|
| Design            | Plan #0.2               |              |               |               |  |
| Audit Notes:      |                         |              |               |               |  |
| Version:          | Phase:                  | PLAN         | Tie On Depth: | 0.0           |  |
| Vertical Section: | Depth From (TVD) (usft) | +N/-S (usft) | +E/-W (usft)  | Direction (°) |  |
|                   | 0.0                     | 0.0          | 0.0           | 178.68        |  |

|                          |                 |                         |              |         |  |
|--------------------------|-----------------|-------------------------|--------------|---------|--|
| Plan Survey Tool Program | Date            | 2/28/2024               |              |         |  |
| Depth From (usft)        | Depth To (usft) | Survey (Wellbore)       | Tool Name    | Remarks |  |
| 1                        | 0.0             | 26,383.7 Plan #0.2 (OH) | EOG MWD+IFR1 |         |  |
|                          |                 |                         | MWD + IFR1   |         |  |

Planning Report

|           |                             |                              |                       |
|-----------|-----------------------------|------------------------------|-----------------------|
| Database: | PEDM                        | Local Co-ordinate Reference: | Well #506H            |
| Company:  | Midland                     | TVD Reference:               | kb = 26' @ 3359.0usft |
| Project:  | Lea County, NM (NAD 83 NME) | MD Reference:                | kb = 26' @ 3359.0usft |
| Site:     | Pistolero 15 Fed            | North Reference:             | Grid                  |
| Well:     | #506H                       | Survey Calculation Method:   | Minimum Curvature     |
| Wellbore: | OH                          |                              |                       |
| Design:   | Plan #0.2                   |                              |                       |

| Plan Sections         |                 |             |                       |              |              |                         |                        |                       |         |                      |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|------------------------|-----------------------|---------|----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) | TFO (°) | Target               |
| 0.0                   | 0.00            | 0.00        | 0.0                   | 0.0          | 0.0          | 0.00                    | 0.00                   | 0.00                  | 0.00    |                      |
| 1,268.0               | 0.00            | 0.00        | 1,268.0               | 0.0          | 0.0          | 0.00                    | 0.00                   | 0.00                  | 0.00    |                      |
| 5,294.9               | 4.17            | 40.50       | 5,291.3               | 111.4        | 95.1         | 0.10                    | 0.10                   | 0.00                  | 40.50   |                      |
| 8,131.8               | 4.17            | 40.50       | 8,120.7               | 268.2        | 229.1        | 0.00                    | 0.00                   | 0.00                  | 0.00    |                      |
| 8,340.2               | 0.00            | 0.00        | 8,329.0               | 274.0        | 234.0        | 2.00                    | -2.00                  | 0.00                  | 180.00  |                      |
| 10,422.7              | 0.00            | 0.00        | 10,411.5              | 274.0        | 234.0        | 0.00                    | 0.00                   | 0.00                  | 0.00    | KOP(Pistolero 15 Fed |
| 10,643.2              | 26.46           | 180.00      | 10,624.2              | 224.0        | 234.0        | 12.00                   | 12.00                  | 81.65                 | 180.00  | FTP(Pistolero 15 Fed |
| 11,172.7              | 90.00           | 179.55      | 10,888.9              | -203.5       | 236.3        | 12.00                   | 12.00                  | -0.09                 | -0.51   |                      |
| 15,924.4              | 90.00           | 179.55      | 10,889.0              | -4,955.0     | 274.0        | 0.00                    | 0.00                   | 0.00                  | 0.00    | FEDPP1(Pistolero 15  |
| 17,243.5              | 90.00           | 179.50      | 10,889.0              | -6,274.0     | 285.0        | 0.00                    | 0.00                   | 0.00                  | -88.44  | FEDPP2(Pistolero 15  |
| 26,383.7              | 90.00           | 179.61      | 10,889.0              | -15,414.0    | 356.0        | 0.00                    | 0.00                   | 0.00                  | 90.66   | PBHL(Pistolero 15 Fe |

## Planning Report

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Database:</b> | PEDM                        | <b>Local Co-ordinate Reference:</b> | Well #506H            |
| <b>Company:</b>  | Midland                     | <b>TVD Reference:</b>               | kb = 26' @ 3359.0usft |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>MD Reference:</b>                | kb = 26' @ 3359.0usft |
| <b>Site:</b>     | Pistolero 15 Fed            | <b>North Reference:</b>             | Grid                  |
| <b>Well:</b>     | #506H                       | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Wellbore:</b> | OH                          |                                     |                       |
| <b>Design:</b>   | Plan #0.2                   |                                     |                       |

| Planned Survey        |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 0.0                   | 0.00            | 0.00        | 0.0                   | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 100.0                 | 0.00            | 0.00        | 100.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 200.0                 | 0.00            | 0.00        | 200.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 300.0                 | 0.00            | 0.00        | 300.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 400.0                 | 0.00            | 0.00        | 400.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 500.0                 | 0.00            | 0.00        | 500.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 600.0                 | 0.00            | 0.00        | 600.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 700.0                 | 0.00            | 0.00        | 700.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 800.0                 | 0.00            | 0.00        | 800.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 900.0                 | 0.00            | 0.00        | 900.0                 | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,000.0               | 0.00            | 0.00        | 1,000.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,100.0               | 0.00            | 0.00        | 1,100.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,200.0               | 0.00            | 0.00        | 1,200.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,268.0               | 0.00            | 0.00        | 1,268.0               | 0.0          | 0.0          | 0.0                     | 0.00                    | 0.00                   | 0.00                  |
| 1,300.0               | 0.03            | 40.50       | 1,300.0               | 0.0          | 0.0          | 0.0                     | 0.10                    | 0.10                   | 0.00                  |
| 1,400.0               | 0.14            | 40.50       | 1,400.0               | 0.1          | 0.1          | -0.1                    | 0.10                    | 0.10                   | 0.00                  |
| 1,500.0               | 0.24            | 40.50       | 1,500.0               | 0.4          | 0.3          | -0.4                    | 0.10                    | 0.10                   | 0.00                  |
| 1,600.0               | 0.34            | 40.50       | 1,600.0               | 0.8          | 0.6          | -0.7                    | 0.10                    | 0.10                   | 0.00                  |
| 1,700.0               | 0.45            | 40.50       | 1,700.0               | 1.3          | 1.1          | -1.3                    | 0.10                    | 0.10                   | 0.00                  |
| 1,800.0               | 0.55            | 40.50       | 1,800.0               | 1.9          | 1.7          | -1.9                    | 0.10                    | 0.10                   | 0.00                  |
| 1,900.0               | 0.65            | 40.50       | 1,900.0               | 2.7          | 2.3          | -2.7                    | 0.10                    | 0.10                   | 0.00                  |
| 2,000.0               | 0.76            | 40.50       | 2,000.0               | 3.7          | 3.1          | -3.6                    | 0.10                    | 0.10                   | 0.00                  |
| 2,100.0               | 0.86            | 40.50       | 2,100.0               | 4.8          | 4.1          | -4.7                    | 0.10                    | 0.10                   | 0.00                  |
| 2,200.0               | 0.97            | 40.50       | 2,200.0               | 6.0          | 5.1          | -5.8                    | 0.10                    | 0.10                   | 0.00                  |
| 2,300.0               | 1.07            | 40.50       | 2,299.9               | 7.3          | 6.2          | -7.2                    | 0.10                    | 0.10                   | 0.00                  |
| 2,400.0               | 1.17            | 40.50       | 2,399.9               | 8.8          | 7.5          | -8.6                    | 0.10                    | 0.10                   | 0.00                  |
| 2,500.0               | 1.28            | 40.50       | 2,499.9               | 10.4         | 8.9          | -10.2                   | 0.10                    | 0.10                   | 0.00                  |
| 2,600.0               | 1.38            | 40.50       | 2,599.9               | 12.2         | 10.4         | -11.9                   | 0.10                    | 0.10                   | 0.00                  |
| 2,700.0               | 1.48            | 40.50       | 2,699.8               | 14.1         | 12.0         | -13.8                   | 0.10                    | 0.10                   | 0.00                  |
| 2,800.0               | 1.59            | 40.50       | 2,799.8               | 16.1         | 13.8         | -15.8                   | 0.10                    | 0.10                   | 0.00                  |
| 2,900.0               | 1.69            | 40.50       | 2,899.8               | 18.3         | 15.6         | -17.9                   | 0.10                    | 0.10                   | 0.00                  |
| 3,000.0               | 1.79            | 40.50       | 2,999.7               | 20.6         | 17.6         | -20.2                   | 0.10                    | 0.10                   | 0.00                  |
| 3,100.0               | 1.90            | 40.50       | 3,099.7               | 23.1         | 19.7         | -22.6                   | 0.10                    | 0.10                   | 0.00                  |
| 3,200.0               | 2.00            | 40.50       | 3,199.6               | 25.6         | 21.9         | -25.1                   | 0.10                    | 0.10                   | 0.00                  |
| 3,300.0               | 2.10            | 40.50       | 3,299.5               | 28.4         | 24.2         | -27.8                   | 0.10                    | 0.10                   | 0.00                  |
| 3,400.0               | 2.21            | 40.50       | 3,399.5               | 31.2         | 26.7         | -30.6                   | 0.10                    | 0.10                   | 0.00                  |
| 3,500.0               | 2.31            | 40.50       | 3,499.4               | 34.2         | 29.2         | -33.5                   | 0.10                    | 0.10                   | 0.00                  |
| 3,600.0               | 2.41            | 40.50       | 3,599.3               | 37.4         | 31.9         | -36.6                   | 0.10                    | 0.10                   | 0.00                  |
| 3,700.0               | 2.52            | 40.50       | 3,699.2               | 40.6         | 34.7         | -39.8                   | 0.10                    | 0.10                   | 0.00                  |
| 3,800.0               | 2.62            | 40.50       | 3,799.1               | 44.0         | 37.6         | -43.2                   | 0.10                    | 0.10                   | 0.00                  |
| 3,900.0               | 2.73            | 40.50       | 3,899.0               | 47.6         | 40.6         | -46.6                   | 0.10                    | 0.10                   | 0.00                  |
| 4,000.0               | 2.83            | 40.50       | 3,998.9               | 51.3         | 43.8         | -50.3                   | 0.10                    | 0.10                   | 0.00                  |
| 4,100.0               | 2.93            | 40.50       | 4,098.8               | 55.1         | 47.1         | -54.0                   | 0.10                    | 0.10                   | 0.00                  |
| 4,200.0               | 3.04            | 40.50       | 4,198.6               | 59.1         | 50.4         | -57.9                   | 0.10                    | 0.10                   | 0.00                  |
| 4,300.0               | 3.14            | 40.50       | 4,298.5               | 63.2         | 53.9         | -61.9                   | 0.10                    | 0.10                   | 0.00                  |
| 4,400.0               | 3.24            | 40.50       | 4,398.3               | 67.4         | 57.5         | -66.0                   | 0.10                    | 0.10                   | 0.00                  |
| 4,500.0               | 3.35            | 40.50       | 4,498.2               | 71.8         | 61.3         | -70.3                   | 0.10                    | 0.10                   | 0.00                  |
| 4,600.0               | 3.45            | 40.50       | 4,598.0               | 76.3         | 65.1         | -74.7                   | 0.10                    | 0.10                   | 0.00                  |
| 4,700.0               | 3.55            | 40.50       | 4,697.8               | 80.9         | 69.1         | -79.3                   | 0.10                    | 0.10                   | 0.00                  |
| 4,800.0               | 3.66            | 40.50       | 4,797.6               | 85.7         | 73.2         | -84.0                   | 0.10                    | 0.10                   | 0.00                  |
| 4,900.0               | 3.76            | 40.50       | 4,897.4               | 90.6         | 77.4         | -88.8                   | 0.10                    | 0.10                   | 0.00                  |
| 5,000.0               | 3.86            | 40.50       | 4,997.2               | 95.7         | 81.7         | -93.8                   | 0.10                    | 0.10                   | 0.00                  |
| 5,100.0               | 3.97            | 40.50       | 5,096.9               | 100.9        | 86.1         | -98.8                   | 0.10                    | 0.10                   | 0.00                  |
| 5,200.0               | 4.07            | 40.50       | 5,196.7               | 106.2        | 90.7         | -104.1                  | 0.10                    | 0.10                   | 0.00                  |

## Planning Report

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Database:</b> | PEDM                        | <b>Local Co-ordinate Reference:</b> | Well #506H            |
| <b>Company:</b>  | Midland                     | <b>TVD Reference:</b>               | kb = 26' @ 3359.0usft |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>MD Reference:</b>                | kb = 26' @ 3359.0usft |
| <b>Site:</b>     | Pistolero 15 Fed            | <b>North Reference:</b>             | Grid                  |
| <b>Well:</b>     | #506H                       | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Wellbore:</b> | OH                          |                                     |                       |
| <b>Design:</b>   | Plan #0.2                   |                                     |                       |

| Planned Survey        |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 5,294.9               | 4.17            | 40.50       | 5,291.3               | 111.4        | 95.1         | -109.2                  | 0.10                    | 0.10                   | 0.00                  |
| 5,300.0               | 4.17            | 40.50       | 5,296.4               | 111.7        | 95.4         | -109.4                  | 0.00                    | 0.00                   | 0.00                  |
| 5,400.0               | 4.17            | 40.50       | 5,396.2               | 117.2        | 100.1        | -114.8                  | 0.00                    | 0.00                   | 0.00                  |
| 5,500.0               | 4.17            | 40.50       | 5,495.9               | 122.7        | 104.8        | -120.3                  | 0.00                    | 0.00                   | 0.00                  |
| 5,600.0               | 4.17            | 40.50       | 5,595.6               | 128.2        | 109.5        | -125.7                  | 0.00                    | 0.00                   | 0.00                  |
| 5,700.0               | 4.17            | 40.50       | 5,695.4               | 133.8        | 114.2        | -131.1                  | 0.00                    | 0.00                   | 0.00                  |
| 5,800.0               | 4.17            | 40.50       | 5,795.1               | 139.3        | 119.0        | -136.5                  | 0.00                    | 0.00                   | 0.00                  |
| 5,900.0               | 4.17            | 40.50       | 5,894.8               | 144.8        | 123.7        | -141.9                  | 0.00                    | 0.00                   | 0.00                  |
| 6,000.0               | 4.17            | 40.50       | 5,994.6               | 150.4        | 128.4        | -147.4                  | 0.00                    | 0.00                   | 0.00                  |
| 6,100.0               | 4.17            | 40.50       | 6,094.3               | 155.9        | 133.1        | -152.8                  | 0.00                    | 0.00                   | 0.00                  |
| 6,200.0               | 4.17            | 40.50       | 6,194.1               | 161.4        | 137.9        | -158.2                  | 0.00                    | 0.00                   | 0.00                  |
| 6,300.0               | 4.17            | 40.50       | 6,293.8               | 167.0        | 142.6        | -163.6                  | 0.00                    | 0.00                   | 0.00                  |
| 6,400.0               | 4.17            | 40.50       | 6,393.5               | 172.5        | 147.3        | -169.0                  | 0.00                    | 0.00                   | 0.00                  |
| 6,500.0               | 4.17            | 40.50       | 6,493.3               | 178.0        | 152.0        | -174.5                  | 0.00                    | 0.00                   | 0.00                  |
| 6,600.0               | 4.17            | 40.50       | 6,593.0               | 183.5        | 156.7        | -179.9                  | 0.00                    | 0.00                   | 0.00                  |
| 6,700.0               | 4.17            | 40.50       | 6,692.7               | 189.1        | 161.5        | -185.3                  | 0.00                    | 0.00                   | 0.00                  |
| 6,800.0               | 4.17            | 40.50       | 6,792.5               | 194.6        | 166.2        | -190.7                  | 0.00                    | 0.00                   | 0.00                  |
| 6,900.0               | 4.17            | 40.50       | 6,892.2               | 200.1        | 170.9        | -196.1                  | 0.00                    | 0.00                   | 0.00                  |
| 7,000.0               | 4.17            | 40.50       | 6,991.9               | 205.7        | 175.6        | -201.5                  | 0.00                    | 0.00                   | 0.00                  |
| 7,100.0               | 4.17            | 40.50       | 7,091.7               | 211.2        | 180.4        | -207.0                  | 0.00                    | 0.00                   | 0.00                  |
| 7,200.0               | 4.17            | 40.50       | 7,191.4               | 216.7        | 185.1        | -212.4                  | 0.00                    | 0.00                   | 0.00                  |
| 7,300.0               | 4.17            | 40.50       | 7,291.1               | 222.2        | 189.8        | -217.8                  | 0.00                    | 0.00                   | 0.00                  |
| 7,400.0               | 4.17            | 40.50       | 7,390.9               | 227.8        | 194.5        | -223.2                  | 0.00                    | 0.00                   | 0.00                  |
| 7,500.0               | 4.17            | 40.50       | 7,490.6               | 233.3        | 199.2        | -228.6                  | 0.00                    | 0.00                   | 0.00                  |
| 7,600.0               | 4.17            | 40.50       | 7,590.3               | 238.8        | 204.0        | -234.1                  | 0.00                    | 0.00                   | 0.00                  |
| 7,700.0               | 4.17            | 40.50       | 7,690.1               | 244.4        | 208.7        | -239.5                  | 0.00                    | 0.00                   | 0.00                  |
| 7,800.0               | 4.17            | 40.50       | 7,789.8               | 249.9        | 213.4        | -244.9                  | 0.00                    | 0.00                   | 0.00                  |
| 7,900.0               | 4.17            | 40.50       | 7,889.6               | 255.4        | 218.1        | -250.3                  | 0.00                    | 0.00                   | 0.00                  |
| 8,000.0               | 4.17            | 40.50       | 7,989.3               | 260.9        | 222.9        | -255.7                  | 0.00                    | 0.00                   | 0.00                  |
| 8,100.0               | 4.17            | 40.50       | 8,089.0               | 266.5        | 227.6        | -261.2                  | 0.00                    | 0.00                   | 0.00                  |
| 8,131.8               | 4.17            | 40.50       | 8,120.7               | 268.2        | 229.1        | -262.9                  | 0.00                    | 0.00                   | 0.00                  |
| 8,200.0               | 2.80            | 40.50       | 8,188.8               | 271.4        | 231.8        | -266.0                  | 2.00                    | -2.00                  | 0.00                  |
| 8,300.0               | 0.80            | 40.50       | 8,288.8               | 273.8        | 233.8        | -268.3                  | 2.00                    | -2.00                  | 0.00                  |
| 8,340.2               | 0.00            | 0.00        | 8,329.0               | 274.0        | 234.0        | -268.5                  | 2.00                    | -2.00                  | 0.00                  |
| 8,400.0               | 0.00            | 0.00        | 8,388.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 8,500.0               | 0.00            | 0.00        | 8,488.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 8,600.0               | 0.00            | 0.00        | 8,588.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 8,700.0               | 0.00            | 0.00        | 8,688.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 8,800.0               | 0.00            | 0.00        | 8,788.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 8,900.0               | 0.00            | 0.00        | 8,888.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 9,000.0               | 0.00            | 0.00        | 8,988.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 9,100.0               | 0.00            | 0.00        | 9,088.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 9,200.0               | 0.00            | 0.00        | 9,188.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 9,300.0               | 0.00            | 0.00        | 9,288.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 9,400.0               | 0.00            | 0.00        | 9,388.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 9,500.0               | 0.00            | 0.00        | 9,488.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 9,600.0               | 0.00            | 0.00        | 9,588.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 9,700.0               | 0.00            | 0.00        | 9,688.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 9,800.0               | 0.00            | 0.00        | 9,788.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 9,900.0               | 0.00            | 0.00        | 9,888.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 10,000.0              | 0.00            | 0.00        | 9,988.8               | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 10,100.0              | 0.00            | 0.00        | 10,088.8              | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 10,200.0              | 0.00            | 0.00        | 10,188.8              | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 10,300.0              | 0.00            | 0.00        | 10,288.8              | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |

## Planning Report

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Database:</b> | PEDM                        | <b>Local Co-ordinate Reference:</b> | Well #506H            |
| <b>Company:</b>  | Midland                     | <b>TVD Reference:</b>               | kb = 26' @ 3359.0usft |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>MD Reference:</b>                | kb = 26' @ 3359.0usft |
| <b>Site:</b>     | Pistolero 15 Fed            | <b>North Reference:</b>             | Grid                  |
| <b>Well:</b>     | #506H                       | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Wellbore:</b> | OH                          |                                     |                       |
| <b>Design:</b>   | Plan #0.2                   |                                     |                       |

| Planned Survey        |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 10,400.0              | 0.00            | 0.00        | 10,388.8              | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 10,422.7              | 0.00            | 0.00        | 10,411.5              | 274.0        | 234.0        | -268.5                  | 0.00                    | 0.00                   | 0.00                  |
| 10,425.0              | 0.27            | 180.00      | 10,413.8              | 274.0        | 234.0        | -268.5                  | 12.00                   | 12.00                  | 0.00                  |
| 10,450.0              | 3.27            | 180.00      | 10,438.7              | 273.2        | 234.0        | -267.7                  | 12.00                   | 12.00                  | 0.00                  |
| 10,475.0              | 6.27            | 180.00      | 10,463.6              | 271.1        | 234.0        | -265.7                  | 12.00                   | 12.00                  | 0.00                  |
| 10,500.0              | 9.27            | 180.00      | 10,488.4              | 267.8        | 234.0        | -262.3                  | 12.00                   | 12.00                  | 0.00                  |
| 10,525.0              | 12.27           | 180.00      | 10,513.0              | 263.1        | 234.0        | -257.6                  | 12.00                   | 12.00                  | 0.00                  |
| 10,550.0              | 15.27           | 180.00      | 10,537.3              | 257.1        | 234.0        | -251.7                  | 12.00                   | 12.00                  | 0.00                  |
| 10,575.0              | 18.27           | 180.00      | 10,561.2              | 249.9        | 234.0        | -244.5                  | 12.00                   | 12.00                  | 0.00                  |
| 10,600.0              | 21.27           | 180.00      | 10,584.7              | 241.5        | 234.0        | -236.0                  | 12.00                   | 12.00                  | 0.00                  |
| 10,625.0              | 24.27           | 180.00      | 10,607.8              | 231.8        | 234.0        | -226.3                  | 12.00                   | 12.00                  | 0.00                  |
| 10,643.2              | 26.46           | 180.00      | 10,624.2              | 224.0        | 234.0        | -218.5                  | 12.00                   | 12.00                  | 0.00                  |
| 10,650.0              | 27.27           | 179.98      | 10,630.3              | 220.9        | 234.0        | -215.5                  | 12.00                   | 12.00                  | -0.23                 |
| 10,675.0              | 30.27           | 179.93      | 10,652.2              | 208.9        | 234.0        | -203.4                  | 12.00                   | 12.00                  | -0.20                 |
| 10,700.0              | 33.27           | 179.89      | 10,673.4              | 195.7        | 234.0        | -190.3                  | 12.00                   | 12.00                  | -0.17                 |
| 10,725.0              | 36.27           | 179.85      | 10,694.0              | 181.5        | 234.1        | -176.0                  | 12.00                   | 12.00                  | -0.15                 |
| 10,750.0              | 39.27           | 179.82      | 10,713.7              | 166.2        | 234.1        | -160.7                  | 12.00                   | 12.00                  | -0.13                 |
| 10,775.0              | 42.27           | 179.79      | 10,732.7              | 149.8        | 234.2        | -144.4                  | 12.00                   | 12.00                  | -0.11                 |
| 10,800.0              | 45.27           | 179.77      | 10,750.7              | 132.5        | 234.2        | -127.1                  | 12.00                   | 12.00                  | -0.10                 |
| 10,825.0              | 48.27           | 179.75      | 10,767.8              | 114.3        | 234.3        | -108.9                  | 12.00                   | 12.00                  | -0.09                 |
| 10,850.0              | 51.27           | 179.73      | 10,784.0              | 95.2         | 234.4        | -89.8                   | 12.00                   | 12.00                  | -0.08                 |
| 10,875.0              | 54.27           | 179.71      | 10,799.1              | 75.3         | 234.5        | -69.9                   | 12.00                   | 12.00                  | -0.07                 |
| 10,900.0              | 57.27           | 179.69      | 10,813.1              | 54.7         | 234.6        | -49.2                   | 12.00                   | 12.00                  | -0.07                 |
| 10,925.0              | 60.27           | 179.67      | 10,826.1              | 33.3         | 234.7        | -27.9                   | 12.00                   | 12.00                  | -0.06                 |
| 10,950.0              | 63.27           | 179.66      | 10,837.9              | 11.3         | 234.8        | -5.9                    | 12.00                   | 12.00                  | -0.06                 |
| 10,975.0              | 66.27           | 179.65      | 10,848.6              | -11.3        | 235.0        | 16.8                    | 12.00                   | 12.00                  | -0.06                 |
| 11,000.0              | 69.27           | 179.63      | 10,858.0              | -34.5        | 235.1        | 39.9                    | 12.00                   | 12.00                  | -0.06                 |
| 11,025.0              | 72.27           | 179.62      | 10,866.3              | -58.1        | 235.3        | 63.5                    | 12.00                   | 12.00                  | -0.05                 |
| 11,050.0              | 75.27           | 179.61      | 10,873.3              | -82.1        | 235.4        | 87.5                    | 12.00                   | 12.00                  | -0.05                 |
| 11,075.0              | 78.27           | 179.59      | 10,879.0              | -106.4       | 235.6        | 111.8                   | 12.00                   | 12.00                  | -0.05                 |
| 11,100.0              | 81.27           | 179.58      | 10,883.4              | -131.0       | 235.8        | 136.4                   | 12.00                   | 12.00                  | -0.05                 |
| 11,125.0              | 84.27           | 179.57      | 10,886.6              | -155.8       | 236.0        | 161.2                   | 12.00                   | 12.00                  | -0.05                 |
| 11,150.0              | 87.27           | 179.56      | 10,888.4              | -180.7       | 236.2        | 186.1                   | 12.00                   | 12.00                  | -0.05                 |
| 11,172.7              | 90.00           | 179.55      | 10,888.9              | -203.5       | 236.3        | 208.9                   | 12.00                   | 12.00                  | -0.05                 |
| 11,200.0              | 90.00           | 179.55      | 10,888.9              | -230.7       | 236.6        | 236.1                   | 0.00                    | 0.00                   | 0.00                  |
| 11,300.0              | 90.00           | 179.55      | 10,888.9              | -330.7       | 237.4        | 336.1                   | 0.00                    | 0.00                   | 0.00                  |
| 11,400.0              | 90.00           | 179.55      | 10,888.9              | -430.7       | 238.1        | 436.1                   | 0.00                    | 0.00                   | 0.00                  |
| 11,500.0              | 90.00           | 179.55      | 10,888.9              | -530.7       | 238.9        | 536.1                   | 0.00                    | 0.00                   | 0.00                  |
| 11,600.0              | 90.00           | 179.55      | 10,889.0              | -630.7       | 239.7        | 636.1                   | 0.00                    | 0.00                   | 0.00                  |
| 11,700.0              | 90.00           | 179.55      | 10,889.0              | -730.7       | 240.5        | 736.1                   | 0.00                    | 0.00                   | 0.00                  |
| 11,800.0              | 90.00           | 179.55      | 10,889.0              | -830.7       | 241.3        | 836.1                   | 0.00                    | 0.00                   | 0.00                  |
| 11,900.0              | 90.00           | 179.55      | 10,889.0              | -930.7       | 242.1        | 936.0                   | 0.00                    | 0.00                   | 0.00                  |
| 12,000.0              | 90.00           | 179.55      | 10,889.0              | -1,030.7     | 242.9        | 1,036.0                 | 0.00                    | 0.00                   | 0.00                  |
| 12,100.0              | 90.00           | 179.55      | 10,889.0              | -1,130.7     | 243.7        | 1,136.0                 | 0.00                    | 0.00                   | 0.00                  |
| 12,200.0              | 90.00           | 179.55      | 10,889.0              | -1,230.7     | 244.5        | 1,236.0                 | 0.00                    | 0.00                   | 0.00                  |
| 12,300.0              | 90.00           | 179.55      | 10,889.0              | -1,330.7     | 245.3        | 1,336.0                 | 0.00                    | 0.00                   | 0.00                  |
| 12,400.0              | 90.00           | 179.55      | 10,889.0              | -1,430.7     | 246.1        | 1,436.0                 | 0.00                    | 0.00                   | 0.00                  |
| 12,500.0              | 90.00           | 179.55      | 10,889.0              | -1,530.7     | 246.9        | 1,536.0                 | 0.00                    | 0.00                   | 0.00                  |
| 12,600.0              | 90.00           | 179.55      | 10,889.0              | -1,630.7     | 247.7        | 1,636.0                 | 0.00                    | 0.00                   | 0.00                  |
| 12,700.0              | 90.00           | 179.55      | 10,889.0              | -1,730.7     | 248.4        | 1,736.0                 | 0.00                    | 0.00                   | 0.00                  |
| 12,800.0              | 90.00           | 179.55      | 10,889.0              | -1,830.7     | 249.2        | 1,835.9                 | 0.00                    | 0.00                   | 0.00                  |
| 12,900.0              | 90.00           | 179.55      | 10,889.0              | -1,930.7     | 250.0        | 1,935.9                 | 0.00                    | 0.00                   | 0.00                  |
| 13,000.0              | 90.00           | 179.55      | 10,889.0              | -2,030.7     | 250.8        | 2,035.9                 | 0.00                    | 0.00                   | 0.00                  |
| 13,100.0              | 90.00           | 179.55      | 10,889.0              | -2,130.7     | 251.6        | 2,135.9                 | 0.00                    | 0.00                   | 0.00                  |

## Planning Report

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Database:</b> | PEDM                        | <b>Local Co-ordinate Reference:</b> | Well #506H            |
| <b>Company:</b>  | Midland                     | <b>TVD Reference:</b>               | kb = 26' @ 3359.0usft |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>MD Reference:</b>                | kb = 26' @ 3359.0usft |
| <b>Site:</b>     | Pistolero 15 Fed            | <b>North Reference:</b>             | Grid                  |
| <b>Well:</b>     | #506H                       | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Wellbore:</b> | OH                          |                                     |                       |
| <b>Design:</b>   | Plan #0.2                   |                                     |                       |

| Planned Survey        |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 13,200.0              | 90.00           | 179.55      | 10,889.0              | -2,230.7     | 252.4        | 2,235.9                 | 0.00                    | 0.00                   | 0.00                  |
| 13,300.0              | 90.00           | 179.55      | 10,889.0              | -2,330.7     | 253.2        | 2,335.9                 | 0.00                    | 0.00                   | 0.00                  |
| 13,400.0              | 90.00           | 179.55      | 10,889.0              | -2,430.7     | 254.0        | 2,435.9                 | 0.00                    | 0.00                   | 0.00                  |
| 13,500.0              | 90.00           | 179.55      | 10,889.0              | -2,530.7     | 254.8        | 2,535.9                 | 0.00                    | 0.00                   | 0.00                  |
| 13,600.0              | 90.00           | 179.55      | 10,889.0              | -2,630.7     | 255.6        | 2,635.9                 | 0.00                    | 0.00                   | 0.00                  |
| 13,700.0              | 90.00           | 179.55      | 10,889.0              | -2,730.6     | 256.4        | 2,735.8                 | 0.00                    | 0.00                   | 0.00                  |
| 13,800.0              | 90.00           | 179.55      | 10,889.0              | -2,830.6     | 257.2        | 2,835.8                 | 0.00                    | 0.00                   | 0.00                  |
| 13,900.0              | 90.00           | 179.55      | 10,889.0              | -2,930.6     | 258.0        | 2,935.8                 | 0.00                    | 0.00                   | 0.00                  |
| 14,000.0              | 90.00           | 179.55      | 10,889.0              | -3,030.6     | 258.7        | 3,035.8                 | 0.00                    | 0.00                   | 0.00                  |
| 14,100.0              | 90.00           | 179.55      | 10,889.0              | -3,130.6     | 259.5        | 3,135.8                 | 0.00                    | 0.00                   | 0.00                  |
| 14,200.0              | 90.00           | 179.55      | 10,889.0              | -3,230.6     | 260.3        | 3,235.8                 | 0.00                    | 0.00                   | 0.00                  |
| 14,300.0              | 90.00           | 179.55      | 10,889.0              | -3,330.6     | 261.1        | 3,335.8                 | 0.00                    | 0.00                   | 0.00                  |
| 14,400.0              | 90.00           | 179.55      | 10,889.0              | -3,430.6     | 261.9        | 3,435.8                 | 0.00                    | 0.00                   | 0.00                  |
| 14,500.0              | 90.00           | 179.55      | 10,889.0              | -3,530.6     | 262.7        | 3,535.7                 | 0.00                    | 0.00                   | 0.00                  |
| 14,600.0              | 90.00           | 179.55      | 10,889.0              | -3,630.6     | 263.5        | 3,635.7                 | 0.00                    | 0.00                   | 0.00                  |
| 14,700.0              | 90.00           | 179.55      | 10,889.0              | -3,730.6     | 264.3        | 3,735.7                 | 0.00                    | 0.00                   | 0.00                  |
| 14,800.0              | 90.00           | 179.55      | 10,889.0              | -3,830.6     | 265.1        | 3,835.7                 | 0.00                    | 0.00                   | 0.00                  |
| 14,900.0              | 90.00           | 179.55      | 10,889.0              | -3,930.6     | 265.9        | 3,935.7                 | 0.00                    | 0.00                   | 0.00                  |
| 15,000.0              | 90.00           | 179.55      | 10,889.0              | -4,030.6     | 266.7        | 4,035.7                 | 0.00                    | 0.00                   | 0.00                  |
| 15,100.0              | 90.00           | 179.55      | 10,889.0              | -4,130.6     | 267.5        | 4,135.7                 | 0.00                    | 0.00                   | 0.00                  |
| 15,200.0              | 90.00           | 179.55      | 10,889.0              | -4,230.6     | 268.3        | 4,235.7                 | 0.00                    | 0.00                   | 0.00                  |
| 15,300.0              | 90.00           | 179.55      | 10,889.0              | -4,330.6     | 269.1        | 4,335.7                 | 0.00                    | 0.00                   | 0.00                  |
| 15,400.0              | 90.00           | 179.55      | 10,889.0              | -4,430.6     | 269.8        | 4,435.6                 | 0.00                    | 0.00                   | 0.00                  |
| 15,500.0              | 90.00           | 179.55      | 10,889.0              | -4,530.6     | 270.6        | 4,535.6                 | 0.00                    | 0.00                   | 0.00                  |
| 15,600.0              | 90.00           | 179.55      | 10,889.0              | -4,630.6     | 271.4        | 4,635.6                 | 0.00                    | 0.00                   | 0.00                  |
| 15,700.0              | 90.00           | 179.55      | 10,889.0              | -4,730.6     | 272.2        | 4,735.6                 | 0.00                    | 0.00                   | 0.00                  |
| 15,800.0              | 90.00           | 179.55      | 10,889.0              | -4,830.6     | 273.0        | 4,835.6                 | 0.00                    | 0.00                   | 0.00                  |
| 15,900.0              | 90.00           | 179.55      | 10,889.0              | -4,930.6     | 273.8        | 4,935.6                 | 0.00                    | 0.00                   | 0.00                  |
| 15,924.4              | 90.00           | 179.55      | 10,889.0              | -4,955.0     | 274.0        | 4,960.0                 | 0.00                    | 0.00                   | 0.00                  |
| 16,000.0              | 90.00           | 179.54      | 10,889.0              | -5,030.6     | 274.6        | 5,035.6                 | 0.00                    | 0.00                   | 0.00                  |
| 16,100.0              | 90.00           | 179.54      | 10,889.0              | -5,130.6     | 275.4        | 5,135.6                 | 0.00                    | 0.00                   | 0.00                  |
| 16,200.0              | 90.00           | 179.54      | 10,889.0              | -5,230.6     | 276.2        | 5,235.6                 | 0.00                    | 0.00                   | 0.00                  |
| 16,300.0              | 90.00           | 179.53      | 10,889.0              | -5,330.6     | 277.0        | 5,335.5                 | 0.00                    | 0.00                   | 0.00                  |
| 16,400.0              | 90.00           | 179.53      | 10,889.0              | -5,430.6     | 277.8        | 5,435.5                 | 0.00                    | 0.00                   | 0.00                  |
| 16,500.0              | 90.00           | 179.53      | 10,889.0              | -5,530.6     | 278.7        | 5,535.5                 | 0.00                    | 0.00                   | 0.00                  |
| 16,600.0              | 90.00           | 179.52      | 10,889.0              | -5,630.6     | 279.5        | 5,635.5                 | 0.00                    | 0.00                   | 0.00                  |
| 16,700.0              | 90.00           | 179.52      | 10,889.0              | -5,730.6     | 280.3        | 5,735.5                 | 0.00                    | 0.00                   | 0.00                  |
| 16,800.0              | 90.00           | 179.51      | 10,889.0              | -5,830.5     | 281.2        | 5,835.5                 | 0.00                    | 0.00                   | 0.00                  |
| 16,900.0              | 90.00           | 179.51      | 10,889.0              | -5,930.5     | 282.0        | 5,935.5                 | 0.00                    | 0.00                   | 0.00                  |
| 17,000.0              | 90.00           | 179.51      | 10,889.0              | -6,030.5     | 282.9        | 6,035.5                 | 0.00                    | 0.00                   | 0.00                  |
| 17,100.0              | 90.00           | 179.50      | 10,889.0              | -6,130.5     | 283.8        | 6,135.5                 | 0.00                    | 0.00                   | 0.00                  |
| 17,200.0              | 90.00           | 179.50      | 10,889.0              | -6,230.5     | 284.6        | 6,235.4                 | 0.00                    | 0.00                   | 0.00                  |
| 17,243.5              | 90.00           | 179.50      | 10,889.0              | -6,274.0     | 285.0        | 6,278.9                 | 0.00                    | 0.00                   | 0.00                  |
| 17,300.0              | 90.00           | 179.50      | 10,889.0              | -6,330.5     | 285.5        | 6,335.4                 | 0.00                    | 0.00                   | 0.00                  |
| 17,400.0              | 90.00           | 179.50      | 10,889.0              | -6,430.5     | 286.4        | 6,435.4                 | 0.00                    | 0.00                   | 0.00                  |
| 17,500.0              | 90.00           | 179.50      | 10,889.0              | -6,530.5     | 287.2        | 6,535.4                 | 0.00                    | 0.00                   | 0.00                  |
| 17,600.0              | 90.00           | 179.50      | 10,889.0              | -6,630.5     | 288.1        | 6,635.4                 | 0.00                    | 0.00                   | 0.00                  |
| 17,700.0              | 90.00           | 179.50      | 10,889.0              | -6,730.5     | 289.0        | 6,735.4                 | 0.00                    | 0.00                   | 0.00                  |
| 17,800.0              | 90.00           | 179.51      | 10,889.0              | -6,830.5     | 289.8        | 6,835.4                 | 0.00                    | 0.00                   | 0.00                  |
| 17,900.0              | 90.00           | 179.51      | 10,889.0              | -6,930.5     | 290.7        | 6,935.4                 | 0.00                    | 0.00                   | 0.00                  |
| 18,000.0              | 90.00           | 179.51      | 10,889.0              | -7,030.5     | 291.6        | 7,035.4                 | 0.00                    | 0.00                   | 0.00                  |
| 18,100.0              | 90.00           | 179.51      | 10,889.0              | -7,130.5     | 292.4        | 7,135.4                 | 0.00                    | 0.00                   | 0.00                  |
| 18,200.0              | 90.00           | 179.51      | 10,889.0              | -7,230.5     | 293.3        | 7,235.3                 | 0.00                    | 0.00                   | 0.00                  |
| 18,300.0              | 90.00           | 179.51      | 10,889.0              | -7,330.5     | 294.1        | 7,335.3                 | 0.00                    | 0.00                   | 0.00                  |

## Planning Report

|                  |                             |                                     |                       |
|------------------|-----------------------------|-------------------------------------|-----------------------|
| <b>Database:</b> | PEDM                        | <b>Local Co-ordinate Reference:</b> | Well #506H            |
| <b>Company:</b>  | Midland                     | <b>TVD Reference:</b>               | kb = 26' @ 3359.0usft |
| <b>Project:</b>  | Lea County, NM (NAD 83 NME) | <b>MD Reference:</b>                | kb = 26' @ 3359.0usft |
| <b>Site:</b>     | Pistolero 15 Fed            | <b>North Reference:</b>             | Grid                  |
| <b>Well:</b>     | #506H                       | <b>Survey Calculation Method:</b>   | Minimum Curvature     |
| <b>Wellbore:</b> | OH                          |                                     |                       |
| <b>Design:</b>   | Plan #0.2                   |                                     |                       |

| Planned Survey        |                 |             |                       |              |              |                         |                         |                        |                       |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |
| 18,400.0              | 90.00           | 179.51      | 10,889.0              | -7,430.5     | 295.0        | 7,435.3                 | 0.00                    | 0.00                   | 0.00                  |
| 18,500.0              | 90.00           | 179.51      | 10,889.0              | -7,530.5     | 295.8        | 7,535.3                 | 0.00                    | 0.00                   | 0.00                  |
| 18,600.0              | 90.00           | 179.52      | 10,889.0              | -7,630.5     | 296.7        | 7,635.3                 | 0.00                    | 0.00                   | 0.00                  |
| 18,700.0              | 90.00           | 179.52      | 10,889.0              | -7,730.5     | 297.5        | 7,735.3                 | 0.00                    | 0.00                   | 0.00                  |
| 18,800.0              | 90.00           | 179.52      | 10,889.0              | -7,830.5     | 298.4        | 7,835.3                 | 0.00                    | 0.00                   | 0.00                  |
| 18,900.0              | 90.00           | 179.52      | 10,889.0              | -7,930.5     | 299.2        | 7,935.3                 | 0.00                    | 0.00                   | 0.00                  |
| 19,000.0              | 90.00           | 179.52      | 10,889.0              | -8,030.5     | 300.0        | 8,035.3                 | 0.00                    | 0.00                   | 0.00                  |
| 19,100.0              | 90.00           | 179.52      | 10,889.0              | -8,130.5     | 300.9        | 8,135.2                 | 0.00                    | 0.00                   | 0.00                  |
| 19,200.0              | 90.00           | 179.52      | 10,889.0              | -8,230.5     | 301.7        | 8,235.2                 | 0.00                    | 0.00                   | 0.00                  |
| 19,300.0              | 90.00           | 179.52      | 10,889.0              | -8,330.5     | 302.5        | 8,335.2                 | 0.00                    | 0.00                   | 0.00                  |
| 19,400.0              | 90.00           | 179.53      | 10,889.0              | -8,430.5     | 303.4        | 8,435.2                 | 0.00                    | 0.00                   | 0.00                  |
| 19,500.0              | 90.00           | 179.53      | 10,889.0              | -8,530.5     | 304.2        | 8,535.2                 | 0.00                    | 0.00                   | 0.00                  |
| 19,600.0              | 90.00           | 179.53      | 10,889.0              | -8,630.4     | 305.0        | 8,635.2                 | 0.00                    | 0.00                   | 0.00                  |
| 19,700.0              | 90.00           | 179.53      | 10,889.0              | -8,730.4     | 305.9        | 8,735.2                 | 0.00                    | 0.00                   | 0.00                  |
| 19,800.0              | 90.00           | 179.53      | 10,889.0              | -8,830.4     | 306.7        | 8,835.2                 | 0.00                    | 0.00                   | 0.00                  |
| 19,900.0              | 90.00           | 179.53      | 10,889.0              | -8,930.4     | 307.5        | 8,935.2                 | 0.00                    | 0.00                   | 0.00                  |
| 20,000.0              | 90.00           | 179.53      | 10,889.0              | -9,030.4     | 308.3        | 9,035.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,100.0              | 90.00           | 179.53      | 10,889.0              | -9,130.4     | 309.1        | 9,135.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,200.0              | 90.00           | 179.53      | 10,889.0              | -9,230.4     | 309.9        | 9,235.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,300.0              | 90.00           | 179.54      | 10,889.0              | -9,330.4     | 310.7        | 9,335.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,400.0              | 90.00           | 179.54      | 10,889.0              | -9,430.4     | 311.6        | 9,435.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,500.0              | 90.00           | 179.54      | 10,889.0              | -9,530.4     | 312.4        | 9,535.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,600.0              | 90.00           | 179.54      | 10,889.0              | -9,630.4     | 313.2        | 9,635.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,700.0              | 90.00           | 179.54      | 10,889.0              | -9,730.4     | 314.0        | 9,735.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,800.0              | 90.00           | 179.54      | 10,889.0              | -9,830.4     | 314.8        | 9,835.1                 | 0.00                    | 0.00                   | 0.00                  |
| 20,900.0              | 90.00           | 179.54      | 10,889.0              | -9,930.4     | 315.6        | 9,935.0                 | 0.00                    | 0.00                   | 0.00                  |
| 21,000.0              | 90.00           | 179.54      | 10,889.0              | -10,030.4    | 316.4        | 10,035.0                | 0.00                    | 0.00                   | 0.00                  |
| 21,100.0              | 90.00           | 179.55      | 10,889.0              | -10,130.4    | 317.2        | 10,135.0                | 0.00                    | 0.00                   | 0.00                  |
| 21,200.0              | 90.00           | 179.55      | 10,889.0              | -10,230.4    | 317.9        | 10,235.0                | 0.00                    | 0.00                   | 0.00                  |
| 21,300.0              | 90.00           | 179.55      | 10,889.0              | -10,330.4    | 318.7        | 10,335.0                | 0.00                    | 0.00                   | 0.00                  |
| 21,400.0              | 90.00           | 179.55      | 10,889.0              | -10,430.4    | 319.5        | 10,435.0                | 0.00                    | 0.00                   | 0.00                  |
| 21,500.0              | 90.00           | 179.55      | 10,889.0              | -10,530.4    | 320.3        | 10,535.0                | 0.00                    | 0.00                   | 0.00                  |
| 21,600.0              | 90.00           | 179.55      | 10,889.0              | -10,630.4    | 321.1        | 10,635.0                | 0.00                    | 0.00                   | 0.00                  |
| 21,700.0              | 90.00           | 179.55      | 10,889.0              | -10,730.4    | 321.9        | 10,735.0                | 0.00                    | 0.00                   | 0.00                  |
| 21,800.0              | 90.00           | 179.55      | 10,889.0              | -10,830.4    | 322.6        | 10,834.9                | 0.00                    | 0.00                   | 0.00                  |
| 21,900.0              | 90.00           | 179.56      | 10,889.0              | -10,930.4    | 323.4        | 10,934.9                | 0.00                    | 0.00                   | 0.00                  |
| 22,000.0              | 90.00           | 179.56      | 10,889.0              | -11,030.4    | 324.2        | 11,034.9                | 0.00                    | 0.00                   | 0.00                  |
| 22,100.0              | 90.00           | 179.56      | 10,889.0              | -11,130.4    | 325.0        | 11,134.9                | 0.00                    | 0.00                   | 0.00                  |
| 22,200.0              | 90.00           | 179.56      | 10,889.0              | -11,230.4    | 325.7        | 11,234.9                | 0.00                    | 0.00                   | 0.00                  |
| 22,300.0              | 90.00           | 179.56      | 10,889.0              | -11,330.4    | 326.5        | 11,334.9                | 0.00                    | 0.00                   | 0.00                  |
| 22,400.0              | 90.00           | 179.56      | 10,889.0              | -11,430.4    | 327.3        | 11,434.9                | 0.00                    | 0.00                   | 0.00                  |
| 22,500.0              | 90.00           | 179.56      | 10,889.0              | -11,530.4    | 328.0        | 11,534.9                | 0.00                    | 0.00                   | 0.00                  |
| 22,600.0              | 90.00           | 179.56      | 10,889.0              | -11,630.4    | 328.8        | 11,634.8                | 0.00                    | 0.00                   | 0.00                  |
| 22,700.0              | 90.00           | 179.57      | 10,889.0              | -11,730.3    | 329.6        | 11,734.8                | 0.00                    | 0.00                   | 0.00                  |
| 22,800.0              | 90.00           | 179.57      | 10,889.0              | -11,830.3    | 330.3        | 11,834.8                | 0.00                    | 0.00                   | 0.00                  |
| 22,900.0              | 90.00           | 179.57      | 10,889.0              | -11,930.3    | 331.1        | 11,934.8                | 0.00                    | 0.00                   | 0.00                  |
| 23,000.0              | 90.00           | 179.57      | 10,889.0              | -12,030.3    | 331.8        | 12,034.8                | 0.00                    | 0.00                   | 0.00                  |
| 23,100.0              | 90.00           | 179.57      | 10,889.0              | -12,130.3    | 332.6        | 12,134.8                | 0.00                    | 0.00                   | 0.00                  |
| 23,200.0              | 90.00           | 179.57      | 10,889.0              | -12,230.3    | 333.3        | 12,234.8                | 0.00                    | 0.00                   | 0.00                  |
| 23,300.0              | 90.00           | 179.57      | 10,889.0              | -12,330.3    | 334.1        | 12,334.8                | 0.00                    | 0.00                   | 0.00                  |
| 23,400.0              | 90.00           | 179.57      | 10,889.0              | -12,430.3    | 334.8        | 12,434.7                | 0.00                    | 0.00                   | 0.00                  |
| 23,500.0              | 90.00           | 179.58      | 10,889.0              | -12,530.3    | 335.5        | 12,534.7                | 0.00                    | 0.00                   | 0.00                  |
| 23,600.0              | 90.00           | 179.58      | 10,889.0              | -12,630.3    | 336.3        | 12,634.7                | 0.00                    | 0.00                   | 0.00                  |
| 23,700.0              | 90.00           | 179.58      | 10,889.0              | -12,730.3    | 337.0        | 12,734.7                | 0.00                    | 0.00                   | 0.00                  |



Planning Report

|           |                             |                              |                       |
|-----------|-----------------------------|------------------------------|-----------------------|
| Database: | PEDM                        | Local Co-ordinate Reference: | Well #506H            |
| Company:  | Midland                     | TVD Reference:               | kb = 26' @ 3359.0usft |
| Project:  | Lea County, NM (NAD 83 NME) | MD Reference:                | kb = 26' @ 3359.0usft |
| Site:     | Pistolero 15 Fed            | North Reference:             | Grid                  |
| Well:     | #506H                       | Survey Calculation Method:   | Minimum Curvature     |
| Wellbore: | OH                          |                              |                       |
| Design:   | Plan #0.2                   |                              |                       |


| Planned Survey        |                 |             |                       |              |              |                         |                         |                        |                       |  |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 23,800.0              | 90.00           | 179.58      | 10,889.0              | -12,830.3    | 337.8        | 12,834.7                | 0.00                    | 0.00                   | 0.00                  |  |
| 23,900.0              | 90.00           | 179.58      | 10,889.0              | -12,930.3    | 338.5        | 12,934.7                | 0.00                    | 0.00                   | 0.00                  |  |
| 24,000.0              | 90.00           | 179.58      | 10,889.0              | -13,030.3    | 339.2        | 13,034.7                | 0.00                    | 0.00                   | 0.00                  |  |
| 24,100.0              | 90.00           | 179.58      | 10,889.0              | -13,130.3    | 339.9        | 13,134.7                | 0.00                    | 0.00                   | 0.00                  |  |
| 24,200.0              | 90.00           | 179.58      | 10,889.0              | -13,230.3    | 340.7        | 13,234.6                | 0.00                    | 0.00                   | 0.00                  |  |
| 24,300.0              | 90.00           | 179.59      | 10,889.0              | -13,330.3    | 341.4        | 13,334.6                | 0.00                    | 0.00                   | 0.00                  |  |
| 24,400.0              | 90.00           | 179.59      | 10,889.0              | -13,430.3    | 342.1        | 13,434.6                | 0.00                    | 0.00                   | 0.00                  |  |
| 24,500.0              | 90.00           | 179.59      | 10,889.0              | -13,530.3    | 342.8        | 13,534.6                | 0.00                    | 0.00                   | 0.00                  |  |
| 24,600.0              | 90.00           | 179.59      | 10,889.0              | -13,630.3    | 343.6        | 13,634.6                | 0.00                    | 0.00                   | 0.00                  |  |
| 24,700.0              | 90.00           | 179.59      | 10,889.0              | -13,730.3    | 344.3        | 13,734.6                | 0.00                    | 0.00                   | 0.00                  |  |
| 24,800.0              | 90.00           | 179.59      | 10,889.0              | -13,830.3    | 345.0        | 13,834.6                | 0.00                    | 0.00                   | 0.00                  |  |
| 24,900.0              | 90.00           | 179.59      | 10,889.0              | -13,930.3    | 345.7        | 13,934.6                | 0.00                    | 0.00                   | 0.00                  |  |
| 25,000.0              | 90.00           | 179.59      | 10,889.0              | -14,030.3    | 346.4        | 14,034.5                | 0.00                    | 0.00                   | 0.00                  |  |
| 25,100.0              | 90.00           | 179.60      | 10,889.0              | -14,130.3    | 347.1        | 14,134.5                | 0.00                    | 0.00                   | 0.00                  |  |
| 25,200.0              | 90.00           | 179.60      | 10,889.0              | -14,230.3    | 347.8        | 14,234.5                | 0.00                    | 0.00                   | 0.00                  |  |
| 25,300.0              | 90.00           | 179.60      | 10,889.0              | -14,330.3    | 348.5        | 14,334.5                | 0.00                    | 0.00                   | 0.00                  |  |
| 25,400.0              | 90.00           | 179.60      | 10,889.0              | -14,430.3    | 349.2        | 14,434.5                | 0.00                    | 0.00                   | 0.00                  |  |
| 25,500.0              | 90.00           | 179.60      | 10,889.0              | -14,530.3    | 349.9        | 14,534.5                | 0.00                    | 0.00                   | 0.00                  |  |
| 25,600.0              | 90.00           | 179.60      | 10,889.0              | -14,630.3    | 350.6        | 14,634.5                | 0.00                    | 0.00                   | 0.00                  |  |
| 25,700.0              | 90.00           | 179.60      | 10,889.0              | -14,730.3    | 351.3        | 14,734.5                | 0.00                    | 0.00                   | 0.00                  |  |
| 25,800.0              | 90.00           | 179.60      | 10,889.0              | -14,830.3    | 352.0        | 14,834.4                | 0.00                    | 0.00                   | 0.00                  |  |
| 25,900.0              | 90.00           | 179.61      | 10,889.0              | -14,930.3    | 352.7        | 14,934.4                | 0.00                    | 0.00                   | 0.00                  |  |
| 26,000.0              | 90.00           | 179.61      | 10,889.0              | -15,030.3    | 353.4        | 15,034.4                | 0.00                    | 0.00                   | 0.00                  |  |
| 26,100.0              | 90.00           | 179.61      | 10,889.0              | -15,130.3    | 354.1        | 15,134.4                | 0.00                    | 0.00                   | 0.00                  |  |
| 26,200.0              | 90.00           | 179.61      | 10,889.0              | -15,230.3    | 354.8        | 15,234.4                | 0.00                    | 0.00                   | 0.00                  |  |
| 26,300.0              | 90.00           | 179.61      | 10,889.0              | -15,330.3    | 355.4        | 15,334.4                | 0.00                    | 0.00                   | 0.00                  |  |
| 26,383.7              | 90.00           | 179.61      | 10,889.0              | -15,414.0    | 356.0        | 15,418.1                | 0.00                    | 0.00                   | 0.00                  |  |

| Design Targets  |               |              |            |              |              |                 |                |                                   |  |  |
|---|---------------|--------------|------------|--------------|--------------|-----------------|----------------|-----------------------------------|--|--|
| Target Name   | Dip Angle (°) | Dip Dir. (°) | TVD (usft) | +N/-S (usft) | +E/-W (usft) | Northing (usft) | Easting (usft) | Latitude                          |  |  |
| - hit/miss target   |               |              |            |              |              |                 |                |                                   |  |  |
| - Shape   |               |              |            |              |              |                 |                |                                   |  |  |
| KOP(Pistolero 15 Fed #1<br>- plan hits target center<br>- Point | 0.00          | 0.00         | 10,411.5   | 274.0        | 234.0        | 414,900.00      | 811,089.00     | 32° 8' 15.499 N 103° 27' 42.638 W |  |  |
| FTP(Pistolero 15 Fed #2<br>- plan hits target center<br>- Point | 0.00          | 0.00         | 10,624.2   | 224.0        | 234.0        | 414,850.00      | 811,089.00     | 32° 8' 15.005 N 103° 27' 42.643 W |  |  |
| FEDPP1(Pistolero 15 Fe<br>- plan hits target center<br>- Point  | 0.00          | 0.00         | 10,889.0   | -4,955.0     | 274.0        | 409,671.00      | 811,129.00     | 32° 7' 23.755 N 103° 27' 42.665 W |  |  |
| FEDPP2(Pistolero 15 Fe<br>- plan hits target center<br>- Point  | 0.00          | 0.00         | 10,889.0   | -6,274.0     | 285.0        | 408,352.00      | 811,140.00     | 32° 7' 10.702 N 103° 27' 42.661 W |  |  |
| PBHL(Pistolero 15 Fed #<br>- plan hits target center<br>- Point | 0.00          | 0.00         | 10,889.0   | -15,414.0    | 356.0        | 399,212.00      | 811,211.00     | 32° 5' 40.255 N 103° 27' 42.695 W |  |  |

Lea County, NM (NAD 83 NME)

Pistolero 15 Fed #506H

Plan #0.2



To convert a Magnetic Direction to a Grid Direction, Add 5.83°  
To convert a Magnetic Direction to a True Direction, Add 6.29° East  
To convert a True Direction to a Grid Direction, Subtract 0.46°

PROJECT DETAILS: Lea County, NM (NAD 83 NME)

Geodetic System: US State Plane 1983  
Datum: North American Datum 1983  
Ellipsoid: GRS 1980  
Zone: New Mexico Eastern Zone  
System Datum: Mean Sea Level

WELL DETAILS: #506H

3333.0  
kb = 26' @ 3359.0usft  
Northing 414626.00 Easting 810855.00 Latitude 32° 8' 12.807 N Longitude 103° 27' 45.385 W

SECTION DETAILS


| Sec | MD      | Inc   | Azi    | TVD     | +N/-S    | +E/-W | Dleg  | TFace  | VSect   | Target                         |
|-----|---------|-------|--------|---------|----------|-------|-------|--------|---------|--------------------------------|
| 1   | 0.0     | 0.00  | 0.00   | 0.0     | 0.0      | 0.0   | 0.00  | 0.00   | 0.0     |                                |
| 2   | 1268.0  | 0.00  | 0.00   | 1268.0  | 0.0      | 0.0   | 0.00  | 0.00   | 0.0     |                                |
| 3   | 5294.9  | 4.17  | 40.50  | 5291.3  | 111.4    | 95.1  | 0.10  | 40.50  | -109.2  |                                |
| 4   | 8131.8  | 4.17  | 40.50  | 8120.7  | 268.2    | 229.1 | 0.00  | 0.00   | -262.9  |                                |
| 5   | 8340.2  | 0.00  | 0.00   | 8329.0  | 274.0    | 234.0 | 2.00  | 180.00 | -268.5  |                                |
| 6   | 10422.7 | 0.00  | 0.00   | 10411.5 | 274.0    | 234.0 | 0.00  | 0.00   | -268.5  | KOP(Pistolero 15 Fed #201H)    |
| 7   | 10643.2 | 26.46 | 180.00 | 10624.2 | 224.0    | 234.0 | 12.00 | 180.00 | -218.5  | FTP(Pistolero 15 Fed #201H)    |
| 8   | 11172.7 | 90.00 | 179.55 | 10888.9 | -203.5   | 236.3 | 12.00 | -0.51  | 208.9   |                                |
| 9   | 15924.4 | 90.00 | 179.55 | 10889.0 | -4955.0  | 274.0 | 0.00  | 0.00   | 4960.0  | FEDPP1(Pistolero 15 Fed #201H) |
| 10  | 17243.5 | 90.00 | 179.50 | 10889.0 | -6274.0  | 285.0 | 0.00  | -88.44 | 6278.9  | FEDPP2(Pistolero 15 Fed #201H) |
| 11  | 26383.7 | 90.00 | 179.61 | 10889.0 | -15414.0 | 356.0 | 0.00  | 90.66  | 15418.1 | PBHL(Pistolero 15 Fed #201H)   |

CASING DETAILS

No casing data is available

WELLBORE TARGET DETAILS (MAP CO-ORDINATES)

| Name                           | TVD     | +N/-S    | +E/-W | Northing  | Easting   |
|--------------------------------|---------|----------|-------|-----------|-----------|
| KOP(Pistolero 15 Fed #201H)    | 10411.5 | 274.0    | 234.0 | 414900.00 | 811089.00 |
| FTP(Pistolero 15 Fed #201H)    | 10624.2 | 224.0    | 234.0 | 414850.00 | 811089.00 |
| FEDPP1(Pistolero 15 Fed #201H) | 10889.0 | -4955.0  | 274.0 | 409671.00 | 811129.00 |
| FEDPP2(Pistolero 15 Fed #201H) | 10889.0 | -6274.0  | 285.0 | 408352.00 | 811140.00 |
| PBHL(Pistolero 15 Fed #201H)   | 10889.0 | -15414.0 | 356.0 | 399212.00 | 811211.00 |



Vertical Section at 178.68°



## EOG BLANKET CASING DESIGN VARIANCE

EOG respectfully requests the drill plans in the attached document 'EOG Alternate Casing Designs – BLM APPROVED' be added to the COA's for this well. These designs have been approved by the BLM down to the TVDs listed below and will allow EOG to run alternate casing designs for this well if necessary.

The designs and associated details listed are the "worst case scenario" boundaries for design safety factors. Location and lithology have NOT been accounted for in these designs. The specific well details will be based on the APD/Sundry package and the information listed in the COA.

The mud program will not change from the original design for this well. Summary of the mud programs for both shallow and deep targets are listed at the end of this document. If the target is changing, a sundry will be filed to update the casing design and mud/cement programs.

Cement volumes listed in this document are for reference only. The cement volumes for the specific well will be adjusted to ensure cement tops meet BLM requirements as listed in the COA and to allow bradenhead cementing when applicable.

This blanket document only applies to wells with three string designs outside of Potash and Capitan Reef boundaries.

| <b>Shallow Design Boundary Conditions</b> |                 |                  |               |                     |
|---|-----------------|------------------|---------------|---------------------|
|   | Deepest MD (ft) | Deepest TVD (ft) | Max Inc (deg) | Max DLS (°/100usft) |
| Surface                                   | 2030            | 2030             | 0             | 0                   |
| Intermediate                              | 7793            | 5650             | 40            | 8                   |
| Production                                | 28578           | 11225            | 90            | 25                  |





## Shallow Design A

## 1. CASING PROGRAM

| Hole Size | Interval MD |         | Interval TVD |         | Csg OD  | Weight | Grade   | Conn        |
|-----------|-------------|---------|--------------|---------|---------|--------|---------|-------------|
|           | From (ft)   | To (ft) | From (ft)    | To (ft) |         |        |         |             |
| 16"       | 0           | 2,030   | 0            | 2,030   | 13-3/8" | 54.5#  | J-55    | STC         |
| 11"       | 0           | 7,793   | 0            | 5,650   | 9-5/8"  | 40#    | J-55    | LTC         |
| 6-3/4"    | 0           | 28,578  | 0            | 11,225  | 5-1/2"  | 20#    | P110-EC | DWC/C IS MS |

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

## 2. CEMENTING PROGRAM:

| Depth             | No. Sacks | Wt. ppg | Yld Ft3/sk | Slurry Description   |
|-------------------|-----------|---------|------------|--|
| 2,030'<br>13-3/8" | 570       | 13.5    | 1.73       | Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl <sub>2</sub> + 0.25 lb/sk Cello-Flake (TOC @ Surface)                               |
|                   | 160       | 14.8    | 1.34       | Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')                                       |
| 7,793'<br>9-5/8"  | 770       | 12.7    | 2.22       | Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)   |
|                   | 250       | 14.8    | 1.32       | Tail: Class C + 10% NaCl + 3% MagOx (TOC @ 6238')  |
| 28,578'<br>5-1/2" | 410       | 10.5    | 3.21       | Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC @ 7300')   |
|                   | 1110      | 13.2    | 1.52       | Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ 12730') |




Shallow Design A

Proposed Wellbore

KB: 3558'

GL: 3533'




| Triaxial Results |                      |                                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
|------------------|----------------------|-----------------------------------|-------------------------|--------------------------------|-------------------------------|------------------------|-------|--------------|---------|---------------------|----------------|----------|--|--------------------------|
|                  | Depth (MD)<br>(usft) | Axial Force (lbf)                 |                         | Equivalent<br>Axial Load (lbf) | Bending Stress<br>at OD (psi) | Absolute Safety Factor |       |              |         | Temperature<br>(°F) | Pressure (psi) |          | Addtl Pickup To<br>Prevent Buck. (lbf) | Buckled<br>Length (usft) |
|                  |                      | Apparent<br>(w/Bending)           | Actual<br>(w/o Bending) |                                |                               | Triaxial               | Burst | Collapse (V) | Axial   |                     | Internal       | External |  |                          |
| 1                | 0                    | 252987                            | 228954                  | 253140                         | 2098.2                        | 1.69                   | 1.58  | N/A          | 2.82 F  | 70.00               | 2500.00        | 0.00     | N/A                                    | N/A                      |
| 2                | 100                  | 247735                            | 223702                  | 248466                         | 2098.2                        | 1.69                   | 1.58  | N/A          | 2.88 F  | 71.10               | 2543.63        | 43.63    |  |                          |
| 3                | 100                  | 234996                            | 223701                  | 235716                         | 986.2                         | 1.71                   | 1.58  | N/A          | 3.04 F  | 71.10               | 2543.64        | 43.64    |  |                          |
| 4                | 1700                 | 341565                            | 139667                  | 352253                         | 17627.2                       | 1.53                   | 1.57  | N/A          | 2.09 F  | 88.70               | 3241.64        | 741.64   |  |                          |
| 5                | 1700                 | 312979                            | 139666                  | 323488                         | 15131.5                       | 1.58                   | 1.57  | N/A          | 2.28 F  | 88.70               | 3241.65        | 741.65   |  |                          |
| 6                | 1850                 | 336881                            | 132027                  | 348440                         | 17885.2                       | 1.51                   | 1.57  | N/A          | 2.12 F  | 90.29               | 3305.05        | 805.05   |  |                          |
| 7                | 1850                 | 318549                            | 132027                  | 329984                         | 16284.8                       | 1.54                   | 1.57  | N/A          | 2.24 F  | 90.29               | 3305.06        | 805.06   |  |                          |
| 8                | 1950                 | 320468                            | 127243                  | 332475                         | 16869.9                       | 1.52                   | 1.57  | N/A          | 2.23 F  | 91.30               | 3344.87        | 844.87   |  |                          |
| 9                | 1950                 | 312802                            | 127243                  | 324756                         | 16200.7                       | 1.53                   | 1.57  | N/A          | 2.28 F  | 91.30               | 3344.87        | 844.87   |  |                          |
| 10               | 2050                 | 307858                            | 122773                  | 320295                         | 16159.3                       | 1.52                   | 1.57  | N/A          | 2.32 F  | 92.23               | 3381.89        | 881.89   |  |                          |
| 11               | 2050                 | 303560                            | 122772                  | 315965                         | 15784.1                       | 1.53                   | 1.57  | N/A          | 2.35 F  | 92.23               | 3381.89        | 881.89   |  |                          |
| 12               | 2300                 | 151294                            | 112633                  | 163658                         | 3375.4                        | 1.71                   | 1.57  | N/A          | 4.72 F  | 94.35               | 3466.13        | 966.13   |  |                          |
| 13               | 2300                 | 132741                            | 112633                  | 144956                         | 1755.6                        | 1.72                   | 1.57  | N/A          | 5.38 F  | 94.35               | 3466.14        | 966.14   |  |                          |
| 14               | 2370                 | 129966                            | 109858                  | 142452                         | 1755.6                        | 1.72                   | 1.57  | N/A          | 5.49 F  | 94.94               | 3489.28        | 989.28   |  |                          |
| 15               | 2370                 | 127909                            | 107800                  | 140922                         | 1755.6                        | 1.75                   | 1.60  | N/A          | 5.58 F  | 94.94               | 3489.29        | 1036.40  |  |                          |
| 16               | 2700                 | 105515                            | 94232                   | 119785                         | 985.1                         | 1.75                   | 1.60  | N/A          | 6.77 F  | 97.73               | 3599.97        | 1152.35  |  |                          |
| 17               | 2700                 | 111680                            | 94231                   | 126006                         | 1523.4                        | 1.75                   | 1.60  | N/A          | 6.39 F  | 97.73               | 3599.97        | 1152.35  |  |                          |
| 18               | 3100                 | 110766                            | 77783                   | 126839                         | 2879.6                        | 1.71                   | 1.60  | N/A          | 6.44 F  | 101.11              | 3734.23        | 1293.00  |  |                          |
| 19               | 3100                 | 97392                             | 77783                   | 113331                         | 1712.1                        | 1.73                   | 1.60  | N/A          | 7.33 F  | 101.11              | 3734.23        | 1293.01  |  |                          |
| 20               | 3700                 | 71565                             | 53303                   | 89806                          | 1594.4                        | 1.70                   | 1.61  | N/A          | 9.97 F  | 106.15              | 3934.24        | 1502.54  |  |                          |
| 21               | 3700                 | 60887                             | 53302                   | 79004                          | 662.3                         | 1.71                   | 1.61  | N/A          | 11.72 F | 106.16              | 3934.25        | 1502.55  |  |                          |
| 22               | 4650                 | 34671                             | 14219                   | 56495                          | 1785.6                        | 1.64                   | 1.61  | N/A          | 20.59 F | 114.20              | 4253.37        | 1836.86  |  |                          |
| 23               | 4900                 | 44595                             | 4828                    | 67626                          | 3472.0                        | 1.59                   | 1.61  | N/A          | 16.01 F | 116.32              | 4337.37        | 1924.87  |  |                          |
| 24               | 4900                 | 28975                             | 4828                    | 51775                          | 2108.2                        | 1.62                   | 1.61  | N/A          | 24.64 F | 116.32              | 4337.38        | 1924.87  |  |                          |
| 25               | 5029                 | 22103                             | 34                      | 45340                          | 1926.8                        | 1.61                   | 1.61  | N/A          | 32.30 F | 117.40              | 4380.40        | 1969.94  |  |                          |
| 26               | 5029                 | 22102                             | 33                      | 45339                          | 1926.8                        | 1.61                   | 1.61  | N/A          | 32.30 F | 117.40              | 4380.41        | 1969.95  |  |                          |
| 27               | 5600                 | -45329                            | -21341                  | -20805                         | 2094.3                        | 1.57                   | 1.62  | N/A          | (13.67) | 122.23              | 4572.11        | 2170.78  |  |                          |
| 28               | 5650                 | -40465                            | -23210                  | -15657                         | 1506.5                        | 1.58                   | 1.62  | N/A          | (15.31) | 122.66              | 4588.87        | 2188.34  |  |                          |
| 29               |                      |                                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 30               |                      | F Conn Fracture                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 31               |                      | ( ) Compression                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 32               |                      | (V) Vector Collapse Safety Factor |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 33               |                      |                                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |

9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi

External Profile based off Pore Pressure: 2188 psi



StressCheck - [String Summary - Shallow 3.0 Mile - Big Hole \*]

String Summary

|   | String                            | OD/Weight/Grade          | Connection | MD Interval (usft) | Drift Dia. (") | Minimum Safety Factor (Abs) |              |        |          | Design Cost (\$) |
|---|-----------------------------------|--------------------------|------------|--------------------|----------------|-----------------------------|--------------|--------|----------|------------------|
|   |                                   |                          |            |                    |                | Burst                       | Collapse (V) | Axial  | Triaxial |                  |
| 1 | Intermediate Casing               | 9 5/8", 40.000 ppg, J-55 | BTC, J-55  | 0.0-5650.0         | 8.750 A        | 1.57                        | 1.59         | 1.80 F | 1.35     | 98,141           |
| 2 |                                   |                          |            |                    |                |                             |              |        |          | Total = 98,141   |
| 3 |                                   |                          |            |                    |                |                             |              |        |          |                  |
| 4 | F Conn Fracture                   |                          |            |                    |                |                             |              |        |          |                  |
| 5 | A Alternate Drift                 |                          |            |                    |                |                             |              |        |          |                  |
| 6 | (V) Vector Collapse Safety Factor |                          |            |                    |                |                             |              |        |          |                  |
| 7 |                                   |                          |            |                    |                |                             |              |        |          |                  |

\*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.







## Shallow Design B

### 1. CASING PROGRAM

| Hole Size | Interval MD |         | Interval TVD |         | Csg OD  | Weight | Grade   | Conn        |
|-----------|-------------|---------|--------------|---------|---------|--------|---------|-------------|
|           | From (ft)   | To (ft) | From (ft)    | To (ft) |         |        |         |             |
| 13-1/2"   | 0           | 2,030   | 0            | 2,030   | 10-3/4" | 40.5#  | J-55    | STC         |
| 9-7/8"    | 0           | 7,793   | 0            | 5,650   | 8-5/8"  | 32#    | J-55    | BTC-SC      |
| 6-3/4"    | 0           | 28,578  | 0            | 11,225  | 5-1/2"  | 20#    | P110-EC | DWC/C IS MS |

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 8-5/8" casing in the 9-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 9-7/8" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 5-1/2" casing in the 6-3/4" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 6-3/4" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

### 2. CEMENTING PROGRAM:

| Depth             | No. Sacks | Wt. ppg | Yld Ft3/sk | Slurry Description   |
|-------------------|-----------|---------|------------|--|
| 2,030'<br>10-3/4" | 530       | 13.5    | 1.73       | Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl <sub>2</sub> + 0.25 lb/sk Cello-Flake (TOC @ Surface)                               |
|                   | 140       | 14.8    | 1.34       | Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')                                       |
| 7,793'<br>8-5/8"  | 460       | 12.7    | 2.22       | Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)   |
|                   | 210       | 14.8    | 1.32       | Tail: Class C + 10% NaCl + 3% MagOx (TOC @ 6238')  |
| 28,578'<br>5-1/2" | 400       | 10.5    | 3.21       | Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC @ 7300')   |
|                   | 1110      | 13.2    | 1.52       | Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ 12730') |




Shallow Design B

Proposed Wellbore

KB: 3558'

GL: 3533'



StressCheck - [Triaxial Results - Shallow 3.0 Mile \*]

File Edit Wellbore Tubular View Composer Tools Window Help

Burst Design 8 5/8" Intermediate Casing

Pressure Test

Triaxial Results

|    | Depth (MD)<br>(usft) | Axial Force (lbf)                 |                         | Equivalent<br>Axial Load (lbf) | Bending Stress<br>at OD (psi) | Absolute Safety Factor |       |              |         | Temperature<br>(°F) | Pressure (psi) |          | Addtl Pickup To<br>Prevent Buck. (lbf) | Buckled<br>Length (usft) |
|----|----------------------|-----------------------------------|-------------------------|--------------------------------|-------------------------------|------------------------|-------|--------------|---------|---------------------|----------------|----------|--|--------------------------|
|    |                      | Apparent<br>(w/Bending)           | Actual<br>(w/o Bending) |                                |                               | Triaxial               | Burst | Collapse (V) | Axial   |                     | Internal       | External |  |                          |
| 1  | 0                    | 200426                            | 183224                  | 200546                         | 1880.2                        | 1.68                   | 1.57  | N/A          | 2.89 F  | 70.00               | 2500.00        | 0.00     | N/A                                    | N/A                      |
| 2  | 100                  | 196229                            | 179028                  | 196812                         | 1880.2                        | 1.69                   | 1.57  | N/A          | 2.95 F  | 71.10               | 2543.63        | 43.63    |  |                          |
| 3  | 100                  | 187111                            | 179027                  | 187686                         | 883.7                         | 1.70                   | 1.57  | N/A          | 3.10 F  | 71.10               | 2543.64        | 43.64    |  |                          |
| 4  | 1700                 | 256401                            | 111891                  | 264835                         | 15795.8                       | 1.56                   | 1.56  | N/A          | 2.26 F  | 88.70               | 3241.64        | 741.64   |  |                          |
| 5  | 1700                 | 235940                            | 111891                  | 244247                         | 13559.4                       | 1.60                   | 1.56  | N/A          | 2.45 F  | 88.70               | 3241.65        | 741.65   |  |                          |
| 6  | 1850                 | 252413                            | 105788                  | 261533                         | 16027.0                       | 1.54                   | 1.56  | N/A          | 2.29 F  | 90.29               | 3305.05        | 805.05   |  |                          |
| 7  | 1850                 | 239292                            | 105787                  | 248323                         | 14592.9                       | 1.56                   | 1.56  | N/A          | 2.42 F  | 90.29               | 3305.06        | 805.06   |  |                          |
| 8  | 1950                 | 240267                            | 101966                  | 249748                         | 15117.2                       | 1.54                   | 1.56  | N/A          | 2.41 F  | 91.30               | 3344.87        | 844.87   |  |                          |
| 9  | 1950                 | 234781                            | 101965                  | 244223                         | 14517.5                       | 1.56                   | 1.56  | N/A          | 2.47 F  | 91.30               | 3344.87        | 844.87   |  |                          |
| 10 | 2050                 | 230871                            | 98395                   | 240694                         | 14480.4                       | 1.55                   | 1.56  | N/A          | 2.51 F  | 92.23               | 3381.89        | 881.89   |  |                          |
| 11 | 2050                 | 227794                            | 98394                   | 237594                         | 14144.2                       | 1.55                   | 1.56  | N/A          | 2.54 F  | 92.23               | 3381.89        | 881.89   |  |                          |
| 12 | 2300                 | 117966                            | 90294                   | 127818                         | 3024.7                        | 1.70                   | 1.56  | N/A          | 4.91 F  | 94.35               | 3466.13        | 966.13   |  |                          |
| 13 | 2300                 | 104686                            | 90293                   | 114432                         | 1573.2                        | 1.71                   | 1.56  | N/A          | 5.53 F  | 94.35               | 3466.14        | 966.14   |  |                          |
| 14 | 2370                 | 102469                            | 88077                   | 112431                         | 1573.2                        | 1.71                   | 1.56  | N/A          | 5.65 F  | 94.94               | 3489.28        | 989.28   |  |                          |
| 15 | 2370                 | 100817                            | 86424                   | 111200                         | 1573.2                        | 1.75                   | 1.59  | N/A          | 5.75 F  | 94.94               | 3489.29        | 1036.40  |  |                          |
| 16 | 2700                 | 83660                             | 75583                   | 95052                          | 882.8                         | 1.74                   | 1.59  | N/A          | 6.92 F  | 97.73               | 3599.97        | 1152.35  |  |                          |
| 17 | 2700                 | 88072                             | 75583                   | 99504                          | 1365.1                        | 1.74                   | 1.59  | N/A          | 6.58 F  | 97.73               | 3599.97        | 1152.35  |  |                          |
| 18 | 3100                 | 86049                             | 62442                   | 98863                          | 2580.4                        | 1.71                   | 1.59  | N/A          | 6.73 F  | 101.11              | 3734.23        | 1293.00  |  |                          |
| 19 | 3100                 | 76477                             | 62441                   | 89195                          | 1534.2                        | 1.72                   | 1.59  | N/A          | 7.57 F  | 101.11              | 3734.23        | 1293.01  |  |                          |
| 20 | 3700                 | 55953                             | 42882                   | 70509                          | 1428.8                        | 1.69                   | 1.60  | N/A          | 10.35 F | 106.15              | 3934.24        | 1502.54  |  |                          |
| 21 | 3700                 | 48311                             | 42881                   | 62778                          | 593.5                         | 1.71                   | 1.60  | N/A          | 11.99 F | 106.16              | 3934.25        | 1502.55  |  |                          |
| 22 | 4000                 | 41458                             | 33043                   | 56865                          | 919.9                         | 1.69                   | 1.60  | N/A          | 13.97 F | 108.69              | 4034.82        | 1607.91  |  |                          |
| 23 | 4650                 | 26293                             | 11655                   | 43706                          | 1600.1                        | 1.63                   | 1.60  | N/A          | 22.03 F | 114.20              | 4253.37        | 1836.86  |  |                          |
| 24 | 4900                 | 32619                             | 4156                    | 50970                          | 3111.2                        | 1.59                   | 1.60  | N/A          | 17.76 F | 116.32              | 4337.37        | 1924.87  |  |                          |
| 25 | 4900                 | 21439                             | 4155                    | 39625                          | 1889.2                        | 1.61                   | 1.60  | N/A          | 27.02 F | 116.32              | 4337.38        | 1924.87  |  |                          |
| 26 | 5039                 | 15822                             | 26                      | 34389                          | 1726.6                        | 1.61                   | 1.61  | N/A          | 36.61 F | 117.49              | 4383.77        | 1973.48  |  |                          |
| 27 | 5039                 | 15822                             | 26                      | 34388                          | 1726.6                        | 1.61                   | 1.61  | N/A          | 36.61 F | 117.49              | 4383.78        | 1973.49  |  |                          |
| 28 | 5600                 | -33912                            | -16743                  | -14286                         | 1876.7                        | 1.57                   | 1.61  | N/A          | (14.60) | 122.23              | 4572.11        | 2170.78  |  |                          |
| 29 | 5650                 | -30585                            | -18235                  | -10742                         | 1350.0                        | 1.58                   | 1.61  | N/A          | (16.18) | 122.66              | 4588.87        | 2188.34  |  |                          |
| 30 |                      |                                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 31 |                      | F Conn Fracture                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 32 |                      | ( ) Compression                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 33 |                      | (V) Vector Collapse Safety Factor |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 34 |                      |                                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |

Working / Config / Min SF / Load/SF / DF Summary / VME / Wallplot


For Help, press F1

Default Datum @ 0.00 usft API - US Survey Feet jgriffin2

8-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi

External Profile based off Pore Pressure: 2188 psi



StressCheck - [String Summary - Shallow 3.0 Mile \*]

|   | String                            | OD/Weight/Grade          | Connection | MD Interval (usft) | Drift Dia. (") | Minimum Safety Factor (Abs) |              |        |          | Design Cost (\$) |
|---|-----------------------------------|--------------------------|------------|--------------------|----------------|-----------------------------|--------------|--------|----------|------------------|
|   |                                   |                          |            |                    |                | Burst                       | Collapse (V) | Axial  | Triaxial |                  |
| 1 | Intermediate Casing               | 8 5/8", 32.000 ppf, J-55 | BTC, J-55  | 0.0-5650.0         | 7.875 A        | 1.56                        | 1.57         | 1.81 F | 1.34     | 80,117           |
| 2 |                                   |                          |            |                    |                |                             |              |        |          | Total = 80,117   |
| 3 |                                   |                          |            |                    |                |                             |              |        |          |                  |
| 4 | F Conn Fracture                   |                          |            |                    |                |                             |              |        |          |                  |
| 5 | A Alternate Drift                 |                          |            |                    |                |                             |              |        |          |                  |
| 6 | (V) Vector Collapse Safety Factor |                          |            |                    |                |                             |              |        |          |                  |
| 7 |                                   |                          |            |                    |                |                             |              |        |          |                  |

\*Modelling done with 8-5/8" 32# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.





## Shallow Design C

## 1. CASING PROGRAM

| Hole Size | Interval MD |         | Interval TVD |         | Csg OD  | Weight | Grade   | Conn          |
|-----------|-------------|---------|--------------|---------|---------|--------|---------|---------------|
|           | From (ft)   | To (ft) | From (ft)    | To (ft) |         |        |         |               |
| 16"       | 0           | 2,030   | 0            | 2,030   | 13-3/8" | 54.5#  | J-55    | STC           |
| 11"       | 0           | 7,793   | 0            | 5,650   | 9-5/8"  | 40#    | J-55    | LTC           |
| 7-7/8"    | 0           | 28,578  | 0            | 11,225  | 6"      | 24.5#  | P110-EC | VAM Sprint-SF |

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" casing in the 7-7/8" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 7-7/8" hole interval to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

## 2. CEMENTING PROGRAM:

| Depth             | No. Sacks | Wt. ppg | Yld Ft3/sk | Slurry Description   |
|-------------------|-----------|---------|------------|--|
| 2,030'<br>13-3/8" | 570       | 13.5    | 1.73       | Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl <sub>2</sub> + 0.25 lb/sk Cello-Flake (TOC @ Surface)                               |
|                   | 160       | 14.8    | 1.34       | Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')                                       |
| 7,793'<br>9-5/8"  | 770       | 12.7    | 2.22       | Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)   |
|                   | 250       | 14.8    | 1.32       | Tail: Class C + 10% NaCl + 3% MagOx (TOC @ 6238')  |
| 28,578'<br>6"     | 650       | 10.5    | 3.21       | Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC @ 7300')   |
|                   | 1870      | 13.2    | 1.52       | Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ 12730') |




Shallow Design C

Proposed Wellbore

KB: 3558'

GL: 3533'





| Triaxial Results |                      |                                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
|------------------|----------------------|-----------------------------------|-------------------------|--------------------------------|-------------------------------|------------------------|-------|--------------|---------|---------------------|----------------|----------|--|--------------------------|
|                  | Depth (MD)<br>(usft) | Axial Force (lbf)                 |                         | Equivalent<br>Axial Load (lbf) | Bending Stress<br>at OD (psi) | Absolute Safety Factor |       |              |         | Temperature<br>(°F) | Pressure (psi) |          | Addtl Pickup To<br>Prevent Buck. (lbf) | Buckled<br>Length (usft) |
|                  |                      | Apparent<br>(w/Bending)           | Actual<br>(w/o Bending) |                                |                               | Triaxial               | Burst | Collapse (V) | Axial   |                     | Internal       | External |  |                          |
| 1                | 0                    | 252987                            | 228954                  | 253140                         | 2098.2                        | 1.69                   | 1.58  | N/A          | 2.82 F  | 70.00               | 2500.00        | 0.00     | N/A                                    | N/A                      |
| 2                | 100                  | 247735                            | 223702                  | 248466                         | 2098.2                        | 1.69                   | 1.58  | N/A          | 2.88 F  | 71.10               | 2543.63        | 43.63    |  |                          |
| 3                | 100                  | 234996                            | 223701                  | 235716                         | 986.2                         | 1.71                   | 1.58  | N/A          | 3.04 F  | 71.10               | 2543.64        | 43.64    |  |                          |
| 4                | 1700                 | 341565                            | 139667                  | 352253                         | 17627.2                       | 1.53                   | 1.57  | N/A          | 2.09 F  | 88.70               | 3241.64        | 741.64   |  |                          |
| 5                | 1700                 | 312979                            | 139666                  | 323488                         | 15131.5                       | 1.58                   | 1.57  | N/A          | 2.28 F  | 88.70               | 3241.65        | 741.65   |  |                          |
| 6                | 1850                 | 336881                            | 132027                  | 348440                         | 17885.2                       | 1.51                   | 1.57  | N/A          | 2.12 F  | 90.29               | 3305.05        | 805.05   |  |                          |
| 7                | 1850                 | 318549                            | 132027                  | 329984                         | 16284.8                       | 1.54                   | 1.57  | N/A          | 2.24 F  | 90.29               | 3305.06        | 805.06   |  |                          |
| 8                | 1950                 | 320468                            | 127243                  | 332475                         | 16869.9                       | 1.52                   | 1.57  | N/A          | 2.23 F  | 91.30               | 3344.87        | 844.87   |  |                          |
| 9                | 1950                 | 312802                            | 127243                  | 324756                         | 16200.7                       | 1.53                   | 1.57  | N/A          | 2.28 F  | 91.30               | 3344.87        | 844.87   |  |                          |
| 10               | 2050                 | 307858                            | 122773                  | 320295                         | 16159.3                       | 1.52                   | 1.57  | N/A          | 2.32 F  | 92.23               | 3381.89        | 881.89   |  |                          |
| 11               | 2050                 | 303560                            | 122772                  | 315965                         | 15784.1                       | 1.53                   | 1.57  | N/A          | 2.35 F  | 92.23               | 3381.89        | 881.89   |  |                          |
| 12               | 2300                 | 151294                            | 112633                  | 163658                         | 3375.4                        | 1.71                   | 1.57  | N/A          | 4.72 F  | 94.35               | 3466.13        | 966.13   |  |                          |
| 13               | 2300                 | 132741                            | 112633                  | 144956                         | 1755.6                        | 1.72                   | 1.57  | N/A          | 5.38 F  | 94.35               | 3466.14        | 966.14   |  |                          |
| 14               | 2370                 | 129966                            | 109858                  | 142452                         | 1755.6                        | 1.72                   | 1.57  | N/A          | 5.49 F  | 94.94               | 3489.28        | 989.28   |  |                          |
| 15               | 2370                 | 127909                            | 107800                  | 140922                         | 1755.6                        | 1.75                   | 1.60  | N/A          | 5.58 F  | 94.94               | 3489.29        | 1036.40  |  |                          |
| 16               | 2700                 | 105515                            | 94232                   | 119785                         | 985.1                         | 1.75                   | 1.60  | N/A          | 6.77 F  | 97.73               | 3599.97        | 1152.35  |  |                          |
| 17               | 2700                 | 111680                            | 94231                   | 126006                         | 1523.4                        | 1.75                   | 1.60  | N/A          | 6.39 F  | 97.73               | 3599.97        | 1152.35  |  |                          |
| 18               | 3100                 | 110766                            | 77783                   | 126839                         | 2879.6                        | 1.71                   | 1.60  | N/A          | 6.44 F  | 101.11              | 3734.23        | 1293.00  |  |                          |
| 19               | 3100                 | 97392                             | 77783                   | 113331                         | 1712.1                        | 1.73                   | 1.60  | N/A          | 7.33 F  | 101.11              | 3734.23        | 1293.01  |  |                          |
| 20               | 3700                 | 71565                             | 53303                   | 89806                          | 1594.4                        | 1.70                   | 1.61  | N/A          | 9.97 F  | 106.15              | 3934.24        | 1502.54  |  |                          |
| 21               | 3700                 | 60887                             | 53302                   | 79004                          | 662.3                         | 1.71                   | 1.61  | N/A          | 11.72 F | 106.16              | 3934.25        | 1502.55  |  |                          |
| 22               | 4650                 | 34671                             | 14219                   | 56495                          | 1785.6                        | 1.64                   | 1.61  | N/A          | 20.59 F | 114.20              | 4253.37        | 1836.86  |  |                          |
| 23               | 4900                 | 44595                             | 4828                    | 67626                          | 3472.0                        | 1.59                   | 1.61  | N/A          | 16.01 F | 116.32              | 4337.37        | 1924.87  |  |                          |
| 24               | 4900                 | 28975                             | 4828                    | 51775                          | 2108.2                        | 1.62                   | 1.61  | N/A          | 24.64 F | 116.32              | 4337.38        | 1924.87  |  |                          |
| 25               | 5029                 | 22103                             | 34                      | 45340                          | 1926.8                        | 1.61                   | 1.61  | N/A          | 32.30 F | 117.40              | 4380.40        | 1969.94  |  |                          |
| 26               | 5029                 | 22102                             | 33                      | 45339                          | 1926.8                        | 1.61                   | 1.61  | N/A          | 32.30 F | 117.40              | 4380.41        | 1969.95  |  |                          |
| 27               | 5600                 | -45329                            | -21341                  | -20805                         | 2094.3                        | 1.57                   | 1.62  | N/A          | (13.67) | 122.23              | 4572.11        | 2170.78  |  |                          |
| 28               | 5650                 | -40465                            | -23210                  | -15657                         | 1506.5                        | 1.58                   | 1.62  | N/A          | (15.31) | 122.66              | 4588.87        | 2188.34  |  |                          |
| 29               |                      |                                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 30               |                      | F Conn Fracture                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 31               |                      | ( ) Compression                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 32               |                      | (V) Vector Collapse Safety Factor |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 33               |                      |                                   |                         |                                |                               |                        |       |              |         |                     |                |          |  |                          |

Working / Config / Min SF / Load/SF / DF Summary / VME / Wallplot

For Help, press F1


Default Datum @ 0.00 usft API - US Survey Feet jgriffin2

9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi

External Profile based off Pore Pressure: 2188 psi





StressCheck - [String Summary - Shallow 3.0 Mile - Big Hole \*]

String Summary

|   | String                            | OD/Weight/Grade          | Connection | MD Interval (usft) | Drift Dia. (") | Minimum Safety Factor (Abs) |              |        |          | Design Cost (\$) |
|---|-----------------------------------|--------------------------|------------|--------------------|----------------|-----------------------------|--------------|--------|----------|------------------|
|   |                                   |                          |            |                    |                | Burst                       | Collapse (V) | Axial  | Triaxial |                  |
| 1 | Intermediate Casing               | 9 5/8", 40.000 ppf, J-55 | BTC, J-55  | 0.0-5650.0         | 8.750 A        | 1.57                        | 1.59         | 1.80 F | 1.35     | 98,141           |
| 2 |                                   |                          |            |                    |                |                             |              |        |          | Total = 98,141   |
| 3 |                                   |                          |            |                    |                |                             |              |        |          |                  |
| 4 | F Conn Fracture                   |                          |            |                    |                |                             |              |        |          |                  |
| 5 | A Alternate Drift                 |                          |            |                    |                |                             |              |        |          |                  |
| 6 | (V) Vector Collapse Safety Factor |                          |            |                    |                |                             |              |        |          |                  |
| 7 |                                   |                          |            |                    |                |                             |              |        |          |                  |

\*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



StressCheck - [String Summary - Shallow 3.0 Mile - Big Hole]

String Summary

|   | String                            | OD/Weight/Grade          | Connection    | MD Interval (usft) | Drift Dia. (") | Minimum Safety Factor (Abs) |              |              |          | Design Cost (\$) |
|---|-----------------------------------|--------------------------|---------------|--------------------|----------------|-----------------------------|--------------|--------------|----------|------------------|
|   |                                   |                          |               |                    |                | Burst                       | Collapse (V) | Axial (1.75) | Triaxial |                  |
| 1 | Production Casing                 | 6", 24.500 ppf, P110 ICY | BTC, P110 ICY | 0.0-28578.0        | 5.075          | 1.29                        | 1.52         | (1.75)       | 1.37     | 541,493          |
| 2 |                                   |                          |               |                    |                |                             |              |              |          |                  |
| 3 |                                   |                          |               |                    |                |                             |              |              |          |                  |
| 4 | ( ) Compression                   |                          |               |                    |                |                             |              |              |          |                  |
| 5 | (V) Vector Collapse Safety Factor |                          |               |                    |                |                             |              |              |          |                  |
| 6 |                                   |                          |               |                    |                |                             |              |              |          |                  |
|   |                                   |                          |               |                    |                |                             |              |              |          | Total = 541,493  |

\*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.



## Shallow Design D

## 4. CASING PROGRAM

| Hole Size | Interval MD |         | Interval TVD |         | Csg OD  | Weight | Grade   | Conn        |
|-----------|-------------|---------|--------------|---------|---------|--------|---------|-------------|
|           | From (ft)   | To (ft) | From (ft)    | To (ft) |         |        |         |             |
| 16"       | 0           | 2,030   | 0            | 2,030   | 13-3/8" | 54.5#  | J-55    | STC         |
| 11"       | 0           | 7,793   | 0            | 5,650   | 9-5/8"  | 40#    | J-55    | LTC         |
| 7-7/8"    | 0           | 12,626  | 0            | 10,896  | 6"      | 22.3#  | P110-EC | DWC/C IS    |
| 6-3/4"    | 12,626      | 28,578  | 10,896       | 11,225  | 5-1/2"  | 20#    | P110-EC | DWC/C IS MS |

Hole will be full during casing run for well control and tensile SF factor. Casing will be kept at least half full during run for this design to meet BLM collapse SF requirement. External pressure will be reviewed prior to conducting casing pressure tests to ensure that 70% of the yield is not exceeded.

Variance is requested to waive the centralizer requirements for the 9-5/8" casing in the 11" hole size. An expansion additive will be utilized, in the cement slurry, for the entire length of the 11" hole interval to maximize cement bond and zonal isolation.

Variance is also requested to waive any centralizer requirements for the 6" and 5-1/2" casings in the 7-7/8" and 6-3/4" hole sizes. An expansion additive will be utilized in the cement slurry for the entire length of the 7-7/8" and 6-3/4" hole intervals to maximize cement bond and zonal isolation.

EOG requests permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Title 43 CFR Part 3170 under the following conditions:

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues.

## 5. CEMENTING PROGRAM:

| Depth             | No. Sacks | Wt. ppg | Yld Ft3/sk | Slurry Description   |
|-------------------|-----------|---------|------------|--|
| 2,030'<br>13-3/8" | 570       | 13.5    | 1.73       | Lead: Class C + 4.0% Bentonite Gel + 0.5% CaCl <sub>2</sub> + 0.25 lb/sk Cello-Flake (TOC @ Surface)                               |
|                   | 160       | 14.8    | 1.34       | Tail: Class C + 0.6% FL-62 + 0.25 lb/sk Cello-Flake + 0.2% Sodium Metasilicate (TOC @ 1830')                                       |
| 7,793'<br>9-5/8"  | 770       | 12.7    | 2.22       | Lead: Class C + 10% NaCl + 6% Bentonite Gel + 3% MagOx (TOC @ Surface)   |
|                   | 250       | 14.8    | 1.32       | Tail: Class C + 10% NaCl + 3% MagOx (TOC @ 6238')  |
| 28,578'<br>6"     | 650       | 10.5    | 3.21       | Lead: Class H + 0.4% Halad-344 + 0.35% HR-601 + 3% Microbond (TOC @ 7300')   |
|                   | 1870      | 13.2    | 1.52       | Tail: Class H + 5% NEX-020 + 0.2% NAC-102 + 0.15% NAS-725 + 0.5% NFL-549 + 0.2% NFP-703 + 1% NBE-737 + 0.3% NRT-241 (TOC @ 12730') |




Shallow Design D

Proposed Wellbore

KB: 3558'

GL: 3533'




| Triaxial Results |                      |                         |                               |                                |                               |                        |       |              |         |                     |                |          |  |                          |
|------------------|----------------------|-------------------------|-------------------------------|--------------------------------|-------------------------------|------------------------|-------|--------------|---------|---------------------|----------------|----------|--|--------------------------|
|                  | Depth (MD)<br>(usft) | Axial Force (lbf)       |                               | Equivalent<br>Axial Load (lbf) | Bending Stress<br>at OD (psi) | Absolute Safety Factor |       |              |         | Temperature<br>(°F) | Pressure (psi) |          | Add'l Pickup To<br>Prevent Buck. (lbf) | Buckled<br>Length (usft) |
|                  |                      | Apparent<br>(w/Bending) | Actual<br>(w/o Bending)       |                                |                               | Triaxial               | Burst | Collapse (V) | Axial   |                     | Internal       | External |  |                          |
| 1                | 0                    | 252987                  | 228954                        | 253140                         | 2098.2                        | 1.69                   | 1.58  | N/A          | 2.82 F  | 70.00               | 2500.00        | 0.00     | N/A                                    | N/A                      |
| 2                | 100                  | 247735                  | 223702                        | 248466                         | 2098.2                        | 1.69                   | 1.58  | N/A          | 2.88 F  | 71.10               | 2543.63        | 43.63    |  |                          |
| 3                | 100                  | 234996                  | 223701                        | 235716                         | 986.2                         | 1.71                   | 1.58  | N/A          | 3.04 F  | 71.10               | 2543.64        | 43.64    |  |                          |
| 4                | 1700                 | 341565                  | 139667                        | 352253                         | 17627.2                       | 1.53                   | 1.57  | N/A          | 2.09 F  | 88.70               | 3241.64        | 741.64   |  |                          |
| 5                | 1700                 | 312979                  | 139666                        | 323488                         | 15131.5                       | 1.58                   | 1.57  | N/A          | 2.28 F  | 88.70               | 3241.65        | 741.65   |  |                          |
| 6                | 1850                 | 336881                  | 132027                        | 348440                         | 17885.2                       | 1.51                   | 1.57  | N/A          | 2.12 F  | 90.29               | 3305.05        | 805.05   |  |                          |
| 7                | 1850                 | 318549                  | 132027                        | 329984                         | 16284.8                       | 1.54                   | 1.57  | N/A          | 2.24 F  | 90.29               | 3305.06        | 805.06   |  |                          |
| 8                | 1950                 | 320468                  | 127243                        | 332475                         | 16869.9                       | 1.52                   | 1.57  | N/A          | 2.23 F  | 91.30               | 3344.87        | 844.87   |  |                          |
| 9                | 1950                 | 312802                  | 127243                        | 324756                         | 16200.7                       | 1.53                   | 1.57  | N/A          | 2.28 F  | 91.30               | 3344.87        | 844.87   |  |                          |
| 10               | 2050                 | 307858                  | 122773                        | 320295                         | 16159.3                       | 1.52                   | 1.57  | N/A          | 2.32 F  | 92.23               | 3381.89        | 881.89   |  |                          |
| 11               | 2050                 | 303560                  | 122772                        | 315965                         | 15784.1                       | 1.53                   | 1.57  | N/A          | 2.35 F  | 92.23               | 3381.89        | 881.89   |  |                          |
| 12               | 2300                 | 151294                  | 112633                        | 163658                         | 3375.4                        | 1.71                   | 1.57  | N/A          | 4.72 F  | 94.35               | 3466.13        | 966.13   |  |                          |
| 13               | 2300                 | 132741                  | 112633                        | 144956                         | 1755.6                        | 1.72                   | 1.57  | N/A          | 5.38 F  | 94.35               | 3466.14        | 966.14   |  |                          |
| 14               | 2370                 | 129966                  | 109858                        | 142452                         | 1755.6                        | 1.72                   | 1.57  | N/A          | 5.49 F  | 94.94               | 3489.28        | 989.28   |  |                          |
| 15               | 2370                 | 127909                  | 107800                        | 140922                         | 1755.6                        | 1.75                   | 1.60  | N/A          | 5.58 F  | 94.94               | 3489.29        | 1036.40  |  |                          |
| 16               | 2700                 | 105515                  | 94232                         | 119785                         | 985.1                         | 1.75                   | 1.60  | N/A          | 6.77 F  | 97.73               | 3599.97        | 1152.35  |  |                          |
| 17               | 2700                 | 111680                  | 94231                         | 126006                         | 1523.4                        | 1.75                   | 1.60  | N/A          | 6.39 F  | 97.73               | 3599.97        | 1152.35  |  |                          |
| 18               | 3100                 | 110766                  | 77783                         | 126839                         | 2879.6                        | 1.71                   | 1.60  | N/A          | 6.44 F  | 101.11              | 3734.23        | 1293.00  |  |                          |
| 19               | 3100                 | 97392                   | 77783                         | 113331                         | 1712.1                        | 1.73                   | 1.60  | N/A          | 7.33 F  | 101.11              | 3734.23        | 1293.01  |  |                          |
| 20               | 3700                 | 71565                   | 53303                         | 89806                          | 1594.4                        | 1.70                   | 1.61  | N/A          | 9.97 F  | 106.15              | 3934.24        | 1502.54  |  |                          |
| 21               | 3700                 | 60887                   | 53302                         | 79004                          | 662.3                         | 1.71                   | 1.61  | N/A          | 11.72 F | 106.16              | 3934.25        | 1502.55  |  |                          |
| 22               | 4650                 | 34671                   | 14219                         | 56495                          | 1785.6                        | 1.64                   | 1.61  | N/A          | 20.59 F | 114.20              | 4253.37        | 1836.86  |  |                          |
| 23               | 4900                 | 44595                   | 4828                          | 67626                          | 3472.0                        | 1.59                   | 1.61  | N/A          | 16.01 F | 116.32              | 4337.37        | 1924.87  |  |                          |
| 24               | 4900                 | 28975                   | 4828                          | 51775                          | 2108.2                        | 1.62                   | 1.61  | N/A          | 24.64 F | 116.32              | 4337.38        | 1924.87  |  |                          |
| 25               | 5029                 | 22103                   | 34                            | 45340                          | 1926.8                        | 1.61                   | 1.61  | N/A          | 32.30 F | 117.40              | 4380.40        | 1969.94  |  |                          |
| 26               | 5029                 | 22102                   | 33                            | 45339                          | 1926.8                        | 1.61                   | 1.61  | N/A          | 32.30 F | 117.40              | 4380.41        | 1969.95  |  |                          |
| 27               | 5600                 | -45329                  | -21341                        | -20805                         | 2094.3                        | 1.57                   | 1.62  | N/A          | (13.67) | 122.23              | 4572.11        | 2170.78  |  |                          |
| 28               | 5650                 | -40465                  | -23210                        | -15657                         | 1506.5                        | 1.58                   | 1.62  | N/A          | (15.31) | 122.66              | 4588.87        | 2188.34  |  |                          |
| 29               |                      |                         |                               |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 30               |                      | F                       | Conn Fracture                 |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 31               |                      | ( )                     | Compression                   |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 32               |                      | (V)                     | Vector Collapse Safety Factor |                                |                               |                        |       |              |         |                     |                |          |  |                          |
| 33               |                      |                         |                               |                                |                               |                        |       |              |         |                     |                |          |  |                          |

9-5/8" Intermediate Casing Pressure Test:

Internal Profile based off Surface Pressure + Hydrostatic: 4589 psi


External Profile based off Pore Pressure: 2188 psi



StressCheck - [String Summary - Shallow 3.0 Mile - Big Hole \*]

|   | String                            | OD/Weight/Grade          | Connection | MD Interval (usft) | Drift Dia. (") | Minimum Safety Factor (Abs) |              |        |          | Design Cost (\$) |
|---|-----------------------------------|--------------------------|------------|--------------------|----------------|-----------------------------|--------------|--------|----------|------------------|
|   |                                   |                          |            |                    |                | Burst                       | Collapse (V) | Axial  | Triaxial |                  |
| 1 | Intermediate Casing               | 9 5/8", 40.000 ppg, J-55 | BTC, J-55  | 0.0-5650.0         | 8.750 A        | 1.57                        | 1.59         | 1.80 F | 1.35     | 98,141           |
| 2 |                                   |                          |            |                    |                |                             |              |        |          | Total = 98,141   |
| 3 |                                   |                          |            |                    |                |                             |              |        |          |                  |
| 4 | F Conn Fracture                   |                          |            |                    |                |                             |              |        |          |                  |
| 5 | A Alternate Drift                 |                          |            |                    |                |                             |              |        |          |                  |
| 6 | (V) Vector Collapse Safety Factor |                          |            |                    |                |                             |              |        |          |                  |
| 7 |                                   |                          |            |                    |                |                             |              |        |          |                  |

\*Modelling done with 9-5/8" 40# Intermediate Casing. Passes all Burst, Collapse and Tensile design criteria.



StressCheck - [String Summary - Shallow 3.0 Mile - Big Hole]

String Summary

|   | String                            | OD/Weight/Grade          | Connection    | MD Interval (usft) | Drift Dia. (") | Minimum Safety Factor (Abs) |              |              |          | Design Cost (\$) |
|---|-----------------------------------|--------------------------|---------------|--------------------|----------------|-----------------------------|--------------|--------------|----------|------------------|
|   |                                   |                          |               |                    |                | Burst                       | Collapse (V) | Axial (1.75) | Triaxial |                  |
| 1 | Production Casing                 | 6", 24.500 ppf, P110 ICY | BTC, P110 ICY | 0.0-28578.0        | 5.075          | 1.29                        | 1.52         | (1.75)       | 1.37     | 541,493          |
| 2 |                                   |                          |               |                    |                |                             |              |              |          |                  |
| 3 |                                   |                          |               |                    |                |                             |              |              |          |                  |
| 4 | ( ) Compression                   |                          |               |                    |                |                             |              |              |          |                  |
| 5 | (V) Vector Collapse Safety Factor |                          |               |                    |                |                             |              |              |          |                  |
| 6 |                                   |                          |               |                    |                |                             |              |              |          |                  |
|   |                                   |                          |               |                    |                |                             |              |              |          | Total = 541,493  |

\*Modelling done with 6" Production Casing with a 125ksi Control Yield. Passes all Burst, Collapse and Tensile design criteria.







**MUD PROGRAM:**

During this procedure we plan to use a Closed-Loop System and haul contents to the required disposal. The applicable depths and properties of the drilling fluid systems are as follows:

| Measured Depth              | Type        | Weight (ppg) | Viscosity | Water Loss |
|-----------------------------|-------------|--------------|-----------|------------|
| 0 – 2,030'                  | Fresh - Gel | 8.6-8.8      | 28-34     | N/c        |
| 2,030' – 7,793'             | Brine       | 9-10.5       | 28-34     | N/c        |
| 5,450' – 28,578'<br>Lateral | Oil Base    | 8.8-9.5      | 58-68     | N/c - 6    |

An electronic pit volume totalizer (PVT) will be utilized on the circulating system, to monitor pit volume, flow rate, pump pressure and stroke rate.

Sufficient mud materials to maintain mud properties and meet minimum lost circulation and weight increase requirements will be kept at the wellsite at all times.

**CEMENTING ADDITIVES:**

| Additive            | Purpose                                 |
|---------------------|---|
| Bentonite Gel       | Lightweight/Lost circulation prevention |
| Calcium Chloride    | Accelerator                             |
| Cello-flake         | Lost circulation prevention             |
| Sodium Metasilicate | Accelerator                             |
| MagOx               | Expansive agent                         |
| Pre-Mag-M           | Expansive agent                         |
| Sodium Chloride     | Accelerator                             |
| FL-62               | Fluid loss control                      |
| Halad-344           | Fluid loss control                      |
| Halad-9             | Fluid loss control                      |
| HR-601              | Retarder                                |
| Microbond           | Expansive Agent                         |

Cement integrity tests will be performed immediately following plug bump.

Note: Cement volumes based on bit size plus at least 25% excess in the open hole plus 10% excess in the cased-hole overlap section.

New Search »

« Back to Previous List

| Mechanical Properties            | Pipe   | BTC    | LTC | STC    |          |
|----------------------------------|--------|--------|-----|--------|----------|
| Minimum Yield Strength           | 55,000 | --     | --  | --     | psi      |
| Maximum Yield Strength           | 80,000 | --     | --  | --     | psi      |
| Minimum Tensile Strength         | 75,000 | --     | --  | --     | psi      |
| Dimenstons                       | Pipe   | BTC    | LTC | STC    |          |
| Outside Diameter                 | 13.375 | 14.375 | --  | 14.375 | in.      |
| Wall Thickness                   | 0.380  | --     | --  | --     | in.      |
| Inside Diameter                  | 12.615 | 12.615 | --  | 12.615 | in.      |
| Standard Drift                   | 12.459 | 12.459 | --  | 12.459 | in.      |
| Alternate Drift                  | --     | --     | --  | --     | in.      |
| Nominal Linear Weight, T&C       | 54.50  | --     | --  | --     | lbs/ft   |
| Plain End Weight                 | 52.79  | --     | --  | --     | lbs/ft   |
| Performance                      | Pipe   | BTC    | LTC | STC    |          |
| Minimum Collapse Pressure        | 1,130  | 1,130  | --  | 1,130  | psi      |
| Minimum Internal Yield Pressure  | 2,740  | 2,740  | --  | 2,740  | psi      |
| Minimum Pipe Body Yield Strength | 853.00 | --     | --  | --     | 1000 lbs |
| Joint Strength                   | --     | 909    | --  | 514    | 1000 lbs |
| Reference Length                 | --     | 11,125 | --  | 6,290  | ft       |
| Make-Up Data                     | Pipe   | BTC    | LTC | STC    |          |
| Make-Up Loss                     | --     | 4.81   | --  | 3.50   | in.      |
| Minimum Make-Up Torque           | --     | --     | --  | 3,860  | ft-lbs   |
| Maximum Make-Up Torque           |        | --     | --  | 6,430  | ft-lbs   |

New Search »

« Back to Previous List

USC ☒ Metric

6/8/2015 10:23:27 AM

| Mechanical Properties            | Pipe   | BTC    | LTC    | STC    |          |
|----------------------------------|--------|--------|--------|--------|----------|
| Minimum Yield Strength           | 55,000 | --     | --     | --     | psi      |
| Maximum Yield Strength           | 80,000 | --     | --     | --     | psi      |
| Minimum Tensile Strength         | 75,000 | --     | --     | --     | psi      |
| Dimenstons                       | Pipe   | BTC    | LTC    | STC    |          |
| Outside Diameter                 | 9.625  | 10.625 | 10.625 | 10.625 | in.      |
| Wall Thickness                   | 0.395  | --     | --     | --     | in.      |
| Inside Diameter                  | 8.835  | 8.835  | 8.835  | 8.835  | in.      |
| Standard Drift                   | 8.679  | 8.679  | 8.679  | 8.679  | in.      |
| Alternate Drift                  | 8.750  | 8.750  | 8.750  | 8.750  | in.      |
| Nominal Linear Weight, T&C       | 40.00  | --     | --     | --     | lbs/ft   |
| Plain End Weight                 | 38.97  | --     | --     | --     | lbs/ft   |
| Performance                      | Pipe   | BTC    | LTC    | STC    |          |
| Minimum Collapse Pressure        | 2,570  | 2,570  | 2,570  | 2,570  | psi      |
| Minimum Internal Yield Pressure  | 3,950  | 3,950  | 3,950  | 3,950  | psi      |
| Minimum Pipe Body Yield Strength | 630.00 | --     | --     | --     | 1000 lbs |
| Joint Strength                   | --     | 714    | 520    | 452    | 1000 lbs |
| Reference Length                 | --     | 11,898 | 8,665  | 7,529  | ft       |
| Make-Up Data                     | Pipe   | BTC    | LTC    | STC    |          |
| Make-Up Loss                     | --     | 4.81   | 4.75   | 3.38   | in.      |
| Minimum Make-Up Torque           | --     | --     | 3,900  | 3,390  | ft-lbs   |
| Maximum Make-Up Torque           | --     | --     | 6,500  | 5,650  | ft-lbs   |



Connection Data Sheet

|          |                                    |            |            |                 |      |             |
|----------|------------------------------------|------------|------------|-----------------|------|-------------|
| OD (in.) | WEIGHT (lbs./ft.)                  | WALL (in.) | GRADE      | API DRIFT (in.) | RBW% | CONNECTION  |
| 5.500    | Nominal: 20.00<br>Plain End: 19.83 | 0.361      | VST P110EC | 4.653           | 87.5 | DWC/C-IS MS |

| PIPE PROPERTIES       |         |        | CONNECTION PROPERTIES        |                  |         |
|-----------------------|---------|--------|------------------------------|------------------|---------|
| Outside Diameter      | 5.500   | in.    | Connection Type              | Semi-Premium T&C |         |
| Inside Diameter       | 4.778   | in.    | Connection O.D. (nom)        | 6.115            | in.     |
| Nominal Area          | 5.828   | sq.in. | Connection I.D. (nom)        | 4.778            | in.     |
| Grade Type            | API 5CT |        | Make-Up Loss                 | 4.125            | in.     |
| Min. Yield Strength   | 125     | ksi    | Coupling Length              | 9.250            | in.     |
| Max. Yield Strength   | 140     | ksi    | Critical Cross Section       | 5.828            | sq.in.  |
| Min. Tensile Strength | 135     | ksi    | Tension Efficiency           | 100.0%           | of pipe |
| Yield Strength        | 729     | klb    | Compression Efficiency       | 100.0%           | of pipe |
| Ultimate Strength     | 787     | klb    | Internal Pressure Efficiency | 100.0%           | of pipe |
| Min. Internal Yield   | 14,360  | psi    | External Pressure Efficiency | 100.0%           | of pipe |
| Collapse              | 12,090  | psi    |                              |                  |         |

| CONNECTION PERFORMANCES                     |        |          | FIELD END TORQUE VALUES       |        |       |
|---|--------|----------|-------------------------------|--------|-------|
| Yield Strength                              | 729    | klb      | Min. Make-up torque           | 16,100 | ft.lb |
| Parting Load                                | 787    | klb      | Opti. Make-up torque          | 17,350 | ft.lb |
| Compression Rating                          | 729    | klb      | Max. Make-up torque           | 18,600 | ft.lb |
| Min. Internal Yield                         | 14,360 | psi      | Min. Shoulder Torque          | 1,610  | ft.lb |
| External Pressure                           | 12,090 | psi      | Max. Shoulder Torque          | 12,880 | ft.lb |
| Maximum Uniaxial Bend Rating                | 104.2  | °/100 ft | Min. Delta Turn               | -      | Turns |
| Reference String Length w 1.4 Design Factor | 26,040 | ft       | Max. Delta Turn               | 0.200  | Turns |
|   |        |          | Maximum Operational Torque    | 21,100 | ft.lb |
|   |        |          | Maximum Torsional Value (MTV) | 23,210 | ft.lb |

Need Help? Contact: [tech.support@vam-usa.com](mailto:tech.support@vam-usa.com)  
Reference Drawing: 8136PP Rev.01 & 8136BP Rev.01  
Date: 12/03/2019  
Time: 06:19:27 PM

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.

**VAM USA**

2107 CityWest Boulevard Suite 1300

Houston, TX 77042

Phone: 713-479-3200

Fax: 713-479-3234

VAM® USA Sales E-mail: [VAMUSAsales@vam-usa.com](mailto:VAMUSAsales@vam-usa.com)Tech Support Email: [tech.support@vam-usa.com](mailto:tech.support@vam-usa.com)**DWC Connection Data Sheet Notes:**

1. DWC connections are available with a seal ring (SR) option.
2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.
3. Connection performance properties are based on nominal pipe body and connection dimensions.
4. DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.
5. DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.
6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.
7. Bending efficiency is equal to the compression efficiency.
8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.
9. Connection yield torque is not to be exceeded.
10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.
11. DWC connections will accommodate API standard drift diameters.
12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact [tech.support@vam-usa.com](mailto:tech.support@vam-usa.com) for details on connection ratings and make-up.



Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.

New Search »

« Back to Previous List

USC ☒ Metric

6/8/2015 10:14:05 AM

| Mechanical Properties            | Pipe          | BTC    | LTC | STC    |          |
|----------------------------------|---------------|--------|-----|--------|----------|
| Minimum Yield Strength           | 55,000        | --     | --  | --     | psi      |
| Maximum Yield Strength           | 80,000        | --     | --  | --     | psi      |
| Minimum Tensile Strength         | 75,000        | --     | --  | --     | psi      |
| Dimenstons                       | Pipe          | BTC    | LTC | STC    |          |
| Outside Diameter                 | 10.750        | 11.750 | --  | 11.750 | in.      |
| Wall Thickness                   | 0.350         | --     | --  | --     | in.      |
| Inside Diameter                  | 10.050        | 10.050 | --  | 10.050 | in.      |
| Standard Drift                   | 9.894         | 9.894  | --  | 9.894  | in.      |
| Alternate Drift                  | --            | --     | --  | --     | in.      |
| Nominal Linear Weight, T&C       | 40.50         | --     | --  | --     | lbs/ft   |
| Plain End Weight                 | 38.91         | --     | --  | --     | lbs/ft   |
| Performance                      | Pipe          | BTC    | LTC | STC    |          |
| Minimum Collapse Pressure        | 1,580         | 1,580  | --  | 1,580  | psi      |
| Minimum Internal Yield Pressure  | 3,130         | 3,130  | --  | 3,130  | psi      |
| Minimum Pipe Body Yield Strength | 629.00        | --     | --  | --     | 1000 lbs |
| Joint Strength                   | --            | 700    | --  | 420    | 1000 lbs |
| Reference Length                 | --            | 11,522 | --  | 6,915  | ft       |
| Make-Up Data                     | Pipe          | BTC    | LTC | STC    |          |
| Make-Up Loss                     | --            | 4.81   | --  | 3.50   | in.      |
| Minimum Make-Up Torque           | --            | --     | --  | 3,150  | ft-lbs   |
| Maximum Make-Up Torque           | Page 28 of 32 | --     | --  | 5,250  | ft-lbs   |





API 5CT, 10th Ed. Connection Data Sheet

| O.D. (in) | WEIGHT (lb/ft)                     | WALL (in) | GRADE | *API DRIFT (in) | RBW % |
|-----------|------------------------------------|-----------|-------|-----------------|-------|
| 8.625     | Nominal: 32.00<br>Plain End: 31.13 | 0.352     | J55   | 7.796           | 87.5  |

| Material Properties (PE)  |        |
|---------------------------|--------|
| Pipe                      |        |
| Minimum Yield Strength:   | 55 ksi |
| Maximum Yield Strength:   | 80 ksi |
| Minimum Tensile Strength: | 75 ksi |
| Coupling                  |        |
| Minimum Yield Strength:   | 55 ksi |
| Maximum Yield Strength:   | 80 ksi |
| Minimum Tensile Strength: | 75 ksi |

| Pipe Body Data (PE)                          |                       |
|--|-----------------------|
| Geometry                                     |                       |
| Nominal ID:                                  | 7.92 inch             |
| Nominal Area:                                | 9.149 in <sup>2</sup> |
| *Special/Alt. Drift:                         | 7.875 inch            |
| Performance                                  |                       |
| Pipe Body Yield Strength:                    | 503 kips              |
| Collapse Resistance:                         | 2,530 psi             |
| Internal Yield Pressure:<br>(API Historical) | 3,930 psi             |

| API Connection Data                   |           |
|---------------------------------------|-----------|
| Coupling OD: 9.625"                   |           |
| STC Performance                       |           |
| STC Internal Pressure:                | 3,930 psi |
| STC Joint Strength:                   | 372 kips  |
| LTC Performance                       |           |
| LTC Internal Pressure:                | 3,930 psi |
| LTC Joint Strength:                   | 417 kips  |
| SC-BTC Performance - Cplg OD = 9.125" |           |
| BTC Internal Pressure:                | 3,930 psi |
| BTC Joint Strength:                   | 503 kips  |

| API Connection Torque                              |       |       |                     |
|--|-------|-------|---------------------|
| STC Torque (ft-lbs)                                |       |       |                     |
| Min:   | 2,793 | Opti: | 3,724    Max: 4,655 |
| LTC Torque (ft-lbs)                                |       |       |                     |
| Min:   | 3,130 | Opti: | 4,174    Max: 5,217 |
| BTC Torque (ft-lbs)                                |       |       |                     |
| follow API guidelines regarding positional make up |       |       |                     |

\*Alt. Drift will be used unless API Drift is specified on order.

\*\*If above API connections do not suit your needs, VAM® premium connections are available up to 100% of pipe body ratings.

ALL INFORMATION IS PROVIDED BY VALLOUREC OR ITS AFFILIATES AT USER'S SOLE RISK, WITHOUT LIABILITY FOR LOSS, DAMAGE OR INJURY RESULTING FROM THE USE THEREOF; AND ON AN "AS IS" BASIS WITHOUT WARRANTY OR REPRESENTATION OF ANY KIND, WHETHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR PURPOSE, ACCURACY OR COMPLETENESS. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY AND IS BASED ON ESTIMATES THAT HAVE NOT BEEN VERIFIED OR TESTED. IN NO EVENT SHALL VALLOUREC OR ITS AFFILIATES BE RESPONSIBLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL LOSS OR DAMAGE (INCLUDING WITHOUT LIMITATION, LOSS OF USE, LOSS OF BARGAIN, LOSS OF REVENUE, PROFIT OR ANTICIPATED PROFIT) HOWEVER CAUSED OR ARISING, AND WHETHER SUCH LOSSES OR DAMAGES WERE FORESEEABLE OR VALLOUREC OR ITS AFFILIATES WERE ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Issued on: 10 Feb. 2021 by Wesley Ott

VAM® SPRINT-SF  
Connection Data Sheet

|             |  |                       |                 |                         |                              |
|-------------|--|-----------------------|-----------------|-------------------------|------------------------------|
| OD<br>6 in. | Weight (lb/ft)<br>Nominal: 24.50<br>Plain End: 23.95 | Wall Th.<br>0.400 in. | Grade<br>P110EC | API Drift:<br>5.075 in. | Connection<br>VAM® SPRINT-SF |
|-------------|--|-----------------------|-----------------|-------------------------|------------------------------|

| PIPE PROPERTIES                |            |       |
|--------------------------------|------------|-------|
| Nominal OD                     | 6.000      | in.   |
| Nominal ID                     | 5.200      | in.   |
| Nominal Cross Section Area     | 7.037      | sqin. |
| Grade Type                     | High Yield |       |
| Min. Yield Strength            | 125        | ksi   |
| Max. Yield Strength            | 140        | ksi   |
| Min. Ultimate Tensile Strength | 135        | ksi   |

| CONNECTION PROPERTIES        |                     |           |
|------------------------------|---------------------|-----------|
| Connection Type              | Integral Semi-Flush |           |
| Connection OD (nom):         | 6.277               | in.       |
| Connection ID (nom):         | 5.146               | in.       |
| Make-Up Loss                 | 5.386               | in.       |
| Critical Cross Section       | 6.417               | sqin.     |
| Tension Efficiency           | 91.0                | % of pipe |
| Compression Efficiency       | 91.0                | % of pipe |
| Internal Pressure Efficiency | 100                 | % of pipe |
| External Pressure Efficiency | 100                 | % of pipe |

| CONNECTION PERFORMANCES               |        |         |
|---------------------------------------|--------|---------|
| Tensile Yield Strength                | 801    | klb     |
| Compression Resistance                | 801    | klb     |
| Internal Yield Pressure               | 14,580 | psi     |
| Collapse Resistance                   | 12,500 | psi     |
| Max. Structural Bending               | 83     | °/100ft |
| Max. Bending with ISO/API Sealability | 30     | °/100ft |

\* 87.5% RBW

| TORQUE VALUES                      |        |       |
|------------------------------------|--------|-------|
| Min. Make-up torque                | 21,750 | ft.lb |
| Opt. Make-up torque                | 24,250 | ft.lb |
| Max. Make-up torque                | 26,750 | ft.lb |
| Max. Torque with Sealability (MTS) | 53,000 | ft.lb |

VAM® SPRINT-SF is a semi-flush connection innovatively designed for extreme shale applications. Its high tension rating and ultra high torque capacity make it ideal to run a fill string length as production casing in shale wells with extended horizontal sections and tight clearance requirements.



canada@vamfieldservice.com  
usa@vamfieldservice.com  
mexico@vamfieldservice.com  
brazil@vamfieldservice.com

Do you need help on this product? - Remember no one knows VAM® like VAM®

uk@vamfieldservice.com  
dubai@vamfieldservice.com  
nigeria@vamfieldservice.com  
angola@vamfieldservice.com

china@vamfieldservice.com  
baku@vamfieldservice.com  
singapore@vamfieldservice.com  
australia@vamfieldservice.com

Over 140 VAM® Specialists available worldwide 24/7 for Rig Site Assistance







## Connection Data Sheet

| OD (in.) | WEIGHT (lbs./ft.)                  | WALL (in.) | GRADE      | API DRIFT (in.) | RBW% | CONNECTION |
|----------|------------------------------------|------------|------------|-----------------|------|------------|
| 6.000    | Nominal: 22.30<br>Plain End: 21.70 | 0.360      | VST P110EC | 5.155           | 92.5 | DWC/C-IS   |

## PIPE PROPERTIES

|                              |         |        |
|------------------------------|---------|--------|
| Nominal OD                   | 6.000   | in.    |
| Nominal ID                   | 5.280   | in.    |
| Nominal Area                 | 6.379   | sq.in. |
| Grade Type                   | API 5CT |        |
| Min. Yield Strength          | 125     | ksi    |
| Max. Yield Strength          | 140     | ksi    |
| Min. Tensile Strength        | 135     | ksi    |
| Yield Strength               | 797     | klb    |
| Ultimate Strength            | 861     | klb    |
| Min. Internal Yield Pressure | 13,880  | psi    |
| Collapse Pressure            | 9,800   | psi    |

## CONNECTION PERFORMANCES

|   |        |          |
|---|--------|----------|
| Yield Strength                              | 797    | klb      |
| Parting Load                                | 861    | klb      |
| Compression Rating                          | 797    | klb      |
| Min. Internal Yield                         | 13,880 | psi      |
| External Pressure                           | 9,800  | psi      |
| Maximum Uniaxial Bend Rating                | 47.7   | °/100 ft |
| Reference String Length w 1.4 Design Factor | 25,530 | ft.      |

## CONNECTION PROPERTIES

|                              |                  |
|------------------------------|------------------|
| Connection Type              | Semi-Premium T&C |
| Connection OD (nom)          | 6.650 in.        |
| Connection ID (nom)          | 5.280 in.        |
| Make-Up Loss                 | 4.313 in.        |
| Coupling Length              | 9.625 in.        |
| Critical Cross Section       | 6.379 sq.in.     |
| Tension Efficiency           | 100.0% of pipe   |
| Compression Efficiency       | 100.0% of pipe   |
| Internal Pressure Efficiency | 100.0% of pipe   |
| External Pressure Efficiency | 100.0% of pipe   |

## FIELD END TORQUE VALUES

|                               |        |       |
|-------------------------------|--------|-------|
| Min. Make-up torque           | 17,000 | ft.lb |
| Opti. Make-up torque          | 18,250 | ft.lb |
| Max. Make-up torque           | 19,500 | ft.lb |
| Min. Shoulder Torque          | 1,700  | ft.lb |
| Max. Shoulder Torque          | 13,600 | ft.lb |
| Min. Delta Turn               | -      | Turns |
| Max. Delta Turn               | 0.200  | Turns |
| Maximum Operational Torque    | 24,200 | ft.lb |
| Maximum Torsional Value (MTV) | 26,620 | ft.lb |

Need Help? Contact: [tech.support@vam-usa.com](mailto:tech.support@vam-usa.com)

Reference Drawing: 8135PP Rev.02 & 8135BP Rev.02

Date: 07/30/2020

Time: 07:50:47 PM

For detailed information on performance properties, refer to DWC Connection Data Notes on following page(s).

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.



VAM USA  
2107 CityWest Boulevard Suite 1300  
Houston, TX 77042  
Phone: 713-479-3200  
Fax: 713-479-3234  
VAM® USA Sales E-mail: [VAMUSAsales@vam-usa.com](mailto:VAMUSAsales@vam-usa.com)  
Tech Support Email: [tech.support@vam-usa.com](mailto:tech.support@vam-usa.com)

**DWC Connection Data Sheet Notes:**

1. DWC connections are available with a seal ring (SR) option.
2. All standard DWC/C connections are interchangeable for a given pipe OD. DWC connections are interchangeable with DWC/C-SR connections of the same OD and wall.
3. Connection performance properties are based on nominal pipe body and connection dimensions.
4. DWC connection internal and external pressure resistance is calculated using the API rating for buttress connections. API Internal pressure resistance is calculated from formulas 31, 32, and 35 in the API Bulletin 5C3.
5. DWC joint strength is the minimum pipe body yield strength multiplied by the connection critical area.
6. API joint strength is for reference only. It is calculated from formulas 42 and 43 in the API Bulletin 5C3.
7. Bending efficiency is equal to the compression efficiency.
8. The torque values listed are recommended. The actual torque required may be affected by field conditions such as temperature, thread compound, speed of make-up, weather conditions, etc.
9. Connection yield torque is not to be exceeded.
10. Reference string length is calculated by dividing the joint strength by both the nominal weight in air and a design factor (DF) of 1.4. These values are offered for reference only and do not include load factors such as bending, buoyancy, temperature, load dynamics, etc.
11. DWC connections will accommodate API standard drift diameters.
12. DWC/C family of connections are compatible with API Buttress BTC connections. Please contact [tech.support@vam-usa.com](mailto:tech.support@vam-usa.com) for details on connection ratings and make-up.

Connection specifications within the control of VAM USA were correct as of the date printed. Specifications are subject to change without notice. Certain connection specifications are dependent on the mechanical properties of the pipe. Mechanical properties of mill proprietary pipe grades were obtained from mill publications and are subject to change. Properties of mill proprietary grades should be confirmed with the mill. Users are advised to obtain current connection specifications and verify pipe mechanical properties for each application.

All information is provided by VAM USA or its affiliates at user's sole risk, without liability for loss, damage or injury resulting from the use thereof; and on an "AS IS" basis without warranty or representation of any kind, whether express or implied, including without limitation any warranty of merchantability, fitness for purpose or completeness. This document and its contents are subject to change without notice. In no event shall VAM USA or its affiliates be responsible for any indirect, special, incidental, punitive, exemplary or consequential loss or damage (including without limitation, loss of use, loss of bargain, loss of revenue, profit or anticipated profit) however caused or arising, and whether such losses or damages were foreseeable or VAM USA or its affiliates was advised of the possibility of such damages.





**Break-test BOP & Offline Cementing:**

EOG Resources Inc. (EOG) respectfully requests a variance from the minimum standards for well control equipment testing of ECFR Title 43 Part 3172.6(b)(9)(iv) to allow a testing schedule of the blow out preventer (BOP) and blow out prevention equipment (BOPE) along with Batch Drilling & Offline cement operations to include the following:

- Full BOPE test at first installation on the pad.
- Full BOPE test every 21 days.
- This test will be conducted for 5M rated hole intervals only.
- Each rig requesting the break-test variance is capable of picking up the BOP without damaging components using winches, following API Standard 53, Well Control Equipment Systems for Drilling Wells (Fifth edition, December 2018, Annex C. Table C.4) which recognizes break testing as an acceptable practice.
- Function tests will be performed on the following BOP elements:
  - Annular ð during each full BOPE test
  - Upper Pipe Rams ð On trip ins where FIT required
  - Blind Rams ð Every trip
  - Lower Pipe Rams ð during each full BOPE test
- Break testing BOP and BOPE coupled with batch drilling operations and option to offline cement and/or remediate (if needed) any surface or intermediate sections, according to attached offline cementing support documentation.
- After the well section is secured, the BOP will be disconnected from the wellhead and walked with the rig to another well on the pad.
- TA cap will also be installed per Wellhead vendor procedure and pressure inside the casing will be monitored via the valve on the TA cap as per standard batch drilling ops.


# Break Test Diagram (HCR valve)



## Steps

1. Set plug in wellhead (lower barrier)
2. Close Blind Rams (upper barrier)
3. Close roadside kill
4. Open HCR (pressure application)
5. Open wellhead valves below test plug to ensure if leak past test plug, pressure won't be applied to wellbore
6. Tie BOP testers high pressure line to main choke manifold crown valve
7. Pressure up to test break
8. Bleed test pressure from BOP testing unit

# Break Test Diagram (Test Joint)



## Steps

1. Set plug in with test joint wellhead (lower barrier)
2. Close Upper Pipe Rams (upper barrier)
3. Close roadside kill
4. Close HCR
5. Open wellhead valves below test plug to ensure if leak past test plug, pressure won't be applied to wellbore
6. Tie BOP testers high pressure line to top of test joint
7. Pressure up to test break
8. Bleed test pressure from BOP testing unit



## Offline Intermediate Cementing Procedure

2/24/2022

**Cement Program**

1. No changes to the cement program will take place for offline cementing.

**Summarized Operational Procedure for Intermediate Casing**

1. Run casing as per normal operations. While running casing, conduct negative pressure test and confirm integrity of the float equipment back pressure valves.
  - a. Float equipment is equipped with two back pressure valves rated to a minimum of 5,000 psi.
2. Land production casing on mandrel hanger through BOP.
  - a. If casing is unable to be landed with a mandrel hanger, then the **casing will be cemented online**.
3. Break circulation and confirm no restrictions.
  - a. Ensure no blockage of float equipment and appropriate annular returns.
  - b. Perform flow check to confirm well is static.
4. Set pack-off
  - a. If utilizing a fluted/ported mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid, remove landing joint, and set annular packoff through BOP. Pressure test to 5,000 psi for 10 min.
  - b. If utilizing a solid mandrel hanger, ensure well is static on the annulus and inside the casing by filling the pipe with kill weight fluid. Pressure test seals to 5,000 psi for 10 min. Remove landing joint through BOP.
5. After confirmation of both annular barriers and the two casing barriers, install TA plug and pressure test to 5,000 psi for 10 min. Notify the BLM with intent to proceed with nipple down and offline cementing.
  - a. Minimum 4 hrs notice.
6. With the well secured and BLM notified, nipple down BOP and secure on hydraulic carrier or cradle.
  - a. **Note, if any of the barriers fail to test, the BOP stack will not be nipped down until after the cement job has concluded and both lead and tail slurry have reached 500 psi.**
7. Skid/Walk rig off current well.
8. Confirm well is static before removing TA Plug.
  - a. Cementing operations will not proceed until well is under control. (If well is not static, notify BLM and proceed to kill)
  - b. Casing outlet valves will provide access to both the casing ID and annulus. Rig or third party pump truck will kill well prior to cementing.
  - c. Well control plan can be seen in Section B, Well Control Procedures.
  - d. If need be, rig can be moved back over well and BOP nipped back up for any further remediation.





## Offline Intermediate Cementing Procedure

2/24/2022

- e. Diagram for rig positioning relative to offline cementing can be seen in Figure 4.
9. Rig up return lines to take returns from wellhead to pits and rig choke.
  - a. Test all connections and lines from wellhead to choke manifold to 5,000 psi high for 10 min.
  - b. If either test fails, perform corrections and retest before proceeding.
  - c. Return line schematics can be seen in Figure 3.
10. Remove TA Plug from the casing.
11. Install offline cement tool.
  - a. Current offline cement tool schematics can be seen in Figure 1 (Cameron) and Figure 2 (Cactus).
12. Rig up cement head and cementing lines.
  - a. Pressure test cement lines against cement head to 80% of casing burst for 10 min.
13. Break circulation on well to confirm no restrictions.
  - a. If gas is present on circulation, well will be shut in and returns rerouted through gas buster.
  - b. Max anticipated time before circulating with cement truck is 6 hrs.
14. Pump cement job as per plan.
  - a. At plug bump, test casing to 0.22 psi/ft or 1500 psi, whichever is greater.
  - b. If plug does not bump on calculated, shut down and wait 8 hrs or 500 psi compressive strength, whichever is greater before testing casing.
15. Confirm well is static and floats are holding after cement job.
  - a. With floats holding and backside static:
    - i. Remove cement head.
  - b. If floats are leaking:
    - i. Shut-in well and WOC (Wait on Cement) until tail slurry reaches 500 psi compressive strength and the casing is static prior to removing cement head.
  - c. If there is flow on the backside:
    - i. Shut in well and WOC until tail slurry reaches 500 psi compressive strength. Ensure that the casing is static prior to removing cement head.
16. Remove offline cement tool.
17. Install night cap with pressure gauge for monitoring.
18. Test night cap to 5,000 psi for 10 min.



Offline Intermediate Cementing Procedure

2/24/2022

## Example Well Control Plan Content

### A. Well Control Component Table

The table below, which covers the cementing of the **5M MASP (Maximum Allowable Surface Pressure) portion of the well**, outlines the well control component rating in use. This table, combined with the mud program, documents that two barriers to flow can be maintained at all times, independent of the BOP nipped up to the wellhead.

Intermediate hole section, 5M requirement

| Component                | RWP |
|--------------------------|-----|
| Pack-off                 | 10M |
| Casing Wellhead Valves   | 10M |
| Annular Wellhead Valves  | 5M  |
| TA Plug                  | 10M |
| Float Valves             | 5M  |
| 2" 1502 Lo-Torque Valves | 15M |

### B. Well Control Procedures

Well control procedures are specific to the rig equipment and the operation at the time the kick occurs. Below are the minimal high-level tasks prescribed to assure a proper shut-in while circulating and cementing through the Offline Cement Adapter.

#### General Procedure While Circulating

1. Sound alarm (alert crew).
2. Shut down pumps.
3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
4. Confirm shut-in.
5. Notify tool pusher/company representative.





## Offline Intermediate Cementing Procedure

2/24/2022

6. Read and record the following:
  - a. SICP (Shut in Casing Pressure) and AP (Annular Pressure)
  - b. Pit gain
  - c. Time
  - d. Regroup and identify forward plan to continue circulating out kick via rig choke and mud/gas separator. Circulate and adjust mud density as needed to control well.

### General Procedure While Cementing

1. Sound alarm (alert crew).
2. Shut down pumps.
3. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
4. Confirm shut-in.
5. Notify tool pusher/company representative.
6. Open rig choke and begin pumping again taking returns through choke manifold and mud/gas separator.
7. Continue to place cement until plug bumps.
8. At plug bump close rig choke and cement head.
9. Read and record the following
  - a. SICP and AP
  - b. Pit gain
  - c. Time
  - d. Shut-in annulus valves on wellhead

### General Procedure After Cementing

1. Sound alarm (alert crew).
2. Shut-in Well (close valves to rig pits and open valve to rig choke line. Rig choke will already be in the closed position).
3. Confirm shut-in.
4. Notify tool pusher/company representative.
5. Read and record the following:
  - a. SICP and AP
  - b. Pit gain
  - c. Time
  - d. Shut-in annulus valves on wellhead



## Offline Intermediate Cementing Procedure

2/24/2022

Figure 1: Cameron TA Plug and Offline Adapter Schematic





## Offline Intermediate Cementing Procedure

2/24/2022

Figure 2: Cactus TA Plug and Offline Adapter Schematic






## Offline Intermediate Cementing Procedure

2/24/2022

Figure 3: Back Yard Rig Up





Offline Intermediate Cementing Procedure

2/24/2022

Figure 4: Rig Placement Diagram





# Salt Section Annular Clearance Variance Request

---

---

Daniel Moose

# Current Design (Salt Strings)

## 0.422" Annular clearance requirement

- Casing collars shall have a minimum clearance of 0.422 inches on all sides in the hole/casing annulus, with recognition that variances can be granted for justified exceptions.

- 12.25" Hole x 9.625" 40# J55/HCK55 LTC Casing
  - 1.3125" Clearance to casing OD
  - 0.8125" Clearance to coupling OD
- 9.875" Hole x 8.75" 38.5# P110 Sprint-SF Casing
  - 0.5625" Clearance to casing OD
  - 0.433" Clearance to coupling OD

# Annular Clearance Variance Request

**EOG request permission to allow deviation from the 0.422" annulus clearance requirement for the intermediate (salt) section from Onshore Order #2 under the following conditions:**

- The variance is not applicable within the Potash Boundaries or Capitan Reef areas.
- Operator takes responsibility to get casing to set point in the event that the clearance causes stuck pipe issues




# Volumetric Hole Size Calculation

## Hole Size Calculations Off Cement Volumes

- Known volume of cement pumped
- Known volume of cement returned to surface
- Must not have had any losses
- Must have bumped plug

## Average Hole Size


- 12.25" Hole
  - 12.88" Hole
    - 5.13% diameter increase
    - 10.52% area increase
  - 0.63" Average enlargement
  - 0.58" Median enlargement
  - 179 Well Count
- 9.875" Hole
  - 10.30" Hole
    - 4.24% diameter increase
    - 9.64% area increase
  - 0.42" Average enlargement
  - 0.46" Median enlargement
  - 11 Well Count



# Caliper Hole Size (12.25")

## Average Hole Size

- 12.25" Bit
  - 12.76" Hole
    - 4.14% diameter increase
    - 8.44% area increase
  - 0.51" Average enlargement
  - 0.52" Median enlargement
  - Brine



# Caliper Hole Size (9.875")

## Average Hole Size

- 9.875" Hole
  - 11.21" Hole
    - 13.54% diameter increase
    - 28.92% area increase
  - 1.33" Average enlargement
  - 1.30" Median enlargement
  - EnerLite

Whirling Wind 11 Fed Com #744H



# Design A

## Proposed 11" Hole with 9.625" 40# J55/HCK55 LTC Casing


- 11" Bit + 0.52" Average hole enlargement = 11.52" Hole Size
  - 0.9475" Clearance to casing OD
 
$$= \frac{11.52 - 9.625}{2}$$
  - 0.4475" Clearance to coupling OD
 
$$= \frac{11.52 - 10.625}{2}$$
- Previous Shoe – 13.375" 54.5# J55 STC
  - 0.995" Clearance to coupling OD (~1,200' overlap)
 
$$= \frac{12.615 - 10.625}{2}$$



# Design B

## Proposed 9.875" Hole with 8.625" 32# J55/P110 BTC-SC Casing

- 9.875" Bit + 0.42" Average hole enlargement = 10.295" Hole Size
  - 0.835" Clearance to casing OD
 
$$= \frac{10.295 - 8.625}{2}$$
  - 0.585" Clearance to coupling OD
 
$$= \frac{10.295 - 9.125}{2}$$
- Previous Shoe – 10.75" 40.5# J55 STC
  - 0.4625" Clearance to coupling OD (~1,200' overlap)
 
$$= \frac{10.05 - 9.125}{2}$$





# Index

---

# Casing Spec Sheets

## PERFORMANCE DATA

API LTC

Technical Data Sheet

9.625 in

40.00 lbs/ft

K55 HC

### Tubular Parameters

|                     |        |        |                              |       |      |
|---------------------|--------|--------|------------------------------|-------|------|
| Size                | 9.625  | in     | Minimum Yield                | 55    | ksi  |
| Nominal Weight      | 40.00  | lbs/ft | Minimum Tensile              | 95    | ksi  |
| Grade               | K55 HC |        | Yield Load                   | 629   | kips |
| PE Weight           | 38.94  | lbs/ft | Tensile Load                 | 1088  | kips |
| Wall Thickness      | 0.395  | in     | Min. Internal Yield Pressure | 3,950 | psi  |
| Nominal ID          | 8.835  | in     | Collapse Pressure            | 3600  | psi  |
| Drift Diameter      | 8.750  | in     |                              |       |      |
| Nom. Pipe Body Area | 11.454 | in²    |                              |       |      |

### Connection Parameters

|                              |        |       |
|------------------------------|--------|-------|
| Connection OD                | 10.625 | in    |
| Coupling Length              | 10.500 | in    |
| Threads Per Inch             | 8      | tpi   |
| Standoff Thread Turns        | 3.50   | turns |
| Make-Up Loss                 | 4.750  | in    |
| Min. Internal Yield Pressure | 3,950  | psi   |

## Pipe Body and API Connections Performance Data

13.375 54.50/0.380 J55

PDF

New Search »

« Back to Previous List

USC ☒ Metric

6/8/2015 10:04:37 AM

| Mechanical Properties            | Pipe   | BTC    | LTC | STC    |          |
|----------------------------------|--------|--------|-----|--------|----------|
| Minimum Yield Strength           | 55,000 | --     | --  | --     | psi      |
| Maximum Yield Strength           | 80,000 | --     | --  | --     | psi      |
| Minimum Tensile Strength         | 75,000 | --     | --  | --     | psi      |
| Dimensions                       | Pipe   | BTC    | LTC | STC    |          |
| Outside Diameter                 | 13.375 | 14.375 | --  | 14.375 | in.      |
| Wall Thickness                   | 0.380  | --     | --  | --     | in.      |
| Inside Diameter                  | 12.615 | 12.615 | --  | 12.615 | in.      |
| Standard Drift                   | 12.459 | 12.459 | --  | 12.459 | in.      |
| Alternate Drift                  | --     | --     | --  | --     | in.      |
| Nominal Linear Weight, T&C       | 54.50  | --     | --  | --     | lbs/ft   |
| Plain End Weight                 | 52.79  | --     | --  | --     | lbs/ft   |
| Performance                      | Pipe   | BTC    | LTC | STC    |          |
| Minimum Collapse Pressure        | 1,130  | 1,130  | --  | 1,130  | psi      |
| Minimum Internal Yield Pressure  | 2,740  | 2,740  | --  | 2,740  | psi      |
| Minimum Pipe Body Yield Strength | 853.00 | --     | --  | --     | 1000 lbs |
| Joint Strength                   | --     | 909    | --  | 514    | 1000 lbs |
| Reference Length                 | --     | 11,125 | --  | 6,290  | ft       |
| Make-Up Data                     | Pipe   | BTC    | LTC | STC    |          |
| Make-Up Loss                     | --     | 4.81   | --  | 3.50   | in.      |
| Minimum Make-Up Torque           | --     | --     | --  | 3,860  | ft-lbs   |
| Maximum Make-Up Torque           | --     | --     | --  | 6,430  | ft-lbs   |



# Casing Spec Sheets

## Pipe Body and API Connections Performance Data

10.750 40.50/0.350 J55

PDF

New Search »

« Back to Previous List

USC ☒ Metric

6/8/2015 10:14:05 AM

| Mechanical Properties            | Pipe   | BTC    | LTC | STC    |          |
|----------------------------------|--------|--------|-----|--------|----------|
| Minimum Yield Strength           | 55,000 | --     | --  | --     | psi      |
| Maximum Yield Strength           | 80,000 | --     | --  | --     | psi      |
| Minimum Tensile Strength         | 75,000 | --     | --  | --     | psi      |
| Dimensions                       | Pipe   | BTC    | LTC | STC    |          |
| Outside Diameter                 | 10.750 | 11.750 | --  | 11.750 | in.      |
| Wall Thickness                   | 0.350  | --     | --  | --     | in.      |
| Inside Diameter                  | 10.050 | 10.050 | --  | 10.050 | in.      |
| Standard Drift                   | 9.894  | 9.894  | --  | 9.894  | in.      |
| Alternate Drift                  | --     | --     | --  | --     | in.      |
| Nominal Linear Weight, T&C       | 40.50  | --     | --  | --     | lbs/ft   |
| Plain End Weight                 | 38.91  | --     | --  | --     | lbs/ft   |
| Performance                      | Pipe   | BTC    | LTC | STC    |          |
| Minimum Collapse Pressure        | 1,580  | 1,580  | --  | 1,580  | psi      |
| Minimum Internal Yield Pressure  | 3,130  | 3,130  | --  | 3,130  | psi      |
| Minimum Pipe Body Yield Strength | 629.00 | --     | --  | --     | 1000 lbs |
| Joint Strength                   | --     | 700    | --  | 420    | 1000 lbs |
| Reference Length                 | --     | 11,522 | --  | 6,915  | ft       |
| Make-Up Data                     | Pipe   | BTC    | LTC | STC    |          |
| Make-Up Loss                     | --     | 4.81   | --  | 3.50   | in.      |
| Minimum Make-Up Torque           | --     | --     | --  | 3,150  | ft-lbs   |
| Maximum Make-Up Torque           | --     | --     | --  | 5,250  | ft-lbs   |



### API 5CT, 10th Ed. Connection Data Sheet

| O.D. (in) | WEIGHT (lb/ft)                     | WALL (in) | GRADE | *API DRIFT (in) | RBW % |
|-----------|------------------------------------|-----------|-------|-----------------|-------|
| 8.625     | Nominal: 32.00<br>Plain End: 31.13 | 0.352     | J55   | 7.796           | 87.5  |

| Material Properties (PE)  |        | Pipe Body Data (PE)                          |                       |
|---------------------------|--------|--|-----------------------|
| Pipe                      |        | Geometry                                     |                       |
| Minimum Yield Strength:   | 55 ksi | Nominal ID:                                  | 7.92 inch             |
| Maximum Yield Strength:   | 80 ksi | Nominal Area:                                | 9.149 in <sup>2</sup> |
| Minimum Tensile Strength: | 75 ksi | *Special/Alt. Drift:                         | 7.875 inch            |
| Coupling                  |        | Performance                                  |                       |
| Minimum Yield Strength:   | 55 ksi | Pipe Body Yield Strength:                    | 503 kips              |
| Maximum Yield Strength:   | 80 ksi | Collapse Resistance:                         | 2,530 psi             |
| Minimum Tensile Strength: | 75 ksi | Internal Yield Pressure:<br>(API Historical) | 3,930 psi             |

| API Connection Data                   |  | API Connection Torque                              |  |
|---------------------------------------|--|--|--|
| Coupling OD: 9.625"                   |  | STC Torque (ft-lbs)                                |  |
| STC Performance                       |  | Min: 2,793 Opti: 3,724 Max: 4,655                  |  |
| STC Internal Pressure:                |  | LTC Torque (ft-lbs)                                |  |
| STC Joint Strength:                   |  | Min: 3,130 Opti: 4,174 Max: 5,217                  |  |
| LTC Performance                       |  | BTC Torque (ft-lbs)                                |  |
| LTC Internal Pressure:                |  | follow API guidelines regarding positional make up |  |
| LTC Joint Strength:                   |  |  |  |
| SC-BTC Performance - Cplg OD = 9.125" |  |  |  |
| BTC Internal Pressure:                |  |  |  |
| BTC Joint Strength:                   |  |  |  |

\*Alt. Drift will be used unless API Drift is specified on order.

\*\*If above API connections do not suit your needs, VAM® premium connections are available up to 100% of pipe body ratings.

ALL INFORMATION IS PROVIDED BY VALLOUREC OR ITS AFFILIATES AT USER'S SOLE RISK, WITHOUT LIABILITY FOR LOSS, DAMAGE OR INJURY RESULTING FROM THE USE THEREOF, AND ON AN "AS IS" BASIS WITHOUT WARRANTY OR REPRESENTATION OF ANY KIND, WHETHER EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION ANY WARRANTY OF MERCHANTABILITY, FITNESS FOR PURPOSE, ACCURACY OR COMPLETENESS. THE INFORMATION CONTAINED IN THIS DOCUMENT IS PROVIDED FOR INFORMATIONAL PURPOSES ONLY AND IS BASED ON ESTIMATES THAT HAVE NOT BEEN VERIFIED OR TESTED. IN NO EVENT SHALL VALLOUREC OR ITS AFFILIATES BE RESPONSIBLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, PUNITIVE, EXEMPLARY OR CONSEQUENTIAL LOSS OR DAMAGE (INCLUDING WITHOUT LIMITATION, LOSS OF USE, LOSS OF BARGAIN, LOSS OF REVENUE, PROFIT OR ANTICIPATED PROFIT) HOWEVER CAUSED OR ARISING, AND WHETHER SUCH LOSSES OR DAMAGES WERE FORESEEABLE OR VALLOUREC OR ITS AFFILIATES WERE ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Rev 3, 7/30/2021

10/21/2022 15:24



**District I**  
1625 N. French Dr., Hobbs, NM 88240  
Phone:(575) 393-6161 Fax:(575) 393-0720  
**District II**  
811 S. First St., Artesia, NM 88210  
Phone:(575) 748-1283 Fax:(575) 748-9720  
**District III**  
1000 Rio Brazos Rd., Aztec, NM 87410  
Phone:(505) 334-6178 Fax:(505) 334-6170  
**District IV**  
1220 S. St Francis Dr., Santa Fe, NM 87505  
Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico**  
**Energy, Minerals and Natural Resources**  
**Oil Conservation Division**  
**1220 S. St Francis Dr.**  
**Santa Fe, NM 87505**

CONDITIONS  
  
Action 349163

CONDITIONS

|   |  |
|---|--|
| Operator:<br>EOG RESOURCES INC<br>5509 Champions Drive<br>Midland, TX 79706 | OGRID:<br>7377                                       |
|   | Action Number:<br>349163                             |
|   | Action Type:<br>[C-103] NOI Change of Plans (C-103A) |

CONDITIONS

|            |                          |                |
|------------|--------------------------|----------------|
| Created By | Condition                | Condition Date |
| pkautz     | ALL PRIVIOUS COA's APPLY | 9/30/2024      |