

Well Name: ANTELOPE RIDGE UNIT	Well Location: T24S / R34E / SEC 4 / NWNE / 32.2519433 / -103.4717032	County or Parish/State: LEA / NM
Well Number: 02	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM021422	Unit or CA Name: ANTELOPE RIDGE DEEP MORRO	Unit or CA Number: NMNM68289C
US Well Number: 3002520444	Operator: OXY USA INCORPORATED	

Accepted for record only BLM approval required NMOCD 10/02/24 KF

Subsequent Report

Sundry ID: 2807263

Type of Submission: Subsequent Report	Type of Action: Plug and Abandonment
Date Sundry Submitted: 08/16/2024	Time Sundry Submitted: 11:06
Date Operation Actually Began: 03/18/2024	

Actual Procedure: job start 3/18/2024- job end 6/29/2024. Cut and cap complete on 7/5/2024.

SR Attachments

Actual Procedure

ARU__002_PA_SR_SUB_8.16.2024_20240816110603.pdf

Well Name: ANTELOPE RIDGE UNIT	Well Location: T24S / R34E / SEC 4 / NWNE / 32.2519433 / -103.4717032	County or Parish/State: LEA / NM
Well Number: 02	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM021422	Unit or CA Name: ANTELOPE RIDGE DEEP MORRO	Unit or CA Number: NMNM68289C
US Well Number: 3002520444	Operator: OXY USA INCORPORATED	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: STEPHEN JANACEK

Signed on: AUG 16, 2024 11:06 AM

Name: OXY USA INCORPORATED

Title: Regulatory Engineer

Street Address: 5 Greenway Plaza, Suite 110

City: HoustonState: TX

Phone: (713) 497-2417

Email address: stephen_janacek@oxy.com

Field

Representative Name:

Street Address:

City:State:Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JAMES A AMOS

BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927

BLM POC Email Address: jamos@blm.gov

Disposition: Accepted

Disposition Date: 08/16/2024

Signature: James A Amos

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.	
6. If Indian, Allottee or Tribe Name	
7. If Unit of CA/Agreement, Name and/or No.	
8. Well Name and No.	
9. API Well No.	
10. Field and Pool or Exploratory Area	
11. Country or Parish, State	

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION				
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off	
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Hydraulic Fracturing	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity	
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other	
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon		
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal		

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed)	Title
Signature	Date

THE SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.	Office	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c) and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.


BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NWNE / 660 FNL / 1650 FEL / TWSP: 24S / RANGE: 34E / SECTION: 4 / LAT: 32.2519433 / LONG: -103.4717032 (TVD: 0 feet, MD: 0 feet)

BHL: NWNE / 660 FNL / 1650 FEL / TWSP: 24S / SECTION: / LAT: 0.0 / LONG: 0.0 (TVD: 0 feet, MD: 0 feet)



ANTELOPE RIDGE UNIT #002

30-025-20444

PA JOB SUMMARY

MIRU PU / CHECK PSI / KILL WELL / ND WH / NU BOP / PICK UP ON TBG TO SET TBG SLIPS IN POSITION TBG WEIGHT WAS 27 PTS, TBG STRING IN THE HOLE SHOULD BE WEIGHTING AROUND 83 PTS (TBG WAS PARTED) BEGIN FISHING OPS, RECOVER ALL TBG, RIH W/ SHOE WASH DOWN TO 12,779' SHOE STOP MAKING HOLE, RIH W/ WL SET 7-5/8" CIBP @ 12,750' (WMD) W/ NO ISSUES, BEGIN PLUGGING OPS,

1ST PLUG) SET 7-5/8" CIBP @ 12,758' BALANCED PLUG F/ 12,758' - 11,578' / SPOT 250 SXS CLASS H CMT /

2ND PLUG) BALANCED PLUG F/ 11,561' - 11209 SPOT 75 SXS CLASS H CMT /

3RD PLUG) BALANCED PLUG F/ 9053' - 8549' SPOT 105 SXS CLASS H CMT /

4TH PLUG) BALANCED PLUG F/ 7651' - 7451 SPOT 40 SXS CLASS H CMT /

5TH PLUG) BALANCED PLUG F/ 5402' - 4413 SPOT 190 SXS CLASS C CMT /

6TH PLUG) BALANCED PLUG F/ 1775' - 1651 SPOT 25 SXS CLASS C CMT /

7TH PLUG) PERF @ 962' SQZ 100 SXS CLASS C CMT /

8TH PLUG) PERF @ 100' SQZ 100 SXS CLASS C CMT, 23.5 BBLs SLURRY, 14.8# 1.32 YIELD, (7-5/8" CSG / 19.35 SXS / 4.55 BBLs) & (20" CSG / 80.65 SXS / 18.96 BBLs) F/ 100' - 0' (SURF) GOT FULL RETURNS ON 20" SURF CSG, CLOSE 20" CSG VALVE AND PRESSURE UP TO 600 PSI ON PROD CSG, WOC TOP OFF HOLE W/ CMT VERIFY CMT AT SURF / RU CMT PUMP TO THE 13-3/8" & 9-5/8" CSGs TRY TO PUMP CMT W/ NO LUCK 13-3/8" & 9-5/8" CSGs PRESSURE UP TO 500 PSI W/ NO LEAK OFF BLEED OFF PRESSURE / RD WORK FLOOR / ND BOP / RDMO PU / P&A JOB COMPLETED.

CEMENTING TO PLUG AND ABANDON DATA:	PLUG #1	PLUG #2	PLUG #3	PLUG #4	PLUG #5	PLUG #6	PLUG #7	PLUG #8
*19. Cementing Date	6-24-2024	6-25-24	6-26-24	6-26-24	6-27-24	6-27-24	6-28-24	6-28-24
20. Size of Hole or Pipe in which Plug Placed (inches)	7-5/8"	7-5/8"	7-5/8"	7-5/8"	7-5/8"	7-5/8"	7-5/8"	7- 5/8"
21. Depth to Bottom of Tubing or Drill Pipe (ft.)	12,758'	11,561'	9,053'	7,651'	5,402'	1,775'	962'	100'
*2. Sacks of Cement Used (each plug)	250	75	105	40	190	25	100	100
*23. Slurry Volume Pumped (cu. Ft.)	295	88.5	123.9	47.2	250.8	33	132	132
*24. Calculated Top of Plug (ft.)	11,578'	11,207'	8,558'	7,463'	4,399'	1,646'	852'	Surface
25. Measured Top of Plug (if tagged) (ft.)	11,638'	11,209'	8,549'	7,451'	4,413'	1,651'	846'	Surface
*26. Slurry Wt. #/Gal.	15.6	15.6	15.6	15.8	14.8	14.8	14.8	14.8
27. Type Cement	"H"	"H"	"H"	"H"	"C"	"C"	"C"	"C"

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 374725

CONDITIONS

Operator: OXY USA INC P.O. Box 4294 Houston, TX 772104294	OGRID: 16696
	Action Number: 374725
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	10/3/2024