Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: CORRAL DRAW Well Location: T25S / R29E / SEC 22 / County or Parish/State: EDDY /

NESW / 32.1125004 / -103.9743862 N

Well Number: 2 Type of Well: INJECTION - ENHANCED Allottee or Tribe Name:

RECOVERY

Lease Number: NMNM14778 Unit or CA Name: Unit or CA Number:

US Well Number: 3001521425 **Operator:** OXY USA INCORPORATED

Notice of Intent

Sundry ID: 2810837

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 09/09/2024 Time Sundry Submitted: 07:14

Date proposed operation will begin: 09/23/2024

Procedure Description: THE CURRENT WELLBORE, PROPOSED WELLBORE, AND PA PROCEDURE ARE

ATTACHED.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

CORRAL_DRAW_002_WBD_P_A_NOI_20240909071430.pdf

Page 1 of 2

eived by OCD: 9/25/2024 8:02:40 AM Well Name: CORRAL DRAW

Well Location: T25S / R29E / SEC 22 /

NESW / 32.1125004 / -103.9743862

County or Parish/State: Page 2 of

Well Number: 2 Type of Well: INJECTION - ENHANCED Allottee or Tribe Name:

Unit or CA Name: Unit or CA Number: Lease Number: NMNM14778

US Well Number: 3001521425 **Operator: OXY USA INCORPORATED**

Conditions of Approval

Specialist Review

Corral_Draw_2_Sundry_ID_2810837_P_A_20240924080619.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: STEPHEN JANACEK Signed on: SEP 09, 2024 07:14 AM

Name: OXY USA INCORPORATED

Title: Regulatory Engineer

Street Address: 5 Greenway Plaza, Suite 110

City: Houston State: TX

Phone: (713) 497-2417

Email address: stephen_janacek@oxy.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

Signature: Long Vo

BLM POC Name: LONG VO BLM POC Title: Petroleum Engineer

BLM POC Phone: 5759885402 BLM POC Email Address: LVO@BLM.GOV

Disposition: Approved Disposition Date: 09/24/2024

Page 2 of 2

Form 3160-5

UNITED STATES

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

(June 2019) DEPARTMENT OF THE INTERIOR					Expires: October 31, 2021		
BORESTO OF ESTIVATION OF THE STATE OF THE ST					5. Lease Serial No.		
	SUNDRY NOTICES AND REF not use this form for proposals doned well. Use Form 3160-3 (to drill or to re	-enter an		6. If Indian, Allottee or	Tribe Name	
	SUBMIT IN TRIPLICATE - Other ins	tructions on page 2			7. If Unit of CA/Agreer	nent, Name and/or No.	
1. Type of Well					0. W. H.M		
	Oil Well Gas Well Other				8. Well Name and No.		
2. Name of Operator					9. API Well No.		
3a. Address		3b. Phone No. (incl	lude area code)		10. Field and Pool or E	xploratory Area	
4. Location of Well (A	Footage, Sec., T.,R.,M., or Survey Descriptio	n)			11. Country or Parish, S	state	
	12. CHECK THE APPROPRIATE	BOX(ES) TO INDICA	ATE NATURE C	OF NOTIO	CE, REPORT OR OTHI	ER DATA	
TYPE OF SUE	BMISSION		TYPE	E OF ACT	TION		
Notice of Inter	Alter Casing		Fracturing [Recla	action (Start/Resume) mation	Water Shut-Off Well Integrity	
Subsequent Re	eport Casing Repair	New Con			mplete	Other	
Final Abandon	Change Plans ment Notice Convert to Injection	Plug and Plug Bac	_		orarily Abandon Disposal		
14. I homolou contifu the	at the foregoing is two and connect. Name (I	Duinted/Timed					
14. I hereby certify tha	at the foregoing is true and correct. Name (F	Tit	le				
Signature		Da	te				
	THE SPAC	E FOR FEDER	AL OR STA	TE OF	CE USE		
Approved by			Title		D.	ate	
certify that the applica	I, if any, are attached. Approval of this notic int holds legal or equitable title to those right e applicant to conduct operations thereon.		Office		<u> </u> 2		

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.


BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well


 $0. \ SHL: \ NESW \ / \ 1580 \ FSL \ / \ 1980 \ FWL \ / \ TWSP: \ 25S \ / \ RANGE: \ 29E \ / \ SECTION: \ 22 \ / \ LAT: \ 32.1125004 \ / \ LONG: \ -103.9743862 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ $BHL: \ NESW \ / \ 1580 \ FSL \ / \ 1980 \ FWL \ / \ TWSP: \ 25S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$

CURRENT WBD



PBTD: 13,840'

PROPOSED WBD



PLUGGING PROCEDURE

- 1. SET CIBP @ 3,050'. PRESSURE TEST.
- 2. MIRU WL. RIH with CBL. Log well up to 500' above TOC, or up to 300' below surface. Whichever come first.
- 3. Any cement plugs with depths below the TOC will be spotted, and any above the TOC will be perf and squeezed.
- 4. SPOT/PERF AND SQUEEZE 35SX SX CLASS H CMT 3,050'-2,892'. WOC. TAG
- 5. SPOT/PERF AND SQUEEZE 35SX SX CLASS H CMT 2,355' 2,197'. WOC. TAG
- 6. SPOT/PERF AND SQUEEZE 35SX SX CLASS H CMT 984' 826'. WOC. TAG
- 7. SPOT/PERF AND SQUEEZE 35SX SX CLASS H CMT 400' Surf'. WOC. TAG

FORMATION .	TOP	BOTTOM	NAME	
Anhy Red Bed Anhy Salt & Anhy Anhy, Lime	350 943 2305 2668	350 943 2305 2668 3326	Lamar Bell Canyon Cherry Canyon	3127 3154 4231
Lime & sd Lime & Shale Lime & Shale Lime & Shale Shale	3326 5315 8918 11680 12364	5315 8918 11680 12364 12530	Brushy Canyon Bone Springs 3rd Bone Springs Upper Wolfcamp Lower Wolfcamp	5632 6893 9650 10092 11336
Line & Shale Line Line & Shale Line, Shale & Sd	12530 12924 13407 13772	12924 13407 13772 13840 TD	Strawn Atoka Morrow	12534 12790 13308

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT



Well Name: CORRAL DRAW

Well Location: T25S / R29E / SEC 22 / NESW / 32.1125004 / -103.9743862

County or Parish/State: EDDY /

NM

Well Number: 2

Type of Well: INJECTION - ENHANCED Allottee or Tribe Name:

RECOVERY

Lease Number: NMNM14778

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001521425

Operator: OXY USA INCORPORATED

Notice of Intent

Sundry ID: 2810837

Type of Submission: Notice of Intent

Type of Action: Plug and Abandonment

Date Sundry Submitted: 09/09/2024

Time Sundry Submitted: 07:14

Date proposed operation will begin: 09/23/2024

Procedure Description: THE CURRENT WELLBORE, PROPOSED WELLBORE, AND PA PROCEDURE ARE ATTACHED.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

CORRAL_DRAW_002_WBD_P_A_NOI_20240909071430.pdf

APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS ATTACHED

Well Name: CORRAL DRAW

Well Location: T25S / R29E / SEC 22 / NESW / 32.1125004 / -103.9743862

County or Parish/State: EDDY /

NM

Well Number: 2

Type of Well: INJECTION - ENHANCED Allottee or Tribe Name: RECOVERY

Lease Number: NMNM14778

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001521425

Operator: OXY USA INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: STEPHEN JANACEK

Signed on: SEP 09, 2024 07:14 AM

Name: OXY USA INCORPORATED

Title: Regulatory Engineer

Street Address: 5 Greenway Plaza, Suite 110 City: Houston State: TX

Phone: (713) 497-2417

Email address: stephen_janacek@oxy.com

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0137

	Expires:	October	31
ease Serial N	0		

	NIVINIVI 14776
SUNDRY NOTICES AND REPORTS ON W Do not use this form for proposals to drill or to abandoned well. Use Form 3160-3 (APD) for suc	re-enter an
SUBMIT IN TRIPLICATE - Other instructions on pag	e 2 7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well	8 Well Name and No
Oil Well Gas Well Other	8. Well Name and No. CORRAL DRAW/2
2. Name of Operator OXY USA INCORPORATED	9. API Well No. 3001521425
3a. Address P.O. BOX 1002, TUPMAN, CA 93276-1002 3b. Phone No. (661) 763-60	
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)	11. Country or Parish, State
SEC 22/T25S/R29E/NMP	EDDY/NM
12. CHECK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE OF NOTICE, REPORT OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION
✓ Notice of Intent Acidize Deep Alter Casing Hyd	pen Production (Start/Resume) Water Shut-Off raulic Fracturing Reclamation Well Integrity
Subsequent Report	Construction Recomplete Other
Change Plans ✓ Plug	and Abandon Temporarily Abandon
	Back
completed. Final Abandonment Notices must be filed only after all requiremen is ready for final inspection.) THE CURRENT WELLBORE, PROPOSED WELLBORE, AND PA PF	mpletion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been ts, including reclamation, have been completed and the operator has determined that the site ROCEDURE ARE ATTACHED.
14. I hereby certify that the foregoing is true and correct. Name (Printed Typed) STEPHEN JANACEK / Ph: (713) 497-2417	Regulatory Engineer Title
Signature (Electronic Submission)	Date 09/09/2024
THE SPACE FOR FEI	DERAL OR STATE OFICE USE
Approved by Long V.	Title letroleum Engineer Date 9/24/2024
Conditions of approval, if any, are attached. Approval of this notice does not warra certify that the applicant holds legal or equitable title to those rights in the subject which would entitle the applicant to conduct operations thereon.	
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any false, fictitious or fraudulent statements or representations as to any matter with	any person knowingly and willfully to make to any department or agency of the United States thin its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)


Additional Information

Location of Well

 $0. \ SHL: \ NESW \ / \ 1580 \ FSL \ / \ 1980 \ FWL \ / \ TWSP: \ 25S \ / \ RANGE: \ 29E \ / \ SECTION: \ 22 \ / \ LAT: \ 32.1125004 \ / \ LONG: \ -103.9743862 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ BHL: \ NESW \ / \ 1580 \ FSL \ / \ 1980 \ FWL \ / \ TWSP: \ 25S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)

CURRENT WBD Well Name: CORRAL DRAW 002 SWD #0 Surface Casing: API 14: 30015214250001 Hole Size: 17.5 in. @ 350 PE: Carlos Finol Casing Size: 13.375 in. @ 350* Date: 9/3/2024 Casing Weight: 48 #/ft. Cement Details: 48 5x to Surf Anhy - 943 Intermediate Casing: Hole Size: 12.25 in. @ 3097 Base of Salt-2,305 Casing Size: 9.625 in. @ 3097' Casing Weight: 36 #/ft. Lamar -3,127 Cement Details: 1800 5x to Surf'. Beil Canyon - 3,154 TOP PERF 3,180" **Production Casing:** Hole Size: 8.75 in. @ 10982' Casing Size: 7.625 in. @ 10982 Cherry Canyon - 4,231 Casing Weight: 26 #/ft. Cement Details: 925 5x to ?". CMT plug 4,175'-4,275 Brushy Canyon - 5,632 CMT plug 6,380' - 6,480' Bone Spring-6,893 CIBP @ 7180" w/35sx of cmt PERF 7,236 385-9650 CIBP @ 9,800° CMT @ 9,800 - 9,920 with 95sx U Wolfcamp-10,092 CMT @ 10,710 with 95sx Liner: CIBP @ 11,335 Casing Size: 5.5 in. @ 13128' Casing Weight: 20 #/ft. L Wolfcamp-11,336 Cement Details: 400 5x __ PERF 11,560 Strawn-12,534 Atoka-12,790 Liner: Casing Size: 3.5 in. @ 13840 Morrow-13,308 Casing Weight: 9.2 #/ft. Cement Details: 80 5x

PBTD: 13,840'



- 1. SET CIBP @ 3,050'. PRESSURE TEST. 3080'. Dump bail 35' on top.
 2. MIRU WL. RIH with CRI 150 2. MIRU WL. RIH with CBL. Log well up to 500' above TOC, or up to 300' below surface. Whichever come first.
- 3. Any cement plugs with depths below the TOC will be spotted, and any above the TOC will be perf
- and squeezed.

 4. SPOT/PERF AND SQUEEZE 35SX SX CLASS J/CMT 3,050'-2,892'. WOC. TAG (In 28 5%5 / 60+ 13 5%5)

 5. SPOT/PERF AND SQUEEZE 35SX SX CLASS J/CMT 2,355'-2,197'. WOC. TAG (1627' to 1511') (In 25 5%5 / 64+115) 6. SPOT/PERF AND SQUEEZE 35SX SX CLASS II CMT 984' - 826'. WOC. TAG-
- 7. SPOT/PERF AND SQUEEZE 385X SX CLASS H'CMT 400' Surf'. WOC. TAG (In 186 5x5 / Out 82 5x5)

PORMATION	TOP	BOTTOM	2.00	
Anhy Red Bed Anhy Salt & Anhy Anhy, Lime Lime & Sd Lime & Shale	0 350 943 2305 2668 3326 5315 8918 11680 12364 12530	350 943 2305 2668 3326 5315 8918 11680 12364 12520	Lamar Bell Canyon Cherry Canyon Brushy Canyon Bone Springs 3rd Bone Springs Upper Wolfcamp Lower Wolfcamp Strawn	3127 3154 4231 5632 6893 9650 10092 11336
ime & Shale ime & Shale & So	12924 13407 13772	13407 13772 13840 TD	Atoka Morrow	12534 12790 13308

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-689-5981.
- 3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **fresh** water. Minimum nine (9) pounds per gallon.
- 5. Cement Requirement: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours for Class C or accelerated cement (calcium chloride) and 6 hours for Class H. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

Fluid used to mix the cement in R111Q shall be saturated with the salts common to the section penetrated, and in suitable proportions but not less than 1% and not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

6. <u>Dry Hole Marker</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The BLM is to be notified *BY PHONE* (numbers listed in 2. Notifications) a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10th day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

The well bore shall then be capped with a 4-inch pipe, 10-feet in length, 4 feet above ground and embedded in cement, unless otherwise noted in COA (requirements will be attached). The following information shall be permanently inscribed on the dry hole marker: well name and number, name of the operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds). A weep hole shall be left if a metal plate is welded in place.

- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. **Show date well was plugged.**
- 8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, New Mexico 88220-6292 www.blm.gov/nm



In Reply Refer To: 1310

Reclamation Objectives and Procedures

Reclamation Objective: Oil and gas development is one of many uses of the public lands and resources. While development may have a short- or long-term effect on the land, successful reclamation can ensure the effect is not permanent. During the life of the development, all disturbed areas not needed for active support of production operations should undergo "interim" reclamation in order to minimize the environmental impacts of development on other resources and uses. At final abandonment, well locations, production facilities, and access roads must undergo "final" reclamation so that the character and productivity of the land and water are restored

The long-term objective of final reclamation is to set the course for eventual ecosystem restoration, including the restoration of the natural vegetation community, hydrology, and wildlife habitats. In most cases this means returning the land to a condition approximating or equal to that which existed prior to the disturbance. The final goal of reclamation is to restore the character of the land and water to its pre-disturbance condition. The operator is generally not responsible for achieving full ecological restoration of the site. Instead, the operator must achieve the short-term stability, visual, hydrological, and productivity objectives of the surface management agency and take steps necessary to ensure that long-term objectives will be reached through natural processes.

To achieve these objectives, remove any/all contaminants, scrap/trash, equipment, pipelines and powerlines (Contact service companies, allowing plenty of time to have the risers and power lines and poles removed prior to reclamation, don't wait till the last day and try to get them to remove infrastructure). Strip and remove caliche, contour the location to blend with the surrounding landscape, re-distribute the native soils, provide erosion control as needed, rip (across the slope and seed as specified in the original APD COA. This will apply to well pads, facilities, and access roads. Barricade access road at the starting point. If reserve pits have not reclaimed due to salts or other contaminants, submit a plan for approval, as to how you propose to provide adequate restoration of the pit area.

- 1. The Application for Permit to Drill or Reenter (APD, Form 3160-3), Surface Use Plan of Operations must include adequate measures for stabilization and reclamation of disturbed lands. Oil and Gas operators must plan for reclamation, both interim and final, up front in the APD process as per Onshore Oil and Gas Order No. 1.
- 2. For wells and/or access roads not having an approved plan, or an inadequate plan for surface reclamation (either interim or final reclamation), the operator must submit a proposal describing the procedures for reclamation. For interim reclamation, the appropriate time for submittal would be when filing the Well Completion or Recompletion Report and Log (Form 3160-4). For final reclamation, the appropriate time for submittal would be when filing the Notice of Intent, or the Subsequent Report of Abandonment, Sundry Notices and Reports on Wells (Form 3160-5). Interim reclamation is to be completed within 6 months of well completion, and final reclamation is to be completed within 6 months of well abandonment.
- 3. The operator must file a Subsequent Report Plug and Abandonment (Form 3160-5) following the plugging of a well.
- 4. Previous instruction had you waiting for a BLM specialist to inspect the location and provide you with reclamation requirements. If you have an approved Surface Use Plan of Operation and/or an approved Sundry Notice, you are free to proceed with reclamation as per approved APD. If you have issues or

concerns, contact a BLM specialist to assist you. It would be in your interest to have a BLM specialist look at the location and access road prior to the removal of reclamation equipment to ensure that it meets BLM objectives. Upon conclusion submit a Form 3160-5, Subsequent Report of Reclamation. This will prompt a specialist to inspect the location to verify work was completed as per approved plans.

- 5. The approved Subsequent Report of Reclamation will be your notice that the native soils, contour and seedbed have been reestablished. If the BLM objectives have not been met the operator will be notified and corrective actions may be required.
- 6. It is the responsibility of the operator to monitor these locations and/or access roads until such time as the operator feels that the BLM objective has been met. If after two growing seasons the location and/or access roads are not showing the potential for successful revegetation, additional actions may be needed. When you feel the BLM objectives have been met submit a Final Abandonment Notice (FAN), Form 3160-5, stating that all reclamation requirements have been achieved and the location and/or access road is ready for a final abandonment inspection.
- 7. At this time the BLM specialist will inspect the location and/or access road. If the native soils and contour have been restored, and the revegetation is successful, the FAN will be approved, releasing the operator of any further liability of the location and/or access road. If the location and/or access road have not achieved the objective, you will be notified as to additional work needed or additional time being needed to achieve the objective.

If there are any questions, please feel free to contact any of the following specialists:

Jim Amos

Supervisory Petroleum Engineering Tech/Environmental Protection Specialist 575-234-5909 (Office), 575-361-2648 (Cell)

Arthur Arias Environmental Protection Specialist 575-234-6230

Crisha Morgan Environmental Protection Specialist 575-234-5987

Jose Martinez-Colon Environmental Protection Specialist 575-234-5951

Mark Mattozzi Environmental Protection Specialist 575-234-5713

Robert Duenas Environmental Protection Specialist 575-234-2229

Doris Lauger Martinez
Environmental Protection Specialist
575-234-5926

Jaden Johnston Environmental Protection Asst. (Intern) 575-234-6252

Released to Imaging: 10/8/2024 8:56:55 AM

Sundry ID	2810837						
						Cement	
Plug Type	Тор	Bottom	Length	Tag	Sacks	Class	Notes
Ourface Bloom	0.00	400.00	400.00	T \ /'£ .			
Surface Plug 13.375 inch- Shoe Plug	0.00 296.50	100.00 400.00		Tag/Verify Tag/Verify			
Fresh Water @ 783	725.17	833.00	103.30				
Troom Water (& 100	720.17	000.00	107.00				
							Perf and squeeze
							from 923' to surface.
							(In 186 sxs/Out 82 sxs) WOC and Tag.
							If cement behind
							casing spot 186 sxs
							instead. Verify at
Top of Salt @ 873	814.27	923.00	108.73	Tag/Verify	268.00	С	surface.
							Perf and squeeze
							from 1627' to 1511'. (In 25 sxs/Out 11
							sxs) WOC and Tag.
							If cement behind
							casing spot 25 sxs
Base of Salt @ 1577	1511.23	1627.00	115.77	Tag/Verify	36.00	С	instead.
							Perf and squeeze from 3030' to 2892'.
							(In 28 sxs/Out 13
							sxs) WOC and Tag.
							If cement behind
O COS in all Ohean Plans	2040.00	04.47.00	400.07	T \ /'£ .	44.00		casing spot 28 sxs
9.625 inch- Shoe Plug	3016.03	3147.00	130.97	Tag/Verify	41.00	C	instead.
				If solid			
				base no			
				need to Tag			
				(CIBP			
				present			
				and/or			
				Mechanic			
				al Integrity			
				Test), If Perf &			
				Sqz then			
	1			Tag, Leak			
				Test all			Set CIBP at 3080'.
				CIBP if no			Leak test CIBP.
				Open Perforatio			Dump bail 35' on top. Leak test CIBP.
CIBP Plug	3045.00	3080.00			7.00	С	Run CBL to surface.
Delaware @ 3154	3072.46	3204.00	131.54	If solid			
Perforations Plug (If No CIBP)	3107.11			Tag/Verify			
Perforations Plug (If No CIBP)	3159.58	3292.00		Tag/Verify			
Perforations Plug (If No CIBP) 7.625 inch- Shoe Plug	3249.67 10822.18	3383.00 11032.00		Tag/Verify Tag/Verify			
1.020 mon- onde riug	10022.18	11032.00	209.82	ray/verily	<u> </u>	i .	1

No more than 2000' is to be allowed between plugs in open hole, and no more than 3000' between plugs in cased hole. Class H >7500' Class C<7500'

Fluid used to mix the cement in R111P shall be saturated with the salts common to the section penetrated, and in suitable proportions, but not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

Medium, Secretary: Top of salt to surface If no salt take the deepest fresh water or Karst Depth

High, Critical: Bottom of Karst to surface or Deepest fresh water, whichever is greater R111P: 50 Feet from Base of Salt to surface.

Class C: 1.32 ft^3/sx Class H: 1.06 ft^3/sx

Onshore Order 2.III.G Drilling Abandonment Requirements: "All formations bearing usable-quality water, oil, gas, or geothermal resources, and/or a prospectively valuable deposit of minerals shall be protected.

Cave Karst/Potash Cement Requirement:	Top of Salt Medium	to surface	
13.375 inch- Shoe Plug @ 9.625 inch- Shoe Plug @ 7.625 inch- Shoe Plug @	350.00 3097.00 10982.00	тос @	N/a
Perforatons Top @ Perforatons Top @ Perforatons Top @	3180.00 3230.00 3313.00	Perforations Perforations Perforations	
		CIBP @	3080.00

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 386598

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	386598
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

CONDITIONS

Created B	/ Condition	Condition Date
gcorder	Run CBL to surfaceCBL must be submitted to OCD via OCD Permitting prior to submitting C-103P	10/8/2024