Form 3160-5 (June 2019)

# UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021

DLI	AKTIVILINI OF THE INT	LIXION					-,
BUR	EAU OF LAND MANAG	EMENT		3	5. Lease Serial No.	IMNM120905	
	NOTICES AND REPORT			(	6. If Indian, Allottee	or Tribe Name	
	form for proposals to d Use Form 3160-3 (APD						
SUBMIT IN	TRIPLICATE - Other instructio	ns on page 2		ľ	7. If Unit of CA/Agre	ement, Name a	nd/or No.
1. Type of Well					Well Name and No		
✓ Oil Well Gas V	_			, and a	8. Well Name and No	ANDERSON	FED COM/555H
2. Name of Operator ADVANCE ENE	ERGY PARTNERS HAT MESA	LLC		إ	9. API Well No. 3002	548999	
3a. Address C/O AMEREDEV OPER		Phone No. <i>(inc</i> 6) 444-9739	lude area code	)	<ol><li>Field and Pool or RED TANK BONE</li></ol>	-	ea
4. Location of Well (Footage, Sec., T.,F	R.,M., or Survey Description)	,			11. Country or Parish		
SEC 2/T22S/R32E/NMP					LEA/NM		
12. CHE	CCK THE APPROPRIATE BOX(	ES) TO INDIC	ATE NATURE	OF NOTIC	CE, REPORT OR OT	HER DATA	
TYPE OF SUBMISSION			TYF	PE OF ACT	ION		
Notice of Intent	Acidize Alter Casing	Deepen Hydrauli	c Fracturing		ction (Start/Resume)	=	Shut-Off ntegrity
	Casing Repair	_	struction	Recon		✓ Other	negrity
✓ Subsequent Report	Change Plans		Abandon		orarily Abandon		
Final Abandonment Notice	Convert to Injection	Plug Bac	k	Water	Disposal		
completion of the involved operation completed. Final Abandonment Notis ready for final inspection.)  Date Operation Actually Began: 08  SURFACE CASING  Hole Size: 17.5" Casing Ran: 13.3	otices must be filed only after all r  8/14/2021 Actual Proce	equirements, in	recluding reclam	nation, have	been completed and	the operator ha	s detennined that the site
WATER SPACER. 1ST STAGE L CUFT/SK) OF 14.8 PPG., 20% EX 20 BBLS. BUMP WITH 940 PSL 1 CIRCULATED 110 BBLS 325 SX	EAD : 650 SX, 220 BBLS, (1.9 C CCESS. DROP PLUG AND DISP FINAL LIFT 310 PSI. BLED BA	CUFT/SK) OF LACE 187 BE CK 0.5 BBL. I	12.8 PPG, 50% LS OF BRINE FLOATS HELI	E EXCESS. E AT 8 BPM D. ; FULL R	1ST STAGE TAIL: 2 I. SLOW DOWN TO RETURNS THROUG	215 SX, 52 BBI 4 BBLS/MIN I HOUT JOB.	LS, (1.35 FOR LAST
Spud Date: 8/14/2021 TD Date: 9/11/2021 Rig Release Date: 9/14/2021		S	EE ATTACH	ED SHEET	FOR ADDITIONA	AL INFORMA	TION
14. I hereby certify that the foregoing is EILEEN KOSAKOWSKI / Ph: (737	· ·	/Typed)	Sr Engine	ering Tech	nician		
EILLEIN NOSANOWSKI / FII. (131)	) 300-4700	Ti	le				
Signature Elsen Kos	akowski	Da	te		03/23/2	022	
	THE SPACE FO	R FEDER	AL OR ST	ATE OFI	CE USE		
Approved by							
Jonathon W Shepard / Ph: (575) 2	34-5972 / Accepted		Petro Title	leum Engi	neer	Date	04/17/2022

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office CARLSBAD

(Instructions on page 2)

which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached. Approval of this notice does not warrant or

certify that the applicant holds legal or equitable title to those rights in the subject lease

#### Surface Casing Sun

Anderson Fed Com 555H																									
DATE	STRING	FLUID TYPE	WT LB/FT	GRADE	CONN	HOLE SZ	CSG SZ	HOLE DEPTH	DEPTH SET	PRESS HELD	DURATION HELD	TEST RESULT	STAGE	STAGE TOOL	LDSX	LD YIELD	TLSX	TL YIELD	TTLSX	TTL BBIs	CLASS	TOP OF CMT	METHOD USED	BBLS TO SURF	SX TO SURF
		(list)	(decimal)			(fraction)	(fraction)	(feet)	(feet)	(psi)	(decimal hours)			DEPTH (Btm)							(list)	(feet)	(list)	(if circulated)	(if circulated)
8/14/2021	SURF	Fresh	54.50	J-55	Buttress	17-1/2"	13-3/8"	1298	1283	1500	0.5	Good Test	1		650	1.9	215	1.35	865	271.638	С	0	Circ	110	325

#### ntermediate Casing Sundry

Anderson Fed Com 55

DATE	STRING	FLUID TYPE	WT LB/FT	GRADE	CONN	HOLE SZ	CSG SZ	HOLE DEPTH	DEPTH SET	PRESS HELD	DURATION HELD	TEST RESULT	STAGE	STAGE TOOL	LDSX	LD YIELD	TLSX	TL YIELD	TTL SX	TTL BBIs	CLASS	TOP OF CMT	METHOD USED	BBLS TO SURF	SX TO SURF
		(list)	(decimal)			(fraction)	(fraction)	(feet)	(feet)	(psi)	(decimal hours)			DEPTH (Btm)							(list)	(feet)	(list)	(if circulated)	(if circulated)
8/14/2021	SURF	Fresh	54.50	J-55	Buttress	17-1/2"	13-3/8"	1298	1283	1500	0.5	Good Test	1		650	1.9	215	1.35	865	271.638	С	0	Circ	110	325
8/20/2021	INT 1	Brine	40.00	J-55/L-80	Buttress	12-1/4"	9-5/8"	4755	4740	1500	0.5	Good Test	1	3070	1380	1.84	310	1.22	1690	519.573	С	0	Circ	198	604

	Com	

DATE	STRING	FLUID TYPE	WT LB/FT	GRADE	CONN	HOLE SZ	CSG SZ	HOLE DEPTH	DEPTH SET	PRESS HELD	DURATION HELD	TEST RESULT	STAGE	STAGE TOOL	LDSX	LD YIELD	TLSX	TL YIELD	TTLSX	TTL BBIs	CLASS	TOP OF CMT	METHOD USED	BBLS TO SURF	SX TO SURF
		(list)	(decimal)			(fraction)	(fraction)	(feet)	(feet)	(psi)	(decimal hours)			DEPTH (Btm)							(list)	(feet)	(list)	(if circulated)	(if circulated)
8/14/2021	SURF	Fresh	54.50	J-55	Buttress	17-1/2"	13-3/8"	1298	1283	1500	0.5	Good Test	1		650	1.9	215	1.35	865	271.638	С	0	Circ	110	325
8/20/2021	INT 1	Brine	40.00	J-55/L-80	Buttress	12-1/4"	9-5/8"	4755	4740	1500	0.5	Good Test	1	3070	1380	1.84	310	1.22	1690	519.573	С	0	Circ	198	604
9/13/2021	PROD	Oil-Based Mud	20.00	HCP-110	CDC-HTQ	8-1/2"	5-1/2"	17631	17616	1500	0.5	Good Test	1		1010	3.40	1800	1.22	2810	1002.67	н	2094	Calc	0	

11100	Oll-buscu Fluu	20.00	1101-110	ODO-IIIQ	0.22
	8/14/2021 Spud Well				
	9/1/2021 KOP	10,444' MD	/ 10,436 TVD		
	9/11/2021 TD	17,631 MD	/10,895° TVD		
	9/14/2021 Rig Release Date				

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

## **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

# **Additional Information**

## **Location of Well**

0. SHL: LOT 2 / 180 FNL / 2380 FEL / TWSP: 22S / RANGE: 32E / SECTION: 2 / LAT: 32.427555 / LONG: -103.644553 ( TVD: 0 feet, MD: 0 feet )

PPP: SWNE / 2640 FNL / 2310 FEL / TWSP: 21S / RANGE: 32E / SECTION: 35 / LAT: 32.435343 / LONG: -103.644318 ( TVD: 11150 feet, MD: 13974 feet )

PPP: SWSE / 0 FSL / 2310 FEL / TWSP: 21S / RANGE: 32E / SECTION: 35 / LAT: 32.428108 / LONG: -103.644306 ( TVD: 11140 feet, MD: 11341 feet )

PPP: LOT 2 / 275 FNL / 2308 FEL / TWSP: 22S / RANGE: 32E / SECTION: 2 / LAT: 32.4272948 / LONG: -103.6443197 ( TVD: 10971 feet, MD: 10999 feet )

BHL: SWSE / 1220 FSL / 2178 FEL / TWSP: 21S / RANGE: 32E / SECTION: 26 / LAT: 32.445927 / LONG: -103.644318 ( TVD: 11150 feet, MD: 17834 feet )

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

**State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division** 1220 S. St Francis Dr. **Santa Fe, NM 87505** 

CONDITIONS

Action 388750

# **CONDITIONS**

Operator:	OGRID:
MATADOR PRODUCTION COMPANY	228937
One Lincoln Centre	Action Number:
Dallas, TX 75240	388750
	Action Type:
	[C-103] Sub. Drilling (C-103N)

### CONDITIONS

Created By		Condition Date	
sarah.clelland	None	10/8/2024	