Sundry Print Reports

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: ANACONDA 11 FEDERAL Well Location: T20S / R33E / SEC 11 / County or Parish/State: LEA /

NWNW / 32.5931007 / -103.6400799

Well Number: 01 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM17238 Unit or CA Name: Unit or CA Number:

LLC

Notice of Intent

Sundry ID: 2798807

Type of Submission: Notice of Intent

Type of Action: Temporary Abandonment

Date Sundry Submitted: 07/03/2024 Time Sundry Submitted: 07:46

Date proposed operation will begin: 07/08/2024

Procedure Description: Earthstone Operating LLC respectfully submits a NOI to TA for the well above. Procedure is written below and attached is the Current Wellbore diagram and the proposed wellbore diagram. Ta'd well due to development reviewing economics to return well back to production. Set CIBP @ 6490' pressure test csg to 500 psi if test if test is good we will procedure set a 25 sx cmt plug on from of the CIBP from 6265' - 6490'. if pressure test does not pass we will ten notify the BLM and give them a plan going forward.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Anaconda_NOI_TA_attachments_20240726093854.pdf

Page 1 of 2

well Name: ANACONDA 11 FEDERAL

Well Location: T20S / R33E / SEC 11 /

NWNW / 32.5931007 / -103.6400799

County or Parish/State: LEA/ 2 of

Well Number: 01

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM17238

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002534701

Operator: EARTHSTONE OPERATING

Conditions of Approval

Specialist Review

TA_COA_20240801142912.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CASSIE EVANS Signed on: JUL 26, 2024 09:39 AM

Name: EARTHSTONE OPERATING LLC

Title: Regulatory Specialist

Street Address: 300 N MARIENFELD ST STE 1000

City: MIDLAND State: TX

Phone: (432) 260-4388

Email address: CASSIE.EVANS@PERMIANRES.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

Signature: Jonathon Shepard

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Approved Disposition Date: 08/01/2024

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BUREAU OF LAND MANAGEMENT					5. Lease Serial No. NMNM17238		
Do not use this	NOTICES AND REPOR form for proposals to o Use Form 3160-3 (APE	drill or to re-	enter an		, Allottee or	Tribe Name	
SUBMIT IN	7. If Unit o	7. If Unit of CA/Agreement, Name and/or No.					
1. Type of Well				8 Well Na	me and No		
Oil Well Gas V	Vell Other			o. wentu	133	ANACONDA 11 FEDERAL	/01
	OPERATING LLC				^{1 No.} 30025		
3a. Address 300 N MARIENFIELD		Phone No. (included) 695-4222	ıde area code,	10. Field a		xploratory Area	
4. Location of Well (Footage, Sec., T.,,, SEC 11/T20S/R33E/NMP	R.,M., or Survey Description)			11. Countr	y or Parish, S	State	
12. CHE	CK THE APPROPRIATE BOX	(ES) TO INDICA	TE NATURE	OF NOTICE, REPOR	RT OR OTHI	ER DATA	
TYPE OF SUBMISSION			TYF	PE OF ACTION			
Notice of Intent	Acidize Alter Casing Casing Repair	Deepen Hydraulic New Cons	_	Production (Star Reclamation Recomplete	t/Resume)	Water Shut-Off Well Integrity Other	
Subsequent Report Final Abandonment Notice	Change Plans Convert to Injection	Plug and A	Abandon	Temporarily Aba Water Disposal	andon	<u> </u>	
completed. Final Abandonment Nois ready for final inspection.) Earthstone Operating LLC residiagram and the proposed we Set CIBP @ 6490' pressure to 6490'. if pressure test does not pass	pectfully submits a NOI to TA Ilbore diagram. Ta'd well due est csg to 500 psi if test if test	for the well abo to development is good we will p	ove. Procedu reviewing e procedure se	re is written below a conomics to return v	and attached	d is the Current Wellbore production.	
14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) CASSIE EVANS / Ph: (432) 260-4388			Regulatory Specialist Title				
Signature (Electronic Submission	on)	Date	÷		07/26/202	24	
	THE SPACE F	OR FEDERA	L OR ST	ATE OFICE USE	=		
Approved by JONATHON W SHEPARD / Ph: (!	575) 234-5972 / Approved		Petro	leum Engineer	D	08/01/2024 ate	
Conditions of approval, if any, are attac	hed. Approval of this notice does	not warrant or	1		12		

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office CARLSBAD

(Instructions on page 2)

which would entitle the applicant to conduct operations thereon.

certify that the applicant holds legal or equitable title to those rights in the subject lease

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.


BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information


Location of Well

 $0. \ SHL: \ NWNW \ / \ 660 \ FNL \ / \ 760 \ FWL \ / \ TWSP: \ 20S \ / \ RANGE: \ 33E \ / \ SECTION: \ 11 \ / \ LAT: \ 32.5931007 \ / \ LONG: \ -103.6400799 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ $BHL: \ NWNW \ / \ 660 \ FNL \ / \ 760 \ FWL \ / \ TWSP: \ 20S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$



6/28/24, 9:50 AM

about:blank



Received by OCD: 9/11/2024 4:26:08 AM

37. SUMMARY OF POROUS ZONES: (Shorth all important zones of porosity and contents the end of cored intervals; and all decided including depth intervals. Led. cushion used, time tool open, flowing architecture in the contents of the recoveries):

FORMATION	ТОР	воттом	DESCRIPT	TION, CONTENTS, E	TC.
Delaware	6544'	6552' C	Dil		
Brushy Canyon					
•					
			•		
38. GEC	LOGICAL MARKERS		38. GEOL	OGICAL MARKERS	
		OP		TO)P
NAME		TRUE	NAME	MEAS. DEPTH	TRUE VERT. DEPTH
	MEAS. DEPTH	VERT. DEPTH		WIEAG. DEF IT	VERT. DEPTH

Se. GEOLOGICAL WATERS						
	TOP			ТОР		
NAME	MEAS. DEPTH	TRUE VERT. DEPTH	NAME	MEAS. DEPTH	TRUE VERT. DEPTH	
T/Rustler	1348'					
B/Salt	3188'					
T/Yates	3428'					
T/Delaware	5360'					
T/Bone Spring	8238'					
T/1st Bone Spring	9280'					
			š			
		, .				
			:			

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II 811 S. First St., Artesia, NM 88210 Phone:(575) 748-1283 Fax:(575) 748-9720

District III 1000 Rio Brazos Rd., Aztec, NM 87410 Phone:(505) 334-6178 Fax:(505) 334-6170

1220 S. St Francis Dr., Santa Fe, NM 87505 Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 382366

CONDITIONS

Operator:	OGRID:
Earthstone Operating, LLC	331165
300 N. Marienfeld St Ste 1000	Action Number:
Midland, TX 79701	382366
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
kfortner	Follow BLM COAs Submit Subsequent BLM paperwork and chart to NMOCD	10/9/2024