

Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM
 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-40049
5. Indicate Type of Lease STATE ☒ FEE ☐
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement NAME AID 24 State
8. Well Number 19
9. OGRID Number 330447
10. Pool name or Wildcat Empire, Glorieta-Yeso (96210)

SUNDRY NOTICES AND REPORTS ON WELLS
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐
2. Name of Operator Contango Resources, LLC
3. Address of Operator 111 E. 5th Street, Suite 300 Fort Worth, TX 76102
4. Well Location Unit Letter <u>N</u> : <u>990</u> feet from the <u>South</u> line and <u>1650</u> feet from the <u>West</u> line Section <u>24</u> Township <u>17S</u> Range <u>28E</u> NMPM <u>Eddy</u> County
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3692' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☒
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

7/30/24 – MIRU. LD 170 rods

7/31/24 – Finish LD 28 rods. NU BOP. Stand back 150 jts 2-7/8 Tbg, LD 5 jts. RIH GR to 3570'. Set 5½" CIBP @ 3570'.

8/1/24 – Run CBL from 3570' to surf. RIH Tbg – Tag BP @ 3570'. Circ well w/ 80bbl BW + 20 gal Plexgel. Pressure test to 500 psi – held. Spot 45sx cmt @ 3570'-3138'. WOC-Tag @ 3150'. RU WL – Perf @ 140' – load hole, close BOP, Sqz 25 bbl down 5½, no circ out 8-5/8, attempt to pump down 8-5/8, pressure up to 500 psi. RIH Tbg to 650' – spot 42sx cmt @ 650' – 234'


8/2/24 – Tag TOC @ 251'. Sqz 15sx cmt @ 140' – 50'. WOC-Tag @ 40'. Perf @ 40' – circ 20sx cmt @ 40' to surf. RDMO

8/7/24 – Well head cut off 3' below ground level and dry hole marker installed. Cut off anchors.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Regulatory Compliance Specialist IV DATE 10/11/2024

Type or print name Alison Denner E-mail address: adenner@contango.com PHONE: 713-236-7456

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

LEASE/WELL: **PLUGGED**
AID 24 STATE #19

LOCATION 990' FSL & 1,650' FWL
N-24-17S-28E

CO/ST: EDDY COUNTY, NEW MEXICO

FIELD: EMPIRE, GLORIETA-YESO

API NO. 30-015-40049

GR 3692

SPUDDED 1/25/2013

COMPLETED 2/20/2013

LAT 32.8166542

LONG -104.1330414

DEVIATION SURVEY DATA	
MD (ft)	Inclination (deg)
474	0.1
754	1.6
912	1.4
1166	1.2
1420	1.4
1926	1.9
2089	1.2
2624	1.6
3131	1
3638	1.6
4145	2.1
4303	1.2
4802	0.5

FORMATION TOPS PER C-105

T/Salt 435 +/-

B/Salt 600 +/-

SAN ANDRES 3178

GLORIETA 3613

YESO 3698

TUBB 5115


YESO IP: 80 BOPD, 123 MCFPD, 384 BWPD

12-1/4" HOLE

8-5/8" 24# J-55
CMT W/ 680 SX. CIRC.

7-7/8" HOLE

5-1/2" 17# J-55
CMT W/ 1,025 SX. CIRC.



2. Perf @ 140'. Sqz 25 bbl down 5-1/2". No circ out 8-5/8". Attempt to pump down 8-5/8". Pressure up to 500 psi. RIH to 650' and spot 42 sx cmt @ 650 - 234'. Tag @ 251'. Sqz 15 sx cmt @ 140' - 50'. Perf @ 40' and circ 20 sx cmt @ 40' to surface.

1. Set 5 1/2" CIBP @ 3570'. Run CBL to surface. Circ hole w/ MLF. Pressure test csg. Spot 45 sx class C cmt @ 3570-3138'. WOC & Tag @ 3,150' (San Andres)

UPPER YESO PERFS: 3,620-3,950' (33 HOLES)

-ACIDIZE W/ 4,095 GALS 15%

-FRAC W/ 75,127# 16/30 & 54,420# 16/30 SIBERPROP SAND IN XL GEL

UPPER YESO PERFS: 4,000-4,296' (29 HOLES)

-ACIDIZE W/ 2,994 GALS 15%

-FRAC W/ 54,459# 16/30 & 54,420# 16/30 SIBERPROP SAND IN XL GEL

MIDDLE YESO PERFS: 4,348-4,713' (37 HOLES)

-ACIDIZE W/ 4,074 GALS 15%

-FRAC W/ 79,889# 16/30 & 22,829# 16/30 SIBERPROP SAND IN XL GEL

LOWER YESO PERFS: 4,760-5,064' (32 HOLES)

-ACIDIZE W/ 3,003 GALS 15%

-FRAC W/ 67,787# 16/30 & 33,143# 16/30 SIBERPROP SAND IN XL GEL

District I
1625 N. French Dr., Hobbs, NM 88240
Phone:(575) 393-6161 Fax:(575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone:(575) 748-1283 Fax:(575) 748-9720
District III
1000 Rio Brazos Rd., Aztec, NM 87410
Phone:(505) 334-6178 Fax:(505) 334-6170
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505
Phone:(505) 476-3470 Fax:(505) 476-3462

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 391832

CONDITIONS

Operator: Contango Resources, LLC 3230 Camp Bowie Blvd FORT WORTH, TX 76107	OGRID: 330447
	Action Number: 391832
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/25/2024