Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: EAGLE 35 H FEDERAL Well Location: T17S / R27E / SEC 35 / County or Parish/State: EDDY /

SENE / 32.79309 / -104.2421986

Well Number: 15 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC050158 Unit or CA Name: Unit or CA Number:

US Well Number: 3001532978 Operator: RILEY PERMIAN

OPERATING COMPANY LLC

#### **Subsequent Report**

**Sundry ID: 2819225** 

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 10/29/2024 Time Sundry Submitted: 07:51

**Date Operation Actually Began:** 09/19/2024

Actual Procedure: 9/19/24 MIRU LD RODS and pump. 9/20/24 NU BOP POH w/Prod TBG and TAC. Isolate CSG. Repair leak at surface. Set CIBP @2956'. CBL 2956 to surface. 9.23.24 Load hole w/Mud. Set plugs #1, 25 SXS from 2956 to 2856. #2 46 sxs from 17—to 1250. #3 40 sxs from 950 to 650 #4 50 sxs from 400 to 3. 9.34 RDMO

#### **SR Attachments**

#### **Actual Procedure**

Eagle\_35\_H\_Fed\_15\_\_\_CBL\_20241029075121.pdf

Eagle\_35\_H\_Federal\_15\_\_\_Final\_WBD\_20241029075039.pdf

eceived by OCD: 11/11/2024 2:49:27 PM
Well Name: EAGLE 35 H FEDERAL

Well Location: T17S / R27E / SEC 35 /

SENE / 32.79309 / -104.2421986

County or Parish/State: EDDY? of

NM

Well Number: 15

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC050158

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 3001532978** 

**Operator:** RILEY PERMIAN OPERATING COMPANY LLC

#### **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: DEB FIORDA Signed on: OCT 29, 2024 07:51 AM

Name: RILEY PERMIAN OPERATING COMPANY LLC

Title: REGULATORY SPECIALIST

Street Address: 29 E RENO AVENUE

City: OKLAHOMA CITY State: OK

Phone: (405) 754-6968

Email address: DEBFIORDA@RILEYPERMIAN.COM

#### **Field**

**Representative Name:** 

**Street Address:** 

Citv:

State:

Zip:

Phone:

Email address:

#### **BLM Point of Contact**

BLM POC Name: JAMES A AMOS BLM POC Title: Acting Assistant Field Manager

BLM POC Phone: 5752345927 BLM POC Email Address: jamos@blm.gov

**Disposition:** Accepted **Disposition Date:** 11/08/2024

Signature: James A Amos

Page 2 of 2

Form 3160-5 (June 2019)

## UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

(341	DEI	PARTMENT OF THE INTERIOR		Expires: October 31, 2021						
	BUR	EAU OF LAND MANAGEMENT		5. Lease Serial No.	NMLC050158					
		NOTICES AND REPORTS ON W		6. If Indian, Allottee or Tribe	Name					
		form for proposals to drill or to Use Form 3160-3 (APD) for suc								
	SUBMIT IN	TRIPLICATE - Other instructions on pag	ne 2	7. If Unit of CA/Agreement,	Name and/or No.					
1. 7	Type of Well			8. Well Name and No.						
2 1	Oil Well Gas V			EAGLE 35 H FEDERAL/15						
		N OPERATING COMPANY LLC		9. API Well No. 300153297						
3a.	Address 29 E RENO AVENUE S	SUITE 500, OKLAHOMA ( 3b. Phone No. (405) 543-14		10. Field and Pool or Explor	•					
	Location of Well (Footage, Sec., T., I EC 35/T17S/R27E/NMP	R.,M., or Survey Description)		11. Country or Parish, State EDDY/NM						
	12. CHE	CCK THE APPROPRIATE BOX(ES) TO IN	DICATE NATURE	OF NOTICE, REPORT OR OT	THER DATA					
	TYPE OF SUBMISSION		TYP	E OF ACTION						
	Notice of Intent	Acidize Deep		Production (Start/Resume)	=					
_			raulic Fracturing	Reclamation	Well Integrity					
	Subsequent Report		Construction	Recomplete	Other					
Г	Final Abandonment Notice		and Abandon Back	Temporarily Abandon Water Disposal						
	completed. Final Abandonment No is ready for final inspection.)  9/19/24 MIRU LD RODS and CBL 2956 to surface. 9.23.24  #4 50 sxs from 400 to 3. 9.34		is, including reclama	tion, have been completed and e CSG. Repair leak at surfa	the operator has detennined that the site ce. Set CIBP @2956.					
	I hereby certify that the foregoing is EB FIORDA / Ph: (405) 754-6968	strue and correct. Name (Printed/Typed)  3	REGULATO	DRY SPECIALIST						
	Signature (Electronic Submission	on)	Date	10/29/2024						
		THE SPACE FOR FED	ERAL OR STA	TE OFICE USE						
App	proved by									
JA	AMES A AMOS / Ph: (575) 234-5	5927 / Accepted	Title Acting	Assistant Field Manager	11/08/2024  Date					
cert		hed. Approval of this notice does not warran equitable title to those rights in the subject leaduct operations thereon.		RLSBAD						
		3 U.S.C Section 1212, make it a crime for an ents or representations as to any matter with		and willfully to make to any o	department or agency of the United States					

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

#### **Additional Information**

#### **Location of Well**

 $0. \ SHL: \ SENE\ /\ 1750\ FNL\ /\ 430\ FEL\ /\ TWSP: \ 17S\ /\ RANGE: \ 27E\ /\ SECTION: \ 35\ /\ LAT: \ 32.79309\ /\ LONG: \ -104.2421986\ (\ TVD: \ 0\ feet,\ MD: \ 4000\ feet\ )$  BHL:  $SENE\ /\ 1650\ FNL\ /\ 330\ FEL\ /\ TWSP: \ 17S\ /\ RANGE: \ 27E\ /\ SECTION: \ 35\ /\ LAT: \ 0.0\ /\ LONG: \ 0.0\ (\ TVD: \ 0\ feet,\ MD: \ 4000\ feet\ )$ 


Be		<b>30</b> 0	CD:	11/1	<b>₹</b> /2		600	ogation		P P	M	ax. F	ensit	ype Fluid	nen	on o	epul	epth	N un	ate	Company		mian Riley								-	Page (	oj
reduction String	usace String	ang Record			Number	Vapessed By	ecorded By	9	ிறment Number	ogge	Well Ready	lax. Recorded Temp.	ensity / Viscosity	luid	)pen Hole Size	Log	epui Loggei	epth Driller	un Number		Well Field	Eag	le 35 H Fed	eral ;	<b>‡15</b>						$\leq$	A	
String	ng	ord			er	By	У		Numb	ronE	verel v	ed Te	scosit		976	ged	_	7	'	8	County	Edd	ly, County								R	D	
					Bit	,			e	ine Logger on Bottom	100	mp.	y			on I on Interval					State	Nev	v Mexico			Cou	0.50		ted S	tates			
5					Bit From					-											Permanent Datum Log Measured From Drilling Measured From		Loca	State	County	Field	Well	Con	2	6	SI		
5.5" Casing		Size			From																nent D Pasure Meas		Location:	Ф	nty	0		company	5			6	
sing					3 5	-				+								+	-		atum d Fror ured F	SEC	==	7								•	
		-						<u>×</u>												09	rom	C		New Mexico	Eddy, County		agle	Permian Kiley					_
					7	Eric E.	Matt K.	Midland, TX	WT102	1730	1700	2	10#	Brine	Callago	Treat	2000	2050	_	09/20/2024	s G	Į.		Mex	,00		35	an	5				
15.5#		Wqt/Ft			+			×							ľ	•				24	roundurfac	TWP		CO	unty		H Fc	Zle					
					Size								10. 00								Ground Level Surface To 26		API#:				der	~					
		1																			Ground Level Surface To 2650'	RGE					Eagle 35 H Federal #15						
					We																	100000	320-015-32978	Cot			S						
		용			Weight	•															Elevation		-3297	Country United States									
					aht Fro	,				1													78	Ur									
					From	-																		nited									
		B																			G.F.B.	_	Oth	Sta									
		Bottom			<mark>-</mark>																	Elevation	Other Services	tes									
																						음	vices										
< F	old I	lere	>>>	-				1.0			-		40				_	-	\v.	*													-
ny ir	iterp	reta	tion,	and	we s	shal	l no	ot, o	exc one	ept res	in ulti	the ng	cas fror	e o n ar	f gr ıy i	oss nte	pr	r wi eta d c	illfu tion	ıl ne n m ditio	egligence of ade by any ons set out	n our of ou	d we cannot part, be lial r officers, a r current Pr	ole or gents	resp s or e	onsi mplo	ble f	or ar	ny lo	ss, c	osts, c	lamage	S
																			CC	mr	nents												-
														ΔΙΙ	D	en	th	S	Δı	e '	Wirelin	e De	pths										
													4		_	-1	-11						P.1.10										
																					.i.a. A A												
											**:	***	Th	an	k `	Yo	u	F	or	Us	sing AA	A W	'ireline*	***									
											**:	***	Th	an	k `	Yo	u	Fo	or	Us	sing AA	A W	'ireline*'	****									
											**:	***	Th	an	k `	Yo	u	Fo	or	Us	SING AA	A W	'ireline*'	***									
											**:	***	Th	an	k `	Yo	u	Fo	or	Us	sing AA	A W	'ireline**	***									





## Est. Top of Cement @ 40'


Presentation Format scbl\_dr


Dataset Creation Fri Sep 20 18:09:48 2024 Charted by Depth in Feet scaled 1:240



































### Log Variables

DatabaseC:\ProgramData\Warrior\Data\eagle 35 federal #015\_autosave.db Dataset field/well/run1/pass3.4/ vars

#### Top - Bottom

BOREID in 7.875	BOTTEMP degF 100	CASEOD in 5.5	CASETHCK in 0.275	CASEWGHT lb/ft 15.5	MAXAMPL mV 72	MINAMPL mV 1	MINATTN db/ft 0.8
PERFS	PPT usec	SRFTEMP degF	TDEPTH ft				
No	0	0	0				

#### Variable Description

BOREID: Borehole I.D.

BOTTEMP: Bottom Hole Temperature

CASEOD : Casing O.D.

CASETHCK: Casing Thickness

CASEWGHT: Casing Weight MAXAMPL: Maximum Amplitude MINAMPL: Minimum Amplitude


MINATTN: Minimum Attenuation

PPT: Predicted Pipe Time SRFTEMP: Surface Temperature


PERFS: Perforation Flag

TDEPTH: Total Depth

	et (ft) Sche	ematic	Description	Length (ft)	O.D. (in)	Weight (lb
WVF3FT 9.	21 —		PROBECBL-ANALOG275 (PROBEA_275_01) Probe 3' and 5' with analog Telemetry	8.92	2.75	80.00



Page 21 of 22



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 401373

#### **CONDITIONS**

Operator:	OGRID:
RILEY PERMIAN OPERATING COMPANY, LLC	372290
29 E Reno Avenue, Suite 500	Action Number:
Oklahoma City, OK 73104	401373
	Action Type:
	[C-103] Sub. Plugging (C-103P)

#### CONDITIONS

Created By	Condition	Condition Date
kfortner	Submit C-103Q within one year of plugging.	11/13/2024
kfortner	Federal well follow BLM guidelines CBL is in files	11/13/2024