

Santa Fe Main Office

Phone: (505) 476-3441 Fax: (55) 476-3462

General Information

Phone: (505) 629-6116

Online Phone Directory Visit:

<https://www.emnrd.nm.gov/ocd/contact-us/>State of New Mexico
Energy, Minerals and Natural ResourcesForm C-103
Revised July 18, 2013OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/> SWD		WELL API NO. 30-015-29729 5. Indicate Type of Lease STATE <input type="checkbox"/> FEE <input checked="" type="checkbox"/> 6. State Oil & Gas Lease No.
2. Name of Operator Burnett Oil Co., Inc.		7. Lease Name or Unit Agreement Name Fairchild "13"
3. Address of Operator Burnett Plaza - Suite 1500 801 Cherry ST - Unit 9 Fort Worth, TX 76102		8. Well Number 1
4. Well Location Unit Letter <u> M </u> : <u> 660 </u> feet from the <u> South </u> line and <u> 660 </u> feet from the <u> WEST </u> line Section <u> 13 </u> Township <u> 19S </u> Range <u> 25E </u> NMPM County <u> Eddy </u>		9. OGRID Number 03080
11. Elevation (Show whether DR, RKB, RT, GR, etc.) <u> 3414 </u>		10. Pool name or Wildcat SWD; Canyon 96184

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☒ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☒ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐
 CLOSED-LOOP SYSTEM ☐
 OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐
 OTHER: ☐

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Seeking approval to replace worn 238 jts 2-7/8" tubing with
238 jts 3-1/2" tubing.

Tubing Specs: 238 jts 3-1/2" 9.30# L-80 EUE w/ 1850 IPC
Pkr: Aeroset 1X 7" OD 3-1/2" EUE ID, Nickle Plated IPC

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Randy Bolles TITLE Regulatory Consultant DATE 11/14/24

Type or print name Randy Bolles E-mail address: rbolles@cox.net PHONE: 405-738-0183

For State Use Only

APPROVED


BY: _____ TITLE _____ DATE _____ Conditions
of Approval (if any):

Date: 11/12/2024

WELL	Fairchild 13 SWD #1	FIELD	SWD; Canyon	CO/ST	Eddy Co., New Mexico
	<input checked="" type="checkbox"/> PRESENT COMPLETION		<input type="checkbox"/> RECOMMENDED COMPLETION	API #	30-015-29729
	PERMANENT WELL BORE DATA				DATA ON THIS COMPLETION

Permitted Injection Interval: 7,865'-8,206'
Max Inj PSI: 1,560 psig

INSTALLED:
7.75' 7" X 3-1/2" Aeroset 1X nickle plated IPC Pkr
7.772.46' 238 jts 3-1/2 9.30# L-80 EUE w/1850 IPC



9-5/8" 36# @ 1,173'
Circ cmt to surf

DV Tool #2 @ 5,690.87'
Circ cmt to surf

DV Tool #1 @ 7,834.9'
Circ cmt to surf

7" 26/23# J-55 LT&C @ 7,865'
Circ cmt to surf

Canyon Open Hole
7,865'-8,206'

7" X 3-1/2" Aeroset 1X Nickle Plated IPC Pkr @ 7,791'

PBTD @ 8,206'

TD 8,223



Inflatable Packer




Fill



Cement



CIBP




Retainer




Packer




TAC



Perfs




Orange peeled mud anchor



Mule shoe mud anchor




Seating nipple



Hydraulic
pump
cavity





Sliding sleeve




Blast Joint



Gas lift valve



PBR & Seal Assy




Insert pump & SN



On / Off Tool
& Profile Nipple



Swage




Swage



Blanking plug



Profile Nipple



Profile Nipple w/ plug in place




Fish



Gravel Pack Screen

CANARY



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 403409

CONDITIONS

Operator: BURNETT OIL CO INC 801 Cherry Street Unit #9 Fort Worth, TX 76102	OGRID: 3080
	Action Number: 403409
	Action Type: [C-103] NOI General Sundry (C-103X)

CONDITIONS

Created By	Condition	Condition Date
mgebremichael	The packer shall not be set more than 100 ft above the top part of the injection interval. The injection rate will be limited to the Mewbourne rate.	11/15/2024