

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 5/18/22
⁴ API Number 30-025-45881	⁵ Pool Name BOBCAT DRAW; UPPER WOLFCAMP	⁶ Pool Code 98094
⁷ Property Code 325475	⁸ Property Name Stranger 33 Fed	⁹ Well Number 6H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	33	25S	34E		205	South	2640	East	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	33	25S	34E		104	North	2302	East	Lea
¹² Lse Code F	¹³ Producing Method Code E	¹⁴ Gas Connection Date 5/18/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				


III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
020809	Lucid Energy Group 3100 McKinnon St. Ste 800 Dallas, TX 75201	Gas
014035	Marathon P.O. Box 552 Midland, TX 79702	Gas

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PBDT	²⁵ Perforations	²⁶ DHC, MC
8/19/21	5/18/22	17611	17,596 MD/12,656 TVD	12904 - 17584	
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	
17-1/2"		13-3/8"		914	
9-7/8"		8-5/8"		12090	
7-7/8"		5-1/2"		17599	
		Tubing: 2-7/8"		12468	

V. Well Test Data

³¹ Date New Oil 5/31/22	³² Gas Delivery Date 5/31/22	³³ Test Date 5/31/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure psi	³⁶ Csg. Pressure psi
³⁷ Choke Size	³⁸ Oil 1218 bbl	³⁹ Water 3283 bbl	⁴⁰ Gas 2442 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: 			OIL CONSERVATION DIVISION		
Printed name: Shayda Omoumi			Approved by: PATRICIA MARTINEZ		
Title: Regulatory Compliance Associate			Title: PETROLEUM SPECIALIST		
E-mail Address: shayda.omoumi@dvnm.com			Approval Date: 1/8/2025		
Date: 6/14/2022		Phone: 405-552-3513			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☒ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-45881	Pool Code 98094	Pool Name BOBCAT DRAW; UPPER WOLFCAMP
Property Code 325475	Property Name STRANGER 33 FED	Well Number 6H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3325.4'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	33	25-S	34-E		205	SOUTH	2640	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	33	25-S	34-E		104	NORTH	2302	EAST	LEA

Dedicated Acres 320	Joint or Infill	Consolidation Code	Order No.
-------------------------------	-----------------	--------------------	-----------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Shayda Omoumi 6/14/2022
Signature Date

Shayda Omoumi

Printed Name

shayda.omoumi@dvn.com

E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

10/21/2021

Date of Survey

Signature & Seal of Professional Surveyor



06/12/2022

Certificate No. 22404

B.L. LAMAN

DRAWN BY: CM

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐ NIs this well an infill well? ☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-025-45882		
Operator Name: DEVON ENERY PRODUCTION COMPANY, L.P.	Property Name: STRANGER 33 FED	Well Number 7H

KZ 06/29/2018



Devon Energy

Lea County, NM (NAD83)

Stranger 33/34 Fed

Stranger 33 Fed 6H

Wellbore #1

Design: Wellbore #1

Survey Report - Geographic

21 October, 2021





Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well Stranger 33 Fed 6H
Project:	Lea County, NM (NAD83)	TVD Reference:	GL 3325.4' + 25' KB @ 3350.40usft
Site:	Stranger 33/34 Fed	MD Reference:	GL 3325.4' + 25' KB @ 3350.40usft
Well:	Stranger 33 Fed 6H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Stranger 33/34 Fed			
Site Position:		Northing:	393,780.12 usft	Latitude:	32.079731
From:	Map	Easting:	804,581.96 usft	Longitude:	-103.483403
Position Uncertainty:	0.50 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.45 °

Well	Stranger 33 Fed 6H					
Well Position	+N/-S	0.00 usft	Northing:	394,007.18 usft	Latitude:	32.080297
	+E/-W	0.00 usft	Easting:	807,226.91 usft	Longitude:	-103.474858
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,325.40 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2020	7/28/2021	6.48	59.78	47,406.71839091

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	3.38	

Survey Program	Date	10/7/2021			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
149.00	17,611.00	Survey #1 (Wellbore #1)	OWSG (Rev2) MWD	OWSG MWD - Standard	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	394,007.18	807,226.91	32.080297	-103.474858
149.00	0.30	149.00	149.00	-0.33	0.20	394,006.84	807,227.11	32.080296	-103.474857
213.00	0.30	127.30	213.00	-0.58	0.42	394,006.60	807,227.33	32.080295	-103.474857
308.00	0.40	133.00	308.00	-0.96	0.86	394,006.22	807,227.77	32.080294	-103.474855
402.00	0.70	143.40	401.99	-1.64	1.44	394,005.54	807,228.35	32.080293	-103.474853
497.00	0.70	120.40	496.99	-2.40	2.29	394,004.78	807,229.20	32.080290	-103.474851
592.00	0.30	152.20	591.98	-2.91	2.91	394,004.26	807,229.81	32.080289	-103.474849
687.00	0.30	72.80	686.98	-3.06	3.26	394,004.12	807,230.17	32.080289	-103.474847
782.00	0.20	27.70	781.98	-2.84	3.57	394,004.34	807,230.48	32.080289	-103.474846
858.00	0.40	33.60	857.98	-2.50	3.78	394,004.68	807,230.69	32.080290	-103.474846
899.00	0.30	98.60	898.98	-2.40	3.97	394,004.78	807,230.88	32.080290	-103.474845
994.00	0.30	57.60	993.98	-2.30	4.42	394,004.88	807,231.33	32.080291	-103.474844



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well Stranger 33 Fed 6H
Project:	Lea County, NM (NAD83)	TVD Reference:	GL 3325.4' + 25' KB @ 3350.40usft
Site:	Stranger 33/34 Fed	MD Reference:	GL 3325.4' + 25' KB @ 3350.40usft
Well:	Stranger 33 Fed 6H	North Calculation:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,090.00	0.10	109.50	1,089.98	-2.20	4.72	394,004.98	807,231.62	32.080291	-103.474843
1,184.00	0.10	85.60	1,183.98	-2.22	4.87	394,004.96	807,231.78	32.080291	-103.474842
1,279.00	0.10	239.60	1,278.98	-2.25	4.89	394,004.93	807,231.79	32.080291	-103.474842
1,374.00	0.20	222.00	1,373.98	-2.42	4.70	394,004.76	807,231.61	32.080290	-103.474843
1,468.00	0.10	299.90	1,467.98	-2.50	4.52	394,004.68	807,231.43	32.080290	-103.474843
1,564.00	0.30	288.80	1,563.98	-2.38	4.21	394,004.80	807,231.12	32.080290	-103.474844
1,659.00	0.30	287.10	1,658.97	-2.22	3.74	394,004.96	807,230.65	32.080291	-103.474846
1,754.00	0.50	324.90	1,753.97	-1.81	3.26	394,005.37	807,230.17	32.080292	-103.474847
1,849.00	1.10	140.30	1,848.97	-2.17	3.61	394,005.01	807,230.51	32.080291	-103.474846
1,944.00	3.20	98.20	1,943.90	-3.25	6.81	394,003.93	807,233.72	32.080288	-103.474836
2,039.00	5.50	106.40	2,038.62	-4.92	13.81	394,002.26	807,240.71	32.080283	-103.474813
2,134.00	7.50	115.30	2,133.01	-8.85	23.78	393,998.33	807,250.69	32.080272	-103.474781
2,229.00	7.60	115.50	2,227.18	-14.21	35.06	393,992.97	807,261.96	32.080257	-103.474745
2,324.00	7.50	115.90	2,321.36	-19.62	46.30	393,987.56	807,273.21	32.080242	-103.474709
2,420.00	7.50	115.30	2,416.54	-25.03	57.60	393,982.15	807,284.51	32.080227	-103.474673
2,515.00	7.50	116.20	2,510.73	-30.42	68.77	393,976.76	807,295.68	32.080212	-103.474637
2,610.00	7.60	116.10	2,604.90	-35.92	79.98	393,971.26	807,306.89	32.080197	-103.474601
2,705.00	7.80	115.00	2,699.05	-41.41	91.46	393,965.77	807,318.37	32.080181	-103.474564
2,800.00	8.10	114.10	2,793.13	-46.87	103.41	393,960.31	807,330.32	32.080166	-103.474525
2,896.00	8.20	112.10	2,888.16	-52.20	115.93	393,954.97	807,342.84	32.080151	-103.474485
2,991.00	8.40	110.00	2,982.17	-57.13	128.73	393,950.05	807,355.64	32.080137	-103.474444
3,086.00	8.60	106.80	3,076.13	-61.55	142.05	393,945.63	807,368.96	32.080125	-103.474401
3,181.00	9.00	104.40	3,170.01	-65.45	156.05	393,941.73	807,382.95	32.080114	-103.474356
3,277.00	7.30	111.80	3,265.04	-69.59	168.98	393,937.59	807,395.89	32.080102	-103.474314
3,372.00	7.90	110.30	3,359.20	-74.09	180.71	393,933.09	807,407.62	32.080089	-103.474276
3,467.00	9.10	111.20	3,453.16	-79.07	193.84	393,928.10	807,420.75	32.080075	-103.474234
3,562.00	8.80	116.70	3,547.00	-85.06	207.33	393,922.12	807,434.24	32.080059	-103.474191
3,657.00	7.00	110.30	3,641.10	-90.33	219.26	393,916.85	807,446.16	32.080044	-103.474152
3,753.00	6.30	109.20	3,736.45	-94.09	229.72	393,913.09	807,456.62	32.080033	-103.474119
3,848.00	6.20	110.10	3,830.89	-97.57	239.46	393,909.61	807,466.36	32.080024	-103.474087
3,943.00	6.00	112.00	3,925.35	-101.19	248.88	393,905.99	807,475.79	32.080013	-103.474057
4,038.00	6.00	111.90	4,019.83	-104.90	258.09	393,902.27	807,485.00	32.080003	-103.474027
4,134.00	6.40	109.20	4,115.27	-108.54	267.80	393,898.64	807,494.70	32.079993	-103.473996
4,229.00	5.70	107.40	4,209.74	-111.69	277.30	393,895.49	807,504.21	32.079984	-103.473966
4,324.00	5.20	107.70	4,304.31	-114.41	285.90	393,892.77	807,512.81	32.079976	-103.473938
4,419.00	4.90	109.70	4,398.94	-117.08	293.82	393,890.09	807,520.73	32.079969	-103.473912
4,514.00	5.00	114.10	4,493.59	-120.14	301.42	393,887.04	807,528.33	32.079960	-103.473888
4,610.00	5.80	115.40	4,589.16	-123.93	309.62	393,883.25	807,536.53	32.079950	-103.473862
4,705.00	6.60	115.40	4,683.60	-128.33	318.89	393,878.85	807,545.80	32.079937	-103.473832
4,800.00	6.20	115.40	4,778.01	-132.87	328.46	393,874.30	807,555.36	32.079925	-103.473801
4,895.00	6.60	120.20	4,872.42	-137.82	337.81	393,869.36	807,564.72	32.079911	-103.473771
4,990.00	7.50	124.20	4,966.70	-144.05	347.66	393,863.13	807,574.56	32.079894	-103.473739
5,085.00	5.80	121.90	5,061.06	-150.07	356.86	393,857.10	807,583.77	32.079877	-103.473710
5,181.00	2.70	113.80	5,156.78	-153.55	363.05	393,853.63	807,589.96	32.079867	-103.473690
5,276.00	2.10	108.70	5,251.70	-155.01	366.74	393,852.17	807,593.65	32.079863	-103.473678
5,371.00	1.50	100.00	5,346.65	-155.79	369.62	393,851.39	807,596.53	32.079861	-103.473669
5,467.00	1.60	96.80	5,442.62	-156.16	372.19	393,851.02	807,599.09	32.079860	-103.473660
5,562.00	0.60	155.40	5,537.60	-156.77	373.71	393,850.41	807,600.62	32.079858	-103.473655
5,657.00	0.50	188.60	5,632.60	-157.63	373.85	393,849.54	807,600.76	32.079856	-103.473655
5,753.00	0.60	184.10	5,728.59	-158.55	373.76	393,848.63	807,600.66	32.079853	-103.473655
5,848.00	0.30	221.70	5,823.59	-159.23	373.56	393,847.95	807,600.46	32.079851	-103.473656
5,944.00	0.30	230.10	5,919.59	-159.58	373.20	393,847.60	807,600.10	32.079850	-103.473657
6,039.00	0.30	224.30	6,014.59	-159.92	372.83	393,847.26	807,599.74	32.079849	-103.473658
6,135.00	0.40	218.70	6,110.58	-160.36	372.45	393,846.82	807,599.35	32.079848	-103.473660
6,230.00	0.40	223.40	6,205.58	-160.86	372.01	393,846.32	807,598.92	32.079847	-103.473661



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well Stranger 33 Fed 6H
Project:	Lea County, NM (NAD83)	TVD Reference:	GL 3325.4' + 25' KB @ 3350.40usft
Site:	Stranger 33/34 Fed	MD Reference:	GL 3325.4' + 25' KB @ 3350.40usft
Well:	Stranger 33 Fed 6H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,325.00	0.40	225.10	6,300.58	-161.33	371.55	393,845.84	807,598.46	32.079845	-103.473663
6,421.00	0.40	234.50	6,396.58	-161.77	371.04	393,845.41	807,597.95	32.079844	-103.473664
6,516.00	0.20	218.80	6,491.58	-162.09	370.66	393,845.09	807,597.57	32.079843	-103.473665
6,612.00	0.10	178.40	6,587.58	-162.30	370.56	393,844.88	807,597.47	32.079843	-103.473666
6,707.00	0.20	192.80	6,682.57	-162.55	370.53	393,844.63	807,597.43	32.079842	-103.473666
6,803.00	0.30	193.90	6,778.57	-162.95	370.43	393,844.23	807,597.34	32.079841	-103.473666
6,898.00	0.30	202.40	6,873.57	-163.42	370.27	393,843.75	807,597.18	32.079840	-103.473667
6,994.00	0.30	201.70	6,969.57	-163.89	370.09	393,843.29	807,596.99	32.079838	-103.473667
7,089.00	0.10	170.60	7,064.57	-164.20	370.01	393,842.98	807,596.92	32.079838	-103.473668
7,184.00	0.10	122.60	7,159.57	-164.33	370.09	393,842.85	807,597.00	32.079837	-103.473667
7,280.00	0.10	97.70	7,255.57	-164.39	370.24	393,842.79	807,597.15	32.079837	-103.473667
7,375.00	0.10	128.60	7,350.57	-164.45	370.39	393,842.73	807,597.30	32.079837	-103.473666
7,471.00	0.30	108.30	7,446.57	-164.58	370.70	393,842.60	807,597.60	32.079837	-103.473665
7,566.00	0.30	112.70	7,541.57	-164.75	371.16	393,842.42	807,598.07	32.079836	-103.473664
7,662.00	0.20	155.30	7,637.57	-165.00	371.46	393,842.18	807,598.37	32.079835	-103.473663
7,757.00	0.30	136.80	7,732.57	-165.34	371.70	393,841.84	807,598.61	32.079834	-103.473662
7,853.00	0.30	144.80	7,828.57	-165.72	372.02	393,841.45	807,598.93	32.079833	-103.473661
7,948.00	0.50	147.90	7,923.56	-166.28	372.38	393,840.90	807,599.29	32.079832	-103.473660
8,043.00	0.40	141.10	8,018.56	-166.89	372.81	393,840.29	807,599.72	32.079830	-103.473659
8,139.00	0.30	152.60	8,114.56	-167.37	373.14	393,839.81	807,600.05	32.079829	-103.473658
8,234.00	0.40	144.90	8,209.56	-167.86	373.44	393,839.32	807,600.35	32.079827	-103.473657
8,330.00	0.70	148.10	8,305.55	-168.64	373.95	393,838.54	807,600.85	32.079825	-103.473655
8,425.00	0.70	145.90	8,400.54	-169.61	374.58	393,837.57	807,601.49	32.079823	-103.473653
8,520.00	0.70	145.30	8,495.54	-170.57	375.23	393,836.61	807,602.14	32.079820	-103.473651
8,615.00	0.80	144.50	8,590.53	-171.58	375.95	393,835.60	807,602.86	32.079817	-103.473649
8,710.00	0.80	146.50	8,685.52	-172.68	376.70	393,834.50	807,603.61	32.079814	-103.473646
8,806.00	0.80	155.60	8,781.51	-173.85	377.35	393,833.33	807,604.25	32.079811	-103.473644
8,901.00	0.70	158.50	8,876.50	-174.99	377.83	393,832.19	807,604.74	32.079808	-103.473643
8,996.00	0.60	151.90	8,971.50	-175.97	378.28	393,831.21	807,605.19	32.079805	-103.473641
9,092.00	0.50	157.20	9,067.49	-176.80	378.68	393,830.38	807,605.59	32.079803	-103.473640
9,187.00	0.40	150.30	9,162.49	-177.47	379.00	393,829.71	807,605.91	32.079801	-103.473639
9,282.00	0.30	157.30	9,257.49	-177.99	379.26	393,829.19	807,606.17	32.079800	-103.473638
9,376.00	0.30	108.70	9,351.49	-178.29	379.59	393,828.89	807,606.50	32.079799	-103.473637
9,472.00	0.20	34.50	9,447.49	-178.23	379.93	393,828.95	807,606.83	32.079799	-103.473636
9,567.00	0.40	41.10	9,542.48	-177.85	380.24	393,829.33	807,607.15	32.079800	-103.473635
9,662.00	0.90	50.80	9,637.48	-177.13	381.03	393,830.05	807,607.94	32.079802	-103.473632
9,757.00	1.10	51.20	9,732.46	-176.08	382.32	393,831.10	807,609.23	32.079805	-103.473628
9,853.00	1.00	62.70	9,828.45	-175.12	383.78	393,832.06	807,610.69	32.079807	-103.473623
9,949.00	1.30	57.80	9,924.43	-174.16	385.45	393,833.02	807,612.36	32.079810	-103.473618
10,044.00	1.40	56.30	10,019.40	-172.94	387.33	393,834.24	807,614.24	32.079813	-103.473612
10,140.00	1.70	60.30	10,115.37	-171.58	389.54	393,835.60	807,616.45	32.079817	-103.473605
10,235.00	1.90	57.50	10,210.32	-170.04	392.09	393,837.14	807,619.00	32.079821	-103.473596
10,330.00	2.20	54.40	10,305.26	-168.13	394.90	393,839.05	807,621.81	32.079826	-103.473587
10,426.00	2.50	40.60	10,401.18	-165.47	397.76	393,841.71	807,624.67	32.079834	-103.473578
10,521.00	2.50	43.00	10,496.09	-162.38	400.53	393,844.80	807,627.43	32.079842	-103.473569
10,616.00	1.10	36.80	10,591.04	-160.13	402.49	393,847.04	807,629.39	32.079848	-103.473563
10,711.00	1.50	45.60	10,686.01	-158.53	403.92	393,848.65	807,630.83	32.079852	-103.473558
10,806.00	1.90	18.30	10,780.97	-156.17	405.30	393,851.01	807,632.21	32.079859	-103.473553
10,902.00	2.50	340.00	10,876.91	-152.69	405.09	393,854.49	807,631.99	32.079869	-103.473554
10,997.00	2.70	334.40	10,971.81	-148.73	403.41	393,858.45	807,630.32	32.079879	-103.473559
11,092.00	2.60	327.90	11,066.71	-144.88	401.30	393,862.30	807,628.21	32.079890	-103.473566
11,187.00	3.00	321.50	11,161.60	-141.11	398.61	393,866.07	807,625.51	32.079900	-103.473575
11,282.00	3.90	314.30	11,256.42	-136.91	394.75	393,870.27	807,621.65	32.079912	-103.473587
11,377.00	3.80	296.50	11,351.21	-133.25	389.62	393,873.93	807,616.53	32.079922	-103.473603
11,472.00	4.50	294.80	11,445.96	-130.28	383.42	393,876.90	807,610.32	32.079931	-103.473623



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well Stranger 33 Fed 6H
Project:	Lea County, NM (NAD83)	TVD Reference:	GL 3325.4' + 25' KB @ 3350.40usft
Site:	Stranger 33/34 Fed	MD Reference:	GL 3325.4' + 25' KB @ 3350.40usft
Well:	Stranger 33 Fed 6H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,568.00	4.10	301.50	11,541.69	-126.91	377.07	393,880.27	807,603.98	32.079940	-103.473644
11,663.00	3.90	307.60	11,636.46	-123.16	371.62	393,884.02	807,598.52	32.079950	-103.473661
11,758.00	4.80	297.60	11,731.19	-119.35	365.53	393,887.83	807,592.44	32.079961	-103.473681
11,853.00	4.70	295.30	11,825.86	-115.84	358.49	393,891.34	807,585.40	32.079971	-103.473704
11,948.00	4.70	296.30	11,920.54	-112.46	351.49	393,894.72	807,578.39	32.079980	-103.473726
12,036.00	4.50	298.20	12,008.26	-109.23	345.21	393,897.95	807,572.12	32.079989	-103.473746
12,144.00	4.30	298.00	12,115.94	-105.32	337.90	393,901.85	807,564.81	32.080000	-103.473770
KOP @ 12144' MD, 100' FSL, 2302' FEL									
12,153.00	4.46	300.20	12,124.91	-104.99	337.30	393,902.19	807,564.21	32.080001	-103.473772
X FTP @ 12153' MD, 100' FSL, 2303' FEL									
12,240.00	6.20	315.10	12,211.54	-99.96	331.06	393,907.22	807,557.97	32.080015	-103.473792
12,335.00	11.60	353.50	12,305.43	-86.82	326.35	393,920.36	807,553.26	32.080051	-103.473807
12,430.00	12.90	358.80	12,398.27	-66.72	325.05	393,940.45	807,551.96	32.080107	-103.473810
12,525.00	25.70	359.90	12,487.75	-35.39	324.79	393,971.79	807,551.70	32.080193	-103.473810
12,620.00	41.10	1.50	12,566.82	16.74	325.58	394,023.91	807,552.49	32.080336	-103.473806
12,716.00	57.00	0.90	12,629.54	88.99	327.05	394,096.17	807,553.95	32.080535	-103.473800
12,811.00	73.80	1.20	12,668.94	175.05	328.64	394,182.23	807,555.55	32.080771	-103.473792
12,906.00	84.00	0.80	12,687.21	268.13	330.26	394,275.31	807,557.17	32.081027	-103.473785
13,001.00	89.10	0.80	12,692.92	362.92	331.58	394,370.10	807,558.49	32.081287	-103.473778
13,096.00	89.70	359.60	12,693.92	457.91	331.91	394,465.09	807,558.82	32.081548	-103.473775
13,191.00	89.80	358.80	12,694.33	552.90	330.59	394,560.08	807,557.49	32.081810	-103.473776
13,286.00	89.50	0.60	12,694.91	647.89	330.09	394,655.07	807,557.00	32.082071	-103.473776
13,382.00	89.10	0.80	12,696.09	743.88	331.26	394,751.06	807,558.17	32.082334	-103.473769
13,477.00	90.70	2.30	12,696.25	838.84	333.83	394,846.02	807,560.74	32.082595	-103.473759
13,572.00	90.60	1.80	12,695.17	933.77	337.23	394,940.95	807,564.14	32.082856	-103.473745
13,667.00	90.00	0.90	12,694.68	1,028.74	339.47	395,035.92	807,566.37	32.083117	-103.473736
13,762.00	89.80	0.40	12,694.84	1,123.74	340.54	395,130.92	807,567.45	32.083378	-103.473730
13,857.00	89.70	0.50	12,695.26	1,218.73	341.29	395,225.91	807,568.20	32.083639	-103.473725
13,952.00	89.30	0.50	12,696.09	1,313.73	342.12	395,320.90	807,569.03	32.083901	-103.473720
14,047.00	91.20	1.30	12,695.67	1,408.71	343.61	395,415.89	807,570.52	32.084162	-103.473712
14,143.00	90.90	1.00	12,693.91	1,504.67	345.54	395,511.85	807,572.45	32.084425	-103.473704
14,238.00	90.40	0.70	12,692.83	1,599.65	346.95	395,606.83	807,573.86	32.084686	-103.473697
14,334.00	91.50	1.10	12,691.24	1,695.63	348.45	395,702.81	807,575.36	32.084950	-103.473689
14,429.00	91.70	359.80	12,688.59	1,790.59	349.20	395,797.76	807,576.11	32.085211	-103.473684
14,524.00	92.50	359.10	12,685.11	1,885.52	348.29	395,892.70	807,575.20	32.085472	-103.473685
14,619.00	91.00	0.50	12,682.21	1,980.47	347.96	395,987.65	807,574.87	32.085733	-103.473684
14,714.00	91.40	0.00	12,680.22	2,075.44	348.37	396,082.62	807,575.28	32.085994	-103.473680
14,809.00	92.00	0.40	12,677.40	2,170.40	348.70	396,177.58	807,575.61	32.086255	-103.473676
14,905.00	92.30	0.00	12,673.80	2,266.33	349.04	396,273.51	807,575.95	32.086519	-103.473673
15,000.00	88.30	0.40	12,673.30	2,361.31	349.37	396,368.49	807,576.28	32.086780	-103.473669
15,095.00	88.90	0.50	12,675.62	2,456.28	350.12	396,463.46	807,577.02	32.087041	-103.473664
15,190.00	88.50	359.40	12,677.78	2,551.25	350.03	396,558.43	807,576.94	32.087302	-103.473662
15,285.00	91.60	359.50	12,677.70	2,646.24	349.12	396,653.42	807,576.03	32.087563	-103.473663
15,380.00	92.80	0.10	12,674.05	2,741.16	348.79	396,748.34	807,575.70	32.087824	-103.473661
15,475.00	90.70	0.40	12,671.15	2,836.11	349.21	396,843.29	807,576.11	32.088085	-103.473658
15,571.00	91.40	0.70	12,669.39	2,932.09	350.13	396,939.27	807,577.03	32.088349	-103.473652
15,666.00	88.50	0.00	12,669.47	3,027.08	350.71	397,034.26	807,577.61	32.088610	-103.473648
15,761.00	89.10	359.40	12,671.46	3,122.06	350.21	397,129.24	807,577.12	32.088871	-103.473647
15,857.00	89.00	358.50	12,673.05	3,218.03	348.45	397,225.21	807,575.36	32.089135	-103.473650
15,952.00	89.20	357.40	12,674.54	3,312.95	345.05	397,320.13	807,571.96	32.089396	-103.473659
16,047.00	90.60	358.00	12,674.71	3,407.87	341.24	397,415.05	807,568.15	32.089657	-103.473669
16,142.00	90.50	357.50	12,673.80	3,502.80	337.51	397,509.97	807,564.42	32.089918	-103.473678
16,238.00	91.20	359.60	12,672.37	3,598.75	335.08	397,605.93	807,561.99	32.090181	-103.473684
16,333.00	91.40	359.20	12,670.22	3,693.72	334.09	397,700.90	807,561.00	32.090443	-103.473684
16,428.00	91.60	359.10	12,667.73	3,788.68	332.68	397,795.85	807,559.59	32.090704	-103.473686



Total Directional Services

Survey Report - Geographic



Company:	Devon Energy	Local Co-ordinate Reference:	Well Stranger 33 Fed 6H
Project:	Lea County, NM (NAD83)	TVD Reference:	GL 3325.4' + 25' KB @ 3350.40usft
Site:	Stranger 33/34 Fed	MD Reference:	GL 3325.4' + 25' KB @ 3350.40usft
Well:	Stranger 33 Fed 6H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.15 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,523.00	91.40	358.90	12,665.25	3,883.63	331.02	397,890.81	807,557.93	32.090965	-103.473689
16,618.00	91.50	358.70	12,662.84	3,978.58	329.03	397,985.76	807,555.94	32.091226	-103.473693
16,714.00	91.30	358.00	12,660.50	4,074.51	326.27	398,081.69	807,553.18	32.091489	-103.473700
16,809.00	90.10	357.60	12,659.34	4,169.43	322.62	398,176.61	807,549.53	32.091750	-103.473709
16,904.00	89.30	356.60	12,659.83	4,264.30	317.82	398,271.48	807,544.72	32.092011	-103.473722
16,999.00	90.90	0.30	12,659.67	4,359.25	315.25	398,366.43	807,542.15	32.092272	-103.473728
17,094.00	91.00	359.70	12,658.09	4,454.24	315.25	398,461.41	807,542.15	32.092533	-103.473726
17,189.00	90.60	358.90	12,656.77	4,549.22	314.09	398,556.40	807,540.99	32.092794	-103.473727
17,285.00	90.30	358.00	12,656.01	4,645.18	311.49	398,652.36	807,538.40	32.093058	-103.473733
17,380.00	90.00	357.60	12,655.76	4,740.11	307.84	398,747.29	807,534.75	32.093319	-103.473742
17,475.00	90.00	356.20	12,655.76	4,834.97	302.71	398,842.15	807,529.61	32.093580	-103.473756
17,559.00	90.10	356.00	12,655.69	4,918.77	296.99	398,925.95	807,523.90	32.093811	-103.473773
17,610.57	90.10	356.00	12,655.60	4,970.22	293.39	398,977.40	807,520.30	32.093952	-103.473783
X LTP @ 17611' MD, 100' FNL, 2347' FEL									
17,611.00	90.10	356.00	12,655.60	4,970.65	293.36	398,977.82	807,520.27	32.093953	-103.473783
PBHL; 100' FNL, 2347' FEL									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
12,144.00	12,115.94	-105.32	337.90	KOP @ 12144' MD, 100' FSL, 2302' FEL	
12,153.00	12,124.91	-104.99	337.30	X FTP @ 12153' MD, 100' FSL, 2303' FEL	
17,610.57	12,655.60	4,970.22	293.39	X LTP @ 17611' MD, 100' FNL, 2347' FEL	
17,611.00	12,655.60	4,970.65	293.36	PBHL; 100' FNL, 2347' FEL	

Checked By: _____ Approved By: _____ Date: _____

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-025-45881
1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐		5. Indicate Type of Lease STATE ☐ FEE ☐
2. Name of Operator Devon Energy Production Company, L.P.		6. State Oil & Gas Lease No.
3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102		7. Lease Name or Unit Agreement Name Stranger 33 Fed
4. Well Location Unit Letter <u>O</u> : <u>205</u> feet from the <u>South</u> line and <u>2640</u> feet from the <u>East</u> line Section <u>33</u> Township <u>25S</u> Range <u>34E</u> NMPM County <u>Lea</u>		8. Well Number 6H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3325.4'		9. OGRID Number 6137
		10. Pool name or Wildcat BOBCAT DRAW; UPPER WOLFCAMP

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
 TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
 PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐
 DOWNHOLE COMMINGLE ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
 COMMENCE DRILLING OPNS. ☐ P AND A ☐
 CASING/CEMENT JOB ☐

OTHER: ☐

OTHER: Completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.


12/3/21-5/18/22: MIRU WL & PT. TIH & ran CBL, found TOC @ 6,954'. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 12904'-17584', total 694 holes. Frac totals 11,702,363# proppant, 0 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 17,596' MD/12,656' TVD. CHC, FWB, ND BOP. RIH w/ 374 jts 2-7/8" L-80 tbg, set @ 12468'. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Shayda Omoumi TITLE Regulatory Compliance Associate DATE 6/14/2022

Type or print name Shayda Omoumi E-mail address: shayda.omoumi@dvnm.com PHONE: 405-552-3513
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO.		30-025-45881						
		2. Type of Lease		☐ STATE ☐ FEE ☒ FED/INDIAN						
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Stranger 33 Fed 6. Well Number: 6H				
7. Type of Completion:										
☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator						9. OGRID				
Devon Energy Production Company, L.P.						6137				
10. Address of Operator						11. Pool name or Wildcat				
333 West Sheridan Avenue, Oklahoma City, OK 73102						BOBCAT DRAW; UPPER WOLFCAMP				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	33	25S	34E		205	South	2640	East	Lea
BH:	B	33	25S	34E		104	North	2302	East	Lea
13. Date Spudded	14. Date T.D. Reached	15. Date Rig Released		16. Date Completed (Ready to Produce)		17. Elevations (DF and RKB, RT, GR, etc.)		3325.4' GL		
8/19/21	9/21/21	9/23/21		5/18/22						
18. Total Measured Depth of Well			19. Plug Back Measured Depth			20. Was Directional Survey Made?		21. Type Electric and Other Logs Run		
17611 MD, 12656 TVD			17,596 MD/12,656 TVD			Yes		CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name										
12904-17584, UPPER WOLFCAMP										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13-3/8"		54.5		914		17-1/2"		710 sx CIC; circ 493 sx		
8-5/8"		32		12090		9-7/8"		650 sx CIC & OTHER; circ 72 sx		
5-1/2"		20		17599		7-7/8"		990 sx POZ MIX; circ 0		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2-7/8" L-80	12468			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
12904 - 17584, total 694 holes						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12904-17584		Acidize and frac in 24 stages. See detailed summary attached.		
28. PRODUCTION										
Date First Production		Production Method (Flowing, gas lift, pumping - Size and type pump)				Well Status (Prod. or Shut-in)				
5/18/22		Flowing				Producing				
Date of Test	Hours Tested	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio			
5/31/22	24			1218	2442	3283	2004.926108			
Flow Tubing Press.	Casing Pressure	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
psi	psi									
29. Disposition of Gas (Sold, used for fuel, vented, etc.)							30. Test Witnessed By			
Sold										
31. List Attachments										
Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature				Printed Name	Shayda Omoumi	Title	Regulatory Compliance Associate	Date	6/14/2022	
E-mail Address	shayda.omoumi@dvn.com									

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
Rustler - 810			
Salt - 1200			
Base of Salt - 5325			
Lamar - 5325			
Delaware - 5325			
Cherry Canyon - 6325			
Brushy Canyon - 8050			
1st Bone Spring Lime - 9350			
1st Bone Spring Sand - 10450			
2nd Bone Spring Sand - 11025			
3rd Bone Spring Lime - 11450			
3rd Bone Spring Sand - 12020			
Wolfcamp - 12480			
Strawn - 14400			

No. 1, from.....	N/A	to.....	N/A	No. 3, from.....	N/A	to.....	N/A
No. 2, from.....	N/A	to.....	N/A	No. 4, from.....	N/A	to.....	N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 119109

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 119109
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 119109

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 119109
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	1/8/2025