

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: CULPEPPER MARTIN Well Location: T31N / R12W / SEC 4 /

SESW / 36.923152 / -108.103229

County or Parish/State: SAN

JUAN / NM

Well Number: 16R

Type of Well: CONVENTIONAL GAS

WELL

Allottee or Tribe Name:

Lease Number: NMSF078146 Unit or CA Name:

CULPEPPER/MARTIN, NEWBERRY

Unit or CA Number: NMNM73419, NMNM73971

US Well Number: 3004531036 Operator: HILCORP ENERGY

COMPANY

Notice of Intent

Sundry ID: 2814087

Type of Submission: Notice of Intent

Type of Action: Recompletion

Date Sundry Submitted: 09/27/2024

Time Sundry Submitted: 05:50

Date proposed operation will begin: 11/01/2024

Procedure Description: Hilcorp Energy Company requests permission to recomplete the subject well in the Fruitland Coal and downhole commingle with the existing MV/DK. Please see the attached procedure, current and proposed wellbore diagram, plat and natural gas management plan. A closed loop system will be used. Hilcorp will contact the FFO Surface group within 90 days after the well has been recompleted, before any interim reclamation work, to conduct the onsite. A reclamation plan will be submitted after the onsite.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

CULPEPPER_MARTIN_16R_PC_FRC_NOI_20240927131206.pdf

Well Name: CULPEPPER MARTIN Well Location: T31N / R12W / SEC 4 /

SESW / 36.923152 / -108.103229

County or Parish/State: SAN

JUAN / NM

Well Number: 16R Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

Lease Number: NMSF078146

Unit or CA Name: CULPEPPER/MARTIN, NEWBERRY **Unit or CA Number:**

US Well Number: 3004531036

NMNM73419, NMNM73971

Operator: HILCORP ENERGY

COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: SEP 27, 2024 01:12 PM Operator Electronic Signature: AMANDA WALKER

Name: HILCORP ENERGY COMPANY Title: Operations/Regulatory Technician Street Address: 1111 TRAVIS ST

City: HOUSTON State: TX

Phone: (346) 237-2177

Email address: MWALKER@HILCORP.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742 BLM POC Email Address: krennick@blm.gov

Disposition Date: 09/27/2024 Disposition: Approved

Signature: Kenneth Rennick




HILCORP ENERGY COMPANY CULPEPPER MARTIN #16R FRUITLAND COAL RECOMPLETE SUNDRY API 3004531036

JOB PROCEDURES

- 1. MIRU workover rig and associated equipment; NU and test BOP.
- 2. TOOH with tubing.
- 3. Set a plug within 50' of the top Mesaverde perforation (4,511') for zonal isolation.
- 4. Load hole with fluid. RU WL and run CBL to verify TOC. Review results with operations engineer and regulatory agencies.
- 5. Perform MIT on casing with NMOCD witness (notify NMOCD 24+ hours before test) and submit results to regulatory group.
- 6. If frac'ing down casing: pressure test casing to frac pressure.
- 7. RU WL. Perforate the Fruitland Coal. Top perforation @ 2,105', bottom perforation @ 2,451'.
- 8. If frac'ing down frac string: RIH w/ frac string and packer.
- 9. ND BOP, NU frac stack. Pressure test frac stack to frac pressure. Pressure test frac string (if applicable) to frac pressure. RDMO.
- 10. RU stimulation crew. Frac the Fruitland Coal in one or more stages. Set plugs in between stages, if necessary.
- 11. MIRU workover rig and associated equipment; NU and test BOP.
- 12. If frac was performed down frac string: POOH w/ frac string and packer.
- 13. TIH with mill and clean out to isolation plug.
- 14. Mill out isolation plug. Cleanout to PBTD. TOOH with cleanout assembly.
- 15. TIH and land production tubing. Flowback the well. Return well to production as a Fruitland Coal/Mesaverde/Dakota Producer.




HILCORP ENERGY COMPANY CULPEPPER MARTIN #16R FRUITLAND COAL RECOMPLETE SUNDRY





HILCORP ENERGY COMPANY CULPEPPER MARTIN #16R FRUITLAND COAL RECOMPLETE SUNDRY



Phone: (505) 476-3441 Fax: (55) 476-3462

General Information Phone: (505) 629-6116

Online Phone Directory Visit:

https://www.emnrd.nm.gov/ocd/contact-us/

State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION

| Revised July 9, 2024 | |
|-----------------------|--|
| Submit Electronically | |
| via OCD Permitting | |
| ubmittal | |

| | ☐ Initial Submittal |
|--------------------|---------------------|
| Submittal Type: | ☐ Amended Report |
| J1 ** | ☐ As Drilled |

| | | | | | WELL LOCA | TION INFORMATION | | | | | |
|--|--------------------|-------------------------------|--------------|---|----------------------|--|------------------|---------------|-------------|--------------|--|
| API Number Pool Code F | | | | Pool Name | | | | | | | |
| 30-045-31036 71629 | | | | | Basin Fruitland Coal | | | | | | |
| Property Code Property Name | | | | | | | Well Number | | | | |
| 318880 | | | Culpepper I | Martin | | | 16R | | | | |
| OGRID | No. | | Operator Na | | | | | | Ground Lev | el Elevation | |
| 372171 | | | Hilcorp Ener | rgy Compan | <u>y</u> | | | | 6052' | | |
| Surface | Owner: \square S | State \square Fee \square | Tribal ⊠ Fed | leral | | Mineral Owner: | State Fee | □ Tribal ⊠ | Federal | | |
| | Surface Location | | | | | | | | | | |
| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude | I | Longitude | County | |
| N | 04 | 31N | 12W | | 880' S | 1935' W | 36.9231491 | | 108.1032639 | San Juan | |
| | | <u> </u> | | | | | | | | | |
| | | | | | Bottor | m Hole Location | | | | | |
| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude | I | Longitude | County | |
| | | | | | | | | | | | |
| | | | | <u> </u> | | | | | | | |
| D 11 . | . 1 4 | T 6'11 D 6' | | D.C | TT 11 4 DT | | 11 1: (7/2) | G 111 | | 1 | |
| Dedicated Acres Infill or Defining Well | | Defining Well API | | Overlapping Spacing Unit (Y/N) Conso | | Consolidat | nsolidation Code | | | | |
| 318.79 | | Infill | | | | | | | | | |
| Order N | Numbers. | | | | | Well setbacks are under Common Ownership: □Yes □No | | | | | |
| | | | | | Kick (| Off Point (KOP) | | | | | |
| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude | I | Longitude | County | |
| | | <u>.</u> | 8. | | | | | | 8 | | |
| | | <u> </u> | | | | | | | | | |
| | | | | | First T | Take Point (FTP) | | | | | |
| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude | I | Longitude | County | |
| | | | | | | | | | | | |
| | | <u></u> | | <u> </u> | | I D I (TED) | | | | | |
| | · . | τ | | Τ_ | 1 | Cake Point (LTP) | T | 1. | | 1 _ 1 | |
| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude | I | Longitude | County | |
| | | | | | | | | | | | |
| | | | | | <u> </u> | | | | | | |
| Unitize | d Area or Are | ea of Uniform In | nterest | Spacing I | Unit Type □ Hor | izontal □ Vertical | Grour | nd Floor Ele | vation: | | |
| Cintize | a riica oi riic | or Chironii I | iterest | Spacing (| Jiiit Type 🗆 Hoii | izontai 🗀 Verticai | Groun | id i loor Ele | vation. | | |
| | | - | | <u>,1</u> | - | | | | | | |
| OPERA | TOR CERTI | IFICATIONS | | | | SURVEYOR CERTIFIC | CATIONS | | | | |
| I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land | | | | I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. | | | | | | | |
| including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral | | | | | | | | | | | |

interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed $interval\ will\ be\ located\ or\ obtained\ a\ compulsory\ pooling\ order\ from\ the\ division.$

| AWateler | |
|-----------|-----------|
| Je Waller | 9/26/2024 |
| Signature | Date |

Amanda Walker Printed Name

Roy A. Rush

Signature and Seal of Professional Surveyor

8894 Certificate Number


10/17/2001 Date of Survey

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

mwalker@hilcorp.com Email Address

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



State of New Mexico Energy, Minerals and Natural Resources Department

Submit Electronically Via E-permitting

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

NATURAL GAS MANAGEMENT PLAN

This Natural Gas Management Plan must be submitted with each Application for Permit to Drill (APD) for a new or recompleted well.

Section 1 – Plan Description Effective May 25, 2021

| I. Operator: Hilcorp En | OGI | RID: <u>3</u> ′ | 72171 D | oate: 9/26/202 | <u>24</u> | | | | |
|---|--------------|------------------------|----------------|----------------|------------------|-----------------------|--|--|--|
| II. Type: ⊠ Original □ Amendment due to □ 19.15.27.9.D(6)(a) NMAC □ 19.15.27.9.D(6)(b) NMAC □ Other. | | | | | | | | | |
| If Other, please describe: | | | | | | | | | |
| III. Well(s): Provide the be recompleted from a sin | | | | | set of wells pro | posed to be dri | illed or proposed to | | |
| Well Name | API | ULSTR | Footag | Footages | | Anticipated Gas MCF/D | Anticipated Produced Water BBL/D | | |
| Culpepper Martin 16R | 30-045-31036 | N-04-31N-12W | 880 FSL 193 | 5 FWL | 0 | 115 | 12 | | |
| | | | | | | | | | |
| IV. Central Delivery Point Name: Chaco Blanco Processing Plant [See 19.15.27.9(D)(1) NMAC] V. Anticipated Schedule: Provide the following information for each new or recompleted well or set of wells proposed to be drilled or proposed to be recompleted from a single well pad or connected to a central delivery point. Well Name API Spud Date TD Reached Completion Initial Flow First Production | | | | | | | | | |
| | | | Date Commence | | encement Date | Back Date | Date | | |
| Culpepper Martin 16R | 30-045-31036 | 5 | | | | | | | |
| | | 2 | | | | | | | |
| VI. Separation Equipment: Attach a complete description of how Operator will size separation equipment to optimize gas capture. VII. Operational Practices: Attach a complete description of the actions Operator will take to comply with the requirements of Subsection A through F of 19.15.27.8 NMAC. VIII. Best Management Practices: Attach a complete description of Operator's best management practices to minimize venting during active and planned maintenance. | | | | | | | | | |

Section 2 – Enhanced Plan EFFECTIVE APRIL 1, 2022

Beginning April 1, 2022, an operator that is not in compliance with its statewide natural gas capture requirement for the applicable reporting area must complete this section.

🗵 Operator certifies that it is not required to complete this section because Operator is in compliance with its statewide natural gas capture requirement for the applicable reporting area.

IX. Anticipated Natural Gas Production:

| Well | API | Anticipated Average Natural Gas Rate MCF/D | Anticipated Volume of Natural Gas for the First Year MCF |
|------|-----|---|--|
| | | | |
| | | | |

X. Natural Gas Gathering System (NGGS):

| Operator | System | ULSTR of Tie-in | Anticipated Gathering | Available Maximum Daily Capacity |
|----------|--------|-----------------|-----------------------|----------------------------------|
| | | | Start Date | of System Segment Tie-in |
| | | | | |
| | | | | |

| XI. Map. \square Attach an accurate and legible map depicting the location of the well(s), the anticipated pipeline route(s) connecting the |
|---|
| production operations to the existing or planned interconnect of the natural gas gathering system(s), and the maximum daily capacity of |
| the segment or portion of the natural gas gathering system(s) to which the well(s) will be connected. |

| XII. Line Capacity. The natural gas gathering system \square will \square will not have capacity to gather 100% of the a | nticipated natural gas |
|--|------------------------|
| production volume from the well prior to the date of first production. | |

| XIII. Line Pressure. Operator \square does \square does not anticipate that its existing well(s) connected to the same segment, or portion | on, of the |
|---|------------|
| natural gas gathering system(s) described above will continue to meet anticipated increases in line pressure caused by the new | well(s). |

| | Attach (| Operator' | s nlan to r | nanage r | roduction | in response | to the | increased | line press | ure |
|---|-----------|-----------|-------------|----------|-----------|--------------|----------|-----------|------------|------|
| ш | - Анаси ч | Oberator | s bian to i | nanage n | moduciion | III response | : io ine | increased | line bress | ure. |

| XIV. Confidentiality: Operator asserts confidentiality pursuant to Section 71-2-8 NMSA 1978 for the information provided | in |
|--|----|
| Section 2 as provided in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and attaches a full description of the specific informati | on |
| for which confidentiality is asserted and the basis for such assertion. | |

(h)

(i)

Section 3 - Certifications Effective May 25, 2021

Operator certifies that, after reasonable inquiry and based on the available information at the time of submittal: 🖂 Operator will be able to connect the well(s) to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system; or ☐ Operator will not be able to connect to a natural gas gathering system in the general area with sufficient capacity to transport one hundred percent of the anticipated volume of natural gas produced from the well(s) commencing on the date of first production, taking into account the current and anticipated volumes of produced natural gas from other wells connected to the pipeline gathering system. If Operator checks this box, Operator will select one of the following: Well Shut-In. ☐ Operator will shut-in and not produce the well until it submits the certification required by Paragraph (4) of Subsection D of 19.15.27.9 NMAC; or Venting and Flaring Plan.

Operator has attached a venting and flaring plan that evaluates and selects one or more of the potential alternative beneficial uses for the natural gas until a natural gas gathering system is available, including: power generation on lease; **(b)** power generation for grid; compression on lease; (c) (d) liquids removal on lease; reinjection for underground storage; (e) **(f)** reinjection for temporary storage; **(g)** reinjection for enhanced oil recovery;

Section 4 - Notices

1. If, at any time after Operator submits this Natural Gas Management Plan and before the well is spud:

other alternative beneficial uses approved by the division.

fuel cell production; and

- (a) Operator becomes aware that the natural gas gathering system it planned to connect the well(s) to has become unavailable or will not have capacity to transport one hundred percent of the production from the well(s), no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised venting and flaring plan containing the information specified in Paragraph (5) of Subsection D of 19.15.27.9 NMAC; or
- (b) Operator becomes aware that it has, cumulatively for the year, become out of compliance with its baseline natural gas capture rate or natural gas capture requirement, no later than 20 days after becoming aware of such information, Operator shall submit for OCD's approval a new or revised Natural Gas Management Plan for each well it plans to spud during the next 90 days containing the information specified in Paragraph (2) of Subsection D of 19.15.27.9 NMAC, and shall file an update for each Natural Gas Management Plan until Operator is back in compliance with its baseline natural gas capture rate or natural gas capture requirement.
- 2. OCD may deny or conditionally approve an APD if Operator does not make a certification, fails to submit an adequate venting and flaring plan which includes alternative beneficial uses for the anticipated volume of natural gas produced, or if OCD determines that Operator will not have adequate natural gas takeaway capacity at the time a well will be spud.

I certify that, after reasonable inquiry, the statements in and attached to this Natural Gas Management Plan are true and correct to the best of my knowledge and acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.

| Signature: Alluthur | | |
|---|--|--|
| Printed Name: Amanda Walker | | |
| Title: Operations Regulatory Tech Sr. | | |
| E-mail Address: mwalker@hilcorp.com | | |
| Date: 9/26/2024 | | |
| Phone: 346.237.2177 | | |
| OIL CONSERVATION DIVISION | | |
| (Only applicable when submitted as a standalone form) | | |
| Approved By: | | |
| Title: | | |
| Approval Date: | | |
| Conditions of Approval: | | |
| | | |
| | | |
| | | |
| | | |

VI. Separation Equipment:

Hilcorp Energy Company (HEC or Operator) production facilities include separation equipment designed to efficiently separate gas from liquid phases to optimize gas capture based on projected and estimated volumes from the targeted pool of our recomplete project. HEC will utilize flowback separation equipment and production separation equipment designed and built to industry specifications after the recomplete to optimize gas capture and send gas to sales or flare based on analytical composition. HEC operates facilities that are typically one-well facilities. Production separation equipment is upgraded prior to well being completed, if determined to be undersized or inadequate. This equipment is already on-site and tied into our sales gas lines prior to the recomplete operations.

VII. Operational Practices:

- 1. Subsection (A) Venting and Flaring of Natural Gas
 - HEC understands the requirements of NMAC 19.15.27.8 which outlines that the venting and flaring of natural gas during drilling, completion or production operations that constitutes waste as defined in 19.15.2 are prohibited.
- 2. Subsection (B) Venting and Flaring during drilling operations
 - o This gas capture plan isn't for a well being drilled.
- 3. Subsection (C) Venting and flaring during completion or recompletion
 - o Flowlines will be routed for flowback fluids into a completion or storage tank and if feasible under well conditions, flare rather than vent and commence operation of a separator as soon as it is technically feasible for a separator to function.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
- 4. Subsection (D) Venting and flaring during production operations
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.
 - o Monitor manual liquid unloading for wells on-site or in close proximity (<30 minutes' drive time), take reasonable actions to achieve a stabilized rate and pressure at the earliest practical time, and take reasonable actions to minimize venting to the maximum extent practicable.
 - o HEC will not vent or flare except during the approved activities listed in NMAC 19.15.27.8 (D) 1-4.
- 5. Subsection (E) Performance standards
 - o All tanks and separation equipment are designed for maximum throughput and pressure to minimize waste.
 - o If a flare is utilized during production operations it will have a continuous pilot and is located more than 100 feet from any known well or storage tanks.
 - At any point in the well life (completion, production, inactive) an audio, visual and olfactory inspection be performed at prescribed intervals (weekly or monthly) pursuant to Subsection D of 19.15.27.8 NMAC, to confirm that all production equipment is operating properly and there are no leaks or releases.

- 6. Subsection (F) Measurement or estimation of vented and flared natural gas
 - o Measurement equipment is installed to measure the volume of natural gas flared from process piping.
 - o When measurement isn't practicable, estimation of vented and flared natural gas will be completed as noted in 19.15.27.8 (F) 5-6.

VIII. Best Management Practices:

- 1. Operator has adequate storage and takeaway capacity for wells it chooses to recomplete as the flowlines at the sites are already in place and tied into a gathering system.
- 2. Operator will flare rather than vent vessel blowdown gas when technically feasible during active and/or planned maintenance to equipment on-site.
- 3. Operator combusts natural gas that would otherwise be vented or flared, when technically feasible.
- 4. Operator will shut in wells in the event of a takeaway disruption, emergency situation, or other operations where venting or flaring may occur due to equipment failures.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 388418

CONDITIONS

| Operator: | OGRID: |
|------------------------|-----------------------------------|
| HILCORP ENERGY COMPANY | 372171 |
| 1111 Travis Street | Action Number: |
| Houston, TX 77002 | 388418 |
| | Action Type: |
| | [C-103] NOI Recompletion (C-103E) |

CONDITIONS

| Created By | | Condition Date |
|-------------|---|-------------------|
| ward.rikala | Notify OCD prior to commencement of operations and MIT's. | 2/3/2025 |
| ward.rikala | Must have DHC approval prior to production. | 2/3/2025 |