	State	M State of New Mexico			Form CP163 1 o Revised August 1, 2011			
<u>District I</u> – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources			es [WELL API NO.			
<u>District II</u> – (5/5) /48-1283 811 S. First St., Artesia, NM 88210	trict III - (505) 334-6178 0 Rio Brazos Rd., Aztec, NM 87410 trict IV - (505) 476-3460 0 S. St. Francis Dr., Santa Fe, NM			N	30-015-25000 5. Indicate Type of Lease			
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd Aztec, NM 87410					STATE X FEE 6. State Oil & Gas Lease No.			
<u>District IV</u> – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505								
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)				7. Lease Name or Unit Agreement Name				
				-	TENNECO STATE 8. Well Number			
1. Type of Well: Oil Well X Gas Well Other				002				
2. Name of Operator JIM PIERCE					9. OGRID Num 99439			
3. Address of Operator 200 WEST 1 ST STREET, SUITE 859, ROSWELL, NM 88203					10. Pool name or Wildcat TURKEY TRACK; SR, Q, G, S.A.			
4. Well Location				2210	C . C 1	T T C T	r · · · · ·	
Unit Letter C:	495 feet from the		line and	2310	feet from the	WEST	line	
Section 02	Township		Range	29E	NMPM	EDDY	County	
	11. Elevation (Show	whether DR, 3,414'	RKB, RT, G	R, etc.)				
	Appropriate Box to INTENTION TO: PLUG AND ABANDO		REMEDIAL	SUBS	SEQUENT RI	EPORT	OF: NG CASING	
TEMPORARILY ABANDON	CHANGE PLANS		COMMEN	CE DRIL	LING OPNS.	P AND A	X A	
PULL OR ALTER CASING			CASING/C	EMENT	JOB			
DOWNHOLE COMMINGLE								
OTHER:		П	OTHER: W	FLL PL	UGGED AND AB	ANDONE	06/20/2024	
13. Describe proposed or com	pleted operations. (Clea	rly state all p	ertinent deta	ils, and	give pertinent da	tes, includ	ing estimated date	
of starting any proposed v proposed completion or re		./.14 NWIAC	C. For Multi	pie Com	ipictions. Attach	Welloofe	nagram or	
of starting any proposed v	completion. DWELL. CHISOS, LT	D. RESPEC	TFULLY S	UBMIT	S THIS SUBSEQ	UENT RE		
of starting any proposed v proposed completion or re THIS IS AN ORPHANE AND ABANDONMENT 06/18/2024: SET 5-1/2" C 30 MINS.; RI	completion. CD WELL. CHISOS, LT PER THE REQUEST OF CIBP @ 2,320'; CIRC. W UN CBL; PUMP (25) SX	TD. RESPEC F THE NEW ELL W/ M.I S. CLASS"	TFULLY SI MEXICO S L.F.; PRES. C" CMT. @	UBMIT STATE	S THIS SUBSEC LAND OFFICE. -1/2" CIBP X CS	UENT RE	EPORT OF PLUG	
of starting any proposed v proposed completion or re THIS IS AN ORPHANE AND ABANDONMENT 06/18/2024: SET 5-1/2" C 30 MINS.; RI SXS. CLASS	completion. CD WELL. CHISOS, LT PER THE REQUEST OF CIBP @ 2,320'; CIRC. W UN CBL; PUMP (25) SX "C" CMT. @ 1,600' (PI	TD. RESPEC F THE NEW ELL W/ M.I (S. CLASS " ER OCD); W	TTFULLY SI MEXICO S L.F.; PRES. C" CMT. @	UBMIT STATE TEST 5	S THIS SUBSEC LAND OFFICE. 5-1/2" CIBP X CS ; WOC X TAG T	QUENT RE GG. TO 500 OC @ 2,0	EPORT OF PLUG D# X HOLD FOR 10'; PUMP (25)	
of starting any proposed we proposed completion or restricted to the proposed completion of restriction of the proposed completion of restriction of the proposed completion of restriction of the proposed complete the proposed completion of restriction of the proposed completion of the propose	completion. D WELL. CHISOS, LT PER THE REQUEST OF CIBP @ 2,320'; CIRC. W UN CBL; PUMP (25) SX "C" CMT. @ 1,600' (PI O) 1,361'; PERF. SQZ. HOL D; PUMP (25) SXS. CLA	TD. RESPEC F THE NEW TELL W/ M.I (S. CLASS " ER OCD); W DLES @ 1,34 JES @ 1,290 ASS "C" CM	TFULLY SI MEXICO S L.F.; PRES. C" CMT. @ 7OC. 40' (PER OCE T' (PER OCE IT. @ 1,361'	UBMIT STATE TEST 5 2,320'; CD); AT	S THIS SUBSEC LAND OFFICE. 5-1/2" CIBP X CS ; WOC X TAG T TEMPT TO EST. EMPT TO EST.	OUENT RESERVED TO SOLO OC @ 2,0	EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) TE – PRES UP E – PRES. UP TO	
of starting any proposed we proposed completion or restricted to the proposed completion of restricted to the proposed completion of restricted to the proposed of the propose	completion. D WELL. CHISOS, LT PER THE REQUEST OF CIBP @ 2,320'; CIRC. W UN CBL; PUMP (25) SX "C" CMT. @ 1,600' (PI O) 1,361'; PERF. SQZ. HOL O; PUMP (25) SXS. CLA SXS. CLASS "C" CMT.	TD. RESPEC F THE NEW TELL W/ M.I (S. CLASS " ER OCD); W DLES @ 1,34 ES @ 1,290 ASS "C" CM @ 600'; WC	TFULLY SI MEXICO S L.F.; PRES. C" CMT. @ 7OC. 40' (PER OCE IT. @ 1,361' OC.	UBMIT STATE TEST 5 2,320'; CD); AT O); ATTI	S THIS SUBSECT LAND OFFICE. S-1/2" CIBP X CS ; WOC X TAG TO TEMPT TO EST EMPT TO EST. DCD); WOC X T	QUENT RE GG. TO 500 OC @ 2,0 '. INJ. RA' INJ. RATE AG TOC (EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) FE - PRES UP E - PRES. UP TO @ 1,040'; PERF.	
of starting any proposed we proposed completion or research this is an orphane and abandonment of 18/2024: SET 5-1/2" of 30 Mins.; Risks. Class of 19/2024: TAG TOC @TO 700# X HOL X SQZ. (90) of 19/2024: TAG TOC @	completion. CD WELL. CHISOS, LT PER THE REQUEST OF CIBP @ 2,320'; CIRC. W UN CBL; PUMP (25) SX "C" CMT. @ 1,600' (PI 2) 1,361'; PERF. SQZ. HOL CID; PUMP (25) SXS. CLA SXS. CLASS "C" CMT. 2) 270'; PERF. X CIRC. T	TD. RESPEC F THE NEW TELL W/ M.I (S. CLASS " ER OCD); W DLES @ 1,34 LES @ 1,290 ASS "C" CM @ 600'; WC	TTFULLY SI MEXICO S L.F.; PRES. C" CMT. @ OC. 40' (PER OCE T. @ 1,361' OC. ILLING AL	UBMIT STATE TEST 5 2,320'; CD); ATT (PER C	S THIS SUBSECT LAND OFFICE. 3-1/2" CIBP X CS ; WOC X TAG TO TEMPT TO EST. EMPT TO EST. DCD); WOC X TO ULI, (65) SXS. C	QUENT RE G. TO 500 OC @ 2,0 C. INJ. RATE AG TOC (EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) FE – PRES UP E – PRES. UP TO @ 1,040'; PERF. C' CMT. @ 100'-	
of starting any proposed we proposed completion or restricted to the proposed to th	completion. D WELL. CHISOS, LT PER THE REQUEST OF CIBP @ 2,320'; CIRC. W UN CBL; PUMP (25) SX "C" CMT. @ 1,600' (PI O) 1,361'; PERF. SQZ. HOL O; PUMP (25) SXS. CLA SXS. CLASS "C" CMT.	TD. RESPEC F THE NEW ELL W/ M.I (S. CLASS " ER OCD); W DLES @ 1,290 ASS "C" CM @ 600'; WC O SURF., F AD 3' B.G.L	TTFULLY SI MEXICO S L.F.; PRES. C" CMT. @ 7OC. 40' (PER OCE IT. @ 1,361' OC. ILLING AL ; VERIFY (UBMIT STATE TEST 5 2,320'; CD); ATT 0); ATT 1 (PER C	S THIS SUBSECT LAND OFFICE. 3-1/2" CIBP X CS ; WOC X TAG TO TEMPT TO EST. EMPT TO EST. DCD); WOC X TO ULI, (65) SXS. C	QUENT RE G. TO 500 OC @ 2,0 C. INJ. RATE AG TOC (EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) FE – PRES UP E – PRES. UP TO @ 1,040'; PERF. C' CMT. @ 100'-	
of starting any proposed we proposed completion or restricted to the proposed to th	completion. CD WELL. CHISOS, LT PER THE REQUEST OF CIBP @ 2,320'; CIRC. W UN CBL; PUMP (25) SX "C" CMT. @ 1,600' (PI) 1,361'; PERF. SQZ. HOL IOLD; PERF. SQZ. HOL D; PUMP (25) SXS. CLA SXS. CLASS "C" CMT.) 270'; PERF. X CIRC. T X CUT OFF WELLHE	TD. RESPEC F THE NEW ELL W/ M.I (S. CLASS " ER OCD); W DLES @ 1,290 ASS "C" CM @ 600'; WC O SURF., F AD 3' B.G.L	TTFULLY SI MEXICO S L.F.; PRES. C" CMT. @ 7OC. 40' (PER OCE IT. @ 1,361' OC. ILLING AL ; VERIFY (UBMIT STATE TEST 5 2,320'; CD); ATT 0); ATT 1 (PER C	S THIS SUBSECT LAND OFFICE. 3-1/2" CIBP X CS ; WOC X TAG TO TEMPT TO EST. EMPT TO EST. DCD); WOC X TO ULI, (65) SXS. C	QUENT RE G. TO 500 OC @ 2,0 C. INJ. RATE AG TOC (EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) FE – PRES UP E – PRES. UP TO @ 1,040'; PERF. C' CMT. @ 100'-	
of starting any proposed we proposed completion or restricted to the proposed to th	completion. CD WELL. CHISOS, LT PER THE REQUEST OF CIBP @ 2,320'; CIRC. W UN CBL; PUMP (25) SX "C" CMT. @ 1,600' (PI) 1,361'; PERF. SQZ. HOL [OLD; PERF. SQZ. HOL D; PUMP (25) SXS. CLA SXS. CLASS "C" CMT.) 270'; PERF. X CIRC. T "X CUT OFF WELLHE TE TO CSGS. X INSTAL	TD. RESPEC F THE NEW ELL W/ M.I (S. CLASS " ER OCD); W DLES @ 1,290 ASS "C" CM @ 600'; WC O SURF., F AD 3' B.G.L	TFULLY SI MEXICO S L.F.; PRES. C" CMT. @ 7OC. 40' (PER OCE IT. @ 1,361' OC. ILLING AL .; VERIFY (DLE MARKE	UBMIT STATE TEST 5 (2,320'; CD); ATTO (PER C L ANNO CMT. T ER.	S THIS SUBSECT LAND OFFICE. 3-1/2" CIBP X CS ; WOC X TAG TO TEMPT TO EST. EMPT TO EST. DCD); WOC X TO ULI, (65) SXS. C	QUENT REGERMANT REGERMANT RATE AG TOC (CLASS "C").L ANNUI	EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) FE – PRES UP E – PRES. UP TO @ 1,040'; PERF. C' CMT. @ 100'-	
of starting any proposed we proposed completion or restricted to the proposed completion or restricted to the proposed completion or restricted to the proposed of the propose	completion. CD WELL. CHISOS, LT PER THE REQUEST OF CIBP @ 2,320'; CIRC. W UN CBL; PUMP (25) SX "C" CMT. @ 1,600' (PI) 1,361'; PERF. SQZ. HOL [OLD; PERF. SQZ. HOL D; PUMP (25) SXS. CLA SXS. CLASS "C" CMT.) 270'; PERF. X CIRC. T "X CUT OFF WELLHE TE TO CSGS. X INSTAL	TD. RESPEC F THE NEW ELL W/ M.I (S. CLASS " ER OCD); W DLES @ 1,290 ASS "C" CM @ 600'; WC O SURF., F AD 3' B.G.L	TFULLY SI MEXICO S L.F.; PRES. C" CMT. @ 7OC. 40' (PER OCE IT. @ 1,361' OC. ILLING AL .; VERIFY (DLE MARKE	UBMIT STATE TEST 5 (2,320'; CD); ATTO (PER C L ANNO CMT. T ER.	S THIS SUBSECT LAND OFFICE. S-1/2" CIBP X CS ; WOC X TAG TO TEMPT TO EST. EMPT TO EST.	QUENT REGERMANT REGERMANT RATE AG TOC (CLASS "C").L ANNUI	EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) FE – PRES UP E – PRES. UP TO @ 1,040'; PERF. C' CMT. @ 100'-	
of starting any proposed we proposed completion or restricted to the proposed completion or restricted to the proposed completion or restricted to the proposed of the propose	COMPletion. CD WELL. CHISOS, LT PER THE REQUEST OF THE REGION	TD. RESPEC F THE NEW TELL W/ M.I (S. CLASS " ER OCD); W DLES @ 1,34 LES @ 1,290 ASS "C" CM @ 600'; WC O SURF., F AD 3' B.G.L LL DRY HO	TFULLY SI MEXICO S L.F.; PRES. C" CMT. @ 7OC. 40' (PER OCE IT. @ 1,361' OC. ILLING AL ; VERIFY (LE MARKE	UBMIT STATE TEST 5 2,320'; CD); ATTI (PER C L ANNI CMT. T ER.	S THIS SUBSECT LAND OFFICE. 5-1/2" CIBP X CS ; WOC X TAG TO EST EMPT TO EST. EMPT TO EST. DCD); WOC X TO ULI, (65) SXS. CO O SURF. ON AL EQUIP.; 06/20/2	QUENT REGERMANT REGERMANT RATE AG TOC (CLASS "C").L ANNUI	EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) FE – PRES UP E – PRES. UP TO @ 1,040'; PERF. C' CMT. @ 100'-	
of starting any proposed we proposed completion or restricted to the proposed completion or restricted to the proposed completion or restricted to the proposed of the propose	COMPletion. CD WELL. CHISOS, LT PER THE REQUEST OF THE REGION	TD. RESPEC F THE NEW TELL W/ M.I (S. CLASS " ER OCD); W DLES @ 1,34 LES @ 1,290 ASS "C" CM @ 600'; WC O SURF., F AD 3' B.G.L LL DRY HO	TFULLY SI MEXICO S L.F.; PRES. C" CMT. @ 7OC. 40' (PER OCE IT. @ 1,361' OC. ILLING AL ; VERIFY (LE MARKE	UBMIT STATE TEST 5 2,320'; CD); ATTI (PER C L ANNI CMT. T ER.	S THIS SUBSECT LAND OFFICE. 5-1/2" CIBP X CS ; WOC X TAG TO EST EMPT TO EST. EMPT TO EST. DCD); WOC X TO ULI, (65) SXS. CO O SURF. ON AL EQUIP.; 06/20/2	QUENT REGERMANT REGERMANT RATE AG TOC (CLASS "C") L ANNUI	EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) FE – PRES UP E – PRES. UP TO @ 1,040'; PERF. C' CMT. @ 100'-	
of starting any proposed we proposed completion or research to the proposed complete to the proposed com	COMPLETION. CD WELL. CHISOS, LTOWN PER THE REQUEST OF CIBP @ 2,320'; CIRC. WE UN CBL; PUMP (25) SX "C" CMT. @ 1,600' (PI) 1,361'; PERF. SQZ. HOLD; PUMP (25) SXS. CLASS "C" CMT. D; PUMP (25) SXS. CLASS "C" CMT. D; PERF. X CIRC. TO CSGS. X INSTAIR TO CSGS. X I	TD. RESPEC F THE NEW TELL W/ M.I (S. CLASS " ER OCD); W DLES @ 1,34 LES @ 1,290 ASS "C" CM @ 600'; WC O SURF., F AD 3' B.G.L LL DRY HO	THULLY SI MEXICO S L.F.; PRES. C" CMT. @ OC. 40' (PER OCD IT. @ 1,361' OC. ILLING AL; VERIFY OLD REMARKE	UBMIT STATE TEST 5 2,320'; CD); ATTI (PER C L ANNI CMT. T ER.	S THIS SUBSECT LAND OFFICE. 3-1/2" CIBP X CS; WOC X TAG TO TEMPT TO EST. EMPT TO E	QUENT REGERMANT REGERMANT RATE AG TOC (CLASS "C") L ANNUI	EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) FE – PRES UP E – PRES. UP TO ② 1,040'; PERF. C' CMT. ② 100'- LI; WELD ON	
of starting any proposed we proposed completion or restricted to the proposed completion or restricted to the proposed completion or restricted to the proposed of the propose	COMPLETION. CD WELL. CHISOS, LT PER THE REQUEST OF THE REGION	TD. RESPECT THE NEW YELL W/ M.I. S. CLASS "ER OCD); WOLES @ 1,34 LES @ 1,290 ASS "C" CM @ 600'; WOLES WORD SURF., F AD 3' B.G.L LL DRY HOO The control of the beautiful of the	THULLY SI MEXICO S L.F.; PRES. C" CMT. @ OC. 10' (PER OCE IT. @ 1,361' OC. ILLING AL; VERIFY OLE MARKE RDM est of my known	UBMIT STATE TEST 5 2,320'; CD); ATT (PER C L ANNI CMT. T ER. CO PXA	S THIS SUBSECT LAND OFFICE. 3-1/2" CIBP X CS; WOC X TAG TO TEMPT TO EST. EMPT TO E	QUENT REGIONAL CONTROL OF THE CONTRO	EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) FE – PRES UP E – PRES. UP TO ② 1,040'; PERF. C CMT. ② 100'- LI; WELD ON	
of starting any proposed we proposed completion or research to the proposed complete to the proposed com	COMPLETION. CD WELL. CHISOS, LT PER THE REQUEST OF THE REGION	TD. RESPECT THE NEW YELL W/ M.I. S. CLASS "ER OCD); W. DLES @ 1,34 LES @ 1,290 ASS "C" CM. @ 600'; W. O SURF., F. AD 3' B.G.L LL DRY HO The control of the beautiful address: DI address: DI address: DI	THULLY SI MEXICO S L.F.; PRES. C" CMT. @ OC. 10' (PER OCE IT. @ 1,361' OC. ILLING AL; VERIFY OLE MARKE RDM est of my known	UBMIT STATE TEST 5 2,320'; CD); AT 0); ATTI 1 (PER C L ANNI CMT. T ER. TO PXA Dowledge	S THIS SUBSECT LAND OFFICE. 3-1/2" CIBP X CS; WOC X TAG TO TEMPT TO EST. IN TEMPT TO EST.	QUENT REGION OC @ 2,0 C. INJ. RATE AG TOC (CLASS "C") LL ANNUL ATE: 07 HONE: 4:	EPORT OF PLUG O# X HOLD FOR 10'; PUMP (25) FE – PRES UP E – PRES. UP TO ② 1,040'; PERF. C CMT. ② 100'- LI; WELD ON	



Office	State of New Mexico			Form CP169 3 of Revised August 1, 2011			
District I – (575) 393-6161 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Natural Resources			WELL API NO.			
<u>District II</u> – (575) 748-1283 811 S. First St., Artesia, NM 88210	rict III – (505) 334-6178 D Rio Brazos Rd., Aztec, NM 87410 rict IV – (505) 476-3460 S. St. Francis Dr., Santa Fe, NM Santa Fe, NM 87505			30-015-25000 5. Indicate Type of Lease			
<u>District III</u> – (505) 334-6178 1000 Rio Brazos Rd. Aztec, NM 87410				STATE X FEE 6. State Oil & Gas Lease No.			
District IV – (505) 476-3460 1220 S. St. Francis Dr., Santa Fe, NM 87505							
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)				7. Lease Name or Unit Agreement Name			
				TENNECO STATE 8. Well Number			
1. Type of Well: Oil Well X Gas Well Other			002				
2. Name of Operator JIM PIERCE				9. OGRID Num 99439			
3. Address of Operator 200 WEST 1 ST STREET, SUITE 859 , 1		10. Pool name or Wildcat TURKEY TRACK; SR, Q, G, S.A.					
4. Well Location				6 . 6 . 4	WEGE	r P	
Unit Letter C: 49				feet from the	WEST	line	
Section 02	Township 193		29E	NMPM	EDDY	County	
	1. Elevation (Snow whe 3,4)		i, GK, eic.)				
	HANGE PLANS ULTIPLE COMPL		ENCE DRIL G/CEMENT	LING OPNS.	P AND A	X	
OTHER:				UGGED AND AB			
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp	SEE RULE 19.15.7.14 letion.	state all pertinent 4 NMAC. For M	details, and ultiple Con	give pertinent da ppletions: Attach	tes, includi wellbore d	ng estimated date agram of	
13. Describe proposed or completed of starting any proposed work).	SEE RULE 19.15.7.16 sletion. ELL. CHISOS, LTD.	state all pertinent 4 NMAC. For M RESPECTFULLY	details, and ultiple Con	give pertinent dan pletions: Attach	tes, includi wellbore di	ng estimated date agram of	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED W. AND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C	SEE RULE 19.15.7.16 eletion. ELL. CHISOS, LTD. THE REQUEST OF TO 2,320'; CIRC. WELLER; PUMP (25) SXS. (state all pertinent 4 NMAC. For M RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT	details, and ultiple Com Y SUBMIT O STATE ES. TEST 5	give pertinent dan pletions: Attach S THIS SUBSEQ LAND OFFICE. 6-1/2" CIBP X CS	tes, includir wellbore di QUENT REI	ng estimated date agram of PORT OF PLUG	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED WAND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C	SEE RULE 19.15.7.16 eletion. ELL. CHISOS, LTD. THE REQUEST OF TO THE REQUEST OF TO THE PUMP (25) SXS. (CMT. @ 1,600' (PER CO.)	state all pertinent 4 NMAC. For M RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC.	details, and ultiple Com Y SUBMIT O STATE ES. TEST 5 T. @ 2,320	give pertinent da npletions: Attach S THIS SUBSEQ LAND OFFICE. 5-1/2" CIBP X CS ; WOC X TAG T	etes, includir wellbore di QUENT REI GG. TO 500; OC @ 2,01	ng estimated date agram of PORT OF PLUG X HOLD FOR Y; PUMP (25)	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED W. AND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C SXS. CLASS "C" (06/19/2024: TAG TOC @ 1,36 TO 700# X HOLD 700# X HOLD; PU	SEE RULE 19.15.7.16 oletion. ELL. CHISOS, LTD. THE REQUEST OF THE REQUEST OF THE REPORCE OF THE	RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC. S @ 1,340' (PER @ 1,290' (PER C	details, and ultiple Com Y SUBMIT CO STATE ES. TEST 5 T. @ 2,320' OCD); ATD OCD); ATT	give pertinent dan pletions: Attach S THIS SUBSEQ LAND OFFICE. S-1/2" CIBP X CS; WOC X TAG T TEMPT TO EST EMPT TO EST. I	etes, includit wellbore di QUENT RES GG. TO 500; OC @ 2,01 C. INJ. RATE	ng estimated date agram of PORT OF PLUG X HOLD FOR 0'; PUMP (25) E – PRES UP – PRES. UP TO	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED W. AND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C SXS. CLASS "C" (06/19/2024: TAG TOC @ 1,36 TO 700# X HOLD 700# X HOLD; PU X SQZ. (90) SXS.	SEE RULE 19.15.7.16 oletion. ELL. CHISOS, LTD. THE REQUEST OF THE REGUEST OF THE	RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC. S @ 1,340' (PER @ 1,290' (PER C G "C" CMT. @ 1,3 600'; WOC.	details, and ultiple Com Y SUBMIT CO STATE ES. TEST 5 T. @ 2,320' OCD); AT OCD); AT TEST (PER CO	give pertinent dan pletions: Attach S THIS SUBSEQ LAND OFFICE. 3-1/2" CIBP X CS; WOC X TAG TO EST EMPT TO EST. I DCD); WOC X T.	tes, includir wellbore di OUENT REI GG. TO 500 OC @ 2,01 C. INJ. RAT INJ. RATE AG TOC @	rig estimated date agram of PORT OF PLUG X HOLD FOR 0'; PUMP (25) E – PRES UP – PRES. UP TO 1,040'; PERF.	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED W. AND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C SXS. CLASS "C" 06/19/2024: TAG TOC @ 1,36 TO 700# X HOLD; PU X SQZ. (90) SXS. 06/20/2024: TAG TOC @ 270' 3"; DIG OUT X CU	SEE RULE 19.15.7.16 letion. ELL. CHISOS, LTD. THE REQUEST OF TO SELE, PUMP (25) SXS. CMT. @ 1,600' (PER OL'; PERF. SQZ. HOLES; PERF. SQZ. HOLES OMP (25) SXS. CLASS CLASS "C" CMT. @ 0; PERF. X CIRC. TO SELECT OF WELLHEAD	RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC. ES @ 1,340' (PER @ 1,290' (PER C 3 "C" CMT. @ 1,3 600'; WOC. SURF., FILLING 3' B.G.L.; VERII	details, and ultiple Com Y SUBMIT CO STATE ES. TEST 5 C. @ 2,320' COCD); ATT OCD); ATT OCD); ATT OCD;	give pertinent dan pletions: Attach STHIS SUBSEQ LAND OFFICE. 6-1/2" CIBP X CS; WOC X TAG TO EST EMPT TO EST EMPT TO EST. ID COD); WOC X TO ULI, (65) SXS. C	etes, includir wellbore di OUENT REI GG. TO 500 OC @ 2,01 C. INJ. RAT INJ. RATE AG TOC @	rig estimated date agram of PORT OF PLUG X HOLD FOR 0'; PUMP (25) E – PRES UP – PRES. UP TO 0 1,040'; PERF. CMT. @ 100'-	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED W. AND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C SXS. CLASS "C" 06/19/2024: TAG TOC @ 1,36 TO 700# X HOLD; PU X SQZ. (90) SXS. 06/20/2024: TAG TOC @ 270' 3"; DIG OUT X CU	SEE RULE 19.15.7.16 Deletion. ELL. CHISOS, LTD. THE REQUEST OF THE REQUEST OF THE REQUEST OF THE REPORCE OF T	RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC. ES @ 1,340' (PER @ 1,290' (PER C 3 "C" CMT. @ 1,3 600'; WOC. SURF., FILLING 3' B.G.L.; VERII	details, and ultiple Com Y SUBMIT CO STATE ES. TEST 5 C. @ 2,320' COCD); ATT OCD); ATT OCD); ATT OCD;	give pertinent dan pletions: Attach STHIS SUBSEQ LAND OFFICE. 6-1/2" CIBP X CS; WOC X TAG TO EST EMPT TO EST EMPT TO EST. ID COD); WOC X TO ULI, (65) SXS. C	etes, includir wellbore di OUENT REI GG. TO 500 OC @ 2,01 C. INJ. RAT INJ. RATE AG TOC @	rig estimated date agram of PORT OF PLUG X HOLD FOR 0'; PUMP (25) E – PRES UP – PRES. UP TO 0 1,040'; PERF. CMT. @ 100'-	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED W. AND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C SXS. CLASS "C" 06/19/2024: TAG TOC @ 1,36 TO 700# X HOLD; PU X SQZ. (90) SXS. 06/20/2024: TAG TOC @ 270' 3"; DIG OUT X CU STEEL PLATE TO	SEE RULE 19.15.7.16 Detion. ELL. CHISOS, LTD. THE REQUEST OF SUZ. HOLES TO SEE TO SUMP (25) SXS. CLASS CLASS "C" CMT. @ (3) TOFF WELLHEAD OCSGS. X INSTALL	RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC. ES @ 1,340' (PER @ 1,290' (PER C 3 "C" CMT. @ 1,3 600'; WOC. SURF., FILLING 3' B.G.L.; VERIH DRY HOLE MAR	details, and ultiple Com Y SUBMIT CO STATE ES. TEST 5 (@ 2,320' OCD); AT 1 (CCD); ATT 661' (PER (CANN) FY CMT. TRKER.	give pertinent dan pletions: Attach strains: Attach strains SUBSEQ LAND OFFICE. G-1/2" CIBP X CS; WOC X TAG TO EST TO EST. IN EMPT EMPT TO EST. IN EMPT EMPT TO EST. IN EMPT EMPT EMPT EMPT EMPT EMPT EMPT EMPT	etes, includir wellbore di QUENT REI GG. TO 500; OC @ 2,01 T. INJ. RAT INJ. RATE AG TOC @ ELASS "C" LL ANNUL	rig estimated date agram of PORT OF PLUG X HOLD FOR 0'; PUMP (25) E – PRES UP – PRES. UP TO 0 1,040'; PERF. CMT. @ 100'-	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED W. AND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C SXS. CLASS "C" 06/19/2024: TAG TOC @ 1,36 TO 700# X HOLD; PU X SQZ. (90) SXS. 06/20/2024: TAG TOC @ 270' 3"; DIG OUT X CU	SEE RULE 19.15.7.16 Detion. ELL. CHISOS, LTD. THE REQUEST OF SUZ. HOLES TO SEE TO SUMP (25) SXS. CLASS CLASS "C" CMT. @ (3) TOFF WELLHEAD OCSGS. X INSTALL	RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC. ES @ 1,340' (PER @ 1,290' (PER C 3 "C" CMT. @ 1,3 600'; WOC. SURF., FILLING 3' B.G.L.; VERIH DRY HOLE MAR	details, and ultiple Com Y SUBMIT CO STATE ES. TEST 5 (@ 2,320' OCD); AT 1 (CCD); ATT 661' (PER (CANN) FY CMT. TRKER.	give pertinent dan pletions: Attach STHIS SUBSEQ LAND OFFICE. 6-1/2" CIBP X CS; WOC X TAG TO EST EMPT TO EST EMPT TO EST. ID COD); WOC X TO ULI, (65) SXS. C	etes, includir wellbore di QUENT REI GG. TO 500; OC @ 2,01 T. INJ. RAT INJ. RATE AG TOC @ ELASS "C" LL ANNUL	rig estimated date agram of PORT OF PLUG X HOLD FOR 0'; PUMP (25) E – PRES UP – PRES. UP TO 0 1,040'; PERF. CMT. @ 100'-	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED WAND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C SXS. CLASS "C" 06/19/2024: TAG TOC @ 1,36 TO 700# X HOLD; PU X SQZ. (90) SXS. 06/20/2024: TAG TOC @ 270' 3'; DIG OUT X CU STEEL PLATE TO	SEE RULE 19.15.7.16 letion. ELL. CHISOS, LTD. THE REQUEST OF SXS. (CMT. @ 1,600' (PER OLE); PERF. SQZ. HOLES; PERF. SQZ. HOLES; PERF. SQZ. HOLES; PERF. X CIRC. TO SUT OFF WELLHEAD OCSGS. X INSTALL 10/14/24	state all pertinent 4 NMAC. For M RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC. ES @ 1,340' (PER C @ 1,290' (PER C G "C" CMT. @ 1,3 600'; WOC. SURF., FILLING 3' B.G.L.; VERII DRY HOLE MAR	details, and ultiple Com Y SUBMIT CO STATE ES. TEST 5 C. @ 2,320' COCD); ATT DCD); ATT DCD); ATT DCD;	give pertinent dan pletions: Attach STHIS SUBSEQ LAND OFFICE. 6-1/2" CIBP X CS; WOC X TAG TO EST EMPT TO EST. IN COD); WOC X TO SURF. ON AL	etes, includir wellbore di QUENT REI GG. TO 500; OC @ 2,01 T. INJ. RAT INJ. RATE AG TOC @ ELASS "C" LL ANNUL	rig estimated date agram of PORT OF PLUG X HOLD FOR 0'; PUMP (25) E – PRES UP – PRES. UP TO 0 1,040'; PERF. CMT. @ 100'-	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED W. AND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C SXS. CLASS "C" 06/19/2024: TAG TOC @ 1,36 TO 700# X HOLD; PU X SQZ. (90) SXS. 06/20/2024: TAG TOC @ 270' 3"; DIG OUT X CU STEEL PLATE TO	SEE RULE 19.15.7.16 letion. ELL. CHISOS, LTD. THE REQUEST OF SXS. (CMT. @ 1,600' (PER OLE); PERF. SQZ. HOLES; PERF. SQZ. HOLES; PERF. SQZ. HOLES; PERF. X CIRC. TO SUT OFF WELLHEAD OCSGS. X INSTALL 10/14/24	state all pertinent 4 NMAC. For M RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC. ES @ 1,340' (PER C @ 1,290' (PER C G "C" CMT. @ 1,3 600'; WOC. SURF., FILLING 3' B.G.L.; VERII DRY HOLE MAR	details, and ultiple Com Y SUBMIT CO STATE ES. TEST 5 C. @ 2,320' COCD); ATT DCD); ATT DCD); ATT DCD;	give pertinent dan pletions: Attach STHIS SUBSEQ LAND OFFICE. 6-1/2" CIBP X CS; WOC X TAG TO EST EMPT TO EST. IN COD); WOC X TO SURF. ON AL	etes, includir wellbore di QUENT REI GG. TO 500; OC @ 2,01 T. INJ. RAT INJ. RATE AG TOC @ ELASS "C" LL ANNUL	rig estimated date agram of PORT OF PLUG X HOLD FOR 0'; PUMP (25) E – PRES UP – PRES. UP TO 0 1,040'; PERF. CMT. @ 100'-	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED WAND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C SXS. CLASS "C" 06/19/2024: TAG TOC @ 1,36 TO 700# X HOLD; PU X SQZ. (90) SXS. 06/20/2024: TAG TOC @ 270' 3'; DIG OUT X CU STEEL PLATE TO	SEE RULE 19.15.7.14 eletion. ELL. CHISOS, LTD. THE REQUEST OF SUMP (25) SXS. CLASS (CMT. @ 1°; PERF. SQZ. HOLES (CLASS "C" CMT. @ 1°; PERF. X CIRC. TO SUMP (25) SXS. CLASS (CLASS "C" CMT. @ 1°; PERF. X CIRC. TO SUMP (25) SXS. TINSTALL (1°) CSGS. X INSTALL (1°) (14/24)	state all pertinent 4 NMAC. For M RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC. ES @ 1,340' (PER C @ 1,290' (PER C G "C" CMT. @ 1,3 600'; WOC. SURF., FILLING 3' B.G.L.; VERII DRY HOLE MAR	details, and ultiple Com Y SUBMIT CO STATE ES. TEST 5 C. @ 2,320' COCD); ATT DCD); ATT DCD); ATT DCD;	give pertinent dan pletions: Attach of the subsequence of the subseque	etes, includir wellbore di QUENT REI GG. TO 500; OC @ 2,01 T. INJ. RAT INJ. RATE AG TOC @ ELASS "C" LL ANNUL	ng estimated date agram of PORT OF PLUG X HOLD FOR 0'; PUMP (25) E – PRES UP – PRES. UP TO 0 1,040'; PERF. CMT. @ 100'- 1; WELD ON	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED W. AND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C SXS. CLASS "C" (06/19/2024: TAG TOC @ 1,36 TO 700# X HOLD 700# X HOLD 700# X HOLD 700# X HOLD; PU X SQZ. (90) SXS. 06/20/2024: TAG TOC @ 270' 3'; DIG OUT X CU STEEL PLATE TO MIRU PXA EQUIP.: 06 hereby certify that the information abore	SEE RULE 19.15.7.16 pletion. ELL. CHISOS, LTD. THE REQUEST OF SUMP (25) SXS. CLASS TO SUMP (26) SXS. X INSTALL INTILIA	state all pertinent 4 NMAC. For M RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC. ES @ 1,340' (PER C ES @ 1,290' (PER C ES "C" CMT. @ 1,3 600'; WOC. SURF., FILLING 3' B.G.L.; VERII DRY HOLE MAI	details, and ultiple Com Y SUBMIT CO STATE ES. TEST 5 T. @ 2,320 TOCD); ATT DCD); ATT DCD); ATT COTO, AT	give pertinent dan pletions: Attach of the subsequence of the subseque	MENT RESERVED TO SOLUTION OF A	ng estimated date agram of PORT OF PLUG X HOLD FOR 0'; PUMP (25) E – PRES UP – PRES. UP TO 0 1,040'; PERF. CMT. @ 100'- 1; WELD ON	
13. Describe proposed or completed of starting any proposed work). proposed completion or recomp THIS IS AN ORPHANED W. AND ABANDONMENT PER 06/18/2024: SET 5-1/2" CIBP (30 MINS.; RUN C SXS. CLASS "C" 06/19/2024: TAG TOC @ 1,36 TO 700# X HOLD; PU X SQZ. (90) SXS. 06/20/2024: TAG TOC @ 270' 3'; DIG OUT X CU STEEL PLATE TO MIRU PXA EQUIP.: 06 hereby certify that the information about	SEE RULE 19.15.7.16 pletion. ELL. CHISOS, LTD. THE REQUEST OF SUMP (25) SXS. CLASS TO SUMP (26) SXS. X INSTALL INTILIA	state all pertinent 4 NMAC. For M RESPECTFULLY HE NEW MEXIC L W/ M.L.F.; PRI CLASS "C" CMT OCD); WOC. ES @ 1,340' (PER C @ 1,290' (PER C G "C" CMT. @ 1,3 600'; WOC. SURF., FILLING 3' B.G.L.; VERIH DRY HOLE MAH To to the best of my E: AGENT Idress: DEYLER@	details, and ultiple Com Y SUBMIT CO STATE ES. TEST 5 T. @ 2,320 TOCD); ATT DCD); ATT DCD); ATT COTO, AT	give pertinent dan pletions: Attach of the pletion of the pl	MENT REI GG. TO 500; OC @ 2,01 C. INJ. RATE INJ. RATE INJ. RATE AG TOC @ ELASS "C" L. ANNUL ATE: 07/ HONE: 43:	ng estimated date agram of PORT OF PLUG X HOLD FOR 0'; PUMP (25) E – PRES UP – PRES. UP TO 0 1,040'; PERF. CMT. @ 100'- 1; WELD ON	

30-015-25000

WELL: TERRECO STATE NO. 2


LOCATION: 495' PHL & 2310' PHL [UNIT C]
SEC. 2, 7195, R298
COUNTY, STATE: EDDY, NEW HEXICO

FIELD: TURKEY TRACK KB ELEV: 3,421° GR ELEV: 3,414°

OPERATOR: SEEC

API NO. :30-015-25000 PILB :TS#2.NBD

WELLBORE BLAGRAN



Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 362970

CONDITIONS

Operator:	OGRID:
CIMAREX ENERGY CO. OF COLORADO	162683
6001 Deauville Blvd	Action Number:
Midland, TX 79706	362970
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	2/7/2025