Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR BURGELLAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

	THE HALL	LOIC			•	
BUREAU OF LAND MANAGEMENT				5. Lease Serial No. NMNM096244		
Do not use this t	NOTICES AND REPORTS (form for proposals to drill Use Form 3160-3 (APD) fo	or to re-en		6. If Indian, Allottee	or Tribe Name	
SUBMIT IN	TRIPLICATE - Other instructions of	on page 2		7. If Unit of CA/Agre	eement, Name and/or No.	
1. Type of Well						
✓ Oil Well Gas Well Other			8. Well Name and No	DAGGER LAKE SOUTH 8 FED CO		
2. Name of Operator ADVANCE ENERGY PARTNERS HAT MESA LLC			9. API Well No. 3002	2549610 564H		
3a. Address C/O AMEREDEV OPER			area code)	10. Field and Pool or		
(346) 444-9739			RED TANK/RED TANK; BONE SPRING			
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 8/T22S/R33E/NMP			11. Country or Parish LEA/NM	ı, State		
12. CHE	ECK THE APPROPRIATE BOX(ES)	TO INDICATE	NATURE OF NOT	ICE, REPORT OR OT	HER DATA	
TYPE OF SUBMISSION			TYPE OF AC	TION		
Notice of Intent	Acidize	Deepen	Proc	luction (Start/Resume)	Water Shut-Off	
Notice of intent	Alter Casing	Hydraulic Fra	cturing Rec	lamation	Well Integrity	
Subsequent Report	Casing Repair	New Construc		omplete	V Other	
	Change Plans	Plug and Abar		porarily Abandon		
Final Abandonment Notice	Convert to Injection	Plug Back		er Disposal	ork and approximate duration thereof. If	
is ready for final inspection.) Spud: Date: 9/11/2022 Casing Ran: 9 5/8" 40# HCL-8 PUMP INTERMEDIATE CEMI SX, 3.01 YLD, 18.24 GAL/SK, 11.0 PPG (100 0.76#/SK SALT). PUMP TAIL 60% COMPASS POZ-MIX, 0.0 0.35% C-23 HIGH TEMP RET BBLS OF F/W FOLLOWED B FLOATS HELD. DROP CANC	80 BTC set @ 4,780' Hole Size: 12 ENT JOB: 6:40AM 02/8/2023 PUN 0% HSLD 94 CEMENT, 0.5% C-45 CEMENT 52 BBLS, 250 SX, 1.17 05% C-51 SUSPENSION AGENT, TARDER, 0.85#/SK SALT). SHUT EY 249 BBLS OF BRINE. BUMP PL CELLATION PLUG. CANCEL SEC	2.25" Hole Dep IP 40 BBLS O 5 ECONOLITE CUFT/SK YLE , 0.2% CFL-2, DOWN. DROF LUG. INFLATE	th: 4,795' = GEL SPACER. , 0.2% CFL-2, 0.2 0, 5.08 GAL/SK, 1 4% STE, 0.2% C- 2 1ST STAGE PLU PACKER. CHEC	PUMP LEAD CEME CITRIC ACID, 0.1 4.8 PPG, (40% CLA 49 EXPANDING GA JG, PUMP DISPLAC K FLOATS, 1.5 BBL	12% CSA-1000 FLA, SS C PREMIUM, S FLOW CONTROL, CEMENT WITH 110	
Continued on page 3 additiona		- I				
14. I hereby certify that the foregoing is CHRISTIE HANNA / Ph: (737) 300	, , , , , , , , , , , , , , , , , , , ,	· /	enior Engineering	Technician		
Signature Christie Hann	va	Date		02/14/2	2023	
	THE SPACE FOR	FEDERAL	OR STATE OF	ICE USE		
Approved by						
JONATHON W SHEPARD / Ph: (5	575) 234-5972 / Accepted	Ti	Petroleum En	gineer	03/08/2023 Date	
Conditions of approval, if any, are attac certify that the applicant holds legal or o which would entitle the applicant to cor	equitable title to those rights in the sub	warrant or bject lease O	ffice CARLSBAD			
Title 18 U.S.C. Section 1001 and Title 4	13 LLS C Section 1212 make it a crim-	e for any nerson	knowingly and wil	Ifully to make to any d	epartment or agency of the United States	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United State any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Additional Remarks

CEMENT BACK TO SURFACE. JOB COMPLETE 09:35 AM 02/8/2023.

TOC: 0' (SURFACE)

CASING TEST: 1500 PSI - 30 MINUTES. GOOD TEST

Location of Well

0. SHL: SWSE / 280 FSL / 1543 FEL / TWSP: 22S / RANGE: 33E / SECTION: 8 / LAT: 32.399862 / LONG: -103.591033 (TVD: 0 feet, MD: 0 feet)

PPP: SWSE / 143 FSL / 1578 FEL / TWSP: 22S / RANGE: 33E / SECTION: 8 / LAT: 32.3994868 / LONG: -103.5911464 (TVD: 11121 feet, MD: 11130 feet)

BHL: NWSE / 2540 FSL / 1650 FEL / TWSP: 22S / RANGE: 33E / SECTION: 5 / LAT: 32.420572 / LONG: -103.591347 (TVD: 11400 feet, MD: 18916 feet)



Sundry Print Report

County or Parish/State: LEA /

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: DAGGER LAKE SOUTH 8 Well Location: T22S / R33E / SEC 8 /

FED COM SWSE / 32.399862 / -103.591033

3.591033 N

Well Number: 564H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM096244 Unit or CA Name: Unit or CA Number:

US Well Number: 300254961000X1 Well Status: Drilling Well Operator: ADVANCE ENERGY

PARTNERS HAT MESA LLC

Subsequent Report

Sundry ID: 2715526

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 02/14/2023 Time Sundry Submitted: 08:07

Date Operation Actually Began: 02/08/2023

Actual Procedure: Spud: Date: 9/11/2022 Casing Ran: 9 5/8" 40# HCL-80 BTC set @ 4,780' Hole Size: 12.25" Hole Depth: 4,795' PUMP INTERMEDIATE CEMENT JOB: 6:40AM 02/8/2023 PUMP 40 BBLS OF GEL SPACER. PUMP LEAD CEMENT 322 BBLS, 600 SX, 3.01 YLD, 18.24 GAL/SK, 11.0 PPG (100% HSLD 94 CEMENT, 0.5% C-45 ECONOLITE, 0.2% CFL-2, 0.2% CITRIC ACID, 0.12% CSA-1000 FLA, 0.76#/SK SALT). PUMP TAIL CEMENT 52 BBLS, 250 SX, 1.17 CUFT/SK YLD, 5.08 GAL/SK, 14.8 PPG, (40% CLASS C PREMIUM, 60% COMPASS POZ-MIX, 0.05% C-51 SUSPENSION AGENT, 0.2% CFL-2, 4% STE, 0.2% C-49 EXPANDING GAS FLOW CONTROL, 0.35% C-23 HIGH TEMP RETARDER, 0.85#/SK SALT). SHUT DOWN. DROP 1ST STAGE PLUG, PUMP DISPLACEMENT WITH 110 BBLS OF F/W FOLLOWED BY 249 BBLS OF BRINE. BUMP PLUG. INFLATE PACKER. CHECK FLOATS, 1.5 BBLS BLED BACK. FLOATS HELD. DROP CANCELLATION PLUG. CANCEL SECOND STAGE. CIRCULATED 79 BBLS, 215 SX OF CEMENT BACK TO SURFACE. JOB COMPLETE 09:35 AM 02/8/2023. TOC: 0' (SURFACE) CASING TEST: 1500 PSI - 30 MINUTES. GOOD TEST

County or Parish/State: LEA? eived by OCD: 3/8/2023 10:27:19 AM Well Name: DAGGER LAKE SOUTH 8 Well Location: T22S / R33E / SEC 8 / NM

FED COM SWSE / 32.399862 / -103.591033

Well Number: 564H Type of Well: OIL WELL **Allottee or Tribe Name:**

Lease Number: NMNM096244 **Unit or CA Name: Unit or CA Number:**

US Well Number: 300254961000X1 Well Status: Drilling Well **Operator: ADVANCE ENERGY**

PARTNERS HAT MESA LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: FEB 14, 2023 08:06 AM **Operator Electronic Signature: CHRISTIE HANNA**

Name: ADVANCE ENERGY PARTNERS HAT MESA LLC

Title: Senior Engineering Technician

Street Address: 2901 VIA FORTUNA, SUITE 600

City: AUSTIN State: TX

Phone: (737) 300-4723

Email address: CHANNA@AMEREDEV.COM

Field

Representative Name: KYLE DUCOTE

Street Address: 2901 VIA FORTUNA, STE. 600

City: AUSTIN State: TX **Zip:** 78746

Phone: (737)300-4700

Email address: kducote@ameredev.com

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 03/07/2023

Signature: Jonathon Shepard

Page 2 of 2

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 194756

CONDITIONS

Operator:	OGRID:
ADVANCE ENERGY PARTNERS HAT MESA, LLC	372417
5400 LBJ Freeway, Suite 1500	Action Number:
Dallas, TX 75240	194756
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By		Condition Date
keith.dziokonski	None	2/10/2025