Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

QUESTIONS

Action 432642

QUESTIONS

QUESTIONS		
Operator: NGL WATER SOLUTIONS PERMIAN, LLC 865 North Albion Street Denver, CO 80220	OGRID: 372338 Action Number: 432642 Action Type: [UF-SA] Daily Injection Report (UF-SA-DIR)	
QUESTIONS		
Prerequisites		
Well	[30-015-44416] STRIKER 2 SWD #001	
Reporting Period		
Date Within Reporting Week	02/15/2025	
Reporting dates within week	Monday (02/10/2025) - Sunday (02/16/2025)	
Reporting Week		
Reporting for Monday	02/10/2025	
Injection Volume (BBLS)	18,000	
Maximum Daily Injection Pressure (PSI)	2,902	
Reporting for Tuesday	02/11/2025	
Injection Volume (BBLS)	17,999	
Maximum Daily Injection Pressure (PSI)	2,947	
Reporting for Wednesday	02/12/2025	
Injection Volume (BBLS)	18,016	
Maximum Daily Injection Pressure (PSI)	2,909	
Reporting for Thursday	02/13/2025	
Injection Volume (BBLS)	18,021	

3,019

02/14/2025

02/15/2025

02/16/2025

18,025

2,985

17,956

3,048

17,991

2,994

Maximum Daily Injection Pressure (PSI)

Reporting for Friday

Injection Volume (BBLS)

Reporting for Saturday

Injection Volume (BBLS)

Reporting for Sunday

Injection Volume (BBLS)

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 432642

ACKNOWLEDGMENTS

Operator:	OGRID:
NGL WATER SOLUTIONS PERMIAN, LLC	372338
865 North Albion Street	Action Number:
Denver, CO 80220	432642
	Action Type:
	[UF-SA] Daily Injection Report (UF-SA-DIR)

ACKNOWLEDGMENTS

I certify that, after reasonable inquiry and based on the available information at the time of submittal, this Daily Injection Report is true and correct to the best of my knowledge, and I acknowledge that a false statement may be subject to civil and criminal penalties under the Oil and Gas Act.