

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: MOBIL FEDERAL Well Location: T23S / R31E / SEC 29 / County or Parish/State: EDDY /

NWSE / 32.273602 / -103.7976585

Well Number: 1 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM0281482A Unit or CA Name: Unit or CA Number:

Notice of Intent

Sundry ID: 2842119

Type of Submission: Notice of Intent

Type of Action: Temporary Abandonment

Date Sundry Submitted: 03/18/2025 Time Sundry Submitted: 06:53

Date proposed operation will begin: 04/18/2025

Procedure Description: Oxy proposes to 1) pull the memory gauges out of the hole of this pressure monitoring well and then 2) TA the wellbore for future use. In the future, this well has potential use as a pressure monitoring well in the shallower Bone Spring formations. Oxy requests a TA status for 12 months after the workover operations are complete. The current wellbore, proposed wellbore, and procedure are attached.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

 $Proposed_TA_Procedure_20250318065123.pdf$

eived by OCD: 3/26/2025 8:12:12 AM Well Name: MOBIL FEDERAL

Well Location: T23S / R31E / SEC 29 /

NWSE / 32.273602 / -103.7976585

County or Parish/State: EDDY? of

Zip:

Well Number: 1

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM0281482A

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001520751

Operator: OXY USA INCORPORATED

Conditions of Approval

Specialist Review

TA_COA_20250325181524.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: STEPHEN JANACEK Signed on: MAR 18, 2025 06:51 AM

Name: OXY USA INCORPORATED

Title: Regulatory Engineer

Street Address: 5 Greenway Plaza, Suite 110

City: Houston State: TX

Phone: (713) 497-2417

Email address: stephen_janacek@oxy.com

Field

Representative Name:

Street Address:

City: State:

Phone:

Email address:

BLM Point of Contact

Signature: Jonathon Shepard

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Approved **Disposition Date:** 03/25/2025

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BUR	5. Lease Serial No.						
Do not use this t	NOTICES AND REPO form for proposals t Use Form 3160-3 (A	to drill or to re-	enter an				
SUBMIT IN	TRIPLICATE - Other instru	uctions on page 2		7. If Unit of CA/Agreement, Name and/or No.			
1. Type of Well				8. Well Name and No.			
Oil Well Gas V	Vell Other			9. API Well No.			
		3b. Phone No. (inclu	J J.		rotory Aran		
3a. Address		10. Pieta and Foot of Exploi	atory Area				
4. Location of Well (Footage, Sec., T., F	11. Country or Parish, State						
12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICAT	ΓE NATURE	OF NOTICE, REPORT OR O	THER DATA		
TYPE OF SUBMISSION			TYP	E OF ACTION			
Notice of Intent	Acidize	Deepen		Production (Start/Resume			
<u> </u>	Alter Casing	Hydraulic 1		Reclamation	Well Integrity		
Subsequent Report	Casing Repair	New Const		Recomplete	Other		
	Change Plans	Plug and A	bandon	Temporarily Abandon			
Final Abandonment Notice	Convert to Injection	Plug Back		Water Disposal			
is ready for final inspection.) 14. I hereby certify that the foregoing is	true and correct Name (Pr	inted/Tyned)					
14. I hereby certify that the foregoing is	true and correct. Name (Pr	inted/Typed) Title					
		Title					
Signature		Date					
	THE SPACE	FOR FEDERA	L OR STA	ATE OFICE USE			
Approved by							
			Title		Date		
Conditions of approval, if any, are attackerify that the applicant holds legal or which would entitle the applicant to con-	equitable title to those rights		Office				
Title 18 U.S.C Section 1001 and Title 4	3 U.S.C Section 1212, make	it a crime for any per	son knowingl	y and willfully to make to any	department or agency of the	e United States	

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

 $0. \ SHL: \ NWSE \ / \ 1980 \ FSL \ / \ 1980 \ FEL \ / \ TWSP: \ 23S \ / \ RANGE: \ 31E \ / \ SECTION: \ 29 \ / \ LAT: \ 32.273602 \ / \ LONG: \ -103.7976585 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ BHL: \ \ NWSE \ / \ 1980 \ \ FSL \ / \ 1980 \ FEL \ / \ TWSP: \ 23S \ / \ SECTION: \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)

OXY USA INC.

MOBIL FEDERAL 001

30-015-20751

NOI TO TEMPORARILY ABANDON THIS WELL VIA CIBP AND CMT CAP.

PROPOSED PLUGGING PROCEDURE

- 1. RIH AND PULL EXISITNG MEMORY GUAGES AND RBP'S SET AT 12500', 12350', 12100', AND 11800'
- 2. RIH AND SET CIBP VIA WIRELINE AT 12800'. DUMP BAIL 35' CMT CAP TO ISOLATE OFF PENN. SHALE FROM WOLFCAMP FORMATION.
- 3. RIH AND SET CIBP VIA WIRELINE AT 11950'.
- 4. PERFORM MIT AT 500 PSI FOR 30 MINUTES ON A PIN CHART. SCAN AND SEND COPY OF MIT TO ENGINEER PER BLM REQUIREMENTS

FORMATION TOPS

T. Anhy	T. Canyon
T. Salt	T. Strawn12892
B. Salt 38 50	T. Atoka 13030
T. Yates	T. Miss14824
	T. Devonian
T. Queen	T. Silurian
T. Grayburg	T. Montoya
	T. Simpson
T. Glorieta	T. McKee
	T. Ellenburger
T. Blinebry	T. Gr. Wash
T. Tubb	
T. Drinkard	T. Bone Springs 7920
T. Abo	T. Morrow 13920
T. Wolfcamp 11246	T
T. Penn 12704	T
T. Cisco (Bough C)	T.


CURRENT WELLBORE

API#: 30-015-20751 Lease Name: Mobil Federal

Well No: 1
County: Eddy
Location: 0
Section Lines: 0
RKB Elevation: DF Elevation: 0
Ground Elevation: Date Drilled: Jan-0

WBD HAS BEEN UPDATED WITH CORRECTED SCALE





PBTD @ 13050' MD

Surraci	e Ca	Silig					
20		94#	H-40	ST&C	@	0'-740'	
26	"	Hole		TOC	@	Surface	
				cmt'd	w/	900 sx sk	(S

Intermedia	ate Cas	ing	
13 3/8 "	61#	S-80	Buttress @ 0'-4049'
17 1/2 "	Hole		TOC @ Surface
			cmt'd w/ 2400 sx sks

Production Casing							
9 5/8 "	53.5#	P-110	LT&C	@	0'-12501'		
12 1/4 "	Hole		TOC	@	Surface		
			cmt'd	w/	3350 sx sk		

Liner					
5 1/2 "	20#	S-95	LT&C	@	12001'-14854
8 1/2 "	Hole		TOC	@	12001'
			cmt'd	w/	700 sx sks

PROPOSED WELLBORE

API#:

30-015-20751

Lease Name:

Mobil Federal

Well No:

1

County: Location: Eddy 0

Section Lines:


0

RKB Elevation: DF Elevation:

Ground Elevation: Date Drilled:

Elevation: 0 ound Elevation: - *WBD HAS BEEN UPDATED WITH CORRECTED SCALE*





TD @ 14854' MD TD @ 14854' TVD PBTD @ 13050' MD CIBP @ 14570' W/ 1 SX CMT ON TOP

MILLED PACKER PUSHED TO 14650'

Surfac	e Ca	sing					
20	"	94#	H-40	ST&C	@	0'-740'	-
26	"	Hole		TOC	@	Surface	
				cmt'd	w/	900 sx	sk

 Production Casing

 9 5/8 " 53.5# P-110
 LT&C
 @ 0'-12501'

 12 1/4 " Hole
 TOC
 @ Surface

 cmt'd w/ 3350 sx sks

Liner					
5 1/2 "	20#	S-95	LT&C	@	12001'-14854
8 1/2 "	Hole		TOC	@	12001'
			cmt'd	w/	700 sx sks

Closed Perfs @ 14375'-14599'

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 445705

CONDITIONS

Operator:	OGRID:
OXY USA INC	16696
P.O. Box 4294	Action Number:
Houston, TX 772104294	445705
	Action Type:
	[C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By		Condition Date
gcordero	Plug must be placed within 100ft of top of perforations.	4/4/2025
gcordero	Passing MIT test in accordance with 19.15.26.11 or 19.15.25.12-14 NMAC will be required at time of work.	4/4/2025