

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Repor

Well Name: SALADO DRAW 19 26 33 Well Location: T26S / R33E / SEC 19 /

NENW / 32.03559 / -103.612836 **FED**

County or Parish/State: LEA /

Well Number: 4H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM27506 **Unit or CA Name: Unit or CA Number:**

US Well Number: 3002542281 Operator: CHEVRON USA

INCORPORATED

Subsequent Report

Sundry ID: 2841225

Type of Action: Temporary Abandonment Type of Submission: Subsequent Report

Date Sundry Submitted: 03/11/2025 Time Sundry Submitted: 12:48

Date Operation Actually Began: 03/11/2025

Actual Procedure: CHEVRON USA, INC. REQUESTS THE FOLLOWING: CHEVRON USA, INC. HAS TEMPORARILY ABANDONED THE WELL SALADO DRAW 19 26 33 FED 4H (30-025-42281). PLEASE SEE FOLLOWING PROCEDURE AND ATTACHED FINAL WELLBORE. Completed steps: 1. Rig up pulling unit and prepare to pull out of hole with tbg. 2. Rig up slickline and RIH with GR to ~8740'. 3. RIH w/CIBP set @ 8740' w/slickline & dump bail 35' of class H cement. 4. Rig up pump truck and chart recorder and pressure test plug and cement as required by regulatory body. 5. Rig down and release slickline and pulling unit.

SR Attachments

Actual Procedure

SALADO_DRAW_19_26_33_FED_4H_SUB_TA_PKT_20250311124700.pdf

SR Conditions of Approval

Specialist Review

TA_COA_20250325161657.pdf

eived by OCD: 3/26/2025 6:42:42 AM Well Name: SALADO DRAW 19 26 33

FED

Well Location: T26S / R33E / SEC 19 / NENW / 32.03559 / -103.612836

County or Parish/State: LEA/ 2 of

Well Number: 4H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM27506

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002542281

Operator: CHEVRON USA

INCORPORATED

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: NICOLE TAYLOR Signed on: MAR 11, 2025 12:47 PM

Name: CHEVRON USA INCORPORATED

Title: Regulatory Coordinator

Street Address: 6301 DEAUVILLE BLVD

City: MIDLAND State: TX

Phone: (432) 687-7328

Email address: NICOLE.TAYLOR@CHEVRON.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

Signature: Jonathon Shepard

BLM POC Email Address: jshepard@blm.gov

Disposition: Approved

Disposition Date: 03/25/2025

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

	Expires: October 31, 2
ease Serial No	

BUR	EAU OF LAND MAN	S. Lease Serial No. NMNM27506				
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe	Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit of CA/Agreement,	Name and/or No.	
1. Type of Well Oil Well Gas Well Other			8. Well Name and No. SALADO DRAW 19 26 33 FED/4H			
2. Name of Operator CHEVRON USA	NCORPORATED			9. API Well No. 3002542281		
3a. Address PO BOX 1392, BAKER		3b. Phone No. (in	/	10. Field and Pool or Explora	·	
A Location of Wall (Footage See T. I.	(661) 633-4000			WC025G06S263319P-BONE SPRING/WC025G06S263319P-BONE SPRING 11. Country or Parish, State		
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 19/T26S/R33E/NMP				LEA/NM		
12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDIC	CATE NATURE	OF NOTICE, REPORT OR OT	HER DATA	
TYPE OF SUBMISSION			TYPI	E OF ACTION		
Notice of Intent	Acidize Alter Casing	Deepen Hydrau	lic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Report	Casing Repair		onstruction	Recomplete	Other	
Final Abandonment Notice	Change Plans Convert to Injection		d Abandon	Temporarily Abandon Water Disposal		
is ready for final inspection.) CHEVRON USA, INC. REQUESALADO DRAW 19 26 33 FEI Completed steps: 1. Rig up pulling unit and prep 2. Rig up slickline and RIH witt 3. RIH w/CIBP set @ 8740' w/ 4. Rig up pump truck and char 5. Rig down and release slickli	ESTS THE FOLLOWING: D 4H (30-025-42281). PLE are to pull out of hole with h GR to ~8740'. slickline & dump bail 35' of t recorder and pressure te	CHEVRON USA EASE SEE FOLL tbg. of class H cement	, INC. HAS TEM OWING PROCI	MPORARILY ABANDONED EDURE AND ATTACHED F		
4. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>) NICOLE TAYLOR / Ph: (432) 687-7328			Regulatory Coordinator			
(Electronic Submission)		Г	ate	03/11/2	2025	
	THE SPACE	FOR FEDER	RAL OR STA	TE OFICE USE		
Approved by			Petrole	eum Engineer	03/25/2025	
JONATHON W SHEPARD / Ph: (575) 234-5972 / Approved			Title		Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease			r e _{Office} CAR	LSBAD		

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

which would entitle the applicant to conduct operations thereon.

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

 $0. \ SHL: \ NENW \ / \ 200 \ FNL \ / \ 2018 \ FWL \ / \ TWSP: \ 26S \ / \ RANGE: \ 33E \ / \ SECTION: \ 19 \ / \ LAT: \ 32.03559 \ / \ LONG: \ -103.612836 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$ $PPP: \ NENW \ / \ 200 \ FNL \ / \ 2018 \ FWL \ / \ TWSP: \ 26S \ / \ RANGE: \ 33E \ / \ SECTION: \ 19 \ / \ LAT: \ 0.0 \ / \ LONG: \ 0.0 \ (\ TVD: \ 0 \ feet, \ MD: \ 0 \ feet \)$

 $BHL: SESW / 280 \ FSL / 2252 \ FWL / TWSP: 26S / RANGE: 33E / SECTION: 19 / LAT: 0.0 / LONG: 0.0 (\ TVD: 0 \ feet, MD: 0 \ feet) / FSL / FSL$

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.

CHEVRON USA, INC. REQUESTS THE FOLLOWING: CHEVRON USA, INC. HAS TEMPORARILY ABANDONED THE WELL SALADO DRAW 19 26 33 FED 4H (30-025-42281). PLEASE SEE FOLLOWING PROCEDURE AND ATTACHED FINAL WELLBORE.

Completed steps:

- 1. Rig up pulling unit and prepare to pull out of hole with tbg.
- 2. Rig up slickline and RIH with GR to \sim 8740'.
- 3. RIH w/CIBP set @ 8740' w/slickline & dump bail 35' of class H cement.
- 4. Rig up pump truck and chart recorder and pressure test plug and cement as required by regulatory body.
- 5. Rig down and release slickline and pulling unit.

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.


Salado Draw 19 26 33 Fed 4H


 API#:
 30-025-42281
 Spud
 2/28/2015

 Chevno:
 PD1920
 Complete
 3/28/2016

 Field:
 Jennings
 Elevation
 3189

 County
 Lea County, NM
 KB





Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 445648

CONDITIONS

Operator:	OGRID:
CHEVRON U S A INC	4323
6301 Deauville Blvd	Action Number:
Midland, TX 79706	445648
	Action Type:
	[C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	4/4/2025