U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Repor
Well Name: TAMBORA 36 35 FED COM	Well Location: T20S / R29E / SEC 36 / SESE / 32.5259892 / -104.0222596	County or Parish/State: EDDY / NM
Well Number: 332Y	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM110351	Unit or CA Name:	Unit or CA Number:
<b>US Well Number:</b> 3001555559	<b>Operator:</b> DEVON ENERGY PRODUCTION COMPANY LP	

**Notice of Intent** 

Sundry ID: 2828157

Type of Submission: Notice of Intent

Date Sundry Submitted: 12/19/2024

Date proposed operation will begin: 12/16/2024

Type of Action: Plug and Abandonment Time Sundry Submitted: 11:38

**Procedure Description:** Attention Long Vo Devon Energy Production Co., L.P. (Devon) respectfully request to plug and abandon the subject well with the attached PA procedure. A drilling plan, directional plan and new plat was provided in a separate sundry to proceed with the new SHL for the new wellbore.

**Surface Disturbance** 

Is any additional surface disturbance proposed?: No

**NOI Attachments** 

**Procedure Description** 

Tambora\_332H\_Plugging\_Plan\_20241219113305.pdf

Tambora\_332H\_schematic\_20241219111830.pdf

Received by OCD: 4/4/2025 2:29:12 PM Well Name: TAMBORA 36 35 FED COM	Well Location: T20S / R29E / SEC 36 / SESE / 32.5259892 / -104.0222596	County or Parish/State: EDBY ? of I NM
Well Number: 332Y	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM110351	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001555559	<b>Operator:</b> DEVON ENERGY PRODUCTION COMPANY LP	
Conditions of Approv	/al	
Specialist Review		
SKID_P_A_COA_20250127112756.p	odf	

# Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CHELSEY GREEN Name: DEVON ENERGY PRODUCTION COMPANY LP Title: Regulatory Compliance Professional

·····

Street Address: 333 WEST SHERIDAN AVENUE

City: OKLAHOMA CITY State: OK

Phone: (405) 228-8595

Email address: CHELSEY.GREEN@DVN.COM

State:

# Field

Representative Name: Street Address: City: Phone: Email address:

# **BLM Point of Contact**

BLM POC Name: LONG VO BLM POC Phone: 5759885402 Disposition: Approved Signature: Long Vo BLM POC Title: Petroleum Engineer BLM POC Email Address: LVO@BLM.GOV Disposition Date: 01/27/2025

Zip:

Signed on: DEC 18, 2024 12:17 PM

#### Received by OCD: 4/4/2025 2:29:12 PM

					- 18° ° ° )	
Form 3160-5 (June 2019)		UNITED STATE PARTMENT OF THE I EAU OF LAND MAN	NTERIOR	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021 5. Lease Serial No.		
Do no	t use this f		DRTS ON WELLS to drill or to re-enter an PD) for such proposals.	6. If Indian, Allottee or Tribe N	ame	
	SUBMIT IN	TRIPLICATE - Other instru	uctions on page 2	7. If Unit of CA/Agreement, Na	ame and/or No.	
1. Type of Well	Gas V	Vell Other		8. Well Name and No.		
2. Name of Operator				9. API Well No.		
3a. Address			3b. Phone No. (include area code)	10. Field and Pool or Explorate	bry Area	
4. Location of Well (Fo	otage, Sec., T.,F	R.,M., or Survey Description)	)	11. Country or Parish, State		
	12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATURE (	J DF NOTICE, REPORT OR OTH	ER DATA	
TYPE OF SUBM	IISSION		TYPI	E OF ACTION		
Notice of Intent		Acidize	Deepen [ Hydraulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity	
Subsequent Repo	ort	Casing Repair Change Plans	New Construction	Recomplete Temporarily Abandon	Other	
Final Abandonm	ent Notice	Convert to Injection		Water Disposal		
the proposal is to de the Bond under whi completion of the in	eepen directiona ch the work wil nvolved operation pandonment No	Ily or recomplete horizontal be perfonned or provide thors. If the operation results in	ly, give subsurface locations and me e Bond No. on file with BLM/BIA. 1 n a multiple completion or recomple	asured and true vertical depths of Required subsequent reports mus stion in a new interval, a Form 31	k and approximate duration thereof. If f all pertinent markers and zones. Attach t be filed within 30 days following 60-4 must be filed once testing has been he operator has detennined that the site	

14. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> )		
	Title	
Signature	Date	
THE SPACE FOR FEDE	RAL OR STATE OF	ICE USE
Approved by		
	Title	Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant certify that the applicant holds legal or equitable title to those rights in the subject lead which would entitle the applicant to conduct operations thereon.		
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for an any false, fictitious or fraudulent statements or representations as to any matter within		fully to make to any department or agency of the United States

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

*Item 13:* Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

## **Additional Information**

#### **Location of Well**

0. SHL: SESE / 1232 FSL / 690 FEL / TWSP: 20S / RANGE: 29E / SECTION: 36 / LAT: 32.5259892 / LONG: -104.0222596 (TVD: 0 feet, MD: 0 feet ) PPP: NESE / 2201 FSL / 187 FEL / TWSP: 20S / RANGE: 29E / SECTION: 35 / LAT: 32.5286626 / LONG: -104.0377645 (TVD: 10900 feet, MD: 16200 feet ) PPP: NESE / 2200 FSL / 632 FEL / TWSP: 20S / RANGE: 29E / SECTION: 36 / LAT: 32.5286504 / LONG: -104.0220668 (TVD: 10900 feet, MD: 11361 feet ) BHL: NWSW / 2200 FSL / 20 FWL / TWSP: 20S / RANGE: 29E / SECTION: 35 / LAT: 32.5286736 / LONG: -104.0542526 (TVD: 10900 feet, MD: 21281 feet ) Tambora 36-35 Fed Com 332H Well Plugging Plan

- API # 30-015-55559
- Conductor Casing: 20" 94# K-55 Welded set at 80'
- No open hole
- Plugging Plan:
  - $\circ$   $\;$  Ensure no pressure on wellbore.
  - Fill conductor casing full of cement.
    - 3 sacks ready mix
    - 30 bbls of cement for conductor
    - 14 bbls of cement per mouse hole
  - Cut conductor casing 4' below ground level.
  - $\circ$  Weld cap with well identifier.

•

- 0

s 🔻 🕜 Help... Well TAMBORA 36-35 FED COM 332H

Wellbore	ОН		• <u>↓</u>   Job	<no job="" selected=""></no>	✓ Date <now></now>	• • II H4 H H	₩ Integrity Program <no program="" set<="" th=""><th>lected&gt; •</th></no>	lected> •
					HORIZONTAL, OH, 12/18/2024	11:12:37 AM		
	MD (ftKB)	Incl (")	TVD (ftKB)			Ver	tical schematic (actual)	
_	23.1							
	23.3							
	23.5							
	23.8							
	24.0							
	24.2							
	24.5							
	24.7							
	24.9							
	24.5							
	25.4			Des:CEMENT PLUG; Depth MD:25.5-80.0 fth	KB; Top MD:25.5 ftKB; Btm MD:80.0 ftKB		T	
	25.6							
	30.1							
	34.7							
	39.2							
	43.7							
_	48.3			Des: CONDUCTOR CEMENT: Depth MD:25.5-80.0 ft	KB: Date:11/30/2024: Top MD:25.5 ftKB:			
	52.8			Des:CONDUCTOR CEMENT; Depth MD:25.5-80.0 ft	Btm MD:80.0 ftKB			
	57.4							
_	61.9							
	66.4		-					
	71.0							
	75.5		-					
	80.1		-	-				No.:1; Des:CONDUCTOR; OD:20 in; ID:19.124 in; Top MD:25.5 ftKB; Btm MD:80.0 ftKB; Length:\$4.50 ft
	80.3							
	80.5		-					
	80.7	+						
_	81.0							
	81.2							
1		1		1				

# BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

# Permanent Abandonment of Federal Wells Conditions of Approval (SKID)

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90<sup>th</sup> day provide this office, prior to the 90<sup>th</sup> day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Eddy County, call 575-361-2822; Lea County, call 575-689-5981.

3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **fresh** water. Minimum nine (9) pounds per gallon.

5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours for Class C or accelerated cement (calcium chloride) and 6 hours for Class H. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a

bailer is used to cap this plug, 35 feet of cement shall be sufficient. Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

Fluid used to mix the cement in R111Q shall be saturated with the salts common to the section penetrated, and in suitable proportions but not less than 1% and not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

6. <u>Below Ground Level Cap (SKID)</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). **The BLM is to be notified** *BY PHONE* (numbers listed in 2. Notifications) a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 10<sup>th</sup> day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

Upon the plugging and subsequent abandonment of well the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least <sup>1</sup>/<sub>4</sub> inch thick and welded in place. A weep hole shall be left in the plate and/or casing. The following information shall be permanently inscribed on the plate: well name and number, name of operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

7. <u>Subsequent Plugging Reporting</u>: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date well was plugged.</u>

8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

Received b	v OCD:	4/4/2025	2.29.12	PM

#### TAMBORA 36-35 FED COM 332Y OH - Property #:

Page 10 of 11 DELAWARE BASIN UNRESTRICTED

•	
devon	
Duauaaad	

Prop	posed											
Sub-Divis	<sup>sion</sup> WARE BASIN		County EDDY		Fie C	eld Name ARLSBAD NORTH FI			BASIN WEST		nce	
36-205	Legal Location S-29E			API/UWI 3001555559	•	Latitude (°) 32° 31' 33.708" N	Longitud 104°1	<sup>de (°)</sup> 1' 20.136" W	Ground Elev (ft) 3,410.10	Orig KB Elev (ft)	Tubing Head E	levation (ft)
80.0	pth (ftKB)			Total I	Depth All (T	VD) (ftKB)		P	BTD (All) (ftKB)	• •	·	
Most F	Recent Job Job Cat			Job Type		Job Subtype		ŀ	Job Start		Job End	
DRILL	ING/COMPLETI	IONS	LOCATIO	Sob Type	0	RIGINAL		10/8/2024	JOD Start		JOD Ella	
					HORIZ	ONTAL, OH, 4/2/202						
	MD (ftKB)					Vertica	schema	atic (proposed	)			
	23.2											
	23.5											
	23.8											
	24.1											
	24.4											
	24.7											
	25.0											
	25.3											
	25.6											
	31.6											
	37.7											
	43.7											
	49.8											
	55.8											
	61.9											
	67.9								×			
	74.0											
	80.1											
	80.4											
	80.7											
	81.0											
	81.3											
	81.6											
	81.9											
	82.2											
	82.5											
	02.0											
						Page 1/1				Re	oort Printed:	4/2/2025

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:
DEVON ENERGY PRODUCTION COMPANY, LP	6137
333 West Sheridan Ave.	Action Number:
Oklahoma City, OK 73102	448931
	Action Type:
	[C-103] NOI Plug & Abandon (C-103F)

#### CONDITIONS

Created By		Condition Date
gcordero	None	4/10/2025

Page 11 of 11

Action 448931