

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: ARTESIA YESO FEDERAL Well Location: T17S / R28E / SEC 21 /

UNIT NWNE / 32.8242695

NWNE / 32.8242695 / -104.1956187

County or Parish/State: EDDY /

NM

Well Number: 26 Type of Well: OIL WELL Allottee or Tribe Name:

_ARTESIA YESO FED

Unit or CA Number: NMNM128925A

US Well Number: 300154133600S1 Operator: SILVERBACK OPERATING II

LLC

Notice of Intent

Sundry ID: 2839075

Type of Submission: Notice of Intent

Type of Action: Workover Operations

Date Sundry Submitted: 02/27/2025 Time Sundry Submitted: 09:00

Date proposed operation will begin: 03/13/2025

Procedure Description: Silverback Operating II, LLC. would like to perform a workover and swab test on the subject well in order to evaluate for installation of artificial lift. Please see the attached work plan procedure and current and proposed wellbore diagrams.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

Copy_of_Artesia_Yeso_Fed_26_current_02_26_25__002__20250227085756.pdf

Well Name: ARTESIA YESO FEDERAL Well Location: T17S / R28E / SEC 21 / County or Parish/State: EDBY 7 of

UNIT NWNE / 32.8242695 / -104.1956187

Well Number: 26 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMLC048479A Unit or CA Name: INI YESO PA Unit or CA Number:
_ARTESIA YESO FED NMNM128925A

LLC

Conditions of Approval

Specialist Review

Workover or Vertical Deepen COA 20250311133204.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: FATMA ABDALLAH Signed on: FEB 27, 2025 08:58 AM

Name: SILVERBACK OPERATING II LLC

Title: Regulatory Manager

Street Address: 19702 IH 10 WEST SUITE 201

City: SAN ANTONIO State: TX

Phone: (303) 585-3316

Email address: FABDALLAH@SILVERBACKEXP.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: LONG VO BLM POC Title: Petroleum Engineer

BLM POC Phone: 5759885402 **BLM POC Email Address:** LVO@BLM.GOV

Disposition: Approved **Disposition Date:** 03/11/2025

Signature: Long Vo

Page 2 of 2

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BURE	EAU OF LAND MANAGEMENT		5. Lease Serial No.			
Do not use this fo	OTICES AND REPORTS ON Worm for proposals to drill or to Use Form 3160-3 (APD) for suc	6. If Indian, Allottee or Tribe Name				
	RIPLICATE - Other instructions on pag	e 2	7. If Unit of CA/Agreement, 1	Name and/or No.		
1. Type of Well Oil Well Gas W	ell Other		8. Well Name and No.			
2. Name of Operator			9. API Well No.			
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or Explora	atory Area		
4. Location of Well (Footage, Sec., T.,R.	.,M., or Survey Description)		11. Country or Parish, State			
12. CHEC	CK THE APPROPRIATE BOX(ES) TO INI	DICATE NATURE (OF NOTICE, REPORT OR OT	HER DATA		
TYPE OF SUBMISSION		TYPI	E OF ACTION			
Notice of Intent	Acidize Deep Alter Casing Hydr	en aulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity		
Cubacquent Report		Construction	Recomplete	Other		
Subsequent Report	Change Plans Plug	and Abandon	Temporarily Abandon			
Final Abandonment Notice	Convert to Injection Plug	Back	Water Disposal			
is ready for final inspection.)						
4. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)		Trai				
		Title				
Signature		Date				
	THE SPACE FOR FEDI	ERAL OR STA	TE OFICE USE			
Approved by						
		Title		Date		
	ned. Approval of this notice does not warran quitable title to those rights in the subject leduct operations thereon.					
Title 18 U.S.C Section 1001 and Title 43	U.S.C Section 1212, make it a crime for ar	y person knowingly	and willfully to make to any d	epartment or agency of the United States		

any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

 $0. \, SHL: \, NWNE \, / \, 965 \, FNL \, / \, 1966 \, FWL \, / \, TWSP: \, 17S \, / \, RANGE: \, 28E \, / \, SECTION: \, 21 \, / \, LAT: \, 32.8242695 \, / \, LONG: \, -104.1956187 \, (\, TVD: \, 0 \, \, feet \, , \, MD: \, 0 \, \, feet \,)$ $PPP: \, NWNE \, / \, 965 \, FNL \, / \, 1966 \, FWL \, / \, TWSP: \, 17S \, / \, RANGE: \, 28E \, / \, SECTION: \, 21 \, / \, LAT: \, 0.0 \, / \, LONG: \, 0.0 \, (\, TVD: \, 0 \, \, feet \, , \, MD: \, 0 \, \, feet \,)$ $BHL: \, NWNE \, / \, 965 \, FNL \, / \, 1966 \, FWL \, / \, TWSP: \, 17S \, / \, RANGE: \, 28E \, / \, SECTION: \, 21 \, / \, LAT: \, 0.0 \, / \, LONG: \, 0.0 \, (\, TVD: \, 0 \, \, feet \, , \, MD: \, 0 \, \, feet \,)$


Artesia Yeso Federal Unit # 26 30-015-41336 B-Sec 20-T17S-R28E

Summary: RU workover rig. GIH and drill out cmt and CIBP. POOH. Run tbg open ended. RD rig. Swab test and evaluate for installation of artificial lift.

- 1. MIRU workover rig with reversing unit and tank. Bleed off pressure on csg. ND tree and NU BOP's.
- 2. GIH with 4 3/4" rock bit on 2 7/8" 6.5# J55 8rd tbg to cmt plug at 3723. Use blue band tbg from company stock. Drill out cmt to CIBP. Drill out CIBP. Continue GIH and clean out to PBTD at 4897. Rev circ hole clean. POOH.
- 3. GIH w/ open ended 2 7/8 tbg to +/- 4300. ND BOP's. Hang off tbg and install valve and flowline.
- 4. RD rig.
- 5. MIRU swab rig and swab test Yeso Blinebry perfs. Evaluate for artificial lift. Supplemental AFE procedure will be prepared if artifical lift is justified.

Received by OCD: 3/12/2025 7:00:17 AM

Page 7 of 10



Received by OCD: 3/12/2025 7:00:17 AM Page 8 of 10

	Sec-T	WN-RNG:	B-20-T17	7S-R28F			30-015-41	336	
Artesia Yeso Federal Unit #26 Proposed		age Calls:					Elev 3631		
COMMENTS	Lat/Long	(NAD83):	32.82425	569/-104.	195648	32	LICV 3031 GL		
		(11111111111111111111111111111111111111	10=10= 1=0			_			
	CASING DETA	 ΔΙΙ							
	# HOLE		WGHT	GRADE	Тор	Depth	TOC	SX	
		8 5/8	24	J55	0	403	Circ to surf	200	
							i i		
	B 77/8	5 1/2	17	L80	0	4,940	Circ to surf	1250	
	FORMATION		T						
	FORM	ATION	TOP (FT)	F	ORMATIO	<u> N</u>		ТОР	
	Glorieta		3,356						
	Paddock		3443						
	Blinebry		3,830						
A									
	TUBING DETA	AIL							
	OD	GRADE	WGHT	ТОР	BASE		Com	ments	
								ng in well	
	PERFORATIO	N DETAII							
	TERI ORATIO	PERFORATION DETAIL FORMATION TOP BASE TREATMENT							
					30 M lb 100 mesh & 566 M lb 40/70				
		1 630 Dilliei	<u>y</u>	3,994	4,723	i rac u w/	30 W 15 100 III	C311 & 300 W	10 40//0
2 7/8 6.5# J55 8rd tbg at 4,300'									
	PLUGS				<u> </u>	<u> </u>			
	# sx	Class	Тор	Bottom	Ht		Notes		Tag
	1 25	J.400				CIBP at 39			. 49
						יבובו מניפ	न ा		
Yeso Perfs 3994 - 4729' OA	2								
	3								
	4								
	5								
В	6								
	7								
	•	1	1	1	<u> </u>	l			
PRTD: 4.897 MD									
PBTD: 4,897 MD TD: 4,940 MD									

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Workover/Deepening of a Well

- 1. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any operations. For wells in Eddy County, call 575-361-2822. For wells in Lea County, call 575-689-5981
- 2. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,100 feet, a 3M system for a well not deeper than 13,600 feet, or a 5M system for a well not deeper than 22,700 feet (all depths are for measured well depth).
- 3. Cement: Notify BLM if cement fails to circulate.
- 4. <u>Subsequent Reporting:</u> Within 30 days after work is completed, file a Subsequent Report (Form 3160-5) to BLM. The report should give in detail the manner in which the work was carried out. <u>Show date work was completed</u>. If producing a new zone, submit a Completion Report (Form 3160-4) with the Subsequent Report.
- 5. <u>Trash</u>: All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.
- 6. If well location is within the Timing Limitation Stipulation Area for Lesser Prairie-Chicken: From March 1st through June 15th annually, activities will be allowed except between the hours from 3:00 am and 9:00 am. Normal vehicle use on existing roads will not be restricted.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 441514

CONDITIONS

Operator:	OGRID:
Silverback Operating II, LLC	330968
1001 W. Wilshire Blvd	Action Number:
Oklahoma City, OK 73112	441514
	Action Type:
	[C-103] NOI Workover (C-103G)

CONDITIONS

Created		Condition Date
dmcclu	re None	4/14/2025