

Well Name: SEINFELD FED UNIT MH	Well Location: T24S / R35E / SEC 34 / NWNE / 32.1802892 / -103.3529946	County or Parish/State: LEA / NM
Well Number: 223H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138890	Unit or CA Name:	Unit or CA Number: NMNM141169X
US Well Number: 3002551158	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2734188

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 06/05/2023	Time Sundry Submitted: 07:55
Date Operation Actually Began: 04/04/2023	

**Actual Procedure:** Well spud on 4/4/2023 at 19:45 4/4/2023: Drill 14.75 inch surface hole to 1052 ft. 4/5/2023: Run 10.75 inch 45.5 lb J-55 surface casing to 1032 ft. Pump 20 bbl gel spacer, followed by 490 sks of 13.5 ppg lead cmt and 265 sks of 14.8 ppg tail cmt. Drop plug and displace with 95 bbls freshwater. 82 bbls of cement returned back to surface with top job. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 4/6/2023: Test BOPS. Drill 9.875 intermediate hole to 12087 ft. 4/13/2023: Run 7.625 inch 29.7 lb L-80 intermediate casing to 12027 ft. Pump 30 bbls fresh water, followed by 920 sks of 10.5 ppg lead cmt, 325 sks of 14.5 ppg tail cmt. Drop plug and displace with 550 bbls of fresh water. 200 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 2650 for 30 minutes, good test. 5/14/2023: Drill 6.75 inch production hole to 23535 ft. 6/3/2023: Run 5.5 inch 20 lb P-110 production casing to 23520 ft MD. Pump 80 bbls spacer, then 990 sks of 14.0 ppg tail cmt. Drop plug and displace with 20 bbls sugar water, 489 bbls brine and 10 bbls fresh water. 0 bbls cement returned to surface. Est TOC at 7866 ft. Surface Casing Details: Casing ran: 4/5/2023, Fluid Type Fresh Water, Hole 14.75 inch, Csg Size 10.75 inch, Weight 45.5 lbs, Grade J-55, Est TOC 0 ft, Depth set 1032 ft, Cement 775 sacks, Yield 1.79 lead/1.34 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 4/13/2023, Fluid Type diesel brine emulsion, Hole 9.875 inch to 12087, Csg Size 7.625 inch, Weight 29.7 lbs, Grade L-80, Est TOC 0 ft, Depth set 12027 ft, Cement 1245 sks, Yield 4.36 lead/1.23 tail, Class C, Pressure Held 2650 psi, Pres Drop 0. Production Casing details: Casing Date: 6/3/2023, Fluid Type oil based mud, Hole 6.75 inch to 23535 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 23520 ft, EST TOC 7866 ft, Cement 990 sacks, yield 1.32 tail, Class C. 6/1/2023: TD Reached at 23535 ft MD, 12474 ft TVD. Plug Back Measured depth at 23469 ft MD, 12466 ft TVD. Rig Release on 6/5/2023 at 06:00

Received by OCD: 6/15/2023 9:08:49 AMPage 2 of 3

Well Name: SEINFELD FED UNIT MH	Well Location: T24S / R35E / SEC 34 / NWNE / 32.1802892 / -103.3529946	County or Parish/State: LEA / NM
Well Number: 223H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM138890	Unit or CA Name:	Unit or CA Number: NMNM141169X
US Well Number: 3002551158	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA	Signed on: JUN 05, 2023 07:54 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 06/09/2023
Signature: Jonathon Shepard	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 228428

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 228428
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
jeffrey.harrison	Report Pressure test for Production Casing on next Sundry	4/29/2025