

Submit a Copy To Appropriate District
Office
District I – (575) 393-6161
1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
1220 S. St. Francis Dr., Santa Fe, NM
87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
Revised July 18, 2013

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.	30-045-25878
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	STATE GAS COM CA
8. Well Number	001
9. OGRID Number	298299
10. Pool name or Wildcat	OTERO CHACRA
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 5601' GL	

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)	
1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other <input type="checkbox"/>	
2. Name of Operator CROSS TIMBERS ENERGY, LLC	
3. Address of Operator 400 W 7TH ST, FORT WORTH, TX 76102	
4. Well Location Unit Letter <u>A</u> : <u>820</u> feet from the <u>N</u> line and <u>1070</u> feet from the <u>E</u> line Section <u>16</u> Township <u>29N</u> Range <u>11W</u> NMPM County <u>SAN JUAN</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 5601' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input checked="" type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	P AND A <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPL <input type="checkbox"/>	CASING/CEMENT JOB <input type="checkbox"/>	
DOWNHOLE COMMINGLE <input type="checkbox"/>			
CLOSED-LOOP SYSTEM <input type="checkbox"/>			
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Cross Timbers Energy requests approval for the following TA procedure:

1. MIRU
2. POOH tubing.
3. RIH with bit to ~2800'. POOH.
4. Set CIBP ~ 2785'.
5. Dump bail ~20' cement on top.
6. Pressure test plug and casing to 550 psi.
7. Notify NMOCD of intent to run MIT and proceed as directed.
8. RDMO.

Spud Date:

Rig Release Date:

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Connie Blaylock TITLE REGULATORY ANALYST DATE 04/10/2025

Type or print name _____ E-mail address: _____ PHONE: _____

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Cross Timbers Energy

State Gas Com CA #1
San Juan County, NM

TD – 2,988 ft MD

12-1/4" hole to 329'
Surface Csg: 8-5/8" 24# J-55
Setting Depth: 329 ft


Cement:
300sx Class B cmt
Circulated 19 bbls cement to surface

7-7/8" hole to 2,988'
Prod Csg: 4-1/2" 10.5# K-55
Setting Depth: 2,988 ft

Cement:
Lead: 675sx Class B cmt (1040 ft³)
Tail: 100sx Class B cmt (118 ft³)

Perfs: (4 spf, 100 holes):
2,835'-44', 2,920'-32', 2,938'-42'

Frac
2835'-2942'
90,000 gals fluid
150,000# 20/40 Sand



PBTB: 2,950 ft MD

Prepared by: JRyza
Date: 03/17/2022

KB = 13 ft
GL = 5,601 ft
API# 30-045-25878

Spud Date: 06/10/1984
Date Completed: 06/18/1984

Geo Tops

Nacimiento: Surf
Ojo Alamo: *443'
Kirtland: *575'
Fruitland: *1513'
Picture Cliffs: *1768'
Chacra: *2781'

*Tops estimated from 2024 BLM
Fluid Minerals P&A Geologic Report
for approved P&A McDaniel B 1E
3004524435

Prod Tbg 06/19/1984:

2-3/8" 4.7# J-55 tbg:
8' pup jt, 89 jts tbg,
SN, 1 jt tbg, Notched collar
EOT=2,940' KB

Chacra Perfs:
2,835' – 2,942' (overall)

Cross Timbers Energy

Prepared by: Bberry
Date: 04.09.2025

KB = 13 ft
GL = 5,601 ft
API# 30-045-25878

State Gas Com CA #1
San Juan County, NM

Proposed TA

Spud Date: 06/10/1984
Date Completed: 06/18/1984

TD – 2,988 ft MD

12-1/4" hole to 329'
Surface Csg: 8-5/8" 24# J-55
Setting Depth: 329 ft


Cement:
300sx Class B cmt
Circulated 19 bbls cement to surface

7-7/8" hole to 2,988'
Prod Csg: 4-1/2" 10.5# K-55
Setting Depth: 2,988 ft

Cement:
Lead: 675sx Class B cmt (1040 ft³)
Tail: 100sx Class B cmt (118 ft³)

Perfs: (4 spf, 100 holes):
2,835'-44', 2,920'-32', 2,938'-42'

Frac
2835'-2942'
90,000 gals fluid
150,000# 20/40 Sand



Set CIBP ~2785' dump bail 20' cmt on top

Chacra Perfs:
2,835' – 2,942' (overall)

PBTB: 2,950 ft MD

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 450796

CONDITIONS

Operator: CROSS TIMBERS ENERGY, LLC 400 West 7th Street Fort Worth, TX 76102	OGRID: 298299
	Action Number: 450796
	Action Type: [C-103] NOI Temporary Abandonment (C-103I)

CONDITIONS

Created By	Condition	Condition Date
mkuehling	Chacra top is at 2781 - if plugging off Chacra will need to bring cement 35 feet above Chacra top when using a dump bailer - Notify NMOCD 24 hours prior to moving on - Bradenhead test required prior to MIT day of MIT.	5/1/2025