

Well Name: SEINFELD FEDERAL UNIT MULVA	Well Location: T24S / R35E / SEC 27 / SWSW / 32.1812778 / -103.3612226	County or Parish/State: LEA / NM
Well Number: 222H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138893	Unit or CA Name:	Unit or CA Number: NMNM141169X
US Well Number: 3002550893	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2739740

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 07/07/2023

Time Sundry Submitted: 08:00

Date Operation Actually Began: 05/07/2023

Actual Procedure: Well spud on 5/7/2023 at 08:45 5/7/2023: Drill 14.75 inch surface hole to 1026 ft. 5/7/2023: Run 10.75 inch 45.5 lb J-55 surface casing to 1011 ft. Pump 30 bbl gel spacer, followed by 710 sks of 13.5 ppg lead cmt and 265 sks of 14.8 ppg tail cmt. Drop plug and displace with 94 bbls freshwater. 130 bbls of cement returned back to surface. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 5/24/2023: Test BOPS. Drill 9.875 intermediate hole to 12177 ft. 5/31/2023: Run 7.625 inch 29.7 lb L-80 intermediate casing to 12123 ft. Pump 40 bbls spacer, followed by 1425 sks of 11.2 ppg lead cmt 250 sks of 13.2 ppg tail cmt. Drop plug and displace with 554 bbls of fresh water. 100 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 2700 for 30 minutes, good test. 6/20/2023: Drill 6.75 inch production hole to 21045 ft. 6/30/2023: Run 5.5 inch 20 lb P-110 production casing to 21026 ft MD. Pump 80 bbls spacer, then 765 sks of 14.0 ppg tail cmt. Drop plug and displace with 20 bbls sugar water and 430 bbls brine. 0 bbls cement returned to surface. Est TOC at 7413 ft. Surface Casing Details: Casing ran: 5/7/2023, Fluid Type Fresh Water, Hole 14.75 inch, Csg Size 10.75 inch, Weight 45.5 lbs, Grade J-55, Est TOC 0 ft, Depth set 1011 ft, Cement 975 sacks, Yield 1.75 lead/1.36 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 5/31/2023, Fluid Type diesel brine emulsion, Hole 9.875 inch to 12177, Csg Size 7.625 inch, Weight 29.7 lbs, Grade L-80, Est TOC 0 ft, Depth set 12123 ft, Cement 1675 sks, Yield 2.60 lead/1.44 tail, Class C, Pressure Held 2700 psi, Pres Drop 0. Production Casing details: Casing Date: 6/30/2023, Fluid Type oil based mud, Hole 6.75 inch to 21045 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 21026 ft, EST TOC 7413 ft, Cement 765 sacks, yield 1.37 tail, Class H. 6/29/2023: TD Reached at 21045 MD, 12766 ft TVD. Plug Back Measured depth at 20973 ft MD, 12765 ft TVD. Rig Release on 7/2/2023 at 00:00

Well Name: SEINFELD FEDERAL UNIT MULVA	Well Location: T24S / R35E / SEC 27 / SWSW / 32.1812778 / -103.3612226	County or Parish/State: LEA / NM
Well Number: 222H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138893	Unit or CA Name:	Unit or CA Number: NMNM141169X
US Well Number: 3002550893	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA	Signed on: JUL 07, 2023 08:00 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 07/12/2023
Signature: Jonathon Shepard	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 239334

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 239334
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	5/7/2025