

Sundry Print Report

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Well Name: FULLER 14/11 W1HA FED Well Location: T26S / R29E / SEC 14 / County or Parish/State: EDDY /

COM NESE / 32.0416399 / -103.9499013

Well Number: 1H Type of Well: CONVENTIONAL GAS Allottee or Tribe Name:

WELL

Lease Number: NMNM11038 Unit or CA Name: Unit or CA Number:

US Well Number: 3001549317 Well Status: Producing Gas Well Operator: MEWBOURNE OIL

COMPANY

Subsequent Report

Sundry ID: 2682424

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 07/15/2022 Time Sundry Submitted: 02:41

Date Operation Actually Began: 06/08/2022

Actual Procedure: 06/08/22 Spud 17 1/2" hole. TD @ 1131'. Ran 1116' of 13 3/8" 54.5# J55 ST&C Csg. Cmt w/650 sks Class C w/additives. (yd @ 2.31 cuft/sk @ 12.5 PPG). Tail w/200 sks Class C w/2% CaCl2 (yd @ 1.34 cuft/sk @ 14.8 PPG). Displaced w/166 bbls of BW. Plug down @ 3:00 A.M. 06/09/22. Circ 172 sks of cmt to the pit. Tested BOPE to 5000# & Annular to 3500#. At 3:15 AM. 06/10/22, tested csg to 1500# for 30 mins, held OK. FIT to 10.5 PPG EMW. Drilled out with 12 1/4" bit. 06/12/22 TD'ed 12 1/4" hole @ 4192'. Ran 4177' 9 5/8" 40# HCL80 LT&C Csg. Cmt w/925 sks Class Poz C 35/65 w/additives (yd @ 2.17 cuft/sk @ 12.5 PPG). Tail w/200 sks Class C Neat (yd @ 1.32 cuft/sk @ 14.8 PPG). Displaced w/313 bbls of FW. Plug down @ 11:15 A.M. 06/12/22. Circ 233 sks of cmt to the pit. Set Cameron mandrel hanger through BOP w/122k#. At 10:30 P.M. 06/13/22, tested csg to 1500# for 30 mins, held OK. FIT to 10.0 PPG EMW. Drilled out at 8 3/4". 06/16/22 TD'ed 8 3/4" hole @ 9680'. Ran 9604' of 7" 29# ICYP110 BT&C Csg. Cmt w/450 sks PVL w/additives (yd @ 3.18 cuft/sk @ 9.8 PPG). Tail w/400 sks Class H w/0.5% Fluid loss & 0.3% Retarder (yd @ 1.18 cuft/sk @ 15.6 PPG). Displaced w/353 bbls of OBM. Slow lift pressure 350# @ 3 BPM. Plug down @ 12:00 P.M. 06/17/22. Did not circ cmt to the pit. Set Cameron mandrel hanger through BOP w/181k#. At 4:15 P.M. 06/18/22, tested csg to 1500# for 30 mins, held OK. Fit to 13.5 PPG EMW. Drilled out w/6 1/8" bit. 06/24/22 TD'ed 6 1/8" hole @ 17750' MD. Ran 17747' 4 1/2" 13.5# ICP110 Wedge 461 csg from 9426' (top of liner) to 17747'. Par Five cmt w/575 sks 35:65 Poz Class H w/10% Strength Enhancer, 4% Gel, 0.6% Retarder, 0.5% OBS Fluid loss & 10#/sk Obsidian Pumice (1.85 ft³/sk @ 13.5 ppg). Pumped 5 bbls of sugar FW. Drop dart. Pumped 20 bbls of sugar FW & 196 bbls of sugar BW. Lift Pressure 2400# @ 3 BPM. Plug down @ 9:15 A.M. 06/26/22. Bumped plug w/3200#. Set packer w/100k#. Sting out of liner hanger w/2500# on DP. Released from liner hanger. Displaced csg w/400 bbls of BW w/polymer sweep. Circ 151 sks cmt off liner top. At 11:30 A.M. 06/26/22, tested liner to 2500# for 30 min, held OK. Rig released to walk @ 12:00 A.M. 06/28/22.

County or Parish/State: EDD 200 eived by OCD: 7/25/2023 11:14:40 AM Well Name: FULLER 14/11 WI HA FED Well Location: T26S / R29E / SEC 14 / NM

COM NESE / 32.0416399 / -103.9499013

Type of Well: CONVENTIONAL GAS

Unit or CA Name: Lease Number: NMNM11038 **Unit or CA Number:**

US Well Number: 3001549317 Well Status: Producing Gas Well Operator: MEWBOURNE OIL

COMPANY

Allottee or Tribe Name:

SR Attachments

PActual Procedure

Well Number: 1H

Fuller_14_11_W1HA_Fed_Com__1H_BOP_Test_Charts_20220715144024.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JACKIE LATHAN Signed on: JUL 15, 2022 02:37 PM

Name: MEWBOURNE OIL COMPANY

Title: Regulatory

Street Address: PO Box 5270

City: Hobbs State: NM

Phone: (575) 393-5905

Email address: Jlathan@mewbourne.com

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted Disposition Date: 08/10/2022

Signature: Jonathon Shepard

Page 2 of 2

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 244026

CONDITIONS

Operator:	OGRID:
MEWBOURNE OIL CO	14744
P.O. Box 5270	Action Number:
Hobbs, NM 88241	244026
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Provide TOC for Intermediate 2 on Completion Sundry	5/8/2025