

Well Name: SEINFELD FEDERAL UNIT YADA	Well Location: T24S / R35E / SEC 35 / SWSW / 32.1673821 / -103.3433524	County or Parish/State: LEA / NM
Well Number: 222H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138896	Unit or CA Name:	Unit or CA Number: NMNM141169X
US Well Number: 3002550986	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2740277

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 07/11/2023

Time Sundry Submitted: 08:31

Date Operation Actually Began: 06/07/2023

Actual Procedure: Well spud on 6/7/2023 at 18:00 6/7/2023: Drill 14.75 inch surface hole to 970 ft. 6/8/2023: Run 10.75 inch 45.5 lb J-55 surface casing to 953 ft. Pump 20 bbl water spacer, followed by 425 sks of 13.5 ppg lead cmt and 265 sks of 14.8 ppg tail cmt. Drop plug and displace with 87 bbls freshwater. 80 bbls of cement returned back to surface. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 6/17/2023: Test BOPS. Drill 9.875 intermediate hole to 11915 ft. 6/23/2023: Run 7.625 inch 29.7 lb L-80 intermediate casing to 11915 ft. Pump 30 bbls fresh water spacer, followed by 705 sks of 10.5 ppg lead cmt 325 sks of 14.5 ppg tail cmt. Drop plug and displace with 544 bbls of fresh water. 230 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 2620 for 30 minutes, good test. 6/24/2023: Drill 6.75 inch production hole to 22785 ft. 7/8/2023: Run 5.5 inch 20 lb P-110 production casing to 22768 ft MD. Pump 80 bbls spacer, then 940 sks of 14.0 ppg tail cmt. Drop plug and displace with 20 bbls sugar water and 470 bbls brine. 0 bbls cement returned to surface. Est TOC at 8301 ft. Surface Casing Details: Casing ran: 6/8/2023, Fluid Type Fresh Water, Hole 14.75 inch, Csg Size 10.75 inch, Weight 45.5 lbs, Grade J-55, Est TOC 0 ft, Depth set 953 ft, Cement 690 sacks, Yield 1.79 lead/1.34 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 6/23/2023, Fluid Type diesel brine emulsion, Hole 9.875 inch to 11915, Csg Size 7.625 inch, Weight 29.7 lbs, Grade L-80, Est TOC 0 ft, Depth set 11897 ft, Cement 1030 sks, Yield 4.02 lead/1.23 tail, Class C, Pressure Held 2620 psi, Pres Drop 0. Production Casing details: Casing Date: 7/8/2023, Fluid Type oil based mud, Hole 6.75 inch to 22785 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 22768 ft, EST TOC 7859 ft, Cement 940 sacks, yield 1.32 tail, Class C. 7/7/2023: TD Reached at 22785 MD, 12397 ft TVD. Plug Back Measured depth at 22716 ft MD, 12395 ft TVD. Rig Release on 7/10/2023 at 08:00

Received by OCD: 8/28/2023 9:03:15 AM

Page 2 of 3

Well Name: SEINFELD FEDERAL UNIT YADA		Well Location: T24S / R35E / SEC 35 / SWSW / 32.1673821 / -103.3433524	County or Parish/State: LEA / NM
Well Number: 222H	Type of Well: OIL WELL		Allottee or Tribe Name:
Lease Number: NMNM138896	Unit or CA Name:	Unit or CA Number: NMNM141169X	
US Well Number: 3002550986	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC	

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA	Signed on: JUL 11, 2023 08:31 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 07/13/2023
Signature: Jonathon Shepard	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 258077

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 523 Park Point Drive Golden, CO 80401	OGRID: 372043
	Action Number: 258077
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
jeffrey.harrison	Report pressure test on next sundry. Include test pressure and duration.	5/15/2025