Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 202

BUR	5. Lease Serial No. NMNM097896						
Do not use this t	IOTICES AND REPORTS ON Viorm for proposals to drill or s Use Form 3160-3 (APD) for su	to re-enter a	n	6. If Indian, Allottee	or Tribe	Name	
SUBMIT IN TRIPLICATE - Other instructions on page 2				7. If Unit of CA/Agreement, Name and/or No.			
1. Type of Well	_		5	R Well Name and No			
Oil Well Gas V	— • • • • • • • • • • • • • • • • • • •			8. Well Name and No. JADE 34 3 FED COM/18H			
2. Name of Operator EARTHSTONE	OPERATING LLC		٩	9. API Well No. 3002550023			
3a. Address 1400 WOODLOCH FOREST DRIVE SUITE 300, 3b. Phone No. (include area code) (281) 298-4240				10. Field and Pool or Exploratory Area TEAS/BONE SPRING			
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 34/T19S/R33E/NMP				11. Country or Parish, State LEA/NM			
12. CHE	CK THE APPROPRIATE BOX(ES) TO I	NDICATE NATUI	RE OF NOTIC	CE, REPORT OR OT	HER DA	ATA	
TYPE OF SUBMISSION		Т	YPE OF ACT	ION			
Notice of Intent	Alter Casing Hye	epen draulic Fracturing w Construction	=			Water Shut-Off Well Integrity Other	
Subsequent Report		g and Abandon		orarily Abandon	ىت		
Final Abandonment Notice	Convert to Injection Plu	g Back	Water	Disposal			
the Bond under which the work will completion of the involved operation completed. Final Abandonment No is ready for final inspection.) 04/09/2023 - NOTIFIED BLM 004/12/2023 - DRILL 17.5" SUF-NOTIFY BLM OF INTENT TO 04/12 - 04/13/2023 - RUN 32 04/13/2023 - CEMENT 13.375 LEAD - 208 BBLS (455 SXS) 01 TAIL - 99 BBLS (415 SXS) 01 CLIRCULATED 40 BBLS (87 SIPRESSURE TEST SURFACE - WOC 6 HOURS & RELEASE 08/31/2023 - NOTIFY BLM OF 09/02/2023 - NIPPLE UP & TE Continued on page 3 additional	RFACE HOLE TO 1367' MD O RUN & CEMENT 13.375" SURFACE JTS, 13.375", 54.5#, J-55 BTC CSG SI SURFACE CASING CLASS C @ 2.01 YIELD ASS C @ 1.34 YIELD EXS) CEMENT TO SURFACE E CASING TO 1500 PSI; 30 MIN; GOC SPUDDER RIG & CEASE DRILLING FINTENT TO TEST BOPE EST BOPE	n file with BLM/Bl ompletion or reconnts, including recla CASING ET @ 1367' MD	IA. Required s npletion in a n	subsequent reports me ew interval, a Form 3	ust be fil 3160-4 n	ed within 30 days following nust be filed once testing has been	
JENNIFER ELROD / Ph: (817) 953		Senior F	Regulatory Te	echnician			
Signature (Electronic Submission	on)	Date		09/28/2023			
	THE SPACE FOR FEI	DERAL OR S	TATE OF	CE USE			
Approved by							
JONATHON W SHEPARD / Ph: (5	Title Per	troleum Engi	neer	Date	09/29/2023		
Conditions of approval, if any, are attack certify that the applicant holds legal or ewhich would entitle the applicant to con	ent or lease Office C	CARLSBAD					

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Additional Remarks

- -TEST RAMS, CHOKE, VALVES, & LINE; 250 LOW/5000 HIGH; 10 MIN EACH TEST; ALL GOOD TEST
- -TEST ANNULAR; 250 LOW/2500 HIGH; 10 MIN; GOOD TEST
- -BEGIN DRILLING 12.25" INTERMEDIATE #1 HOLE
- 09/03/2023 DRILL 12.25" INTERMEDIATE #1 HOLE TO 3295' MD
- -NOTIFY BLM OF INTENT TO RUN & CEMENT 10.75" INT #1 CASING
- -RUN 10.75", 45.5#, HCL-80 BTC CSG SET @ 3280' MD
- 09/03 09/04/2023 CEMENT 10.75" INT #1 CASING
- LEAD 244 BBLS (700 SXS) CLASS C @ 1.96 YIELD
- TAIL 34 BBLS (145 SXS) CLASS C @ 1.32 YIELD
- ***CIRCULATED 131 BBLS (375 SXS) CEMENT TO SURFACE***
- 09/04 09/05/2023 WOC 24 HOURS
- 09/05/2023 DRILL 9.875" INTERMEDIATE #2 HOLE TO 3958' MD
- -PIPE SCREEN STUCK IN DP; SHUTDOWN FOR 10 MIN; KNOCK SCREEN OUT; BROUGHT PUMPS BACK ONLINE & HOLE WAS
- PACKED OFF AND PIPE STUCK
- 09/05 09/09/2023 FISHING JOB; DECISION MADE TO SET PKR & SIDETRACK
- 09/09/2023 RIH; SET PKR @ 3424' MD
- -PUMP 48 BBLS (285 SXS) CLASS H CEMENT @ 0.94 YIELD; DISPLACE W/45 BBLS FW LEAVING 3 BBLS CMNT IN TBNG FOR
- BALANCED PLUG
- 09/10/2023 WOC 36 HOURS
- 09/11/2023 TIH W/9.875" BHA TO SIDETRACK INTERMEDIATE #2 HOLE
- -WASH DOWN TO TOC @ 2919' MD
- -BEGIN DRILLING 9.875" INTERMEDIATE #2 HOLE
- 09/13/2023 DRILL 9.875" INT #2 HOLE TO 5270' MD
- -NOTIFY BLM OF INTENT TO RUN & CMNT 8.625" INT #2 CSG
- -RUN 8.625", 32#, EHCL-80 MO-FXL CSG SET @ 5250' MD; W/DV TOOL @ 3351' MD $^{\circ}$
- 09/14/2023 PUMP 1ST STAGE CEMENT JOB
- LEAD 254 BBLS (600 SXS) CLASS C @ 2.38 YIELD
- TAIL 27 BBLS (155 SXS) CLASS C @ 1.32 YIELD
- *NO CEMENT TO SURFACE DURING STAGE 1
- -DROP DV TOOL ACTIVATION BOMB & OPEN DV TOOL
- -PUMP 2ND STAGE CEMNT JOB
- LEAD 175 BBLS (500 SXS) CLASS C @ 1.97 YIELD
- TAIL 27 BBLS (115 SXS) CLASS C @ 1.32 YIELD
- **CIRCULATED 119 BBLS (339 SXS) CEMENT TO SURFACE
- -WOC 24 HOURS
- 09/15/2023 DRILL OUT DV TOOL @ 3351' MD
- -PRESSURE TEST INT #2 CSG TO 1500 PSI; 30 MIN; GOOD TEST
- -BEGIN DRILLING PRODUCTION HOLE
- 09/24/2023 DRILL 7.875" PRODUCTION HOLE TO 20,429' TMD/ $10,\!155'$ TVD
- -NOTIFY BLM OF INTENT TO RUN & CEMENT PRODUCTION CASING

09/25/2023 - RUN 5.5", 20#, P-110 RY-VARN CSG SET @ 20,413' MD

-CEMENT 5.5" PRODUCION CASING

LEAD - 317 BBLS (584 SXS) CLASS H @ 3.05 YIELD

TAIL - 474 BBLS (1380 SXS) CLASS H @ 1.93 YIELD

CIRCULATED 143 BBLS (263 SXS) CEMENT TO SURFACE

09/26/2023 - RIG RELEASE @ 2:00 HOURS

CBL & PROD CSG PRESSURE TEST WILL BE CONDUCTED PRIOR TO COMPLETIONS OPERATIONS

Location of Well

0. SHL: NENE / 220 FNL / 870 FEL / TWSP: 19S / RANGE: 33E / SECTION: 34 / LAT: 32.623651 / LONG: -103.64465 (TVD: 0 feet, MD: 0 feet)

PPP: NWNE / 100 FNL / 1751 FEL / TWSP: 19S / RANGE: 33E / SECTION: 34 / LAT: 32.623685 / LONG: -103.649176 (TVD: 10491 feet, MD: 11091 feet)

BHL: SWSE / 50 FSL / 1751 FEL / TWSP: 20S / RANGE: 33E / SECTION: 3 / LAT: 32.595174 / LONG: -103.649839 (TVD: 10508 feet, MD: 20897 feet)

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 270578

CONDITIONS

Operator:	OGRID:
Earthstone Operating, LLC	331165
300 N. Marienfeld St Ste 1000	Action Number:
Midland, TX 79701	270578
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	5/27/2025