

Well Name: SEINFELD FEDERAL UNIT YADA	Well Location: T24S / R35E / SEC 35 / SWSE / 32.1673992 / -103.3342898	County or Parish/State: LEA / NM
Well Number: 224H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138896	Unit or CA Name:	Unit or CA Number: NMNM141169X
US Well Number: 3002550988	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Subsequent Report

Sundry ID: 2739743

Type of Submission: Subsequent Report	Type of Action: Drilling Operations
Date Sundry Submitted: 07/07/2023	Time Sundry Submitted: 08:11
Date Operation Actually Began: 05/08/2023	

**Actual Procedure:** Well spud on 5/8/2023 at 11:00 5/8/2023: Drill 14.75 inch surface hole to 1045 ft. 5/8/2023: Run 10.75 inch 45.5 lb J-55 surface casing to 1031 ft. Pump 20 bbl water spacer, followed by 500 sks of 13.5 ppg lead cmt and 94 sks of 14.8 ppg tail cmt. Drop plug and displace with 93 bbls freshwater. 115 bbls of cement returned back to surface. EST TOC at 0 ft. Pressure test casing to 1500 PSI for 30 minutes, good test. 5/17/2023: Test BOPS. Drill 9.875 intermediate hole to 11837 ft. 5/23/2023: Run 7.625 inch 29.7 lb L-80 intermediate casing to 11801 ft. Pump 40 bbls spacer, followed by 1295 sks of 11.2 ppg lead cmt 275 sks of 13.2 ppg tail cmt. Drop plug and displace with 539 bbls of fresh water. 139 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 2600 for 30 minutes, good test. 6/15/2023: Drill 6.75 inch production hole to 22754 ft. 7/3/2023: Run 5.5 inch 20 lb P-110 production casing to 22734 ft MD. Pump 80 bbls spacer, then 940 sks of 14.0 ppg tail cmt. Drop plug and displace with 20 bbls sugar water and 483 bbls brine. 0 bbls cement returned to surface. Est TOC at 7859 ft. Surface Casing Details: Casing ran: 5/8/2023, Fluid Type Fresh Water, Hole 14.75 inch, Csg Size 10.75 inch, Weight 45.5 lbs, Grade J-55, Est TOC 0 ft, Depth set 1031 ft, Cement 594 sacks, Yield 1.74 lead/1.35 tail, Class C. Pressure test: 1500 PSI, Pressure Drop: 0. Intermediate Casing Details: Casing ran: 5/23/2023, Fluid Type diesel brine emulsion, Hole 9.875 inch to 11873, Csg Size 7.625 inch, Weight 29.7 lbs, Grade L-80, Est TOC 0 ft, Depth set 11801 ft, Cement 1570 sks, Yield 2.60 lead/1.44 tail, Class C, Pressure Held 2600 psi, Pres Drop 0. Production Casing details: Casing Date: 7/3/2023, Fluid Type oil based mud, Hole 6.75 inch to 22754 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 22734 ft, EST TOC 7859 ft, Cement 940 sacks, yield 1.37 tail, Class H. 6/30/2023: TD Reached at 22754 MD, 12278 ft TVD. Plug Back Measured depth at 22682 ft MD, 12278 ft TVD. Rig Release on 7/5/2023 at 21:00

Received by OCD: 10/17/2023 11:59:38 AM

Page 2 of 3

Well Name: SEINFELD FEDERAL UNIT YADA	Well Location: T24S / R35E / SEC 35 / SWSE / 32.1673992 / -103.3342898	County or Parish/State: LEA / NM
Well Number: 224H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM138896	Unit or CA Name:	Unit or CA Number: NMNM141169X
US Well Number: 3002550988	Well Status: Drilling Well	Operator: TAP ROCK OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JEFFREY TRLICA	Signed on: JUL 07, 2023 08:10 AM
Name: TAP ROCK OPERATING LLC	
Title: Regulatory Analyst	
Street Address: 523 PARK POINT DRIVE SUITE 200	
City: GOLDEN	State: CO
Phone: (720) 772-5910	
Email address: JTRLICA@TAPRK.COM	

Field

Representative Name:		
Street Address:		
City:	State:	Zip:
Phone:		
Email address:		

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD	BLM POC Title: Petroleum Engineer
BLM POC Phone: 5752345972	BLM POC Email Address: jshepard@blm.gov
Disposition: Accepted	Disposition Date: 07/13/2023
Signature: Jonathon Shepard	

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 276474

CONDITIONS

Operator: TAP ROCK OPERATING, LLC 1700 Lincoln St Denver, CO 80203	OGRID: 372043
	Action Number: 276474
	Action Type: [C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
jeffrey.harrison	Report pressure test on next sundry. Include test pressure and duration.	5/27/2025