U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

04/02/2025

Well Name: POKER LAKE UNIT 30 BS

Well Location: T25S / R31E / SEC 30 / SENE / 32.101851 / -103.810823

County or Parish/State: EDDY / NM

Well Number: 410H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC061634B, NMNM0157756A

Unit or CA Name: POKER LAKE UNIT

Unit or CA Number: NMNM71016X

US Well Number: 3001555945

Operator: XTO PERMIAN OPERATING LLC

Notice of Intent

Sundry ID: 2842293

Type of Submission: Notice of Intent

Type of Action: APD Change

Date Sundry Submitted: 03/18/2025

Time Sundry Submitted: 04:17

Date proposed operation will begin: 03/18/2025

Procedure Description: XTO Permian Operating LLC respectfully requests to make the following changes: Dedicated acreage: f/ 400 t/ 800 Attachments: Updated C-102 on new required form. No new surface disturbance.

NOI Attachments

Procedure Description

POKER_LAKE_UNIT_30_BS_410H_C102_SUNDRY_FINAL_AMENDED_3_13_2025_14_03_2025_signed_20250318161731.pdf

Well Name: POKER LAKE UNIT 30 BS

Well Location: T25S / R31E / SEC 30 / SENE / 32.101851 / -103.810823

County or Parish/State: EDDY / NM

Well Number: 410H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMLC061634B, NMNM0157756A

Unit or CA Name: POKER LAKE UNIT

Unit or CA Number: NMNM71016X

US Well Number: 3001555945

Operator: XTO PERMIAN OPERATING LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: LACEY GRANILLO

Signed on: MAR 18, 2025 04:17 PM

Name: XTO PERMIAN OPERATING LLC

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD

City: MIDLAND **State:** TX

Phone: (432) 894-0057

Email address: LACEY.GRANILLO@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: MARIAH HUGHES

BLM POC Title: Land Law Examiner

BLM POC Phone: 5752345972

BLM POC Email Address: mhughes@blm.gov

Disposition: Approved

Disposition Date: 03/27/2025

Signature: Cody Layton Assistant Field Manager

Form 3160-5
(June 2019)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE *- Other instructions on page 2*

5. Lease Serial No. NMNM0157756A

6. If Indian, Allottee or Tribe Name

7. If Unit of CA/Agreement, Name and/or No. POKER LAKE UNIT/NMNM71016X

1. Type of Well
☑ Oil Well ☐ Gas Well ☐ Other

8. Well Name and No. POKER LAKE UNIT 30 BS/410H

2. Name of Operator XTO PERMIAN OPERATING LLC

9. API Well No. 3001555945

3a. Address 6401 HOLIDAY HILL ROAD BLDG 5, MIDLAND,

3b. Phone No. *(include area code)* (432) 683-2277

10. Field and Pool or Exploratory Area WILDCAT G-06 S253002O/BONE SPRING

4. Location of Well *(Footage, Sec., T.,R.,M., or Survey Description)* SEC 30/T25S/R31E/NMP

11. Country or Parish, State EDDY/NM

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
☑ Notice of Intent	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off
	☐ Alter Casing	☐ Hydraulic Fracturing	☐ Reclamation	☐ Well Integrity
☐ Subsequent Report	☐ Casing Repair	☐ New Construction	☐ Recomplete	☐ Other
	☑ Change Plans	☐ Plug and Abandon	☐ Temporarily Abandon	
☐ Final Abandonment Notice	☐ Convert to Injection	☐ Plug Back	☐ Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be perfonned or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has detennined that the site is ready for final inspection.)

XTO Permian Operating LLC respectfully requests to make the following changes:
Dedicated acreage: f/ 400 t/ 800
Attachments: Updated C-102 on new required form. No new surface disturbance.

14. I hereby certify that the foregoing is true and correct. Name *(Printed/Typed)* LACEY GRANILLO / Ph: (432) 894-0057

Title Regulatory Analyst

Signature (Electronic Submission)

Date 03/18/2025

THE SPACE FOR FEDERAL OR STATE OFICE USE

Approved by MARIAH HUGHES / Ph: (575) 234-5972 / Approved

Title Land Law Examiner

Date 03/27/2025

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office CARLSBAD

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.
AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.
PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.
ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.
EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:
The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.
Response to this request is mandatory.
The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect ofthis form to U.S. Department ofthe Interior, Bureau ofLand Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: SENE / 2435 FNL / 599 FEL / TWSP: 25S / RANGE: 31E / SECTION: 30 / LAT: 32.101851 / LONG: -103.810823 (TVD: 0 feet, MD: 0 feet)

PPP: NESE / 2558 FNL / 330 FEL / TWSP: 25S / RANGE: 31E / SECTION: 30 / LAT: 32.100973 / LONG: -103.809962 (TVD: 10895 feet, MD: 11300 feet)

PPP: NESE / 2655 FNL / 330 FEL / TWSP: 25S / RANGE: 31E / SECTION: 30 / LAT: 32.101248 / LONG: -103.809955 (TVD: 10895 feet, MD: 11900 feet)

PPP: NESE / 2656 FNL / 314 FEL / TWSP: 25S / RANGE: 31E / SECTION: 31 / LAT: 32.08664 / LONG: -103.809982 (TVD: 10895 feet, MD: 14500 feet)

BHL: SESE / 10 FSL / 330 FEL / TWSP: 26S / RANGE: 31E / SECTION: 6 / LAT: 32.064736 / LONG: -103.064736 (TVD: 10674 feet, MD: 24286 feet)

C-102	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	Revised July 9, 2024
Submit Electronically Via OCD Permitting		Submittal Type: ☐ Initial Submittal ☒ Amended Report ☐ As Drilled

WELL LOCATION INFORMATION

API Number	Pool Code	Pool Name
30-015-55945	97913	WILDCAT G-06 S253002O; BONE SPRING

Property Code	Property Name	Well Number
327328	POKER LAKE UNIT 30 BS	410H

ORGID No.	Operator Name	Ground Level Elevation
373075	XTO PERMIAN OPERATING, LLC.	3,366'

Surface Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Mineral Owner: ☐ State ☐ Fee ☐ Tribal ☒ Federal

Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
H	30	25 S	31 E		2,435' FNL	599' FEL	32.101852	-103.810823	EDDY

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
P	6	26 S	31 E		10' FSL	330' FEL	32.064736	-103.810022	EDDY

Dedicated Acres	Infill or Defining Well	Defining Well API	Overlapping Spacing Unit (Y/N)	Consolidation Code
800	INFILL	30-015-55949	Y	U

Order Numbers.

Well setbacks are under Common Ownership: ☒ Yes ☐ No

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
H	30	25 S	31 E		2,039' FNL	335' FEL	32.102941	-103.809959	EDDY

First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
I	30	25 S	31 E		2,558' FSL	330' FEL	32.100973	-103.809962	EDDY

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
P	6	26 S	31 E		100' FSL	330' FEL	32.064983	-103.810023	EDDY

Unitized Area or Area of Uniform Interest	Spacing Unit Type	Ground Floor Elevation:
NMNM-071016X	☒ Horizontal ☐ Vertical	3,366'

OPERATOR CERTIFICATIONS

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling form the division.

Lacey granillo 3/18/25

Signature Date

Lacey Granillo

Printed Name

Lacey.granillo@exxonmobil.com

Email Address

SURVEYOR CERTIFICATIONS

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

I, TIM C. PAPPAS, NEW MEXICO PROFESSIONAL SURVEYOR NO. 21209, DO HEREBY CERTIFY THAT THIS SURVEY PLAT AND THE ACTUAL SURVEY ON THE GROUND UPON WHICH IT IS BASED WERE PERFORMED BY ME OR UNDER MY DIRECT SUPERVISION; THAT I AM RESPONSIBLE FOR THIS SURVEY, THAT THIS SURVEY MEETS THE MINIMUM STANDARDS FOR SURVEYING IN NEW MEXICO, AND THAT IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

14 March 2025

TIM C. PAPPAS
REGISTERED PROFESSIONAL LAND SURVEYOR
STATE OF NEW MEXICO NO. 21209



Signature and Seal of Professional Surveyor

Certificate Number	Date of Survey
TIM C. PAPPAS 21209	3/13/2025

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

FSC INC SURVEYORS+ENGINEERS
2821 West 7th Street., Ste 200 - Fort Worth, TX 76107
Ph: 817.349.9800 - Fax: 979.732.5271
TBPE Firm 17957 | TBPLS Firm 10193887
www.fscinc.net

DATE:	3-13-2025	PROJECT NO:	2023040193
DRAWN BY:	LM	SCALE:	
CHECKED BY:	CH	SHEET:	1 OF 2
FIELD CREW:	IR	REVISION:	NO

ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or a larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is the closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

LEGEND

- SECTION LINE
- PROPOSED WELLBORE
- NEW MEXICO MINERAL LEASE LINE
- 330' BUFFER
- DEDICATED ACREAGE

LINE TABLE		
LINE	AZIMUTH	LENGTH
L1	33° 43'43"	478.30'
L2	179° 48'38"	716.24'
L3	179° 48'09"	13,182.35'



COORDINATE TABLE					
SHL (NAD 83 NME)			LTP (NAD 83 NME)		
Y =	401,182.2	N	Y =	387,771.5	N
X =	703,131.2	E	X =	703,444.0	E
LAT. =	32.101852	°N	LAT. =	32.064983	°N
LONG. =	103.810823	°W	LONG. =	103.810023	°W
KOP (NAD 83 NME)			BHL (NAD 83 NME)		
Y =	401,580.0	N	Y =	387,681.5	N
X =	703,396.8	E	X =	703,444.6	E
LAT. =	32.102941	°N	LAT. =	32.064736	°N
LONG. =	103.809959	°W	LONG. =	103.810022	°W
FTP (NAD 83 NME)					
Y =	400,863.8	N			
X =	703,399.2	E			
LAT. =	32.100973	°N			
LONG. =	103.809962	°W			
SHL (NAD 27 NME)			LTP (NAD 27 NME)		
Y =	401,124.3	N	Y =	387,713.9	N
X =	661,945.6	E	X =	662,257.9	E
LAT. =	32.101727	°N	LAT. =	32.064859	°N
LONG. =	103.810344	°W	LONG. =	103.809546	°W
KOP (NAD 27 NME)			BHL (NAD 27 NME)		
Y =	401,522.1	N	Y =	387,623.9	N
X =	662,211.2	E	X =	662,258.5	E
LAT. =	32.102817	°N	LAT. =	32.064611	°N
LONG. =	103.809480	°W	LONG. =	103.809545	°W
FTP (NAD 27 NME)					
Y =	400,805.9	N			
X =	662,213.6	E			
LAT. =	32.100848	°N			
LONG. =	103.809484	°W			
PPP #1 (NAD 83 NME)			PPP #1 (NAD 27 NME)		
Y =	398,305.6	N	Y =	398,247.8	N
X =	703,407.9	E	X =	662,222.2	E
LAT. =	32.093941	°N	LAT. =	32.093816	°N
LONG. =	103.809974	°W	LONG. =	103.809496	°W
PPP #2 (NAD 83 NME)			PPP #2 (NAD 27 NME)		
Y =	395,649.8	N	Y =	395,592.0	N
X =	703,417.0	E	X =	662,231.2	E
LAT. =	32.086640	°N	LAT. =	32.086515	°N
LONG. =	103.809986	°W	LONG. =	103.809509	°W
PPP #3 (NAD 83 NME)			PPP #3 (NAD 27 NME)		
Y =	392,993.7	N	Y =	392,936.0	N
X =	703,426.1	E	X =	662,240.2	E
LAT. =	32.079339	°N	LAT. =	32.079214	°N
LONG. =	103.809999	°W	LONG. =	103.809521	°W

CORNER COORDINATES (NAD83 NME)					
A - Y =	400,966.5	N	A - X =	703,729.5	E
B - Y =	398,308.0	N	B - X =	703,719.7	E
C - Y =	395,652.0	N	C - X =	703,732.0	E
D - Y =	392,996.2	N	D - X =	703,742.0	E
E - Y =	390,335.7	N	E - X =	703,758.2	E
F - Y =	387,674.7	N	F - X =	703,774.6	E
G - Y =	400,955.6	N	G - X =	702,400.1	E
H - Y =	398,298.0	N	H - X =	702,389.1	E
I - Y =	395,642.9	N	I - X =	702,401.5	E
J - Y =	392,985.5	N	J - X =	702,412.9	E
K - Y =	390,323.9	N	K - X =	702,428.8	E
L - Y =	387,661.9	N	L - X =	702,444.8	E
CORNER COORDINATES (NAD27 NME)					
A - Y =	400,908.6	N	A - X =	662,543.9	E
B - Y =	398,250.2	N	B - X =	662,534.0	E
C - Y =	395,594.2	N	C - X =	662,546.2	E
D - Y =	392,938.5	N	D - X =	662,556.1	E
E - Y =	390,278.1	N	E - X =	662,572.2	E
F - Y =	387,617.1	N	F - X =	662,588.5	E
G - Y =	400,897.7	N	G - X =	661,214.5	E
H - Y =	398,240.2	N	H - X =	661,203.4	E
I - Y =	395,585.1	N	I - X =	661,215.7	E
J - Y =	392,927.8	N	J - X =	661,227.0	E
K - Y =	390,266.3	N	K - X =	661,242.8	E
L - Y =	387,604.3	N	L - X =	661,258.8	E

FSC INC SURVEYORS • ENGINEERS
2821 West 7th Street, Suite 200
Fort Worth, TX 76107
Ph: 817.349.9800 - Fax: 979.732.5271
TBPE Firm 17957 | TBPLS Firm 10193887
www.fscinc.net

DATE:	3-13-2025	PROJECT NO:	2023040193
DRAWN BY:	LM	SCALE:	1" = 2,500'
CHECKED BY:	CH	SHEET:	2 OF 2
FIELD CREW:	IR	REVISION:	NO

POKER LAKE UNIT 30- Effective dates

API	Well Name	Well Number	Effective Date
30-015-55945	POKER LAKE UNIT 30 BS	#410H	2/8/2025

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 448075
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
dmcclure	None	5/29/2025