

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: Bo Howard 1211 Fed Com Well Location: County or Parish/State:

Well Number: 124Y Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM109425 Unit or CA Name: Unit or CA Number:

US Well Number: 3001554223 Well Status: Drilling Well Operator: MATADOR

PRODUCTION COMPANY

Subsequent Report

Sundry ID: 2766016

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 12/14/2023 Time Sundry Submitted: 08:22

Date Operation Actually Began: 10/24/2023

Actual Procedure: Attached please find final casing and cement actuals for surface, intermediate 1, intermediate 2 and production casing. Spud Well: 9/25/2023 TD: 10/24/2023 15,458'MD/7622'TVD Release Rig: 10/26/2023

SR Attachments

PActual Procedure

Bo_Howard_1211_Fed_Com_124H____Casing_and_Cementing_Actuals_20231214082211.pdf

Page 1 of 2

(eceived by OCD: 1/2/2024 6:33:08-PM)
Well Name: Bo Howard 1211 Fed Com Well Location: County or Parish/State:

Well Number: 124Y Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM109425 Unit or CA Name: Unit or CA Number:

US Well Number: 3001554223 Well Status: Drilling Well Operator: MATADOR

PRODUCTION COMPANY

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: EILEEN KOSAKOWSKI Signed on: DEC 14, 2023 08:34 AM

Name: MATADOR PRODUCTION COMPANY

Title: Regulatory Analyst

Street Address: 5400 LBJ FREEWAY, STE 1500

City: DALLAS State: TX

Phone: (972) 371-5200

Email address: EILEEN.KOSAKOWSKI@MATADORRESOURCES.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted **Disposition Date:** 01/02/2024

Signature: Jonathon Shepard

Form 3160-5 (June 2019)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVI	ユレ
OMB No. 1004-01	37
Expires: October 31,	202

5	Lease	Serial	Nο

BURE	AU OF LAND MANAGEMENT		5. Lease Seriai No.	
	OTICES AND REPORTS ON Worm for proposals to drill or to		6. If Indian, Allottee or	r Tribe Name
	lse Form 3160-3 (APD) for suc			
	RIPLICATE - Other instructions on page	2	7. If Unit of CA/Agree	ement, Name and/or No.
1. Type of Well Oil Well Gas We	ell Other		8. Well Name and No.	
2. Name of Operator			9. API Well No.	
3a. Address	3b. Phone No.	(include area code)	10. Field and Pool or I	Exploratory Area
4. Location of Well (Footage, Sec., T.,R.	,M., or Survey Description)		11. Country or Parish,	State
12. CHEC	CK THE APPROPRIATE BOX(ES) TO INC	DICATE NATURE OF NOTI	ICE, REPORT OR OTH	IER DATA
TYPE OF SUBMISSION		TYPE OF AC	TION	
Notice of Intent	Acidize Deep Alter Casing Hydra	_	uction (Start/Resume) amation	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair New	Construction Reco	omplete	Other
			porarily Abandon	
Final Abandonment Notice	Convert to Injection Plug Peration: Clearly state all pertinent details, in		er Disposal	1 1
	ns. If the operation results in a multiple com ces must be filed only after all requirements			
14. I hereby certify that the foregoing is t	rue and correct. Name (Printed/Typed)	Title		
		1100		
Signature		Date		
	THE SPACE FOR FEDE	ERAL OR STATE OF	ICE USE	
Approved by				
		Title	I	Date
	ed. Approval of this notice does not warrant quitable title to those rights in the subject leaduct operations thereon.		<u> </u>	
	U.S.C Section 1212, make it a crime for an		Ifully to make to any de	partment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well



Page 6 of 7

Surface Casing Sundry

В	o Howard 1211 Fed Com #12	24H																									
									estimated due	to batch drilli	ng/will have actual:																
	DATE	STRING	FLUID TYPE	WT LB/FT	GRADE	CONN	HOLE SZ	CSG SZ	HOLE DEPTH	DEPTH SET	WAIT ON CMT	PRESS HELD	DURATION HELD	STAGE	STAGE TOOL DEPTH	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBIs	CLASS	TOP OF CMT	METHOD USED	BBLS TO SURF	SX TO SURF	LENGTH 1" RAN
			(list)	(decimal)			(fraction)	(fraction)	(feet)	(feet)	(decimal hours)	(psi)	(decimal hours)		(Btm)							(list)	(feet)	(list)	(if circulated)	(if circulated)	(if topped out)
	9/27/2023	SURF	WBM	94.00	J-55	Buttress	26"	20"	397	379	44.5	1480	0.5	1				1355	1.33	1355	320.953	C	0	Circ	190	802	

Intermediate Casing Sundry

Howard 1211 Fed Com #2	124H																									
								*estimated due	to batch drilli	ng/will have actual:	s at time of set	ting next string														
DATE	STRING	FLUID TYPE	WT LB/FT	GRADE	CONN	HOLE SZ	CSG SZ	HOLE DEPTH	DEPTH SET	WAIT ON CMT	PRESS HELD	DURATION HELD	STAGE	STAGE TOOL DEPTH	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBIs	CLASS	TOP OF CMT	METHOD USED	BBLS TO SURF	SX TO SURF	LENGTH 1" RA
		(list)	(decimal)			(fraction)	(fraction)	(feet)	(feet)	(decimal hours)	(psi)	(decimal hours)		(Btm)							(list)	(feet)	(list)	(if circulated)	(if circulated)	(if topped ou
9/27/2023	SURF	WBM	94.00	J-55	Buttress	26"	20"	397	379	44.5	1480	0.5	1				1355	1.33	1355	320.953	C	0	Circ	190	802	0
9/30/2023	INT 1	WBM	54.50	J-55	Buttress	17-1/2"	13-3/8"	900	879	*350	*1500	*0.5	1		530	1.7	455	1.33	985	268.237	C	0	Circ	120	507	

Intermediate Casing Sundry

	*estimated due to batch drilling/will have actuals at time of setting next string																									
DATE	STRING	FLUID TYPE	WT LB/FT	GRADE	CONN	HOLE SZ	CSG SZ	HOLE DEPTH	DEPTH SET	WAIT ON CMT	PRESS HELD	DURATION HELD	STAGE	STAGE TOOL DEPTH	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBIs	CLASS	TOP OF CMT	METHOD USED	BBLS TO SURF	SX TO SURF	LENGTH 1" RA
		(list)	(decimal)			(fraction)	(fraction)	(feet)	(feet)	(decimal hours)	(psi)	(decimal hours)		(Btm)							(list)	(feet)	(list)	(if circulated)	(if circulated)	(if topped out
9/27/2023	SURF	WBM	94.00	J-55	Buttress	26"	20"	397	379	44.5	1480	0.5	1				1355	1.33	1355	320.953	C	0	Circ	190	802	0
9/30/2023	INT 1	WBM	54.50	J-55	Buttress	17-1/2"	13-3/8"	900	879	350.5	1500	0.5	1		530	1.7	455	1.33	985	268.237	C	0	Circ	120	507	0
10/16/2023	INT 2	WBM	40.00	J-55	Buttress	12-1/4"	9-5/8"	2965	2948	8.5	1500	0.5	1	922	810	1.91	240	1.33	1050	332.378	C	0	Circ	137	403	
													2						0	0	C		Circ		-	
																								*Cancelled DV, no	2nd Stage	

Production Casing Sundry

Bo Howard 1211 Fed Com #	124H																									
								*estimated due	to batch drilli	ng/will have actuals																
DATE	STRING	FLUID TYPE	WT LB/FT	GRADE	CONN	HOLE SZ	CSG SZ	HOLE DEPTH	DEPTH SET	WAIT ON CMT	PRESS HELD	DURATION HELD	STAGE	STAGE TOOL DEPTH	LD SX	LD YIELD	TL SX	TL YIELD	TTL SX	TTL BBIs	CLASS	TOP OF CMT	METHOD USED	BBLS TO SURF	SX TO SURF	LENGTH 1" RAN
		(list)	(decimal)			(fraction)	(fraction)	(feet)	(feet)	(decimal hours)	(psi)	(decimal hours)		(Btm)							(list)	(feet)	(list)	(if circulated)	(if circulated)	(if topped out)
9/27/2023	SURF	WBM	94.00	J-55	Buttress	26"	20"	397	379	44.5	1480	0.5	1				1355	1.33	1355	320.953	C	0	Circ	190	802	0
9/30/2023	INT 1	WBM	54.50	J-55	Buttress	17-1/2"	13-3/8"	900	879	350.5	1500	0.5	1		530	1.7	455	1.33	985	268.237	С	0	Circ	120	507	0
10/16/2023	INT 2	WBM	40.00	J-55	Buttress	12-1/4"	9-5/8"	2965	2948	8.5	1500	0.5	1	922	810	1.91	240	1.33	1050	332.378	С	0	Circ	137	403	0
10/24/2023	PROD	WBM	20.00	P-110	TLW-SC	8-3/4"	5-1/2"	15458	15449	*1500	*2050		1		680	2.51	1840	1.36	2520	749.635	С	0	Circ	63	141	

9/25/2023 Spud Well		*Cancelled DV, no 2nd Stage
10/19/2023 KOP:	7289' MD / 7185' TVD	
10/24/2023 TD:	15,458' MD / 7619' TVD	
Top of Prod Casing Float Collar (feet): 15,4	444'	

10/26/2023 Release Rig

Received by OCD: 1/2/2024 6:33:08 PM

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 299218

CONDITIONS

Operator:	OGRID:
MATADOR PRODUCTION COMPANY	228937
One Lincoln Centre	Action Number:
Dallas, TX 75240	299218
	Action Type:
	[C-103] Sub. Drilling (C-103N)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	Report pressure test on next sundry. Include test pressure and duration.	6/18/2025