

Santa Fe Main Office Phone: (505) 476-3441  General Information Phone: (505) 629-6116  Online Phone Directory <a href="https://www.emnrd.nm.gov/ocd/contact-us">https://www.emnrd.nm.gov/ocd/contact-us</a>	<b>State of New Mexico</b> <b>Energy, Minerals and Natural Resources</b> <b>Oil Conservation Division</b> <b>1220 S. St Francis Dr.</b> <b>Santa Fe, NM 87505</b>	Form C-103 August 1, 2011  Permit 352158  WELL API NUMBER 30-025-51585  5. Indicate Type of Lease State  6. State Oil & Gas Lease No.  7. Lease Name or Unit Agreement Name QUEEN KEELY STATE COM																																																																
<b>SUNDRY NOTICES AND REPORTS ON WELLS</b> (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)																																																																		
1. Type of Well: Oil		8. Well Number 134H																																																																
2. Name of Operator TAP ROCK OPERATING, LLC		9. OGRID Number 372043																																																																
3. Address of Operator 1700 Lincoln St, Suite 4700, Denver, CO 80203		10. Pool name or Wildcat																																																																
4. Well Location Unit Letter <u>A</u> : <u>294</u> feet from the <u>N</u> line and feet <u>622</u> from the <u>E</u> line Section <u>21</u> Township <u>21S</u> Range <u>33E</u> NMPM County <u>Lea</u>																																																																		
11. Elevation (Show whether DR, KB, BT, GR, etc.) 3751 GR																																																																		
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/> Pit Type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____																																																																		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data <table style="width:100%;"> <tr> <td colspan="2">           NOTICE OF INTENTION TO:            PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/>            TEMPORARILY ABANDON <input type="checkbox"/> CHANGE OF PLANS <input type="checkbox"/>            PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/>            Other: _____         </td> <td>           SUBSEQUENT REPORT OF:            REMEDIAL WORK <input type="checkbox"/> ALTER CASING <input type="checkbox"/>            COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/>            CASING/CEMENT JOB <input type="checkbox"/>            Other: <b>Drilling/Cement</b> <input checked="" type="checkbox"/> </td> </tr> </table>			NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE OF PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> Other: _____		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTER CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> Other: <b>Drilling/Cement</b> <input checked="" type="checkbox"/>																																																													
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> TEMPORARILY ABANDON <input type="checkbox"/> CHANGE OF PLANS <input type="checkbox"/> PULL OR ALTER CASING <input type="checkbox"/> MULTIPLE COMPL <input type="checkbox"/> Other: _____		SUBSEQUENT REPORT OF: REMEDIAL WORK <input type="checkbox"/> ALTER CASING <input type="checkbox"/> COMMENCE DRILLING OPNS. <input type="checkbox"/> PLUG AND ABANDON <input type="checkbox"/> CASING/CEMENT JOB <input type="checkbox"/> Other: <b>Drilling/Cement</b> <input checked="" type="checkbox"/>																																																																
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. See attached description of work for intermediate and production casing. See Attached <b>8/1/2023</b> Spudded well.																																																																		
<b>Casing and Cement Program</b> <table style="width:100%; border-collapse: collapse;"> <thead> <tr> <th>Date</th> <th>String</th> <th>Fluid Type</th> <th>Hole Size</th> <th>Csg Size</th> <th>Weight lb/ft</th> <th>Grade</th> <th>Est TOC</th> <th>Dpth Set</th> <th>Sacks</th> <th>Yield</th> <th>Class</th> <th>1" Dpth</th> <th>Pres Held</th> <th>Pres Drop</th> <th>Open Hole</th> </tr> </thead> <tbody> <tr> <td>08/01/23</td> <td>Surf</td> <td>FreshWater</td> <td>14.75</td> <td>11.75</td> <td>42</td> <td>J55</td> <td>0</td> <td>1851</td> <td>920</td> <td>1.34</td> <td>C</td> <td></td> <td>1500</td> <td>0</td> <td>N</td> </tr> <tr> <td>08/08/23</td> <td>Int1</td> <td>Brine</td> <td>11</td> <td>8.625</td> <td>32</td> <td>J55</td> <td>0</td> <td>5572</td> <td>1050</td> <td>1.34</td> <td>C</td> <td></td> <td>1500</td> <td>0</td> <td>N</td> </tr> <tr> <td>09/29/23</td> <td>Prod</td> <td>CutBrine</td> <td>7.875</td> <td>5.5</td> <td>20</td> <td>P110</td> <td>0</td> <td>22001</td> <td>2450</td> <td>1.53</td> <td>C/H</td> <td></td> <td></td> <td></td> <td>N</td> </tr> </tbody> </table>			Date	String	Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole	08/01/23	Surf	FreshWater	14.75	11.75	42	J55	0	1851	920	1.34	C		1500	0	N	08/08/23	Int1	Brine	11	8.625	32	J55	0	5572	1050	1.34	C		1500	0	N	09/29/23	Prod	CutBrine	7.875	5.5	20	P110	0	22001	2450	1.53	C/H				N
Date	String	Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole																																																			
08/01/23	Surf	FreshWater	14.75	11.75	42	J55	0	1851	920	1.34	C		1500	0	N																																																			
08/08/23	Int1	Brine	11	8.625	32	J55	0	5572	1050	1.34	C		1500	0	N																																																			
09/29/23	Prod	CutBrine	7.875	5.5	20	P110	0	22001	2450	1.53	C/H				N																																																			
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines <input type="checkbox"/> a general permit <input type="checkbox"/> or an (attached) alternative OCD-approved plan <input type="checkbox"/> .																																																																		
<table style="width:100%;"> <tr> <td>SIGNATURE</td> <td><u>Electronically Signed</u></td> <td>TITLE</td> <td><u>Regulatory Manager</u></td> <td>DATE</td> <td><u>10/12/2023</u></td> </tr> <tr> <td>Type or print name</td> <td><u>Christian Combs</u></td> <td>E-mail address</td> <td><u>ccombs@taprk.com</u></td> <td>Telephone No.</td> <td><u>720-360-4028</u></td> </tr> </table>			SIGNATURE	<u>Electronically Signed</u>	TITLE	<u>Regulatory Manager</u>	DATE	<u>10/12/2023</u>	Type or print name	<u>Christian Combs</u>	E-mail address	<u>ccombs@taprk.com</u>	Telephone No.	<u>720-360-4028</u>																																																				
SIGNATURE	<u>Electronically Signed</u>	TITLE	<u>Regulatory Manager</u>	DATE	<u>10/12/2023</u>																																																													
Type or print name	<u>Christian Combs</u>	E-mail address	<u>ccombs@taprk.com</u>	Telephone No.	<u>720-360-4028</u>																																																													
<b>For State Use Only:</b>  <table style="width:100%;"> <tr> <td>APPROVED BY:</td> <td><u>Keith Dziokonski</u></td> <td>TITLE</td> <td><u>Petroleum Specialist A</u></td> <td>DATE</td> <td><u>7/8/2025 9:33:53 AM</u></td> </tr> </table>			APPROVED BY:	<u>Keith Dziokonski</u>	TITLE	<u>Petroleum Specialist A</u>	DATE	<u>7/8/2025 9:33:53 AM</u>																																																										
APPROVED BY:	<u>Keith Dziokonski</u>	TITLE	<u>Petroleum Specialist A</u>	DATE	<u>7/8/2025 9:33:53 AM</u>																																																													

Queen Keely 134H Intermediate & Production

8/8/2023: Test BOPS. Drill 11 inch intermediate hole to 5592 ft.

8/9/2023: Run 8.625 inch 32 lb J-55 intermediate casing to 5572 ft. Pump 30 bbls water spacer, followed by 780 sks of 11.3 ppg lead cmt, 270 sks of 14.8 ppg tail cmt. Drop plug and displace with 336 bbls fresh water. 150 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 1500 for 30 minutes, good test.

9/19/2023: Drill 7.875 inch production hole to 22015 ft.

9/29/2023: Run 5.5 inch 20 lb P-110 production casing to 22001 ft MD. Pump 40 bbls fresh water, then 650 sks of 10.5 ppg lead cmt and 1800 sks of 13.2 ppg tail cmt. Drop plug and displace with 20 bbls sugar water then 465 bbls fresh water. 185 bbls returned to surface. Est TOC at 0 ft.

Intermediate Casing Details: Casing ran: 8/9/2023, Fluid Type Brine, 11 inch to 5592 ft, Csg Size 8.625 inch, Weight 32 lbs, Grade J-55, Est TOC 0 ft, Depth set 5572 ft, Cement 1050 sks, Yield 2.84 lead/1.34 tail, Class C, Pressure Held 1500 psi, Pres Drop 0.

Production Casing details: Casing Date: 9/29/2023, Fluid Type Cut Brine, Hole 7.875 inch to 22015 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 22001 ft, EST TOC 0 ft, Cement 2450 sacks, yield 4.09 lead/1.53 tail, Class C lead/Class H tail.

9/27/2023: TD Reached at 22015 MD, 11962 ft TVD.  
Plug Back Measured depth at 21950 ft MD, 11963 ft TVD.  
Rig Release on 9/30/2023 at 18:00.

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

COMMENTS

Action 352158

COMMENTS

Operator: TAP ROCK OPERATING, LLC 1700 Lincoln St Denver, CO 80203	OGRID: 372043
	Action Number: 352158
	Action Type: [C-103] EP Drilling / Cement

Comments

Created By	Comment	Comment Date
keith.dziokonski	• Approved pending an acceptable pressure test submitted on completions sundry	7/8/2025