Sante Fe Main Office	1						_							Form C-103	
Phone: (505) 476-3441	State of New Mexico										August 1, 2011				
General Information Phone: (505) 629-6116	Energy, Minerals and Natural Resources										Permit 353183				
Online Phone Directory	Oil Conservation Division									WE	WELL API NUMBER 30-015-53996				
https://www.emnrd.nm.gov/ocd/co										5. I	5. Indicate Type of Lease				
											Private 6. State Oil & Gas Lease No.				
Santa Fe, NM 87505															
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)											7. Lease Name or Unit Agreement Name WOODFORD 27 26 STATE COM				
1. Type of Well: Gas											8. Well Number 528H				
2. Name of Operator MEWBOURNE OIL CO											9. OGRID Number 14744				
3. Address of Operator P.O. Box 5270, Hobbs, NM 88241											10. Pool name or Wildcat				
4. Well Location	•									I					
Unit Letter L: 1460 feet from the S line and feet 265 from the W line Section 27 Township 18S Range 28E NMPM County Eddy															
		_			-4- \										
	11. 6	3560	ow whether DR GR	K, KB, B1, GR	, etc.)										
Pit or Below-grade Tank Application															
Pit Type Depth to Grou Pit Liner Thickness:	<u> </u>	stance from r de Tank: Voli	earest fresh w		Distance f Construction Ma	rom nearest su	face water								
12. Check Appropriate Box to Inc				bbis, c	Jonisti uction ivi	ateriai									
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING Other:	D: AND ABANDO IGE OF PLANS IPLE COMPL			☐ COMMENCE DRILLING OPNS.					REPORT OF: ALTER CASING PLUG AND ABANDON						
13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion. See attachment See Attached 9/15/2023 Spudded well. Casing and Cement Program															
	Fluid	Hole	Csg	Weight	Grade	Est	Dpth	Sacks	Yield	Class	1"	Pres	Pres	Open	
	_{Type} FreshWater	Size 17.5	Size 13.375	lb/ft 54.5	J55	тос 0	Set 405	425	1.33	С	Dpth 0	Held 1500	Drop 0	Hole Y	
09/22/23 Int1	FreshWater	12.25	9.625	36	J55	0	800	300	2.11	С	0	1500	0	Υ	
	FreshWater FreshWater	8.75 6.125	7 4.5	29 13.5	HPP110 HCP110	0 6474	6670 14750	700 775	3.38 1.49	C H	0	1500 2500	0 0	Y Y	
10/00/20	110011114101	0.120	1.0	10.0	1101 110	0171	11700	110	1.10			2000		•	
I hereby certify that the informa NMOCD guidelines ☐, a gener						rther certify tha	at any pit or b	elow-grad	e tank has b	een/will be	e construc	ted or close	ed accordi	ng to	
SIGNATURE	Electronically Signed		TITLE		Vice Pre	Vice President Operations					10/3	10/31/2023			
Type or print name	Monty Whetstone	stone E-mail ad			fking@n	newbourne.c	ewbourne.com			No.	903-561-2900				
For State Use Only:															
APPROVED BY:	Keith Dziokonski	TITLE		Petroleu	Petroleum Specialist A					7/9/2	7/9/2025 3:37:26 PM				

Spud 17 1/2" hole. Ran 405' of 13 3/8" 54.5# J55 ST&C csg. Cmt w/425 sks Class C Neat (yd @ 1.33 cuft/sk @ 14.8 ppg). Displaced w/56 bbls of BW. Plug down @ 11:30 P.M. 09/15/23. Circ 170 sks of cmt to the pit. (Notified Gilbert Cordero w/NMOCD but did not witness.) At 7:00 P.M. 09/22/23, tested csg to 1500# for 30 mins, held OK. FIT to 10.5 PPG EMW.

TD'ed 12 1/4" hole. Ran 800' of 9 5/8" 36# J55 LT&C Csg. Cmt w/100 sks Class C w/2% Extender, 1% CaCl2 & 0.25#/sk Poly flake (yd @ 2.11 cuft/sk @ 12.5 PPG). Tail w/200 sks Class C Neat (yd @ 1.33 cuft/sk @ 14.8 PPG). Displaced w/58 bbls of FW. Plug down @ 11:45 A.M. 09/23/23. Circ 26 sks of cmt to the pit. (Notified Monica Kuehling w/NMOCD but did not witness.)

TD'ed 8 3/4" hole. Ran 6670' of 7" 29# HPP110 BT&C Csg. Cmt w/300 sks Class C w/25.9#/sk Poz, 14% Glass Beads, 0.4% Suspension Agent, 5% Extender & 0.35#/sk Poly Flake (yd @ 3.38 cuft/sk @ 10.3 PPG). Tail w/400 sks Class H w/0.17% Retarder (yd @ 1.18 cuft/sk @ 15.6 PPG). Displaced w/244 bbls of OBM. Plug down @ 1:30 A.M. 09/27/23. Circ 41 sks of cmt to the pit. (Notified Gilbert Cordero w/NMOCD but did not witness.) At 5:00 P.M. 09/27/23, tested csg to 1500# for 30 mins, held OK. FIT to 10 PPG EMW.

TD'ed 6 1/8" hole. Ran 4 ½" 13.5# HCP110 CDC HTQ Csg of 6474'-14750'. Cmt w/775 sks 50/50 Poz Class H w/37#/sk Poz, 3% Gel, 3% Gypsum, 0.35% Fluid Loss, 0.3% Suspension Agent & 0.2% Retarder (1.49 ft³/sk @ 13.5 ppg). Pump 5 bbls of sugar FW. Drop dart. Displaced w/20 bbls of sugar FW & 163 bbls of sugar BW. Lift pressure 2000# @ 3 BPM. Plug down 3:15 A.M. 10/04/23. Bumped plug w/3000#. Set packer w/90k#. Sting out of hanger w/1500# on DP. Displaced 7" csg w/300 bbls of BW w/polymer sweep. Circ 252 sks of cmt off liner top. At 4:15 A.M. 10/04/23, tested liner to 2500# for 30 mins, held OK. (Notified Gilbert Cordero w/NMOCD but did not witness.) Rig released @ 10:30 AM 10/04/2023.

Woodford 27/26 State Com #528H

30-015-53996 Spud: 09/15/2023 TD: 10/03/2023

RR: 10/04/2023

Date submitted: 10/31/2023

Ruby Ojeda