SUNDRY NOTICES AND REPORTS ON WELLS  (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)  1. Type of Well: Oil  2. Name of Operator TAP ROCK OPERATING, LLC  3. Address of Operator 1700 Lincoln St, Suite 4700, Denver, CO 80203  4. Well Location Unit Letter D 904   feet from the  N   line   lin	
Oil 2. Name of Operator TAP ROCK OPERATING, LLC 3. Address of Operator 1700 Lincoln St, Suite 4700, Denver, CO 80203  4. Well Location Unit Letter D : 904   feet from the   N   ine and feet   731   from the   W   line   Section   21   Township   21S   Range   33E   NMPM   County   Lea    11. Elevation (Show whether DR, KB, BT, GR, etc.) 3735 GR  Pit or Below-grade Tank Application   or Closure   Distance from nearest fresh water well   Distance from nearest surface water   Pit Type   Depth to Groundwater   Distance from nearest fresh water well   Distance from nearest surface water   Pit Liner Thickness:   mil   Below-Grade Tank: Volume   bibls; Construction Material    12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO:   REMEDIAL WORK   ALTER CASING   PLUG AND ABANDON   CHANGE OF PLANS   DISTANCE OMMENCE DRILLING OPNS.   PLUG AND ABANDON   PULL OR ALTER CASING   MULTIPLE COMPL   GAND ABANDON   Other: Drilling/Cement    13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completion    14. Well Location   10. Pool name or Wildcat   15. Pool name or Wildcat   10. Pool name or Wildcat   16. Pool name or Wildcat   17. Pool name or Wildcat   17. Pool name or Wildcat   18. Pool name or Wildcat   19. Open name or Wildc	
2. Name of Operator TAP ROCK OPERATING, LLC  3. Address of Operator 1700 Lincoln St, Suite 4700, Denver, CO 80203  4. Well Location Unit Letter D : 904 feet from the N line and feet 731 from the W line Section 21 Township 21S Range 33E NMPM County Lea  11. Elevation (Show whether DR, KB, BT, GR, etc.) 3735 GR  Pit or Below-grade Tank Application or Closure Pit Type Depth to Groundwater Distance from nearest fresh water well bis; Construction Material  12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE OF PLANS COMEN COMEN COMEN CHANGE OF PLANS CHANGE O	
3. Address of Operator 1700 Lincoln St, Suite 4700, Denver, CO 80203  4. Well Location Unit Letter D : 904   feet from the N   line and feet 731   from the W   line Section   21   Township   21S   Range   33E   NMPM   County   Lea      11. Elevation (Show whether DR, KB, BT, GR, etc.)   3735 GR    Pit or Below-grade Tank Application   or Closure   Distance from nearest fresh water well   Distance from nearest surface water   Pit Type   Depth to Groundwater   Distance from nearest fresh water well   bbls; Construction Material     12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO:   PLUG AND ABANDON   PULL OR ALTER CASING   MULTIPLE COMPL   MULTIPLE COMPL   Distance from nearest surface water   PLUG AND ABANDON   CHANGE OF PLANS   Other: Drilling/Cement   Drillin	
4. Well Location Unit Letter D: 904 feet from the N line and feet 731 from the W line Section 21 Township 21S Range 33E NMPM County Lea  11. Elevation (Show whether DR, KB, BT, GR, etc.) 3735 GR  Pit or Below-grade Tank Application or Closure Pit Type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material  12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMORABLY ABANDON CHANGE OF PLANS OTHER CASING PULL OR ALTER CASING MULTIPLE COMPL Other: Drilling/Cement  13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completion	
Unit Letter D : 904 feet from the Section 21 Township 21S Range 33E NMPM County Lea  11. Elevation (Show whether DR, KB, BT, GR, etc.) 3735 GR  Pit or Below-grade Tank Application or Closure Distance from nearest fresh water well bbls; Construction Material  12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMORANITY AND COMPARAILY ABANDON OTHER CASING O	
3735 GR    Pit or Below-grade Tank Application or Closure	
Pit Type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water  Pit Type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water  Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material  12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data  NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK	
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material  12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data  NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK	
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data  NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK PLUG AND ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS. PLUG AND ABANDON  PULL OR ALTER CASING MULTIPLE COMPL CHANGE OF PLANS  Other: Drilling/Cement  13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work.) SEE RULE 1103. For Multiple Completion	
NOTICE OF INTENTION TO:  PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING Other:  SUBSEQUENT REPORT OF: REMEDIAL WORK COMMENCE DRILLING OPNS. PLUG AND ABANDON CASING/CEMENT JOB Other: Drilling/Cement  SUBSEQUENT REPORT OF: REMEDIAL WORK COMMENCE DRILLING OPNS. PLUG AND ABANDON OTHER: Drilling/Cement	
	×
See attached description of work for intermediate and production casing. See Attached 7/29/2023 Spudded well.	ns:
Casing and Cement Program	
Date String Fluid Hole Csg Weight Grade Est Dpth Sacks Yield Class 1" Pres Pres Ope Type Size Size Ib/ft TOC Set Dpth Held Drop Hol	
07/30/23 Surf FreshWater 14.75 11.75 42 J55 0 1877 915 1.34 C 1500 0 N	
08/03/23 Int1 Brine 11 8.625 32 J55 0 5733 955 1.34 C 1500 0 N 10/13/23 Prod CutBrine 7.875 5.5 20 P110 0 20897 2175 1.51 H	
10/15/25 Flod Calefille 7.075 5.5 20 F110 0 20097 2175 1.51 11	
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines $\square$ , a general permit $\square$ or an (attached) alternative OCD-approved plan $\square$	
SIGNATURE Electronically Signed TITLE Regulatory Manager DATE 10/20/2023	
Type or print name Christian Combs E-mail address ccombs@taprk.com Telephone No. 720-360-4028	
For State Use Only:	
APPROVED BY: Keith Dziokonski TITLE Petroleum Specialist A DATE 7/9/2025 7:48:23 AM	

Queen Keely 191H Intermediate & Production

8/2/2023: Test BOPS. Drill 11 inch intermediate hole to 5748 ft.

8/3/2023: Run 8.625 inch 32 lb J-55 intermediate casing to 5733 ft. Pump 30 bbls water spacer, followed by 650 sks of 11.0 ppg lead cmt, 305 sks of 14.8 ppg tail cmt. Drop plug and displace with 347 bbls brine. 107 bbls cement to surface. EST TOC at 0 ft. Pressure test casing to 1500 for 30 minutes, good test.

10/7/2023: Drill 7.875 inch production hole to 20917 ft.

10/13/2023: Run 5.5 inch 20 lb P-110 production casing to 20897 ft MD. Pump 40 bbls fresh water, then 470 sks of 10.5 ppg lead cmt and 1705 sks of 13.2 ppg tail cmt. Drop plug and displace with 20 bbls sugar water then 443 bbls fresh water. 48 bbls returned to surface. Est TOC at 0 ft.

Intermediate Casing Details: Casing ran: 8/3/2023, Fluid Type Brine, 11 inch to 5748 ft, Csg Size 8.625 inch, Weight 32 lbs, Grade J-55, Est TOC 0 ft, Depth set 5733 ft, Cement 955 sks, Yield 3.36 lead/1.34 tail, Class C, Pressure Held 1500 psi, Pres Drop 0.

Production Casing details: Casing Date: 10/13/2023, Fluid Type Cut Brine, Hole 7.875 inch to 20917 ft, Csg Size, 5.5 inch, Weight 20 lbs, Grade P-110, Depth set 20897 ft, EST TOC 0 ft, Cement 2175 sacks, yield 4.07 lead/1.51 tail, Class C lead/Class H tail.

10/12/2023: TD Reached at 20917 MD, 10665 ft TVD. Plug Back Measured depth at 20846 ft MD, 10665 ft TVD. Rig Release on 10/15/2023 at 21:15.

Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116

Online Phone Directory <a href="https://www.emnrd.nm.gov/ocd/contact-us">https://www.emnrd.nm.gov/ocd/contact-us</a>

## State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

COMMENTS

Action 352775

## **COMMENTS**

Operator:		OGRID:
	TAP ROCK OPERATING, LLC	372043
	1700 Lincoln St	Action Number:
	Denver, CO 80203	352775
		Action Type:
		[C-103] EP Drilling / Cement

## Comments

Created By	Comment	Comment Date
keith.dziokonski	Report Pressure test for Production Casing on next Sundry	7/9/2025