

#### U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report 1 of 9
06/18/2025

Well Name: SD EA 19 FEDERAL P6 Well Location: T26S / R33E / SEC 19 / County or Parish/State: LEA /

NWNE / 32.0356925 / -103.6084016

NIV

Well Number: 6H Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM27506 Unit or CA Name: Unit or CA Number:

**INCORPORATED** 

# **Subsequent Report**

**Sundry ID: 2858659** 

Type of Submission: Subsequent Report

Type of Action: Temporary Abandonment

Date Sundry Submitted: 06/17/2025 Time Sundry Submitted: 03:43

**Date Operation Actually Began:** 06/16/2025

**Actual Procedure:** CHEVRON USA, INC. SUBMITS THE FOLLOWING FINAL PROCEDURE FOR SD EA 19 FEDERAL P6 PH / API # 30-025-42798: Rig up pulling unit and prepare to pull out of hole with tubing. Rig up slickline and RIH with GR to 8700'. RIH w/CIBP set @ 8695' w/slickline & Run CBL from 8695 to surface. Dump bail 35' of cement on top of CIBP. Rig down and release slickline. Rig up pump truck and chart recorder and pressure test plug and cement as required by regulatory agency. Rig down and release pulling unit. PLEASE FIND FINAL WELLBORE AND MIT CHART ATTACHED

#### **SR Attachments**

#### **Actual Procedure**

SD EA 19 FEDERAL P6 6H CHART WELLBORE 20250617154252.pdf

# **SR Conditions of Approval**

#### **Specialist Review**

TA COA 20250617193159.pdf

Released to Imaging: 7/10/2025 7:29:58 AM

eceived by OCD: 6/18/2025 10:12:30 AM Well Name: SD FA 19 FEDERAL P6

Well Location: T26S / R33E / SEC 19 /

NWNE / 32.0356925 / -103.6084016

County or Parish/State: LEA /

M

Well Number: 6H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM27506

**Unit or CA Name:** 

**Unit or CA Number:** 

**US Well Number: 300254279800S1** 

**Operator:** CHEVRON USA

**INCORPORATED** 

# **Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CAROL ADLER Signed on: JUN 17, 2025 03:43 PM

Name: CHEVRON USA INCORPORATED

Title: Sr Regulatory Affairs Coordinator

Street Address: 6301 DEAUVILLE BLVD

City: MIDLAND State: TX

Phone: (432) 687-7148

Email address: CAROLADLER@CHEVRON.COM

#### **Field**

**Representative Name:** 

**Street Address:** 

City:

State:

Zip:

Phone:

**Email address:** 

## **BLM Point of Contact**

**BLM POC Name:** JONATHON W SHEPARD **BLM POC Title:** Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

**Disposition:** Approved **Disposition Date:** 06/17/2025

Signature: Jonathon Shepard

Form 3160-5 (June 2019)

# UNITED STATES DEPARTMENT OF THE INTERIOR PLIPE ALL OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: October 31, 2021

DEF	'AKTMENT OF THE I	NIERIOR		LA	pires. October 51, 2021
BUR	EAU OF LAND MAN	5. Lease Serial No.	NMNM27506		
				6. If Indian, Allottee or Tribe	Name
	form for proposals t Use Form 3160-3 (A				
SUBMIT IN	TRIPLICATE - Other instru	7. If Unit of CA/Agreement, 1	Name and/or No.		
1. Type of Well	_			8. Well Name and No.	
Oil Well Gas V	<del></del>			SD EA 19 FEDERAL P6/6H	
2. Name of Operator CHEVRON USA INCORPORATED				9. API Well No. 3002542798	8
			include area code) ∩	_	tory Area RING/WC025G06S263319P-BONE SPRING
4. Location of Well (Footage, Sec., T., K	R.M., or Survey Description)			11. Country or Parish, State	WINO/WOOZSGOOZSSSTST -BONE OF MINO
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description) SEC 19/T26S/R33E/NMP				LEA/NM	
12. CHE	CK THE APPROPRIATE B	OX(ES) TO IND	ICATE NATURE	OF NOTICE, REPORT OR OT	HER DATA
TYPE OF SUBMISSION			TYP	E OF ACTION	
Notice of Intent	Acidize	Deepe	n	Production (Start/Resume)	Water Shut-Off
	Alter Casing	Hydra Hydra	ulic Fracturing	Reclamation	Well Integrity
Subsequent Report	Casing Repair	New C	Construction	Recomplete	Other
	Change Plans		nd Abandon	Temporarily Abandon	
Final Abandonment Notice	Convert to Injection	Plug E	Back	Water Disposal	
	TS THE FOLLOWING FINE to pull out of hole with turn GR to 8700'. Ckline & Run CBL from 86' p of CIBP.	all requirements.  NAL PROCEDU  bing.  95 to surface.  plug and ceme	, including reclama	ation, have been completed and	30-025-42798:
4. I hereby certify that the foregoing is true and correct. Name ( <i>Printed/Typed</i> )  CAROL ADLER / Ph: (432) 687-7148			Sr Regulate	ory Affairs Coordinator	
(Electronic Submission)			Date	06/17/2	2025
	THE SPACE	FOR FEDE	RAL OR STA	ATE OFICE USE	
Approved by					
JONATHON W SHEPARD / Ph: (5	575) 234-5972 / Approved		Petrol Title	eum Engineer	06/18/2025 Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.				RLSBAD	

Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

#### **GENERAL INSTRUCTIONS**

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

#### SPECIFIC INSTRUCTIONS

*Item 4* - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

#### **NOTICES**

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

**BURDEN HOURS STATEMENT:** Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

## **Additional Information**

#### **Location of Well**

0. SHL: NWNE / 207 FNL / 1732 FEL / TWSP: 26S / RANGE: 33E / SECTION: 19 / LAT: 32.0356925 / LONG: -103.6084016 ( TVD: 0 feet, MD: 0 feet ) PPP: SWSE / 375 FSL / 1621 FEL / TWSP: 26S / RANGE: 33E / SECTION: 19 / LAT: 0.0 / LONG: 0.0 ( TVD: 0 feet, MD: 0 feet ) BHL: SWSE / 375 FSL / 1621 FEL / TWSP: 26S / RANGE: 33E / SECTION: 19 / LAT: 0.0 / LONG: 0.0 ( TVD: 9150 feet, MD: 13780 feet )

#### **BUREAU OF LAND MANAGEMENT**

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972


# **Conditions of Approval for Temporary Abandonment of Wells**

**Definition:** A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.


- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
  - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
  - b. A description of the temporary abandonment procedure.
  - c. A clear copy or the original of the pressure test chart.

# SD EA 19 FEDERAL P6 6H / API # 30-025-42798

API#: 30-025-42798 Spud 2/1/2016 Chevno: PH2521 Complete 4/20/2016 Field: Jennings Elevation 3205 County Lea County, NM KΒ 33



Production Casing 5-1/2" 20#/ft P-110 Set @ 13,730' w/1635 sks cmt



Sante Fe Main Office Phone: (505) 476-3441 General Information

Phone: (505) 629-6116
Online Phone Directory
<a href="https://www.emnrd.nm.gov/ocd/contact-us">https://www.emnrd.nm.gov/ocd/contact-us</a>

# State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 476344

#### CONDITIONS

Operator:	OGRID:
CHEVRON U S A INC	4323
6301 Deauville Blvd	Action Number:
Midland, TX 79706	476344
	Action Type:
	[C-103] Sub. Temporary Abandonment (C-103U)

#### CONDITIONS

Created By		Condition Date
gcordero	None	7/10/2025