

Santa Fe Main Office Phone: (505) 476-3441 General Information Phone: (505) 629-6116 Online Phone Directory Visit: https://www.emnrd.nm.gov/ocd/contact-us/	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION	C-104 Revised July 9, 2024 Submit Electronically Via OCD Permitting
---	--	---

REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

Section 1 - Operator and Well Information

Submittal Type: ☐ Test Allowable (C-104RT) ☒ New Well (C-104NW) ☐ Recomplete (C-104RC) ☐ Pay Add (C-104RC) ☐ Amended	
Operator Name: Tamaroa Operating LLC	OGRID: 328666
Property Name and Well Number: Dogleg 14 #001	Property Code: 337094Sec
Mineral Owner: ☐ State ☒ Fee ☐ Tribal ☐ Federal	API Number: 30-0 25-50755
Pool Name: LOVINGTON;WOLFCAMP, NORTH	Pool Code: 96625

Section 2 – Surface Location

UL M	Section 11	Township 16-S	Range 36-E	Lot	Ft. from N/S 200 FNL	Ft. from E/W 230 FSL	Latitude 32.930046 N	Longitude 103.332358 W	County LEA
---------	---------------	------------------	---------------	-----	-------------------------	-------------------------	-------------------------	---------------------------	---------------

Section 3 – Completion Information

Producing Method Flowing	Ready Date 5/30/2025	Perforations MD 10,564-580'	Perforations TVD 10,531-547'
-----------------------------	-------------------------	--------------------------------	---------------------------------

Section 4 – Action IDs for Submissions and Order Numbers

List Action IDs for Drilling Sundries	Was an Order required / needed (Y/N), if yes list Order number:
C-104 RT Action ID (if C-104NW):	Communitization Agreement ☐ Yes ☒ No, Order No.
Surface Casing Action ID: 387385	Unit: ☐ Yes ☒ No, Order No.
Intermediate 1 Casing Action ID:	Compulsory Pooling: ☐ Yes ☒ No, Order No.
Intermediate 2 Casing Action ID:	Down Hole Commingling: ☐ Yes ☒ No, Order No.
Production Casing Action ID: 391060	Surface Commingling: ☐ Yes ☒ No, Order No.
All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No	Non-standard Location: ☒ Yes ☐ No ☐ Common ownership Order No. NSL-8557
Liner 1 Action ID:	Non-standard Proration: ☐ Yes ☒ No, Order No.
Casing was installed prior to OCD's Action ID system (Y/N):	Simultaneous Dedication: ☐ Yes ☒ No, Order No.

Section 5 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well's completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name Geoffrey C Bahlburg	
Title Manager	Date 6/20/25

C-102 Submit Electronically Via OCD Permitting	State of New Mexico Energy, Minerals & Natural Resources Department OIL CONSERVATION DIVISION		Revised July 9, 2024	
			Submittal Type:	☐ Initial Submittal
				☐ Amended Report
		☒ As Drilled		

WELL LOCATION INFORMATION

API Number 30-025-50755	Pool Code 96625	Pool Name LOVINGTON;WOLFCAMP, NORTH
Property Code 337094	Property Name DOGLEG 14	Well Number 1
OGRID No. 328666	Operator Name TAMAROA OPERATING, LLC	Ground Level Elevation 3885.5'
Surface Owner: ☐ State ☒ Fee ☐ Tribal ☐ Federal		Mineral Owner: ☐ State ☒ Fee ☐ Tribal ☐ Federal

Surface Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
M	11	16-S	36-E		200 FSL	230 FWL	32.930046°N	103.333067°W	LEA

Bottom Hole Location

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
D	14	16-S	36-E		383 FNL	446 FWL	32.928449°N	103.332358°W	LEA

Dedicated Acres 80	Infill or Defining Well Defining well	Defining Well API 30-025-50755	Overlapping Spacing Unit (Y/N) N	Consolidation Code
Order Numbers.	NSL-8557		Well setbacks are under Common Ownership: ☐ Yes ☐ No	

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
M	11	16-S	36-E		200 FSL	230 FWL	32.930046 N	103.33307 W	LEA


First Take Point (FTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
D	14	16-S	36-E		383 FNL	446 FWL	32.928449 N	103.332358 W	LEA

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitude	Longitude	County
D	14	16-S	36-E		383 FNL	446 FWL	32.928449 N	103.332358 W	LEA

Unitized Area or Area of Uniform Interest	Spacing Unit Type ☐ Horizontal ☒ Vertical	Ground Floor Elevation: 3685.5'
---	--	---------------------------------



OPERATOR CERTIFICATIONS <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i> <i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i>		SURVEYOR CERTIFICATIONS <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i>	
Signature 	Date 6/20/25	 6/5/25	
Printed Name Geoffrey C Bahlburg	Certificate Number 17777	Date of Survey JANUARY 10, 2023	
Email Address geoff@tamaroadev.com			
		W.O.#25-639	DRAWN BY: WN
		PAGE 1 OF 2	

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

*SURFACE INFO & BOREPATH SHOWN HEREON IS BASED
ON DIRECTIONAL SURVEY REPORT PROVIDED BY
TAMAROA OPERATING LLC FOR THE DOGLEG 14-1
SUPPLIED TO HARCROW SURVEYING, LLC ON JUNE 2,
2025*



OPERATOR		RIG		County		State	Permit #	API#		Calculation Method:		Minimum Curvature			
maroa Development, L		Norton 6		Lea		NM	333483	3002550755		Proposed Azimuth:		157.59			
MWD OPERATOR		Well name/No.							Start Date		Depth Reference:		RKB		
SRI		Dogleg 14-1 OH				RKB 19'			02-Apr-25		Tie Into:		Surface		
				Mag Dec.		5.67	Grid Cor.:		0.54		Job Service:		MWD		
 SURVEY RENTALS INC.										307-234-7121 					
Survey Number	Survey Depth (ft)	Inclina- tion (deg)	Azimuth (deg)	Course Length (ft)	True Vertical Depth (ft)	Vertical Section (ft)	Coordinates			Closure		Dogleg Severity (°/100')	Build Rate (°/100')	Walk Rate (°/100')	
							N/S (ft)	E/W (ft)		Distance (ft)	Direction Azimuth				
Tie-In	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.0	0.0	0.0	0.0	
1	195.00	0.31	293.70	195.00	195.00	-0.38	0.21	N	0.48	0.53	293.7	0.2	0.2	150.6	
2	352.00	0.70	315.85	157.00	351.99	-1.58	1.07	N	1.54	W	1.88	304.8	0.3	0.2	14.1
3	487.00	0.48	323.50	135.00	486.99	-2.89	2.12	N	2.45	W	3.24	310.8	0.2	-0.2	5.7
4	623.00	0.62	318.49	136.00	622.98	-4.14	3.13	N	3.28	W	4.53	313.6	0.1	0.1	-3.7
5	713.00	0.66	307.50	90.00	712.97	-5.05	3.81	N	4.01	W	5.53	313.5	0.1	0.0	-12.2
6	895.00	0.53	274.28	182.00	894.96	-6.33	4.51	N	5.68	W	7.25	308.4	0.2	-0.1	-18.3
7	1078.00	0.53	268.92	183.00	1077.96	-7.02	4.55	N	7.37	W	8.67	301.7	0.0	0.0	-2.9
8	1267.00	0.40	319.28	189.00	1266.95	-7.97	5.04	N	8.68	W	10.03	300.1	0.2	-0.1	26.6
9	1457.00	0.35	267.68	190.00	1456.95	-8.79	5.52	N	9.69	W	11.15	299.7	0.2	0.0	-27.2
10	1646.00	0.35	264.34	189.00	1645.94	-9.16	5.44	N	10.84	W	12.13	296.6	0.0	0.0	-1.8
11	1836.00	0.62	238.59	190.00	1835.94	-9.17	4.84	N	12.30	W	13.22	291.5	0.2	0.1	-13.6
12	2024.00	1.45	205.28	188.00	2023.91	-7.41	2.16	N	14.18	W	14.34	278.7	0.5	0.4	-17.7
13	2221.00	1.10	194.56	197.00	2220.86	-4.22	1.92	S	15.72	W	15.84	263.0	0.2	-0.2	-5.4
14	2347.00	0.53	164.94	126.00	2346.84	-2.67	3.65	S	15.87	W	16.29	257.0	0.5	-0.5	-23.5
15	2441.00	0.75	146.48	94.00	2440.84	-1.64	4.59	S	15.42	W	16.09	253.4	0.3	0.2	-19.6
16	2535.00	0.75	148.33	94.00	2534.83	-0.43	5.62	S	14.76	W	15.79	249.1	0.0	0.0	2.0
17	2630.00	1.05	135.50	95.00	2629.82	0.99	6.77	S	13.82	W	15.39	243.9	0.4	0.3	-13.5
18	2723.00	1.19	130.31	93.00	2722.80	2.64	8.01	S	12.49	W	14.83	237.3	0.2	0.2	-5.6
19	2818.00	1.19	121.26	95.00	2817.78	4.31	9.16	S	10.89	W	14.23	229.9	0.2	0.0	-9.5

Dogleg 14-1 OH_Survey and Cert^

20	2913.00	1.58	91.64	95.00	2912.75	5.64	9.71	S	8.74	W	13.06	222.0	0.8	0.4	-31.2
21	3008.00	2.07	94.72	95.00	3007.71	6.96	9.88	S	5.72	W	11.42	210.1	0.5	0.5	3.2
22	3103.00	2.68	94.45	95.00	3102.62	8.74	10.20	S	1.79	W	10.35	190.0	0.6	0.6	-0.3
23	3198.00	2.81	88.83	95.00	3197.51	10.59	10.32	S	2.75	E	10.68	165.1	0.3	0.1	-5.9
24	3293.00	2.64	86.10	95.00	3292.41	12.13	10.13	S	7.26	E	12.46	144.4	0.2	-0.2	-2.9
25	3385.00	2.68	88.04	92.00	3384.31	13.55	9.91	S	11.52	E	15.20	130.7	0.1	0.0	2.1
26	3480.00	2.59	86.45	95.00	3479.21	15.02	9.70	S	15.88	E	18.61	121.4	0.1	-0.1	-1.7
27	3668.00	2.86	82.67	188.00	3666.99	17.62	8.84	S	24.78	E	26.30	109.6	0.2	0.1	-2.0
28	3762.00	2.73	102.10	94.00	3760.88	19.49	9.01	S	29.29	E	30.64	107.1	1.0	-0.1	20.7
29	3857.00	2.20	116.78	95.00	3855.80	22.16	10.30	S	33.13	E	34.70	107.3	0.9	-0.6	15.5
30	3952.00	2.11	128.20	95.00	3950.73	25.06	12.21	S	36.13	E	38.14	108.7	0.5	-0.1	12.0
31	4047.00	2.81	150.09	95.00	4045.64	28.89	15.31	S	38.67	E	41.59	111.6	1.2	0.7	23.0
32	4141.00	2.24	166.79	94.00	4139.55	32.99	19.09	S	40.24	E	44.54	115.4	1.0	-0.6	17.8
33	4236.00	1.98	163.53	95.00	4234.49	36.46	22.47	S	41.13	E	46.87	118.7	0.3	-0.3	-3.4
34	4331.00	1.54	162.57	95.00	4329.44	39.36	25.27	S	41.97	E	48.99	121.0	0.5	-0.5	-1.0
35	4425.00	1.67	171.36	94.00	4423.41	41.95	27.83	S	42.56	E	50.85	123.2	0.3	0.1	9.4
36	4520.00	2.24	151.76	95.00	4518.35	45.14	30.83	S	43.64	E	53.44	125.2	0.9	0.6	-20.6
37	4615.00	3.16	161.07	95.00	4613.25	49.60	34.94	S	45.37	E	57.27	127.6	1.1	1.0	9.8
38	4711.00	3.60	170.21	96.00	4709.08	55.18	40.42	S	46.74	E	61.79	130.8	0.7	0.5	9.5
39	4806.00	3.65	168.72	95.00	4803.89	61.06	46.32	S	47.84	E	66.59	134.1	0.1	0.1	-1.6
40	4901.00	4.44	173.03	95.00	4898.65	67.57	52.94	S	48.88	E	72.05	137.3	0.9	0.8	4.5
41	4995.00	5.71	167.23	94.00	4992.28	75.69	61.11	S	50.36	E	79.18	140.5	1.5	1.4	-6.2
42	5089.00	7.12	168.98	94.00	5085.69	86.01	71.39	S	52.50	E	88.62	143.7	1.5	1.5	1.9
43	5185.00	7.91	168.10	96.00	5180.87	98.34	83.69	S	55.00	E	100.15	146.7	0.8	0.8	-0.9
44	5280.00	7.87	168.63	95.00	5274.97	111.15	96.46	S	57.63	E	112.37	149.1	0.1	0.0	0.6
45	5375.00	7.69	170.92	95.00	5369.09	123.72	109.12	S	59.92	E	124.48	151.2	0.4	-0.2	2.4
46	5469.00	7.56	171.27	94.00	5462.26	135.85	121.44	S	61.85	E	136.28	153.0	0.1	-0.1	0.4
47	5563.00	7.30	171.27	94.00	5555.47	147.66	133.45	S	63.69	E	147.87	154.5	0.3	-0.3	0.0
48	5658.00	7.08	173.11	95.00	5649.73	159.16	145.23	S	65.31	E	159.24	155.8	0.3	-0.2	1.9
49	5754.00	7.25	174.52	96.00	5744.98	170.66	157.13	S	66.60	E	170.67	157.0	0.3	0.2	1.5
50	5847.00	6.55	168.98	93.00	5837.30	181.47	168.18	S	68.17	E	181.48	157.9	1.0	-0.8	-6.0
51	5942.00	6.73	162.83	95.00	5931.67	192.33	178.82	S	70.85	E	192.35	158.4	0.8	0.2	-6.5

52	6037.00	7.56	162.83	95.00	6025.93	204.09	190.11	S	74.34	E	204.13	158.6	0.9	0.9	0.0
53	6131.00	7.56	164.76	94.00	6119.11	216.39	201.98	S	77.79	E	216.45	158.9	0.3	0.0	2.1
54	6226.00	7.43	166.96	95.00	6213.30	228.65	214.00	S	80.82	E	228.75	159.3	0.3	-0.1	2.3
55	6320.00	7.30	166.87	94.00	6306.53	240.54	225.73	S	83.55	E	240.70	159.7	0.1	-0.1	-0.1
56	6416.00	7.21	168.54	96.00	6401.76	252.47	237.58	S	86.13	E	252.71	160.1	0.2	-0.1	1.7
57	6510.00	6.55	162.74	94.00	6495.08	263.60	248.48	S	88.89	E	263.90	160.3	1.0	-0.7	-6.2
58	6604.00	6.59	164.68	94.00	6588.46	274.30	258.80	S	91.91	E	274.64	160.4	0.2	0.0	2.1
59	6700.00	6.33	166.52	96.00	6683.85	284.99	269.26	S	94.60	E	285.40	160.6	0.3	-0.3	1.9
60	6795.00	5.85	167.67	95.00	6778.32	294.93	279.08	S	96.85	E	295.41	160.9	0.5	-0.5	1.2
61	6889.00	5.89	160.11	94.00	6871.83	304.47	288.30	S	99.52	E	304.99	161.0	0.8	0.0	-8.0
62	6984.00	5.58	152.37	95.00	6966.35	313.94	296.97	S	103.32	E	314.43	160.8	0.9	-0.3	-8.1
63	7079.00	6.33	151.32	95.00	7060.84	323.74	305.66	S	107.97	E	324.17	160.5	0.8	0.8	-1.1
64	7174.00	6.90	152.72	95.00	7155.21	334.63	315.33	S	113.10	E	335.00	160.3	0.6	0.6	1.5
65	7270.00	6.81	155.01	96.00	7250.52	346.06	325.61	S	118.15	E	346.39	160.1	0.3	-0.1	2.4
66	7363.00	6.55	154.57	93.00	7342.89	356.87	335.40	S	122.76	E	357.16	159.9	0.3	-0.3	-0.5
67	7459.00	6.24	156.15	96.00	7438.29	367.55	345.12	S	127.22	E	367.82	159.8	0.4	-0.3	1.6
68	7554.00	5.98	157.82	95.00	7532.75	377.66	354.42	S	131.17	E	377.92	159.7	0.3	-0.3	1.8
69	7649.00	6.07	157.12	95.00	7627.23	387.63	363.63	S	134.99	E	387.88	159.6	0.1	0.1	-0.7
70	7745.00	5.89	153.25	96.00	7722.70	397.62	372.71	S	139.19	E	397.85	159.5	0.5	-0.2	-4.0
71	7838.00	6.55	151.84	93.00	7815.16	407.66	381.64	S	143.84	E	407.85	159.3	0.7	0.7	-1.5
72	7934.00	7.30	154.39	96.00	7910.46	419.19	391.97	S	149.06	E	419.36	159.2	0.8	0.8	2.7
73	8029.00	7.12	155.54	95.00	8004.70	431.10	402.77	S	154.10	E	431.25	159.1	0.2	-0.2	1.2
74	8124.00	6.73	158.44	95.00	8099.01	442.55	413.31	S	158.59	E	442.69	159.0	0.6	-0.4	3.1
75	8219.00	6.73	159.84	95.00	8193.36	453.68	423.71	S	162.55	E	453.82	159.0	0.2	0.0	1.5
76	8314.00	6.46	154.75	95.00	8287.73	464.58	433.77	S	166.75	E	464.72	159.0	0.7	-0.3	-5.4
77	8410.00	6.15	152.37	96.00	8383.15	475.10	443.21	S	171.44	E	475.21	158.9	0.4	-0.3	-2.5
78	8505.00	5.76	154.04	95.00	8477.63	484.92	452.01	S	175.88	E	485.02	158.7	0.4	-0.4	1.8
79	8600.00	5.49	149.03	95.00	8572.18	494.17	460.19	S	180.31	E	494.25	158.6	0.6	-0.3	-5.3
80	8695.00	5.58	152.72	95.00	8666.74	503.27	468.19	S	184.77	E	503.33	158.5	0.4	0.1	3.9
81	8789.00	5.63	154.92	94.00	8760.29	512.43	476.43	S	188.81	E	512.48	158.4	0.2	0.1	2.3
82	8885.00	6.29	150.44	96.00	8855.77	522.35	485.27	S	193.40	E	522.39	158.3	0.8	0.7	-4.7
83	8981.00	6.46	152.37	96.00	8951.17	532.95	494.63	S	198.50	E	532.97	158.1	0.3	0.2	2.0

84	9076.00	6.46	155.27	95.00	9045.57	543.61	504.22	S	203.22	E	543.63	158.0	0.3	0.0	3.1
85	9171.00	6.24	156.50	95.00	9139.99	554.11	513.80	S	207.51	E	554.13	158.0	0.3	-0.2	1.3
86	9266.00	5.67	158.88	95.00	9234.47	563.97	522.92	S	211.26	E	563.98	158.0	0.7	-0.6	2.5
87	9361.00	5.14	158.00	95.00	9329.05	572.91	531.24	S	214.55	E	572.93	158.0	0.6	-0.6	-0.9
88	9455.00	4.88	157.03	94.00	9422.69	581.12	538.83	S	217.68	E	581.14	158.0	0.3	-0.3	-1.0
89	9550.00	4.31	162.57	95.00	9517.39	588.72	545.95	S	220.33	E	588.74	158.0	0.8	-0.6	5.8
90	9644.00	4.00	170.39	94.00	9611.14	595.43	552.55	S	221.94	E	595.46	158.1	0.7	-0.3	8.3
91	9736.00	3.12	181.82	92.00	9702.96	600.85	558.22	S	222.39	E	600.89	158.3	1.2	-1.0	12.4
92	9831.00	2.64	188.41	95.00	9797.84	605.08	562.97	S	221.99	E	605.16	158.5	0.6	-0.5	6.9
93	9929.00	2.46	188.21	98.00	9895.75	608.83	567.28	S	221.36	E	608.94	158.7	0.2	-0.2	-0.2
94	10024.00	1.45	177.16	95.00	9990.69	611.72	570.50	S	221.13	E	611.86	158.8	1.1	-1.1	-11.6
95	10119.00	1.63	161.16	95.00	10085.66	614.20	572.98	S	221.62	E	614.35	158.9	0.5	0.2	-16.8
96	10214.00	1.41	167.59	95.00	10180.62	616.70	575.40	S	222.31	E	616.85	158.9	0.3	-0.2	6.8
97	10309.00	1.54	166.26	95.00	10275.59	619.11	577.78	S	222.87	E	619.28	158.9	0.1	0.1	-1.4
PTB	10354.00	1.54	166.26	45.00	10320.58	620.31	578.96	S	223.15	E	620.48	158.9	0.0	0.0	0.0

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Section 1 - Operator and Well Information

Submittal Type: ☒ New Well ☐ Workover ☐ Deepening ☐ Plugback ☐ Different Reservoir ☐ C-144 Closure Attachment ☐ Other	
Operator Name: Tamaroa Operating LLC	OGRID: 328666
Property Name and Well Number: Dogleg 14 #001	Property Code: 337094
Mineral Owner: ☐ State ☒ Fee ☐ Tribal ☐ Federal	API Number: 30-0 25-50755
Pool Name: LOVINGTON;WOLFCAMP, NORTH	Pool Code: 96625

Section 2 – Well Location

	Ul or lot no.	Section	Township	Range	Lot Id	Feet from	N/S Line	Feet from	E/W Line	County
SHL:	M	11	16-S	36-E		200	S	230	W	LEA
BHL	D	14	16-S	36-E		383	N	446	W	LEA

Section 3 – Completion Information

Date T.D. Reached 4/15/25	Total Measured Depth of Well 10,850	Acid Volume (bbls) 0	☒ Directional Survey Submitted ☐ Deviation Survey Submitted
Date Rig Released 4/19/25	Plug-Back Measured Depth 10,705	Completion Fluid Used (bbls) 0	Were Logs Ran (Y/N) Y
Completion Date 5/30/25	Perforations (MD and TVD) 10,564-580' MD 10,531-547' TVD	Completion Proppant Used (lbs) 0	List Type of Logs Ran if applicable: GR, CBL, CNL

Section 4 – Action IDs for Submissions and Order Numbers

Surface Casing Action ID: 387385	UIC Permit/Order (UIC wells only) ☐ Yes ☒ No, Order No.
Intermediate 1 Casing Action ID:	NOI Recomplete Action ID (if applicable):
Intermediate 2 Casing Action ID:	NOI Plugback Action ID (if applicable):
Production Casing Action ID: 391060	Cement Squeeze Action ID (if applicable):
Tubing Action ID:	All casing was pressure tested in accordance with NMAC ☒ Yes ☐ No
Liner 1 Action ID:	Casing was installed prior to Action ID system (Y/N): N

Section 5 – Test Data

Date First Production 5/30/25	Production Method flowing	Well Status shut in	Gas – Oil Ratio 1.79
Date of Test 5/30/25	Choke Size 13/64	Flowing Tubing Pressure 1320	Casing Pressure 0
24 hr Oil (bbls) Projected 120	24 hr Gas (MCF) Projected 215	24 hr Water (bbls) 0	Oil Gravity - API 39.5
Disposition of Gas: Flared			

Section 6 – Pits

☐ A temporary pit was used at the well. If so, attach a plat with the location of the temporary pit.
☒ A Closed Loop System was used.
☐ If an on-site burial was used at the well, report the exact location of the on-site burial:
LAT: _____ LONG: _____

Section 7 - Operator Signature and Certification

☒ I hereby certify that the required Water Use Report has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well’s completion.	
☒ I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.	
Name Geoff Bahlburg 	
Title Manager	Date 6/20/25

South Formations				North Formations			
Formation/Zone	MD	TVD	W/O/G	Formation/Zone	MD	TVD	W/O/G
T. Anhy	2,604	2,604		T. San Jose			
T. Salt				T. Nacimiento			
B. Salt				T. Ojo Alamo			
T. Yates	3,196	3,196		T. Kirtland			
T. 7 Rivers	3,441	3,440		T. Fruitland			
T. Queen	4,056	4,055		T. Pictured Cliffs			
T. Grayburg				T. Lewis Shale			
T. San Andres	4,716	4,714		T. Chacra			
T. Glorieta	6,415	6,399		T. Cliff House			
T. Yeso				T. Menefee			
T. Paddock				T. Point Lookout			
T. Blinebry				T. Mancos			
T.Tubb	7,622	7,600		T. Gallup			
T. Drinkard				T. Greenhorn			
T. Abo	8,460	8,433		T. Graneros			
T. Wolfcamp	9,690	9,657	O	T. Dakota			
T. Penn				T. Morrison			
T. Cisco				T. Bluff			
T. Canyon				T.Todilto			
T. Strawn				T. Entrada			
T. Atoka				T. Wingate			
T. Morrow				T. Chinle			
T. Barnett Shale				T. Permian			
T. Miss				T. Penn A"			
T. Woodford Shale				T. Penn. "B"			
T. Devonian				T. Penn. "C"			
T. Silurian				T. Penn. "D"			
T. Fusselman				T. Leadville			
T. Montoya				T. Madison			
T. Simpson				T. Elbert			
T. McKee				T. McCracken			
T. Waddell				T. Ignacio Otzte			
T. Connel				T. Granite			
T. Ellenburger				T. Hermosa			
T. Gr. Wash				T. De Chelly			
T. Delaware Sand				T. Pinkerton			
T. Lamar Lime							
T. Bell Canyon							
T. Cherry Canyon							
T. Brushy Canyon							
T. Bone Springs							
T. 1st BS Sand							
T. 2nd BS Carbonate							
T. 2nd BS Sand							
T. 3rd BS Carbonate							
T. 3rd BS Sand							

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oecd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 482372

ACKNOWLEDGMENTS

Operator: Tamaroa Operating, LLC PO Box 866937 Plano, TX 750866937	OGRID: 328666
	Action Number: 482372
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.
☒	I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 482372

CONDITIONS

Operator: Tamaroa Operating, LLC PO Box 866937 Plano, TX 750866937	OGRID: 328666
	Action Number: 482372
	Action Type: [C-104] Completion Packet - New Well (C-104NW)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	None	7/10/2025