<i>Received by UCD: 0</i> /17/2025 6:29:30 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report 06/02/2025
Well Name: STEEL GUITAR 35-26 FED COM	Well Location: T26S / R29E / SEC 26 / NENW / 32.0185919 / -103.9566961	County or Parish/State: EDDY / NM
Well Number: 452Y	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM19609	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001555822	Operator: WPX ENERGY PERMIAN LLC	

Notice of Intent

Sundry ID: 2845258

. .

.

Type of Submission: Notice of Intent

Date Sundry Submitted: 04/03/2025

Date proposed operation will begin: 04/03/2025

Type of Action: Plug and Abandonment Time Sundry Submitted: 09:03

Procedure Description: Devon Energy Production Co., L.P. (Devon) respectfully requests to plug and abandon the subject well with the PA procedure below. Please see attached documents. 1. Spot 280 sx Cl C from 682' to surface. 2. Cut WH off 3' BGL, Set dry hole marker.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

STEEL_GUITAR_35_26_FED_COM_452Y_CURRENT_PROPOSED_WBD_20250422134647.pdf

STEEL_GUITAR_35_26_FED_COM_452Y___C102_Signed_20250403085301.pdf

Received by OCD: 6/17/2025 6:29:30 AM Well Name: STEEL GUITAR 35-26 FED COM	Well Location: T26S / R29E / SEC 26 / NENW / 32.0185919 / -103.9566961	County or Parish/State: EDBY ? of 2 NM
Well Number: 452Y	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM19609	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001555822	Operator: WPX ENERGY PERMIAN LLC	

Conditions of Approval

Specialist Review

Steel_Guitar_35_26_Fed_Com_452Y_Sundry_ID_2845258_P_A_20250530114341.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMY BROWN
Name: WPX ENERGY PERMIAN LLC
Title: Regulatory Professional
Street Address: 333 WEST SHERIDAN AVENUE
City: OKLAHOMA CITY State: OK
Phone: (405) 552-6137
Email address: AMY.BROWN@DVN.COM

Field
Representative Name:
Street Address:
City: State:

BLM Point of Contact

Phone:

Email address:

BLM POC Name: LONG VO BLM POC Phone: 5759885402 Disposition: Approved Signature: Long Vo BLM POC Title: Petroleum Engineer BLM POC Email Address: LVO@BLM.GOV Disposition Date: 05/30/2025

Zip:

Signed on: APR 22, 2025 01:46 PM

Received by OCD: 6/17/2025 6:29:30 AM

Form 3160-5 (June 2019)		UNITED STATI PARTMENT OF THE I EAU OF LAND MAN	INTERIOR	ON	DRM APPROVED MB No. 1004-0137 res: October 31, 2021
Do not	use this i		ORTS ON WELLS to drill or to re-enter an APD) for such proposals.	6. If Indian, Allottee or Tribe N	ame
	SUBMIT IN	TRIPLICATE - Other instr	uctions on page 2	7. If Unit of CA/Agreement, Na	ame and/or No.
1. Type of Well Oil Well	Gas V	Vell Other		8. Well Name and No.	
2. Name of Operator				9. API Well No.	
3a. Address			3b. Phone No. <i>(include area code)</i>	10. Field and Pool or Explorato	ory Area
4. Location of Well (Food	tage, Sec., T.,I	R.,M., or Survey Description,)	11. Country or Parish, State	
	12. CHE	CK THE APPROPRIATE B	OX(ES) TO INDICATE NATURE (OF NOTICE, REPORT OR OTH	ER DATA
TYPE OF SUBMI	SSION		TYPI	E OF ACTION	
Notice of Intent		Acidize	Deepen Hydraulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity
Subsequent Repor	t	Casing Repair Change Plans	New Construction	Recomplete Temporarily Abandon	Other
Final Abandonmer	nt Notice	Convert to Injection	= .	Water Disposal	
the proposal is to dee the Bond under which completion of the inv	pen directiona h the work wil olved operation ndonment No	ally or recomplete horizontal ll be perfonned or provide th ons. If the operation results i	ly, give subsurface locations and me e Bond No. on file with BLM/BIA. n a multiple completion or recomple	asured and true vertical depths of Required subsequent reports mus ption in a new interval, a Form 31	k and approximate duration thereof. If f all pertinent markers and zones. Attach t be filed within 30 days following 60-4 must be filed once testing has been e operator has detennined that the site

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)			
	Title		
Signature	Date		
THE SPACE FOR FEDE	RAL OR STATE (OFICE USE	
Approved by			
	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warrant of certify that the applicant holds legal or equitable title to those rights in the subject least which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any any false, fictitious or fraudulent statements or representations as to any matter within		willfully to make to any department or agency of the Unit	ed States

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NENW / 445 FNL / 2007 FWL / TWSP: 26S / RANGE: 29E / SECTION: 26 / LAT: 32.0185919 / LONG: -103.9566961 (TVD: 0 feet, MD: 0 feet) PPP: NENW / 100 FNL / 1580 FWL / TWSP: 26S / RANGE: 29E / SECTION: 26 / LAT: 32.0195538 / LONG: -103.9580179 (TVD: 9939 feet, MD: 9986 feet) PPP: NESW / 2478 FSL / 1614 FWL / TWSP: 26S / RANGE: 29E / SECTION: 26 / LAT: 32.011992 / LONG: -103.9583453 (TVD: 11200 feet, MD: 13800 feet) BHL: LOT 10 / 50 FSL / 1580 FWL / TWSP: 26S / RANGE: 29E / SECTION: 35 / LAT: 32.0002402 / LONG: -103.958858 (TVD: 11200 feet, MD: 18078 feet)

	DI	EVON ENERGY	PRODUCTION COMPANY	LP
Well Name: STEEL GUIT	AR 35-26 FED (COM 452Y	Field: STATELINE N	IORTH
Location: 455 FNL 20	07 FEL SEC	26-T265-29E	County: Eddy	State: New Mexico
Elevation: 2889' GL			Spud Date: 3/30/25	Compl Date: 0
API#: 30-015-55822	Prepared by:		Date:	Rev:
CURRENT WELLBORE 14-3/4" Hole 10-3/4", 45.5#, J-55 B Cmt'd w/695 sx to surface No returns thoughout of Top out cmt 630 sx from 274 sx to surface Losses @ 216' Losses @ 216'	T&C @ 682' ace cmt			

455 FNL 2007 FEL SEC 26-T26S-29E ion: 2889' GL 30-015-55822 Prepared by: PROPOSED WELLBORE	State: New Mexico 25 Compl Date: 0 Rev: Proposed: 1. Spot 280 sx Cl C from 682' to surface. 2. Cut WH off 3' BGL, Set dry hole marker.
30-015-55822 Prepared by: PROPOSED WELLBORE 14-3/4" Hole 10-3/4". 45.5#, J-55 BT&C @ 682' Cmt'd w/695 sx to surface 0 682' Cmt'd w/695 sx to surface 0 Bbls cmt to surface No returns thoughout cmt Top out cmt 630 sx from 90' to surface 274 sx to surface Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Image: Colspan="2">Cmt'd w/695 sto surface	Rev: Proposed: 1. Spot 280 sx Cl C from 682' to surface.
PROPOSED WELLBORE 14-3/4" Hole 10-3/4", 45.5#, J-55 BT&C @ 682' Cmt'd w/695 sx to surface 0 Bbls cmt to surface No returns thoughout cmt Top out cmt 630 sx from 90' to surface 274 sx to surface	Proposed: 1. Spot 280 sx Cl C from 682' to surface.
14-3/4" Hole 10-3/4", 45.5#, J-55 BT&C @ 682' Cmt'd w/695 sx to surface 0 Bbls cmt to surface No returns thoughout cmt Top out cmt 630 sx from 90' to surface 274 sx to surface	1. Spot 280 sx Cl C from 682' to surface.


EL GUI C-102	,	FFD/SOM #45	243041911	2025	State of Ne	w Mexico					Page 8 Revised July 9, 2024
C-102			Ene	rgy. Min		al Resources Departi	ment				, 0, 2021
Submit E	Electronically					TION DIVISION				1 1 1 1	0.1
Via OCD	Permitting							Submitta	₁ ╞╞		Submittal ded Report
								Type:	누	As Dr	*
										AsDi	lited
					i	FION INFORMATION					
	15-55822		Pool Code	98220	F	Pool Name PURPLE S	SAGE; W	OLFCA			
Property	Code		Property Na	ame	STEEL GUIT	TAR 35-26 FED CO	М		We	ell Number	452Y
OGRID N	No. 24628	39	Operator N			RGY PERMIAN, LLC	C				Elevation 2889.3'
Surface C	Owner:	State Fee	Tribal	X Federal		Mineral Owner:	State 🗌 F	ee 🔲 🛛	Tribal 🔰	K Federal	
					Surf	face Location					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitu	ıde		gitude	County
с	26	26-S	29-E		AAE' ENU		32.018	592		956694	EDDY
U	26	20-3	29-E	1	445' FNL Bottom	2007' FWL					EDDY
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitu	_{ide}	Lor	gitude	County
		^	-	Lot			32.000			956412	
.OT 10	35	26-S	29-E		1791' FNL	2338' FWL					EDDY
		i		i		1					
Dedicated		Infill or Definir	c	Defining		Overlapping Spacing U	nit (Y/N)	Consolida	ation Coo	le	
431.9		INFILI	_	30-01	5-49377	XX7.11	<u> </u>	1.			
Order Nu	imbers.					Well setbacks are under	Common Ow	mersnip:	L	Yes	No
				1	Kick C	Off Point (KOP)					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitu 32.018			gitude 956694	County
А	26	26-S	29-E		50' FNL	2540' FWL	02.010	002	-100.	500054	EDDY
					First Ta	ake Point (FTP)					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitu			gitude	County
с	26	26-S	29-E		100' FNL	2540' FWL	32.019	523	-103.9	954918	EDDY
					Last Ta	ake Point (LTP)					
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitu			gitude	County
.OT 10	35	26-S	29-E		1741' FNL	2338' FWL	32.000	379	-103.9	956412	EDDY
	- 55	20-3	29 - L		1741 I NL	2330 1 VVL					LUUT
Unitized	Area or Area	of Uniform Inter	est	Spacing U	nit Type 🔲 H	orizontal 🔲 Vertical	Grour	ld Floor Ele	evation:		
OPERAI	OR CERTIF	ICATIONS				SURVEYOR CERTIFICA	HONS				
my knowle organizati including i location pa interest, or	edge and belie ion either own the proposed l pursuant to a co	information contai f and, if the well is as a working intera- bottom hole locatio ontract with an ow y pooling agreeme	s a vertical or d e st or unleased on or has a righ oner of a workin	irectional we mineral inter t to drill this g interest or t	II, that this rest in the land well at this unleased mineral	I hereby certify that the well surveys made by me or under my belief			the same i	is true and c	TOMO
consent of in each tra interval wa	f at least one le act (in the targ vill be located o	al well, I further ce essee or owner of d ret pool or formatie or obtained a comp Brown	a working intere on) in which an	est or unlease y part of the v g order from t	d mineral interest vell's completed	Signature and Seal of Profe	Line ssional Surve	yor	P/ PRU	27 27 27 27 27 27 27 27 27 27 27 27 27 2	
٥	A Ducin					JAMES C. TOMPKINS 27 Date 04/01/2025		TC 5679	0 5	.f. EUI	
Amy . Printed N	A. Brown	ļ				Date 04/01/2025 Certificate Number	Job. No.: W Date of Sur		9 Dr	aft: FH!	
	orown@dv	vn.com				27117	Date of Sul	-	гове	R 28, 2	024
Email Ad											

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

RIEEL GUIDAD 20267FP/2029 #4529:30400/2025 ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



SHL STEEL GUITAR 35-26 FED COM #452Y GR. ELEV. 2889.3' NMSP-E (NAD 83) N.(Y): = 370706.2' E.(X): = 658068.1' LAT.: = 32.0185920° N LON.: = 103.9566936° W

KOP STEEL GUITAR 35-26 FED COM #452Y <u>MMSP-E (NAD 83)</u> N.(Y): = 371096.8' E.(X): = 658619.0' LAT.: = 32.0196606° N LON.: = 103.9549117° W

FTP PPP 1 STEEL GUITAR 35-26 FED COM #452Y NMSP-E (NAD 83) N.(Y): = 371046.8' E.(X): = 658617.3' LAT.: = 32.0195232° N LON.: = 103.9549178° W

PPP 2 STEEL GUITAR 35-26 FED COM #452Y <u>NMSP-E (NAD 83)</u> N.(Y): = 368484.0' E.(X): = 658455.9' LAT.: = 32.0124796° N LON.: = 103.9554675° W

LTP STEEL GUITAR 35-26 FED COM #452Y <u>NMSP-E (NAD 83)</u> N.(Y): = 364081.2' E.(X): = 658178.6' LAT.: = 32.0003795° N LON.: = 103.9564117° W

BHL STEEL GUITAR 35-26 FED COM #452Y <u>NMSP-E (NAD 83)</u> N.(Y): = 364031.2' E.(X): = 658178.7' LAT.: = 32.0002420° N LON.: = 103.9564118° W

SECTION: 26, T-26-S, R-29-E, N.M.P.M. COUNTY: EDDY STATE: <u>NEW MEXICO</u> DESCRIPTION: 445' FNL & 2007' FWL OPERATOR: <u>WPX ENERGY PERMIAN, LLC</u> WELL NAME: <u>STEEL GUITAR 35-26 FED COM #452Y</u> DUWI: <u>WA022429295</u> UFID: <u>AA000000000</u> WELL PAD: STEEL GUITAR 35-26 FED WEST PAD



WPX ENERGY PERMIAN, LLC

Received by VICD: 0/17/2025 6:29:30 AM U.S. Department of the Interior BUREAU OF LAND MANAGEMENT		Sundry Print Report
Well Name: STEEL GUITAR 35-26 FED COM	Well Location: T26S / R29E / SEC 26 / NENW / 32.0185919 / -103.9566961	County or Parish/State: EDDY / NM
Well Number: 452Y	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM19609	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001555822	Operator: WPX ENERGY PERMIAN LLC	

Notice of Intent

Sundry ID: 2845258

•

Type of Submission: Notice of Intent

Date Sundry Submitted: 04/03/2025

Date proposed operation will begin: 04/03/2025

Type of Action: Plug and Abandonment Time Sundry Submitted: 09:03

Procedure Description: Devon Energy Production Co., L.P. (Devon) respectfully requests to plug and abandon the subject well with the PA procedure below. Please see attached documents. 1. Spot 280 sx Cl C from 682' to surface. 2. Cut WH off 3' BGL, Set dry hole marker.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

STEEL_GUITAR_35_26_FED_COM_452Y_CURRENT_PROPOSED_WBD_20250422134647.pdf

STEEL_GUITAR_35_26_FED_COM_452Y___C102_Signed_20250403085301.pdf

APPROVAL SUBJECT TO GENERAL REQUIREMENTS AND SPECIAL STIPULATIONS ATTACHED

Received by OCD: 6/17/2025 6:29:30 AM Well Name: STEEL GUITAR 35-26 FED COM	Well Location: T26S / R29E / SEC 26 / NENW / 32.0185919 / -103.9566961	County or Parish/State: EDD ¹¹ of a
Well Number: 452Y	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM19609	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001555822	Operator: WPX ENERGY PERMIAN LLC	
l)

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMY BROWN

Signed on: APR 22, 2025 01:46 PM

Name: WPX ENERGY PERMIAN LLC

Title: Regulatory Professional

Street Address: 333 WEST SHERIDAN AVENUE

City: OKLAHOMA CITY

Phone: (405) 552-6137

Email address: AMY.BROWN@DVN.COM

Field

Representative Name: Street Address: City: Phone: Email address:

State:

State: OK

Zip:

APPROVED by Long Vo Petroleum Engineer Carlsbad Field Office 575-988-50402

LVO@BLM.GOV

20 AM R

eceivea by OCD: 6/1//202	5 0:29:30 AM	Page 12 of .
	UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT	FORM APPROVED OMB No. 1004-0137 Expires: October 31, 2021 5. Lease Serial No.
Do not use t	RY NOTICES AND REPORTS ON WELLS his form for proposals to drill or to re-enter an ell. Use Form 3160-3 (APD) for such proposals.	6. If Indian, Allottee or Tribe Name
SUBMI	T IN TRIPLICATE - Other instructions on page 2	7. If Unit of CA/Agreement, Name and/or No.
1. Type of Well		-
Oil Well	Gas Well Other	8. Well Name and No.
2. Name of Operator		9. API Well No.
3a. Address	3b. Phone No. (include area code)	10. Field and Pool or Exploratory Area
4. Location of Well (Footage, Sec	., T.,R.,M., or Survey Description)	11. Country or Parish, State
12.	CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE (DF NOTICE, REPORT OR OTHER DATA
TYPE OF SUBMISSION	TYPE	E OF ACTION
Notice of Intent	Acidize Deepen [Alter Casing Hydraulic Fracturing	Production (Start/Resume) Water Shut-Off Reclamation Well Integrity
Subsequent Report	Casing Repair New Construction Change Plans Plug and Abandon	Recomplete Other Temporarily Abandon
Final Abandonment Notice		Water Disposal
the proposal is to deepen dire- the Bond under which the wo completion of the involved op	ctionally or recomplete horizontally, give subsurface locations and me is will be performed or provide the Bond No. on file with BLM/BIA. I erations. If the operation results in a multiple completion or recomple	starting date of any proposed work and approximate duration thereof. If easured and true vertical depths of all pertinent markers and zones. Attach Required subsequent reports must be filed within 30 days following stion in a new interval, a Form 3160-4 must be filed once testing has been tion, have been completed and the operator has detennined that the site

14. I hereby certify that the foregoing is true and correct. Name (<i>Printed/Typed</i>)		
Ti	tle	
Signature Da	ate	
THE SPACE FOR FEDER	AL OR STATE OFICE USE	
Approved by Long Vo	Petroleum Engineer	5-30-2025 Date
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Title 18 U.S.C Section 1001 and Title 43 U.S.C Section 1212, make it a crime for any p any false, fictitious or fraudulent statements or representations as to any matter within it		department or agency of the United States

(Instructions on page 2)

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

Additional Information

Location of Well

0. SHL: NENW / 445 FNL / 2007 FWL / TWSP: 26S / RANGE: 29E / SECTION: 26 / LAT: 32.0185919 / LONG: -103.9566961 (TVD: 0 feet, MD: 0 feet) PPP: NENW / 100 FNL / 1580 FWL / TWSP: 26S / RANGE: 29E / SECTION: 26 / LAT: 32.0195538 / LONG: -103.9580179 (TVD: 9939 feet, MD: 9986 feet) PPP: NESW / 2478 FSL / 1614 FWL / TWSP: 26S / RANGE: 29E / SECTION: 26 / LAT: 32.011992 / LONG: -103.9583453 (TVD: 11200 feet, MD: 13800 feet) BHL: LOT 10 / 50 FSL / 1580 FWL / TWSP: 26S / RANGE: 29E / SECTION: 35 / LAT: 32.0002402 / LONG: -103.958858 (TVD: 11200 feet, MD: 18078 feet)

ell Name: STEEL GUITAR 35-26 FED C	OM 452Y Field:	STATELINE NO	DRTH	
		: Eddy		e: New Mexico
evation: 2889' GL		Date: 3/30/25	Compl Date:	
Pl#: 30-015-55822 Prepared by:	Date:		Rev:	
Prepared by: CURRENT WELLBORE 14-3/4" Hole 15-3/4" Ko surface 14-3/4" Sx to surface 12-3/4" Sx to surface 12-3/4" Sx to surface 12-3/4" Sx to surface 12-3/4" Sx to surface 13-3/4" System 14-3/4" System 14-3/4" System 15-3/4" System 15-3/4" System 16-3/4" System 17-3/4" System 17-3/4" System	Date:		Rev:	

Name: STEEL GUITAR 35-26 FED COM 452Y Field: STATELINE NORTH 455 FNL 2007 FEL SEC 26-T265-29E County: Eddy State 30-015-55822 Prepared by: Date: Rev: PROPOSED WELLBORE 14-3/4" Hole 14-3/4" Hole 14-3/4" 4 Hole 14-3	: New Mexico
30-015-55822 Prepared by: Date: Rev: PROPOSED WELLBORE 14-3/4" Hole 1. Spot 280 sx Cl C from 68 10-3/4". 45.5#, J-55 BT&C @ 682' 2. Cut WH off 3' BGL, Set c Cmt'd w/695 sx to surface 0 Bbls cmt to surface No returns thoughout cmt Top out cmt 630 sx from 90' to surface Top out cmt 630 sx from 90' to surface 274 sx to surface	0
PROPOSED WELLBORE 14-3/4" Hole 10-3/4", 45.5#, J-55 BT&C @ 682' Cmt'd w/695 sx to surface 0 Bbls cmt to surface No returns thoughout cmt Top out cmt 630 sx from 90' to surface 274 sx to surface	0
14-3/4" Hole 10-3/4", 45.5#, J-55 BT&C @ 682' Cmt'd w/695 sx to surface 0 Bbls cmt to surface No returns thoughout cmt Top out cmt 630 sx from 90' to surface 274 sx to surface	
14-3/4" Hole 10-3/4", 45.5#, J-55 BT&C @ 682' Cmt'd w/695 sx to surface 0 Bbls cmt to surface No returns thoughout cmt Top out cmt 630 sx from 90' to surface 274 sx to surface	
14-3/4" Hole 10-3/4", 45.5#, J-55 BT&C @ 682' Cmt'd w/695 sx to surface 0 Bbls cmt to surface No returns thoughout cmt Top out cmt 630 sx from 90' to surface 274 sx to surface	
10-3/4", 45.5#, J-55 BT&C @ 682' Cmt'd w/695 sx to surface 0 Bbls cmt to surface No returns thoughout cmt Top out cmt 630 sx from 90' to surface 274 sx to surface	
Cmt'd w/695 sx to surface 0 Bbls cmt to surface No returns thoughout cmt Top out cmt 630 sx from 90' to surface 274 sx to surface	
0 Bbls cmt to surface No returns thoughout cmt Top out cmt 630 sx from 90' to surface 274 sx to surface	lry hole marker.
No returns thoughout cmt Top out cmt 630 sx from 90' to surface 274 sx to surface	
274 sx to surface	
274 sx to surface	
osses @ 216'	


C-102		FD/SOM #45	<u>943041901</u>	2025	State of Ne	w Mevico					Page 17 Revised July 9, 2024	
C-102 State of 1 Energy, Minerals & Na											, ., _,	
						TION DIVISION		—				
Via OCD Permitting							Submitta	al 🗕	Initial Submittal Amended Report			
								Type:		Annended Report		
					L			<u> </u>		As Diffied		
			· · · · ·		WELL LOCAT	FION INFORMATION						
API Number Pool Code P 30-015-55822 98220 P						Pool Name PURPLE	SAGE; W	OLFCA	MP			
Property Code Property				ame	STEEL GUIT	AR 35-26 FED COM				Well Number 452Y		
OGRID No. 246289			Operator N			RGY PERMIAN, LLC				Ground Level Elevation 2889.3'		
Surface Owner: State Fee			🗌 Tribal 🔀 Federal			Mineral Owner: State Fee Tril			Fribal	bal 🗙 Federal		
					Surf	ace Location						
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitu	titude		ongitude	County	
	26	26.0	20 F				32.018	3592		3.956694	EDDY	
С	26	26-S	29-E		445' FNL Bottom	2007' FWL		I_			EDDY	
ш	Section	Tormatin	Dance	Lat	Ft. from N/S	Ft. from E/W	T _2''	uda I	т	ongituda	Countr	
UL	Section	Township	Range	Lot		Ft. from E/w		Latitude 32.000242 -		ongitude 3.956412	County	
OT 10	35	26-S	29-E		1791' FNL	2338' FWL					EDDY	
				-								
Dedicated	Acres	Infill or Definir	ng Well	Defining V	Well API	Overlapping Spacing Un	nit (Y/N)	Consolida	ation (Code		
431.99 INFILL 30-015-49377											_	
Order Nur	nbers.					Well setbacks are under Common Ownership:						
					Kick O	Off Point (KOP)						
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitu			Longitude	County	
А	26	26-S	29-E		50' FNL	2540' FWL	32.018	32.018592		3.956694	EDDY	
					First Ta	ake Point (FTP)				•		
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latit	ıde		ongitude	County	
с	26	26-S	29-E		100' FNL	2540' FWL	32.019	32.019523 -		3.954918	EDDY	
<u> </u>	20	20-0	20-L	I		ake Point (LTP)					LDDT	
UL	Section	Township	Range	Lot	Ft. from N/S	Ft. from E/W	Latitu	ıde	Longitude		County	
	05	*	C C				32.000			3.956412	2	
.OT 10	35	26-S	29-E		1741' FNL	2338' FWL					EDDY	
Unitized Area or Area of Uniform Interest Spacing Unit Type						orizontal 🗌 Vertical	Groun	nd Floor Ele	evatio	n:		
OPERATOR CERTIFICATIONS						SURVEYOR CERTIFICATIONS						
I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.						I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief						
If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory' pooling order from the division. Amy A. Brown 04/03/2025 Signature Date						Signature and Seal of Professional Surveyor JAMES C. TOMPKINS 27117 Date 04/01/2025 Job. No.: WTC-56789 Draft: FH!						
Amy A	A. Brown					Date 04/01/2025	Job. No.: WTC-56789 Draft: FH!					
Printed Name						Certificate Number	Date of Sur	ate of Survey				
amy.brown@dvn.com Email Address						27117	1	OCTOBER 28, 2024				

Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

RIEEL GUIDAD 2025 ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.



SHL STEEL GUITAR 35-26 FED COM #452Y GR. ELEV. 2889.3' <u>MMSP-E (NAD 83)</u> N.(Y): = 370706.2' E.(X): = 658068.1' LAT.: = 32.0185920° N LON.: = 103.9566936° W

KOP STEEL GUITAR 35-26 FED COM #452Y <u>MMSP-E (NAD 83)</u> N.(Y): = 371096.8' E.(X): = 658619.0' LAT.: = 32.0196606° N LON.: = 103.9549117° W

FTP PPP 1 STEEL GUITAR 35-26 FED COM #452Y NMSP-E (NAD 83) N.(Y): = 371046.8' E.(X): = 658617.3' LAT.: = 32.0195232° N LON.: = 103.9549178° W

PPP 2 STEEL GUITAR 35-26 FED COM #452Y <u>NMSP-E (NAD 83)</u> N.(Y): = 368484.0' E.(X): = 658455.9' LAT.: = 32.0124796° N LON.: = 103.9554675° W

LTP STEEL GUITAR 35-26 FED COM #452Y <u>MBP-E (NAD 83)</u> N.(Y): = 364081.2' E.(X): = 658178.6' LAT.: = 32.0003795° N LON.: = 103.9564117° W

BHL STEEL GUITAR 35-26 FED COM #452Y <u>NMSP-E (NAD 83)</u> N.(Y): = 364031.2' E.(X): = 658178.7' LAT.: = 32.0002420° N LON.: = 103.9564118° W

SECTION: <u>26</u>, T-26-S, R-29-E, N.M.P.M. COUNTY: <u>EDDY</u> STATE: <u>NEW MEXICO</u> DESCRIPTION: <u>445' FNL & 2007' FWL</u> OPERATOR: <u>WPX ENERGY PERMIAN, LLC</u> WELL NAME: <u>STEEL GUITAR 35-26 FED COM #452Y</u> DUWI: <u>WA022429295</u> UFID: <u>AA000000000</u> WELL PAD: STEEL GUITAR 35-26 FED WEST PAD



WPX ENERGY PERMIAN, LLC JOB NO.: WTC56789

BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Permanent Abandonment of Federal Wells Conditions of Approval (SKID)

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon.

If you are unable to plug the well by the 90th day provide this office, prior to the 90th day, with the reason for not meeting the deadline and a date when we can expect the well to be plugged. Failure to do so will result in enforcement action.

The rig used for the plugging procedure cannot be released and moved off without the prior approval of the authorized officer. Failure to do so may result in enforcement action.

2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call 575-627-0272; Lea County, call 575-689-5981. Eddy County, please email notifications to: <u>BLM NM CFO PluggingNotifications@BLM.GOV</u>. The Eddy County inspector on call phone, 575-361-2822, will remain active as a secondary contact.

3. <u>Blowout Preventers</u>: A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The BOP must be installed and maintained as per API and manufacturer recommendations. The minimum BOP requirement is a 2M system for a well not deeper than 9,090 feet; a 3M system for a well not deeper than 13,636 feet; and a 5M system for a well not deeper than 22,727 feet.

4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at the rate of 25 sacks (50 pounds each) of gel per 100 barrels of **fresh** water. Minimum nine (9) pounds per gallon.

5. <u>Cement Requirement</u>: Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and are not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. Any plug that requires a tag will have a minimum WOC time of 4 hours for Class C or accelerated cement (calcium chloride) and 6 hours for Class H. Tagging the plug means running in the hole with a string of tubing or drill pipe and placing sufficient weight on the plug to ensure its integrity. Other methods of tagging the plug may be approved by the BLM authorized officer or BLM field representative.

In lieu of a cement plug across perforations in a cased hole (not for any other plugs), a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 25 sacks of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient. **Before pumping or bailing cement on top of CIBP, tag will be required to verify depth. Based on depth, a tag of the cement may be deemed necessary.**

Unless otherwise specified in the approved procedure, the cement plug shall consist of either Neat Class "C", for up to 7,500 feet of depth or Neat Class "H", for deeper than 7,500 feet plugs.

Fluid used to mix the cement in R111Q shall be saturated with the salts common to the section penetrated, and in suitable proportions but not less than 1% and not more than 3% calcium chloride by weight of cement will be considered the desired mixture whenever possible.

6. <u>Below Ground Level Cap (SKID)</u>: All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). **The BLM is to be notified** *BY PHONE* (numbers listed in 2. Notifications) a minimum of 4 hours prior to the wellhead being cut off to verify that cement is to surface in the casing and all annuluses. Wellhead cut off shall commence within ten (10) calendar days of the well being plugged. If the cut off cannot be done by the 14th day, the BLM is to be contacted with justification to receive an extension for completing the cut off.

Upon the plugging and subsequent abandonment of well the casings shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be covered with a metal plate at least ¹/₄ inch thick and welded in place. A weep hole shall be left in the plate and/or casing. The following information shall be permanently inscribed on the plate: well name and number, name of operator, lease serial number, surveyed location (quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer such as metes and bounds).

NMOCD also requires the operator to notify NMOCD when this type of dry hole marker is used. This can be done on the subsequent report of abandonment which is submitted to the BLM after the well is plugged. State that a below ground cap was installed as required in the COA's from the BLM.

7. <u>Subsequent Plugging Reporting</u>: Within 30 days after plugging work is completed, file one original and three copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date well was plugged.</u>

8. <u>Trash:</u> All trash, junk and other waste material shall be contained in trash cages or bins to prevent scattering and will be removed and deposited in an approved sanitary landfill. Burial on site is not permitted.

Following the submission and approval of the Subsequent Report of Abandonment, surface restoration will be required. See attached reclamation objectives.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Operator:	OGRID:						
WPX Energy Permian, LLC	246289						
Devon Energy - Regulatory	Action Number:						
Oklahoma City, OK 73102	475630						
	Action Type:						
	[C-103] NOI Plug & Abandon (C-103F)						
CONDITIONS							

Created By Condition Condition gcordero None 7/10/2025

Page 21 of 21