

Submit a Copy To Appropriate District Office
District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

WELL API NO. 30-015-49807
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Doubtfire 25/30 W0MP Fee
8. Well Number 1H
9. OGRID Number 14744
10. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☐ Gas Well ☒ Other ☐	
2. Name of Operator Mewbourne Oil Company	
3. Address of Operator P.O. Box 5720, Hobbs, NM 88241	
4. Well Location Unit Letter <u>I</u> : <u>1610</u> feet from the <u>South</u> line and <u>500</u> feet from the <u>East</u> line Section <u>26</u> Township <u>22S</u> Range <u>27E</u> NMPM County <u>Eddy</u>	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3076' GL	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK ☐	PLUG AND ABANDON ☐	REMEDIAL WORK ☐	ALTERING CASING ☐
TEMPORARILY ABANDON ☐	CHANGE PLANS ☒	COMMENCE DRILLING OPNS. ☐	P AND A ☐
PULL OR ALTER CASING ☐	MULTIPLE COMPL ☐	CASING/CEMENT JOB ☐	
DOWNHOLE COMMINGLE ☐			
CLOSED-LOOP SYSTEM ☐			
OTHER: ☐		OTHER: ☐	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Mewbourne Oil Company requests to make the following changes:

Change the name of the DOUBTFIRE 25/30 W0MP FEE #1H to the DOUBTFIRE 25/30 FED COM #718H.

See attached C102.

Spud Date:

1/21/2025

Rig Release Date:

2/12/2025

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Bennett Hall TITLE Petroleum Engineer DATE 8/28/2023

Type or print name Bennett Hall E-mail address: bhall@mewbourne.com PHONE: 806-202-4349

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-49807		² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 337392	⁵ Property Name DOUBTFIRE 25 30 FEDERAL COM		⁶ Well Number 718H
⁷ OGRID NO. 14744	⁸ Operator Name MEWBOURNE OIL COMPANY		⁹ Elevation 3076'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet From the	East/West line	County
I	26	22S	27E		1610	SOUTH	500	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no. P	Section 30	Township 22S	Range 28E	Lot Idn	Feet from the 440	North/South line SOUTH	Feet from the 330	East/West line EAST	County EDDY
¹² Dedicated Acres 640	¹³ Joint or Infill	¹⁴ Consolidation Code		¹⁵ Order No.					

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

16		17																
<u>CORNER DATA</u> NAD 83 GRID — NM EAST <table><tr><td>A: FOUND 1/2" REBAR N: 493389.0 — E: 592171.4</td><td>I: FOUND BRASS CAP "1943" N: 498703.7 — E: 607839.3</td></tr><tr><td>B: FOUND 1/2" REBAR N: 496057.9 — E: 592138.2</td><td>J: CALCULATED CORNER N: 493419.5 — E: 607884.1</td></tr><tr><td>C: FOUND 1/2" REBAR N: 498726.7 — E: 592104.6</td><td>K: FOUND 1/2" REBAR N: 493430.5 — E: 602676.8</td></tr><tr><td>D: FOUND 1/2" REBAR N: 498779.4 — E: 594771.2</td><td>L: FOUND 1/2" REBAR W/YELLOW PLASTIC CAP "ILLEGIBLE" N: 493419.3 — E: 600045.6</td></tr><tr><td>E: FOUND COTTON SPINDLE N: 498808.9 — E: 597511.8</td><td>M: FOUND COTTON SPINDLE N: 493408.0 — E: 597414.5</td></tr><tr><td>F: FOUND 1/2" REBAR N: 498773.1 — E: 600103.2</td><td>N: FOUND COTTON SPINDLE N: 493398.6 — E: 594792.8</td></tr><tr><td>G: CALCULATED CORNER N: 498736.8 — E: 602694.9</td><td>O: FOUND 1/2" REBAR N: 496108.8 — E: 597471.1</td></tr><tr><td>H: FOUND BRASS CAP "1943" N: 498720.7 — E: 605251.6</td><td>P: FOUND 1/2" REBAR W/YELLOW PLASTIC CAP "ILLEGIBLE" N: 496096.4 — E: 600074.5</td></tr></table>		A: FOUND 1/2" REBAR N: 493389.0 — E: 592171.4	I: FOUND BRASS CAP "1943" N: 498703.7 — E: 607839.3	B: FOUND 1/2" REBAR N: 496057.9 — E: 592138.2	J: CALCULATED CORNER N: 493419.5 — E: 607884.1	C: FOUND 1/2" REBAR N: 498726.7 — E: 592104.6	K: FOUND 1/2" REBAR N: 493430.5 — E: 602676.8	D: FOUND 1/2" REBAR N: 498779.4 — E: 594771.2	L: FOUND 1/2" REBAR W/YELLOW PLASTIC CAP "ILLEGIBLE" N: 493419.3 — E: 600045.6	E: FOUND COTTON SPINDLE N: 498808.9 — E: 597511.8	M: FOUND COTTON SPINDLE N: 493408.0 — E: 597414.5	F: FOUND 1/2" REBAR N: 498773.1 — E: 600103.2	N: FOUND COTTON SPINDLE N: 493398.6 — E: 594792.8	G: CALCULATED CORNER N: 498736.8 — E: 602694.9	O: FOUND 1/2" REBAR N: 496108.8 — E: 597471.1	H: FOUND BRASS CAP "1943" N: 498720.7 — E: 605251.6	P: FOUND 1/2" REBAR W/YELLOW PLASTIC CAP "ILLEGIBLE" N: 496096.4 — E: 600074.5	<u>OPERATOR CERTIFICATION</u> I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <u>Bennett Hall</u> 8/28/2023 Signature Date <u>Bennett Hall</u> Printed Name <u>bhall@mewbourne.com</u> E-mail Address
A: FOUND 1/2" REBAR N: 493389.0 — E: 592171.4	I: FOUND BRASS CAP "1943" N: 498703.7 — E: 607839.3																	
B: FOUND 1/2" REBAR N: 496057.9 — E: 592138.2	J: CALCULATED CORNER N: 493419.5 — E: 607884.1																	
C: FOUND 1/2" REBAR N: 498726.7 — E: 592104.6	K: FOUND 1/2" REBAR N: 493430.5 — E: 602676.8																	
D: FOUND 1/2" REBAR N: 498779.4 — E: 594771.2	L: FOUND 1/2" REBAR W/YELLOW PLASTIC CAP "ILLEGIBLE" N: 493419.3 — E: 600045.6																	
E: FOUND COTTON SPINDLE N: 498808.9 — E: 597511.8	M: FOUND COTTON SPINDLE N: 493408.0 — E: 597414.5																	
F: FOUND 1/2" REBAR N: 498773.1 — E: 600103.2	N: FOUND COTTON SPINDLE N: 493398.6 — E: 594792.8																	
G: CALCULATED CORNER N: 498736.8 — E: 602694.9	O: FOUND 1/2" REBAR N: 496108.8 — E: 597471.1																	
H: FOUND BRASS CAP "1943" N: 498720.7 — E: 605251.6	P: FOUND 1/2" REBAR W/YELLOW PLASTIC CAP "ILLEGIBLE" N: 496096.4 — E: 600074.5																	
<u>GEODETIC DATA</u> NAD 83 GRID — NM EAST <u>SURFACE LOCATION</u> N: 495015.5 — E: 596948.3 LAT: 32.3607393° N LONG: 104.1532281° W <u>GEODETIC DATA</u> NAD 83 GRID — NM EAST <u>BOTTOM HOLE</u> N: 493860.1 — E: 607550.5 LAT: 32.3575096° N LONG: 104.1188989° W		<u>18 SURVEYOR CERTIFICATION</u> I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. <u>07/12/2022</u> Date of Survey _____ Signature and Seal of Professional Surveyor _____ Certificate Number <u>Job No.: LS22030340R</u>																
The survey map displays a rectangular area defined by a grid of dashed lines representing bearings and distances. Key features include: Grid Coordinates: Bearings and distances are provided along all four sides of the grid. For example, the top edge shows bearings like S 88°51'58" W 2667.76' and S 89°23'02" W 2741.33'. The left edge shows N 00°42'01" W 2003.01' and N 00°45'13" W 2003.01'. Corner Points: Letters A through Q mark specific corners and intersection points around the perimeter and within the grid. Well Location: A point labeled 'S.L.' (Surface Location) is indicated near the bottom-left corner, with a vertical dimension of 500' and a horizontal distance of 1610' from the left boundary. Other Dimensions: At the bottom-right, there are dimensions of 330' and 440' associated with a point labeled 'B.L.' (Bottom Location). Internal Features: Four areas within the grid are labeled 'LOT 1', 'LOT 2', 'LOT 3', and 'LOT 4'.																		

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 258353

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 258353
	Action Type: [C-103] NOI Change of Plans (C-103A)

CONDITIONS

Created By	Condition	Condition Date
jeffrey.harrison	Any previous COA's not addressed within the updated COA's still apply.	7/15/2025
jeffrey.harrison	Property code is now 337392 if production exists, C-115 monthly production reports must be amended from effective date of this approval onward.	7/15/2025