Sante Fe Main Office													Form C-103	
Phone: (505) 476-3441	State of New Mexico								August 1, 2011					
General Information	Energy, Minerals and Natural Resources									Permit 353854				
Phone: (505) 629-6116	Oil Conservation Division									WELL API NUMBER 30-015-54074				
Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us	ct-us								5	5. Indicate Type of Lease				
			122	0 S. St	Fran	cis Dr.	•		6		State & Gas Leas	a Na		
			Sai	nta Fe,	NM 8	37505				. State Oil	& Gas Leas	e No.		
(DO NOT USE THIS FORM FOR PROPOSALS T (FORM C-101) FOR SUCH PROPOSALS.)	SUNDRY NOT O DRILL OR TO DE	_	_		_	VOIR. USE	"APPLICATIC	ON FOR PE			ame or Unit	-	Name	
1. Type of Well: Oil									8	. Well Nun	nber)21H			
Name of Operator Spur Energy Partners LLC									9	. OGRID N	lumber 328947			
3. Address of Operator									1		me or Wildo	at		
9655 Katy Freeway, Suite 500, H	ouston, TX 77024	ļ .												
	m the NRange		nd feet 238 NMPM		from the nty Eddy	<u>E</u>	line							
	11. Elevation (Show		, KB, BT, G	R, etc.)										
Pit or Below-grade Tank Application ☐ or Closur	3600 G	iK												
Pit Type Depth to Groundwater	_ Distance from ne	arest fresh w	ater well	Distance	from neare	est surface wa	ater							
Pit Liner Thickness: mil Below	-Grade Tank: Volur	ne	bbls;	Construction I	Material									
12. Check Appropriate Box to Indicate Nature of		ther Data												
NOTICE (PERFORM REMEDIAL WORK	OF INTENTION TO:	AND ABANDO)N		REMEDIA	AL WORK		SUBSEQ	UENT REP	ORT OF: ALTER (CASING			
TEMPORARILY ABANDON	ABANDON CHANGE OF PLANS COMMENCE DRILLING OPNS.													
PULL OR ALTER CASING Other:	☐ MULTIPLE COMPL ☐ CASING/CEMENT JOB Other: Drilling/Cement								\bowtie					
13. Describe proposed or completed operations. Attach wellbore diagram of proposed completion 10/06/2023 Spud well, drill 12-1/4" hole to 1266'. 14.8ppg 1.33 yield. Full returns throughout job, c	or recompletion. RIH & set 9-5/8" 36	# J-55 BTC c	sg @ 1266'	, pump 30bbl F	_		_						•	
Casing and Cement Program														
Date String Fluid Type	Hole Size	Csg Size	Weight lb/ft	Grade	Est TOC	Dpth Set	Sacks	Yield	Class	1" Dpth	Pres Held	Pres Drop	Open Hole	
10/06/23 Surf FreshWater	12.25	9.625	36	J-55	0	1266	754	1.33	С	0	2055	0	N	
11/26/23 Prod Brine	8.75	7	32	L-80	0	4257	2015	1.4	С	0	7272	8	N	
11/26/23 Prod Brine	8.75	5.5	20	L-80	0	11092	2015	1.4	С	0	7352	0	N	
I hereby certify that the information above is tr NMOCD guidelines □, a general permit □ or					further cert	ify that any p	it or below-gr	ade tank ha	as been/will	be constru	ucted or clos	sed accord	ing to	
SIGNATURE Electronically Signed		TITLE		Regulatory Director DATE					11/28/2023					
Type or print name Sarah Chapman		E-mail add	ress	schapman	schapman@spurenergy.com Telephone N				ne No.	832-930-8613				
For State Use Only:						-		•						
APPROVED BY: Jeffrey Harriso	on	TITLE		Petroleum	Specialis	it III		DATE		7/17	//2025 11:1	6:18 AM		

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

COMMENTS

Action 353854

COMMENTS

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	353854
	Action Type:
	[C-103] EP Drilling / Cement

Comments

Created By	Comment	Comment Date
schapman01	11/21/2023 NU BOP, test to 250# low 2500# high, good test. Test 9-5/8" csg to 1500# for 30 minutes, good test. Drill 8-3/4" hole to 11092'M/3982'V – TD reached on 11/26/2023. RIH & set 7" 32# L-80 BK-HT csg @ 4257' then crossover and set 5-1/2" 20# L-80 BK-HT csg @ 11092', pump 30 bbl FWS, then cmt w/ 420 sxs class C w/ additives 11.4ppg 2.48 yield followed by tail job w/ 1595 sxs class C w/ additives 13.3ppg and 1.4 yield. Full returns throughout job, circ 281 sxs cmt to surface. Rig release 11/27/2023.	11/28/2023