Sante Fe Main O Phone: (505) 47					Stat	te of N	lew N	lexico						Aı	Form C-103 agust 1, 2011
General Information				Energy, Minerals and Natural Resources								Permit 353861			
Phone: (505) 62								٧	WELL API NUMBER 30-015-54075						
	nline Phone Directory tps://www.emnrd.nm.gov/ocd/contact-us								5	5. Indicate Type of Lease					
	1220 S. St Francis Dr.								6	State 6. State Oil & Gas Lease No.					
					Sar	nta Fe	NM 8	87505				o. Glate Oil	d Cas Leas	16 140.	
(DO NOT USE T (FORM C-101) F		OR PROPOSALS TO D	NDRY NO	_	_		_	RVOIR. USE	"APPLICATIO	ON FOR PE			ame or Unit AID NORTI	•	t Name TATE COM
Type of Well: Oil											8	3. Well Nun	nber 010H		
2. Name of Oper	rator Energy Pa	rtners LLC									g	O. OGRID N	Number 328947		
3. Address of Op	erator	vay, Suite 500, Hous	eton TX 7702)A							1		me or Wilde	cat	
4. Well Location		vay, Guite 500, Flour	3011, 177 7702	- T							<u> </u>				
Unit L Section	etter <u>B</u>	1228 feet from t Township 17S		line a	and feet 238 NMPM		from the inty Eddy		line						
			Elevation (Sho			,									
		111	3600		K, KB, BT, Gr	K, etc.)									
Pit or Below-gra	de Tank App	ication or Closure													
• • • • • • • • • • • • • • • • • • • •			Distance from n					est surface wa	ater						
Pit Liner Thickne			ade Tank: Volu		bbls;	Construction	Material		_						
12. Check Appro	opriate Box to	Indicate Nature of No NOTICE OF I	tice, Report or NTENTION TC							SUBSEQ	UENT REP	ORT OF:			
PERFORM REM		RK	_	AND ABAND		☐ REMEDIAL WORK ☐ COMMENCE DRILLING OPNS.					☐ ALTER CASING				
PULL OR ALTE				IPLE COMPL				CEMENT JO				FLUG A	ND ABANDO	JIN	
Other:				Other: Drilling/Cement							×				
Attach wellbore 10/03/2023 Spuc	diagram of pid well, drill 12 d well, drill 12 eld. Full return	npleted operations. (CI roposed completion or 1-1/4" hole to 1265". RIf is throughout job, circ s	recompletion. I & set 9-5/8" 3	6# J-55 BTC	csg @ 1265',	pump 30bbl								•	•
Date	String	Fluid	Hole	Csg	Weight	Grade	Est	Dpth	Sacks	Yield	Class	1"	Pres	Pres	Open
10/04/23	Surf	Type FreshWater	Size	Size 9.625	lb/ft 36	1.55	TOC 0	Set 1265	754	1.33	С	Dpth 0	Held 2055	Drop 0	Hole N
11/12/23	Prod	Brine	12.25 8.75	9.625 7	30	J-55 L-80	0	4089	75 4 1985	1.33	С	0	7272	0	N N
11/12/23	Prod	Brine	8.75	5.5	20	L-80	0	10939	1985	1.4	C	0	7352	0	N
							further cer	tify that any p	it or below-g	rade tank ha	as been/wil	l be constr	ucted or clo	sed accord	ing to
I hereby certify that the inf NMOCD guidelines □, a g SIGNATURE		Electronically Sig	jned	TITLE		Regulatory Director DATE					11/15/2023				
Type or print name		Sarah Chapman		E-mail address		schapman@spurenergy.com Telephone No				one No.	832-930-8613				
For State Us	e Only:														
APPROVED B	Y:	Jeffrev Harrison		TITLE		Petroleur	n Special	ist III		DATE		7/1	7/2025 8:5	56:36 AM	

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

COMMENTS

Action 353861

COMMENTS

Operator:	OGRID:
Spur Energy Partners LLC	328947
9655 Katy Freeway	Action Number:
Houston, TX 77024	353861
	Action Type:
	[C-103] EP Drilling / Cement

Comments

Created By		Comment Date
schapman01	11/08/2023 Test 9-5/8" csg to 1500# for 30min, good test. Drill 8-3/4" hole to 10939'M/3927'V - TD reached on 11/12/2023. RIH & set 7" 32# L-80 BK-HT csg	11/15/2023
	@ 4089' then crossover and set 5-1/2" 20# L-80 BK-HT csg @ 10939', pump 30 bbl FWS, then cmt w/ 420 sxs class C w/ additives 11.4ppg 2.48 yield	
	followed by tail job w/ 1565 sxs class C w/ additives 13.3ppg and 1.4 yield. Full returns throughout job, circ 299 sxs cmt to surface. Rig release 11/14/2023.	1