Well Name: OLYMPIC

Sundry Print Report U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

> Well Location: T23N / R10W / SEC 3 / County or Parish/State: SAN

JUAN / NM

Well Number: 2 Type of Well: OIL WELL Allottee or Tribe Name:

SWSE / 36.25028 / -107.88088

Lease Number: NMNM23744 **Unit or CA Name: Unit or CA Number:**

US Well Number: 300452677800S1 Operator: DUGAN PRODUCTION

CORPORATION

Subsequent Report

Sundry ID: 2865378

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 07/28/2025 Time Sundry Submitted: 06:00

Date Operation Actually Began: 05/09/2025

Actual Procedure: Dugan Production plugged & abandoned the well on 05/09/2025 - 05/14/2025 per the attached procedure.

SR Attachments

Actual Procedure

Olympic_2_BLM_OCD_apvd_plug_changes_20250728055912.pdf

Olympic_2_SR_PA_formation_tops_20250728055854.pdf

Olympic_2_SR_PA_completed_wellbore_schematic_20250728055845.pdf

Olympic_2_SR_PA_work_completed_20250728055833.pdf

Page 1 of 2

eceived by OCD: 7/28/2025 11:07:14 AM

Well Location: T23N / R10W / SEC 3 /

SWSE / 36.25028 / -107.88088

County or Parish/State: SAN 2 0

JUAN / NM

Well Number: 2

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM23744

Unit or CA Name:

Unit or CA Number:

US Well Number: 300452677800S1

Operator: DUGAN PRODUCTION CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL Signed on: JUL 28, 2025 05:59 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative **Street Address:** PO BOX 420

City: FARMINGTON State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted **Disposition Date:** 07/28/2025

Signature: Matthew Kade

Page 2 of 2


Dugan Production P&A'd the well on 05/09/2025-05/14/2025 per the following procedure:

- MI&RU Aztec Rig 481 and cement equipment. Spot & RU.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- ND WH & NU BOP. LD rods & 2-3/8" rod string and production tubing.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- PU workstring & 5½" string mill to 4487'. RT string mill.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- PU 5½" CIBP and set @ 4423'. Loaded and circulated hole w/70 bbls water.
- Pressure tested casing to 650 psi for 30 minutes. No test had circulation through BH.
- MIRU WL and performed CBL from 4423' to surface.
- Sent copy of CBL & revised procedure to NMOCD. Copy of communications attached.
- **Plug I, Gallup-Mancos-DV Tool:** Spot plug I inside 5½" casing from 4423' on top of the CIBP to cover till 3470' w/108 sks, 124.2 cu ft Class G cement to cover the Gallup-Mancos-DV Tool tops & Gallup perforations. Displaced w/13.5 bbls water. WOC overnight. Tagged TOC at 3470'. Good tag. **Plug I, Inside 5½" casing, 108 sks, 124.2 cu ft, Gallup-Mancos-DV tool top-Gallup perforations, 3470'-4423'.**
- Plug II, Mesaverde-Lower Chacra- Upper Chacra: Spot Plug II inside 5½" casing from 2046' w/90 sks, 103.5 cu ft Class G neat cement to cover the Mesaverde-Lower Chacra- Upper Chacra tops. Displaced w/4.5 bbls water. WOC 4 hours. Tagged TOC at 1270'. Good tag. Plug II, iIside 5½" casing, 90 sks, 103.5 cu ft, Mesaverde-Lower Chacra- Upper Chacra tops, 1270'-2046'.
- Plug III, Fruitland-Pictured Cliffs: Spot Plug III, inside 5½" casing from 1168' w/58 sks, 66.7 cu ft Class G neat cement to cover the Fruitland-Picture Cliffs tops. Displaced w/2 bbls water. WOC overnight. Tagged TOC at 673'. Good tag. Plug III, Inside 4½" casing, 58 sks, 66.7 cu ft, Fruitland, 673'-1168'.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Plug IV, Kirtland-Ojo Alamo-Surface: RU WL services. Shoot perforations @ 160'. RD WL and verified all shots fired. RIH w/tubing open end to 383'. Establish rates through squeeze holes at 2 bpm, 50 psi. Swap to cement. Spot & squeeze Plug IV inside 5½" casing from 383' to surface w 97 sks, 111.6 cu ft Class G neat cement to cover the Kirtland-Ojo Alamo-Surface tops & surface casing shoe. Circulated good cement to surface through BH. WOC 4 hrs. Cut wellhead off. Tagged TOC at 5.5' inside casing and 0' inside annulus. Good tag. No displacement. Plug IV, Inside 5½" casing, 97 sks, 111.6 cu ft, Kirtland-Ojo Alamo-Surface, 0'-383'.
- Fill up cellar & install dry hole marker w/18 sks, 20.7 cu ft Class G neat cement.
- Clean location. RD Aztec Well Services Rig 481. PU tools and trash. Empty pits. Move out.
- Witnessed by BLM rep on location Jimmy Dobson.
- Well P&A'd 05/14/2025.

Completed P & A Schematic

Olympic # 2 API: 30-045-26778 Sec 3 T23N R10W 660' FSL & 1980' FEL San Juan County, NM

Lat: 36.250480, Long: -107.881638



8-5/8" J-55 24# casing @ 222'. Cemented with 135 sks, 159 Cu.ft. Circulated 3 bbls cement to surface

Plug IV, Inside 5 $\frac{1}{2}$ " casing, 97 sks, 111.6 Cu.ft, Kirtland-Ojo Alamo-Surface, 0'-383'

Plug III, Inside 4½" casing, 58 sks, 66.7 Cu. ft, Fruitland, 673'-1168'

Plug II, Inside 5 $\frac{1}{2}$ " casing, 90 sks, 103.5 Cu.ft, Mesaverde-Lower Chacra- Upper Chacra tops, 1270'-2046'.

Cemented Stage I w/ 200 sks 50/50 poz, 254 Cu.ft. **DV tool @ 3715**'. Stage II w/ 515 sks 65-35-12 & 50 sks Poz, 1202 Cu.ft. Total 1456 Cu.ft cement.

CIBP at 4423'. Plug I, Inside 5 $\frac{1}{2}$ " casing, 108 sks, 124.2 Cu.ft, Gallup-Mancos-DV tool top-Gallup perforations, 3470'-4423'

Gallup Perforated @ 4473'-4689'

5 ½" 15.5 # casing @ 4810', Hole size 7-7/8"

Olympic # 2

API: 30-045-26778 Sec 3 T23N R10W 660' FSL & 1980' FEL San Juan County, NM Lat: 36.250480, Long: -107.881638

Elevation ASL: 6695' GL, 6707' KB

Formation Tops (Referenced for P & A)

- Ojo Alamo 215'
- Surface Casing 222'
- Kirtland 330'
- Fruitland 818'
- Pictured Cliffs 1108'
- Lewis 1163'
- Upper Chacra 1502'/ 1420'
- Lower Chacra 1796'
- Mesaverde 1990'
- Mancos 3957'
- DV tool 3715'
- Gallup 4194'
- Gallup Perfs 4473'-4689'

Tyra Feil

From: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>

Sent: Wednesday, May 14, 2025 6:39 AM

To: Rennick, Kenneth G; Aliph Reena; Lucero, Virgil S; Dobson, Jimmie P; Kade, Matthew H

Cc: Tyra Feil; AWS Units 5054198699; AWS Units - Alex Robles

Subject: RE: [EXTERNAL] RE: dugan_olympic_2_cbl.pdf

NMOCD approved below procedure verbally May 13, 2025

Thank you

Monica Kuehling Compliance Officer Supervisor Deputy Oil and Gas Inspector New Mexico Oil Conservation Division North District

Cell Phone: 505-320-0243

Email - monica.kuehling@emnrd.nm.gov

From: Rennick, Kenneth G < krennick@blm.gov>

Sent: Tuesday, May 13, 2025 3:44 PM

To: Aliph Reena <Aliph.Reena@duganproduction.com>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Lucero,

Virgil S <vlucero@blm.gov>; Dobson, Jimmie P <jdobson@blm.gov>; Kade, Matthew H <mkade@blm.gov>

Cc: Tyra Feil <Tyra.Feil@duganproduction.com>; AWS Units 5054198699 <5054198699@aztecwell.com>; AWS Units - Alex

Robles <arobles@aztecwell.com>

Subject: Re: [EXTERNAL] RE: dugan_olympic_2_cbl.pdf

The BLM finds the proposed procedure appropriate.

Kenneth (Kenny) Rennick

Petroleum Engineer

Bureau of Land Management Farmington Field Office 6251 College Blvd Farmington, NM 87402

Email: krennick@blm.gov
Mobile & Text: 505.497.0019

From: Aliph Reena < Aliph.Reena@duganproduction.com >

Sent: Tuesday, May 13, 2025 3:37 PM

 $Rennick, Kenneth G < \underline{krennick@blm.gov}; Kade, Matthew H < \underline{mkade@blm.gov}; Porch, Dustin T < \underline{dporch@blm.gov} > \underline{krennick@blm.gov}; Matthew H < \underline{mkade@blm.gov}; Porch, Dustin T < \underline{dporch@blm.gov} > \underline{krennick@blm.gov}; Matthew H < \underline{mkade@blm.gov}; Porch, Dustin T < \underline{krennick@blm.gov} > \underline{krennick@blm.gov}; Matthew H < \underline{mkade@blm.gov}; Porch, Dustin T < \underline{krennick@blm.gov} > \underline{krennick@blm.gov}; Matthew H < \underline{krennick@blm.gov} > \underline{krenn$

Cc: Tyra Feil < Tyra.Feil@duganproduction.com >; AWS Units 5054198699 < 5054198699@aztecwell.com >; AWS Units - Alex

Robles arobles@aztecwell.com>

Subject: [EXTERNAL] RE: dugan_olympic_2_cbl.pdf

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Re: Dugan production Corp API: 30-045-26778 Olympic # 2

Based on the CBL, the TOC appear to be approximately at 170'. We request the following changes to the original approved NOI

• Plug V, Kirtland-Ojo Alamo-Surface, 0'-380': Perforate at 160'. Attempt to break circulation to surface. If a rate cannot be established to surface will perforate at 110' and will re-attempt. Run EOT to 380' to fill up 5 ½" casing and circulate cement to surface through BH through squeeze holes.

Will do all other plugs as approved/required in the original approved NOI to P & A

Please let us know if the requested changes are acceptable to BLM & NMOCD and we will proceed accordingly.

Regards, Aliph Reena

Aliph Reena P.E

Engineering Supervisor Dugan Production Corp.

Cell: 505-360-9192

From: AWS Units - Alex Robles <arobles@aztecwell.com>

Sent: Monday, May 12, 2025 4:02 PM

To: Aliph Reena < Aliph.Reena@duganproduction.com>

Cc: Tyra Feil < Tyra.Feil@duganproduction.com; MONICA MONICA MONICA MONICA MONICA MONICA Tyra.Feil@duganproduction.com; KENNETH kennick@blm.gov; MATHEW mkade@blm.gov; AWS Units 5054198699 5054198699@aztecwell.com

Subject: dugan_olympic_2_cbl.pdf

Alex Prieto Rig Manager – San Juan Basin

Aztec Well Servicing Co.

P.O. Box 100

Aztec, New Mexico 87410

Cell: 505-419-9882

Office: 505-334-6191

Arobles@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution. CAUTION: This email originated from outside your organization. Exercise caution.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 488991

CONDITIONS

Operator:	OGRID:
DUGAN PRODUCTION CORP	6515
PO Box 420	Action Number:
Farmington, NM 87499	488991
	Action Type:
	[C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	None	7/29/2025