

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Recort 8 07/28/2025

Well Name: OLYMPIC Well Location: T23N / R10W / SEC 3 / County or Parish/State: SAN

NESW / 36.253891 / -107.885269 JUAN / NM

Well Number: 3 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM23744 Unit or CA Name: Unit or CA Number:

US Well Number: 300452681100S1 Operator: DUGAN PRODUCTION

CORPORATION

Subsequent Report

Sundry ID: 2865385

Type of Submission: Subsequent Report

Type of Action: Plug and Abandonment

Date Sundry Submitted: 07/28/2025 Time Sundry Submitted: 06:51

Date Operation Actually Began: 05/14/2025

Actual Procedure: Dugan Production plugged & abandoned the well 05/14/2025 - 05/19/2025 per the attached procedure.

SR Attachments

Actual Procedure

Olympic_3_BLM_OCD_plug_communications_no_changes_from_original_NOI_20250728065010.pdf

Olympic_3_SR_PA_formation_tops_20250728064500.pdf

Olympic_3_SR_PA_completed_wellbore_schematic_20250728064447.pdf

Olympic_3_SR_PA_work_completed_20250728064435.pdf

Well Location: T23N / R10W / SEC 3 /

NESW / 36.253891 / -107.885269

County or Parish/State: SAN 200

JUAN / NM

Well Number: 3

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM23744

Unit or CA Name:

Unit or CA Number:

US Well Number: 300452681100S1

Operator: DUGAN PRODUCTION

CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Signed on: JUL 28, 2025 06:50 AM **Operator Electronic Signature: TYRA FEIL**

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative Street Address: PO BOX 420

City: FARMINGTON State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM **Zip:** 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted **Disposition Date:** 07/28/2025

Signature: Matthew Kade


Page 2 of 2

Dugan Production P&A'd the well per the following procedure on 05/14/2025 - 05/19/2025

- MI & RU Aztec Rig 481 and cement equipment. Spot & RU
- Check pressures, Tubing 0 psi, Casing 20 psi, BH 0 psi.
- ND WH & NU BOP. LD rods & 2-3/8" rod string and production tubing.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- PU Workstring & 4 ½" string mill to 4497'. RT string mill.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- PU 4½" CIBP and set @ 4437'. Loaded and circulated hole w/ 85 bbls water.
- Check pressures. Tubing 0 psi, Casing 0 psi, BH 0 psi
- Pressure tested casing to 650 psi for 30 minutes. No test had leak of 150 psi in 1 min
- MIRU WL and performed CBL from 4437' to surface.
- Sent copy of CBL & revised procedure to BLM & NMOCD. Copy of communications attached.
- Plug I, Gallup-DV Tool- Mancos: Spot Plug I inside 4 ½" casing from 4437' on top of the CIBP w/ 78 sks, 89.7 Cu.ft Class G cement to cover the Gallup-DV Tool-Mancos tops & Gallup perforations. Displaced w/ 13.3 bbls water. WOC 4 hrs. Tagged TOC at 3423'. Good tag. Plug I, Inside 4 ½" casing, 78 sks, 89.7 Cu.ft, Mancos-DV tool-Gallup top-Gallup perforations, 3423'-4437'
- Plug II, Mesaverde- Lower Chacra- Upper Chacra: Spot Plug II inside 4 ½" casing from 2020' w/ 62 sks, 71.3 Cu.ft Class G cement to over the Mesaverde, Lower Chacra & Upper Chacra tops. Displaced w/ 4.7 bbls water. WOC overnight. Tagged TOC at 1170'. Plug II, Inside 4 ½" casing, 62 sks, 71.3 Cu.ft, Mesaverde-Lower Chacra-Upper Chacra, 1170'-2020'
- Attempt to pressure test casing to 650 psi, Casing tested good for 30 minutes. Test passed.
- **Plug III, Pictured Cliffs- Fruitland**: Spot Plug III inside 4 ½" casing from 1137' to 609' w/ 41 sks, 47.2 Cu.ft Class G cement to cover the Pictured Cliffs-Fruitland tops. Displaced w/ 2.3 bbls water. **Plug III, Inside 4** ½" **casing, 41 sks, 47.2 Cu.ft, Fruitland-Pictured Cliffs, 609'-1137'**
- Plug IV, Kirtland- Ojo Alamo- Surface: Spot Plug IV inside 4 ½" casing from 394' to surface w/34 sks, 38.1 Cu.ft Class G neat cement to cover the Kirtland-Ojo Alamo tops & Surface casing shoe. No displacement. Cut wellhead off. Tagged TOC at 0' inside casing and 55' inside annulus. Good tag. Plug IV, Inside 4 ½" casing, 34 sks, 38.1 Cu.ft, Kirtland-Ojo Alamo-Surface, 0'-390'
- Fill up cellar & install DHM w/ 33 sks, 38 Cu.ft Class G neat cement.
- Clean location. RD Aztec Well Services Rig 481. PU tools and trash. Empty pits. Move out.
- Witnessed by NMOCD rep on location Jospeh Maestas
- Well P&A'd 05/19/2025.

Completed P & A Schematic

Olympic # 3
API: 30-045-26811
Sec 3 T23N R10W
1980' FSL & 1980' FEL
San Juan County, NM
Lat:36.2539825 Long:-107.8859253



9-5/8" 43.5# casing @ 202'. Cemented with 130 sks, 153 Cu.ft. Circulated 1 bbl cement to surface

Plug IV, Inside 4 $\frac{1}{2}$ " casing, 34 sks, 38.1 Cu.ft, Kirtland-Ojo Alamo-Surface, 0'-390'

Plug III, Inside 4 $\frac{1}{2}$ " casing, 41 sks, 47.2 Cu.ft, Fruitland-Pictured Cliffs, 609'-1137'

Plug II, Inside 4 $\frac{1}{2}$ " casing, 62 sks, 71.3 Cu.ft, Mesaverde-Lower Chacra-Upper Chacra, 1170'-2020'

CIBP @ 4437'. Plug I, Inside 4 $\frac{1}{2}$ " casing, 78 sks, 89.7 Cu.ft, Mancos-DV tool-Gallup top-Gallup perforations, 3423'-4437'

Cemented Stage I w/ 190 sks 50/50 poz, 241 Cu.ft. **DV tool @ 3797'**. Stage II w/ 520 sks 65-35-12 & 50 sks Poz, 1213 Cu.ft. Total 1454 Cu.ft cement.

Gallup Perforated @ 4495'-4700'

4 ½" 10.5 # casing @ 4826', Hole size 7-7/8"

Olympic # 3

API: 30-045-26811 Sec 3 T23N R10W 1980' FSL & 1980' FEL San Juan County, NM Lat:36.2539825 Long:-107.8859253

Elevation ASL: 6684' GL, 6696' KB

Formation Tops (Operator Submitted)

- Surface Casing 202'
- Ojo Alamo 230'
- Kirtland 340'
- Fruitland 730'
- Pictured Cliffs 1070'
- Lewis 1270'
- Upper Chacra 1410'
- Lower Chacra 1855'
- Mesaverde 1970'
- Mancos 3616'
- DV tool 3797'
- Gallup 4200'
- Gallup Perfs 4495'-4700'

Tyra Feil

From: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>

Sent: Monday, May 19, 2025 7:45 AM

To: Rennick, Kenneth G; Aliph Reena; Lucero, Virgil S; Kade, Matthew H; Maestas, Joseph I

Cc: Tyra Feil; AWS Units 5054198699; Alex Preito
Subject: RE: [EXTERNAL] RE: DUGAN OLYMPIC #3 CBL.pdf

NMOCD approves below

Thank you

Monica Kuehling Compliance Officer Supervisor Deputy Oil and Gas Inspector New Mexico Oil Conservation Division North District

Cell Phone: 505-320-0243

Email - monica.kuehling@emnrd.nm.gov

From: Rennick, Kenneth G < krennick@blm.gov>

Sent: Sunday, May 18, 2025 6:07 PM

To: Aliph Reena <Aliph.Reena@duganproduction.com>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Lucero,

Virgil S <vlucero@blm.gov>; Kade, Matthew H <mkade@blm.gov>; Maestas, Joseph I <jimaestas@blm.gov>

Cc: Tyra Feil <Tyra.Feil@duganproduction.com>; AWS Units 5054198699 <5054198699@aztecwell.com>; Alex Preito

<arobles@aztecwell.com>

Subject: Re: [EXTERNAL] RE: DUGAN OLYMPIC #3 CBL.pdf

The BLM agrees on the evaluation.

Get Outlook for iOS

From: Aliph Reena < Aliph.Reena@duganproduction.com >

Sent: Sunday, May 18, 2025 4:40:21 PM

Rennick, Kenneth G krennick@blm.gov; Maestas, Joseph I jimaestas@blm.gov>

Cc: Tyra Feil <Tyra.Feil@duganproduction.com>; AWS Units 5054198699 <5054198699@aztecwell.com>; Alex Preito

<arobles@aztecwell.com>

Subject: [EXTERNAL] RE: DUGAN OLYMPIC #3 CBL.pdf

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Re: Dugan Production Corp.

Olympic # 3 API: 30-045-26811

Based on the CBL ran, the TOC appear to be at surface. We do not request any changes to the original approved NOI. All plugs will be done as inside plugs.

Regards,

Aliph Reena P.E

Engineering Supervisor Dugan Production Corp.

Cell: 505-360-9192

From: AWS Units - Alex Robles <a replex@aztecwell.com>

Sent: Friday, May 16, 2025 10:36 AM

To: Aliph Reena < Aliph.Reena@duganproduction.com >

Cc: Tyra Feil <Tyra.Feil@duganproduction.com>; AWS Units 5054198699 <5054198699@aztecwell.com>; MONICA

<monica.kuehling@emnrd.nm.gov>; VIRGIL <vlucero@blm.gov>; MATHEW <mkade@blm.gov>; KENNETH <krennick@blm.gov>;

Maestas, Joseph I < <u>jimaestas@blm.gov</u>> **Subject:** DUGAN OLYMPIC #3 CBL.pdf

Alex Prieto
Rig Manager – San Juan Basin
Aztec Well Servicing Co.
P.O. Box 100
Aztec. New Mexico 87410

Cell: 505-419-9882 Office: 505-334-6191 Arobles@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. **Santa Fe, NM 87505**

CONDITIONS

Action 488994

CONDITIONS

Operator:	OGRID:
DUGAN PRODUCTION CORP	6515
PO Box 420	Action Number:
Farmington, NM 87499	488994
A	Action Type:
	[C-103] Sub. Plugging (C-103P)
CONDITIONS	

Created By	Condition	Condition Date
loren.diede	None	7/29/2025