U.S. Department of the Interior BUREAU OF LAND MANAGEMENT Sundry Print Report

Well Name: OLYMPIC Well Location: T23N / R10W / SEC 3 /

SWSW / 36.250671 / -107.889297

JUAN / NM

County or Parish/State: SAN

Well Number: 4 Type of Well: OIL WELL Allottee or Tribe Name:

Lease Number: NMNM23744 **Unit or CA Name: Unit or CA Number:**

US Well Number: 300452681200S1 Operator: DUGAN PRODUCTION

CORPORATION

Subsequent Report

Sundry ID: 2865398

Type of Submission: Subsequent Report Type of Action: Plug and Abandonment

Date Sundry Submitted: 07/28/2025 Time Sundry Submitted: 07:05

Date Operation Actually Began: 05/19/2025

Actual Procedure: Dugan Production plugged & abandoned the well 05/19/2025 - 05/25/2025 per the attached

procedure.

SR Attachments

Actual Procedure

Olympic_4_BLM_OCD_apvd_plug_change_20250728070350.pdf

Olympic_4_SR_PA_formation_tops_20250728070324.pdf

Olympic_4_SR_PA_completed_wellbore_schematic_20250728070135.pdf

Olympic_4_SR_PA_work_completed_20250728070119.pdf

eceived by OCD: 7/28/2025 11:15:58 AM

Well Location: T23N / R10W / SEC 3 /

SWSW / 36.250671 / -107.889297

County or Parish/State: SAN 2 0

JUAN / NM

Well Number: 4

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM23744

Unit or CA Name:

Unit or CA Number:

US Well Number: 300452681200S1

Operator: DUGAN PRODUCTION

CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL Signed on: JUL 28, 2025 07:04 AM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative **Street Address:** PO BOX 420

City: FARMINGTON State: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: Farmington State: NM Zip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: MATTHEW H KADE BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736 BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted **Disposition Date:** 07/28/2025

Signature: Matthew Kade

Page 2 of 2

Dugan Production P&A'd the well on **05/19/2025 - 05/25/2025** per the following procedure:


- MI&RU Aztec Well Services Rig 481 and cement equipment. Spot & RU.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- ND WH & NU BOP. LD rods & 2-3/8" rod string and production tubing.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- PU workstring & 4½" string mill to 4483'. RT string mill.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- PU 4½" CIBP and set @ 4412'. Could not get CIBP to set at 4421' (ok by BLM/ Officer on location). Loaded and circulated hole w/70 bbls water. Communication with BH while pumping. Did not test casing.
- Rig up wireline to log well. Log well from 4412' to surface.
- Sent copy of CBL & revised procedure to NMOCD. Copy of communications attached.
- **Plug I, Mancos-DV Tool- Gallup:** Spot Plug I inside 4½" casing from 4412' on top of the CIBP w/ 76 sks (87.4 cu ft) Class G cement to cover the Mancos top, DV tool, Gallup top & Gallup perforations. Displace w/13.3 bbl water. WOC overnight. Tagged TOC at 3487'. Good tag. **Plug I, Inside 4½" casing, 76 sks, 87.4 cu ft, Mancos-DV tool-Gallup top-Gallup perforations, 3487'-4412'**.
- Check pressures, Tubing 0 psi, Casing 0 psi, BH 0 psi.
- Plug II, Mesaverde-Lower Chacra -Upper Chacra-Lewis: Spot Plug III, inside 4½" casing from 1810' w/55 sks, 63.2 cu ft to cover the Mesaverde, Lower Chacra & Upper Chacra tops. Displaced w/4 bbls water. WOC 4 hrs. Tagged TOC at 1170'. Good tag. Plug II, Inside 4½", 66 sks, 63.2 cu ft, Mesaverde-Lower Chacra -Upper Chacra-Lewis, 1170'-1810'.
- Plug III, Fruitland-Pictured Cliffs: Spot Plug III inside 4½" casing from 1092' w/38 sks, 43.7 cu ft Class G cement to cover the Fruitland-Pictured Cliffs top. Displaced w/2.6 bbls water. WOC overnight. Tagged TOC at 693'. Good tag. Plug III, Inside 4½" casing, 38 sks, 43.7 cu ft, Fruitland-Pictured Cliffs, 693'-1092'.
- Plug IV, Kirtland-Ojo Alamo-Surface: Shoot perforations @ 340' for surface. RD WL and verified all shots fired. TIH w/tubing open end to 416'. Check circulation through BH. Good circulation to surface through BH. Swap to cement. Spot & Squeeze Plug IV, inside/outside 4½" casing w/110 sks, 126.5 cu ft cement to cover Kirtland-Ojo Alamo tops & Surface casing shoe to surface. Had good cement returns. WOC 4 hrs. Cut wellhead off. Tagged TOC at 20' inside casing and 3' inside annulus. Good tag. Plug IV, Inside/Outside 4½" casing, perforations at 340', EOT at 416', 110 sks, 126.5 cu ft, Kirtland-Ojo Alamo-Surface, 0'-416'.
- Fill up cellar & install dry hole marker w/17 sks, 19.6 cu ft Class G neat cement.
- Clean location. RD Aztec Well Services Rig 481. PU tools and trash. Empty pits. Move out.
- Witnessed by NMOCD rep on location Fred Brandenburg.
- Well P&A'd 05/25/2025.

Planned P & A Schematic

Olympic # 4 API: 30-045-26812 Sec 3 T23N R10W

810' FSL & 810' FWL San Juan County, NM

Lat: 36.250669, Long: -107.889990



8-5/8" 32# casing @ 213'. Cemented with 135 sks, 159 Cu.ft. Circulated 0.5 bbl cement to surface

Plug IV, Inside 4 ½" casing, Perforations at 340', EOT at 416', 110 sks, 126.5 Cu.ft, Kirtland-Ojo Alamo-Surface, 0'-416'

Plug III, Inside 4 $\frac{1}{2}$ " casing, 38 sks, 43.7 Cu.ft, Fruitland-Pictured Cliffs, 693'-1092'

Plug II, Inside $4\frac{1}{2}$ ", 66 sks, 63.2 Cu ft, Mesaverde-Lower Chacra -Upper Chacra-Lewis, 1170'–1810'

CIBP at 4412. Plug I, Inside 4 $\frac{1}{2}$ " casing, 76 sks, 87.4 Cu.ft, Mancos-DV tool-Gallup top-Gallup perforations, 3487'-4412'

Cemented Stage I w/ 180 sks 50/50 poz, 229 Cu.ft. **DV tool @ 3700**'. Stage II w/ 500 sks 65-35-12 & 50 sks Poz, 1169 Cu.ft. Total 1398 Cu.ft cement.

Gallup Perforated @ 4471'-4651'

4 ½" 10.5 # casing @ 4776', Hole size 7-7/8"

Olympic # 4

API: 30-045-26812 Sec 3 T23N R10W 810' FSL & 810' FWL San Juan County, NM

Lat: 36.250669, Long: -107.889990

Elevation ASL: 6665' GL, 6677' KB

Formation Tops (Referenced for P & A)

- Surface Casing 213'
- Ojo Alamo 221'
- Kirtland 349'
- Fruitland 745'
- Pictured Cliffs 1025'
- Lewis 1265'
- Upper Chacra 1389'
- Lower Chacra 1592'
- Mesaverde 1760'
- Mancos 3611'
- DV Tool 3700'
- Gallup 3930'
- Gallup Perfs 4471'-4651'

Tyra Feil

From: Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>

Sent: Thursday, May 22, 2025 8:06 AM

To: Kade, Matthew H; Aliph Reena; Lucero, Virgil S; Rennick, Kenneth G; Porch, Dustin T; Brandenburg, Frederick

C

Cc: Tyra Feil; AWS Units 5054198699; AWS Units - Dean Mestas; arobles@aztecwell.com

Subject: RE: [EXTERNAL] RE: dugan_olympic_4_cbl

NMOCD approves below

Thank you

Monica Kuehling Compliance Officer Supervisor Deputy Oil and Gas Inspector New Mexico Oil Conservation Division North District

Cell Phone: 505-320-0243

Email - monica.kuehling@emnrd.nm.gov

From: Kade, Matthew H < mkade@blm.gov> Sent: Thursday, May 22, 2025 8:04 AM

To: Aliph Reena <Aliph.Reena@duganproduction.com>; Kuehling, Monica, EMNRD <monica.kuehling@emnrd.nm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Porch, Dustin T <dporch@blm.gov>; Brandenburg,

Frederick C <fbrandenburg@blm.gov>

Cc: Tyra Feil <Tyra.Feil@duganproduction.com>; AWS Units 5054198699 <5054198699@aztecwell.com>; AWS Units - Dean

Mestas <dmestas@aztecwell.com>; arobles@aztecwell.com

Subject: Re: [EXTERNAL] RE: dugan_olympic_4_cbl


The BLM Approves of the update to procedure

Thanks,

Matthew Kade

Petroleum Engineer | Bureau of Land Management

Farmington Field Office | 6251 College Blvd., Suite A / Farmington, NM $\,\,87402$





From: Aliph Reena < Aliph.Reena@duganproduction.com >

Sent: Thursday, May 22, 2025 7:55 AM

To: Monica Kuehling <<u>monica.kuehling@emnrd.nm.gov</u>>; Lucero, Virgil S <<u>vlucero@blm.gov</u>>; Rennick, Kenneth G <<u>krennick@blm.gov</u>>; Kade, Matthew H <<u>mkade@blm.gov</u>>; Porch, Dustin T <<u>dporch@blm.gov</u>>; <u>fbrandenberg@blm.gov</u>

<fbrandenberg@blm.gov>

Cc: Tyra Feil < Tyra.Feil@duganproduction.com >; AWS Units 5054198699 < 5054198699@aztecwell.com >; AWS Units - Dean

Mestas <<u>dmestas@aztecwell.com</u>>; <u>arobles@aztecwell.com</u> <<u>arobles@aztecwell.com</u>>

Subject: [EXTERNAL] RE: dugan_olympic_4_cbl

This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.

Re: Dugan Production Corp API: 30-045-26812 Olympic # 4

The TOC from CBL appear to be approximately at 350' from surface. Based on the CBL, we request the following change to the original approved procedure.

• Plug VI: Kirtland-Ojo Alamo-Surface Casing shoe 0-399': Will perforate at 340'. Attempt to get rates through perforations. If a rate cannot be established, perforate at 300' and attempt again. RIH open ended to 399' to cover the Kirtland top to surface (Kirtland top at 349')

If the requested changes are acceptable to BLM & NMOCD, please let us know and we will proceed accordingly.

Regards, Aliph

Aliph Reena P.E

Engineering Supervisor Dugan Production Corp. Cell: 505-360-9192

From: AWS Units - Alex Robles <a red les @aztecwell.com >

Sent: Wednesday, May 21, 2025 2:22 PM

To: Aliph Reena <Aliph.Reena@duganproduction.com>

Cc: Tyra Feil <Tyra.Feil@duganproduction.com>; MONICA <monica.kuehling@emnrd.nm.gov>; VIRGIL <vlucero@blm.gov>;

KENNETH kennick@blm.gov; AWS Units 5054198699 <5054198699@aztecwell.com; AWS Units - Dean Mestas

<dmestas@aztecwell.com>; MATHEW <mkade@blm.gov>

Subject: dugan_olympic_4_cbl

Alex Prieto Rig Manager – San Juan Basin

Aztec Well Servicing Co.

P.O. Box 100

Aztec, New Mexico 87410

Cell: 505-419-9882

Office: 505-334-6191

Arobles@aztecwell.com



CAUTION: This email originated from outside your organization. Exercise caution. CAUTION: This email originated from outside your organization. Exercise caution.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 488999

CONDITIONS

Operator:	OGRID:
DUGAN PRODUCTION CORP	6515
PO Box 420	Action Number:
Farmington, NM 87499	488999
Ar	Action Type:
	[C-103] Sub. Plugging (C-103P)
CONDITIONS	

CONDITIONS

Created By		Condition Date	
loren.diede	None	7/29/2025	