

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Mewbourne Oil Co P.O. Box 5270 Hobbs, NM 88241		² OGRID Number 14744
		³ Reason for Filing Code/ Effective Date NW/1/11/2022
⁴ API Number 30 – 015-47891	⁵ Pool Name Forty Niner Ridge; Bone Spring	⁶ Pool Code 24720
⁷ Property Code 35090	⁸ Property Name Forty Niner Ridge Unit	⁹ Well Number 117H

II. ¹⁰ Surface Location

UL or lot no. P	Section 22	Township 23S	Range 30E	Lot Idn	Feet from the 40	North/South Line South	Feet from the 800	East/West line East	County Eddy
--------------------	---------------	-----------------	--------------	---------	---------------------	---------------------------	----------------------	------------------------	----------------

¹¹ Bottom Hole Location

UL or lot no. A	Section 15	Township 23S	Range 30E	Lot Idn	Feet from the 21	North/South line North	Feet from the 656	East/West line East	County Eddy
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 1/11/2022	¹⁵ C-129 Permit Number		¹⁶ C-129 Effective Date		¹⁷ C-129 Expiration Date		

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
36785	DCP Midstream PO Box 50020 Midland, TX 79710	G
34053	Plains Marketing 3514 Lonvington Hwy Hobbs, NM 88240	O

IV. Well Completion Data

²¹ Spud Date 7/22/2021	²² Ready Date 12/30/2021	²³ TD 20617 MD	²⁴ PBT 20617 MD	²⁵ Perforations 10252-20599	²⁶ DHC, MC
²⁷ Hole Size		²⁸ Casing & Tubing Size		²⁹ Depth Set	
17 1/2		13 3/8		440	
12 1/4		9 5/8		3743	
8 3/4		7		9606	

V. Well Test Data

³¹ Date New Oil 1/11/2022	³² Gas Delivery Date 1/11/2022	³³ Test Date 1/22/2022	³⁴ Test Length 24	³⁵ Tbg. Pressure 525	³⁶ Csg. Pressure 60
³⁷ Choke Size	³⁸ Oil 1345	³⁹ Water 3197	⁴⁰ Gas 874		⁴¹ Test Method F
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Jenifer Sorley</i>			OIL CONSERVATION DIVISION		
Printed name: Jenifer Sorley			Approved by:		
Title: Regulatory Analyst			Title:		
E-mail Address: Jenifer.sorley@transgloballlc.com			Approval Date:		
Date: 5/11/2022		Phone: 817-529-1180			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

AS DRILLED

WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-015-47891		² Pool Code 24720		³ Pool Name FORTY NINER RIDGE; BONE SPRING					
⁴ Property Code 35090		⁵ Property Name FORTY NINER RIDGE UNIT						⁶ Well Number 117H	
⁷ GRID NO. 14744		⁸ Operator Name MEWBOURNE OIL COMPANY						⁹ Elevation 3264'	
¹⁰ Surface Location									
UL or lot no. P	Section 22	Township 23S	Range 30E	Lot Idn	Feet from the 40	North/South line SOUTH	Feet From the 800	East/West line EAST	County EDDY
¹¹ Bottom Hole Location If Different From Surface									
UL or lot no. A	Section 15	Township 23S	Range 30E	Lot Idn	Feet from the 21	North/South line NORTH	Feet from the 656	East/West line EAST	County EDDY
¹² Dedicated Acres 320		¹³ Joint or Infill		¹⁴ Consolidation Code		¹⁵ Order No.			

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

S 89°47'16" W 2676.57' S 89°48'32" W 2678.77' (G) (E) GEODETIC DATA NAD 83 GRID - NM EAST BOTTOM HOLE (BH) N: 477645.7 - E: 686819.7 LAT: 32.3122424° N LONG: 103.8624172° W LAST TAKE POINT (LTP) 39' FNL - 656' FEL N: 477627.7 - E: 686820.0 LAT: 32.3121929° N LONG: 103.8624166° W 15 - - - S 89°45'35" W 2672.84' S 89°44'01" W 2675.63' (C) (M) GEODETIC DATA NAD 83 GRID - NM EAST FIRST TAKE POINT (FTP) 226' FSL - 708' FEL N: 467307.2 - E: 686820.3 LAT: 32.2838240° N LONG: 103.8625623° W KICK OFF POINT (KOP) 13' FSL - 657' FEL N: 467094.4 - E: 686873.2 LAT: 32.2832386° N LONG: 103.8623941° W SURFACE LOCATION (SL) N: 467120.4 - E: 686730.1 LAT: 32.2833117° N LONG: 103.8628567° W FTP KOP SL 40' 800' (A) (L) (K) S 89°41'14" W 2679.49' S 89°41'00" W 2679.48'		(F) 21' BH 656' LTP (H) N 00°03'01" W 2645.77' (I) N 00°01'49" W 2647.55' (J) N 00°01'49" W 2647.55' (K) N 00°33'37" W 2648.03' (L) N 00°33'37" W 2648.03'		¹⁷ OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. Jenifer Sorley 5/5/2022 Signature Date Jenifer Sorley Printed Name jenifer.sorley@transgloballlc.com E-mail Address	¹⁸ SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 09-09-2021 Date of Survey Signature and Seal of Professional Surveyor 19680 Certificate Number PROFESSIONAL SURVEYOR NEW MEXICO 19680 ROBERT M. HOWETT
---	--	--	--	---	---

RRC-Job No: LS19010037AD

COMPANY: Mewbourne Oil Company
 PROJECT: Eddy County, New Mexico (NAD 83)
 SITE: Forty Niner Ridge Unit 116H-118H
 WELL: Forty Niner Ridge Unit 117H
 MAP SYSTE US State Plane 1983
 MAP ZONE New Mexico Eastern Zone
 NORTH REF Grid
 KB-MSL: 3292
 GLE: 3264

WELLBORE Wellbore #1
 DESIGN: Surveys
 VS AZI: 0.47

SURVEY TOOL PROGRAM:

H 262.00 - 355.50 INVICTUS MWD : MWD+HRGM

H 355.50 - 20617.00 MS MWD : MWD+HRGM

MD	INC	AZI	Course Length	TVD	Subsea Depth	Local N/S	Local E/W	Map Northing	Map Easting	Lat	Long	Dogleg Severity	T.Face	Vert Sec	Annotation
0	0	0	0	0	3292	0	0	467120.4	686730.1	32° 16' 59.1	103° 51' 46	0	0	0	
262	1	273.4387	262	261.9867	3030.013	0.1371	-2.2822	467120.5	686727.8	32° 16' 59.1	103° 51' 46	0.3817	273.4387	0.12	
355.5	1.9	132.4387	93.5	355.4718	2936.528	-0.8601	-1.9527	467119.5	686728.1	32° 16' 59.1	103° 51' 46	2.9413	205.7774	-0.88	Final Invictus Survey - 355.50' MD - Tie-In - 355.50' MD
509	1.19	121.93	153.5	508.9153	2783.085	-3.4202	1.2781	467117	686731.4	32° 16' 59.1	103° 51' 46	0.4961	196.5582	-3.41	
563	1.32	132.29	54	562.9024	2729.098	-4.1353	2.2141	467116.3	686732.3	32° 16' 59.1	103° 51' 46	0.4833	65.4367	-4.12	
625	1.32	134.93	62	624.886	2667.114	-5.1202	3.248	467115.3	686733.3	32° 16' 59.1	103° 51' 46	0.0981	91.3196	-5.09	
688	1.32	140.2	63	687.8693	2604.131	-6.1902	4.2262	467114.2	686734.3	32° 16' 59.1	103° 51' 46	0.1926	92.6343	-6.16	
750	1.32	143.54	62	749.8529	2542.147	-7.3132	5.1077	467113.1	686735.2	32° 16' 59.1	103° 51' 46	0.1241	91.6696	-7.27	
813	0.4	164.02	63	812.8452	2479.155	-8.1082	5.5995	467112.3	686735.7	32° 16' 59.1	103° 51' 46	1.5168	171.578	-8.06	
911	0.88	316.86	98	910.8421	2381.158	-7.888	5.179	467112.5	686735.3	32° 16' 59.1	103° 51' 46	1.2748	161.2433	-7.85	
1006	0.79	309.65	95	1005.832	2286.168	-6.9377	4.1759	467113.5	686734.3	32° 16' 59.1	103° 51' 46	0.1455	225.8507	-6.9	
1101	0.79	298.4	95	1100.823	2191.177	-6.2083	3.0956	467114.2	686733.2	32° 16' 59.1	103° 51' 46	0.163	264.3755	-6.18	
1196	0.88	301.22	95	1195.813	2096.187	-5.5187	1.8956	467114.9	686732	32° 16' 59.1	103° 51' 46	0.1041	25.9566	-5.5	
1292	0.88	302.53	96	1291.802	2000.198	-4.7402	0.6436	467115.7	686730.7	32° 16' 59.1	103° 51' 46	0.021	90.6549	-4.73	
1387	0.62	318.53	95	1386.794	1905.207	-3.9628	-0.3118	467116.4	686729.8	32° 16' 59.1	103° 51' 46	0.3489	148.9645	-3.97	
1482	0.7	325.03	95	1481.787	1810.213	-3.1021	-0.9848	467117.3	686729.1	32° 16' 59.1	103° 51' 46	0.1152	46.3844	-3.11	
1577	0.7	352.81	95	1576.78	1715.22	-2.0508	-1.39	467118.3	686728.7	32° 16' 59.1	103° 51' 46	0.3538	103.889	-2.06	
1672	0.88	10.82	95	1671.772	1620.229	-0.7585	-1.3257	467119.6	686728.8	32° 16' 59.1	103° 51' 46	0.3206	63.2916	-0.77	
1767	0.79	21.02	95	1766.761	1525.239	0.5694	-0.9538	467121	686729.1	32° 16' 59.1	103° 51' 46	0.1825	126.2261	0.56	
1862	1.1	28.14	95	1861.748	1430.252	1.9848	-0.2889	467122.4	686729.8	32° 16' 59.1	103° 51' 46	0.3483	24.3306	1.98	
1956	1.19	26.21	94	1955.73	1336.27	3.6562	0.5678	467124.1	686730.7	32° 16' 59.1	103° 51' 46	0.1042	335.8372	3.66	
2051	1.1	24.8	95	2050.711	1241.289	5.369	1.386	467125.8	686731.5	32° 16' 59.1	103° 51' 46	0.0993	196.6793	5.38	
2146	1.1	24.8	95	2145.693	1146.307	7.0246	2.1509	467127.4	686732.3	32° 16' 59.1	103° 51' 46	0	0	7.04	
2241	0.31	87.03	95	2240.686	1051.314	7.8657	2.7901	467128.3	686732.9	32° 16' 59.1	103° 51' 46	1.0465	163.983	7.89	
2336	0.22	134.49	95	2335.685	956.3148	7.7512	3.1769	467128.2	686733.3	32° 16' 59.1	103° 51' 46	0.2407	134.851	7.78	
2431	0.22	91.24	95	2430.685	861.3155	7.6194	3.4893	467128	686733.6	32° 16' 59.1	103° 51' 46	0.1707	248.3751	7.65	
2526	1.41	106.01	95	2525.673	766.3267	7.2931	4.7952	467127.7	686734.9	32° 16' 59.1	103° 51' 46	1.2617	17.4516	7.33	
2621	3.52	107.42	95	2620.58	671.42	6.0975	8.7017	467126.5	686738.8	32° 16' 59.1	103° 51' 46	2.2218	2.3509	6.17	
2716	4.22	106.8	95	2715.363	576.6372	4.2141	14.8306	467124.6	686744.9	32° 16' 59.1	103° 51' 46	0.7381	356.2696	4.34	
2811	3.69	109.7	95	2810.136	481.8637	2.1733	21.0549	467122.6	686751.2	32° 16' 59.1	103° 51' 46	0.5961	160.766	2.35	
2906	3.52	108.12	95	2904.948	387.0517	0.2358	26.7047	467120.6	686756.8	32° 16' 59.1	103° 51' 45	0.2072	209.5148	0.45	

3001	3.3	109.97	95	2999.78	292.2199	-1.605	32.0463	467118.8	686762.1 32° 16' 59.1 103° 51' 45	0.2589	154.3482	-1.34
3096	3.6	111.72	95	3094.608	197.3921	-3.6426	37.387	467116.8	686767.5 32° 16' 59.1 103° 51' 45	0.3346	20.2177	-3.34
3192	4.22	110.4	96	3190.384	101.616	-5.9892	43.4976	467114.4	686773.6 32° 16' 59.1 103° 51' 45	0.6526	351.0808	-5.63
3287	4.4	105.31	95	3285.116	6.8844	-8.1698	50.2886	467112.2	686780.4 32° 16' 59.1 103° 51' 45	0.4448	292.6472	-7.76
3382	4.79	105.04	95	3379.81	-87.8101	-10.1613	57.634	467110.2	686787.7 32° 16' 59.1 103° 51' 45	0.4112	356.6909	-9.69
3477	5.1	104.96	95	3474.456	-182.4564	-12.2806	65.544	467108.1	686795.6 32° 16' 59.1 103° 51' 45	0.3264	358.6858	-11.74
3572	4.88	111.11	95	3569.097	-277.0969	-14.8259	73.393	467105.6	686803.5 32° 16' 59.1 103° 51' 45	0.6085	115.3995	-14.22
3667	4.62	111.64	95	3663.771	-371.7706	-17.6922	80.719	467102.7	686810.8 32° 16' 59.1 103° 51' 45	0.2776	170.6827	-17.03
3697	4.62	111.81	30	3693.673	-401.6731	-18.5866	82.9637	467101.8	686813.1 32° 16' 59.1 103° 51' 45	0.0456	90.0847	-17.91
3837	4.4	109.44	140	3833.24	-541.2397	-22.4688	93.2626	467097.9	686823.4 32° 16' 59.1 103° 51' 45	0.2059	219.0904	-21.7
3932	4.62	110.84	95	3927.946	-635.9455	-25.0427	100.2747	467095.4	686830.4 32° 16' 59.1 103° 51' 45	0.2589	27.282	-24.22
4027	4.22	106.63	95	4022.663	-730.663	-27.4042	107.1996	467093	686837.3 32° 16' 59.1 103° 51' 45	0.5419	216.9605	-26.52
4122	3.69	99.51	95	4117.437	-825.437	-28.9097	113.5638	467091.5	686843.7 32° 16' 59.1 103° 51' 44	0.7596	219.3029	-27.98
4217	3.52	97.66	95	4212.249	-920.249	-29.8035	119.4692	467090.6	686849.6 32° 16' 59.1 103° 51' 44	0.2168	213.4613	-28.82
4312	3.38	100.12	95	4307.077	-1015.077	-30.6843	125.1164	467089.7	686855.2 32° 16' 59.1 103° 51' 44	0.2144	134.6252	-29.66
4407	3.38	99.15	95	4401.912	-1109.912	-31.6217	130.6382	467088.8	686860.7 32° 16' 59.1 103° 51' 44	0.0602	269.5158	-30.55
4502	3.3	96.34	95	4496.75	-1204.75	-32.369	136.1207	467088	686866.2 32° 16' 59.1 103° 51' 44	0.1918	242.5591	-31.25
4597	3.3	96.43	95	4591.593	-1299.593	-32.9771	141.5553	467087.4	686871.7 32° 16' 59.1 103° 51' 44	0.0055	90.0449	-31.81
4692	2.2	89.14	95	4686.482	-1394.482	-33.256	146.0958	467087.1	686876.2 32° 16' 59.1 103° 51' 44	1.2127	194.0204	-32.06
4787	1.71	83.77	95	4781.427	-1489.427	-33.0748	149.3281	467087.3	686879.4 32° 16' 59.1 103° 51' 44	0.5501	197.8295	-31.85
4882	1.19	34.47	95	4876.399	-1584.399	-32.1077	151.2955	467088.3	686881.4 32° 16' 59.1 103° 51' 44	1.3668	224.0118	-30.87
4978	1.58	357.73	96	4972.373	-1680.373	-29.9633	151.8073	467090.4	686881.9 32° 16' 59.1 103° 51' 44	0.9876	274.613	-28.72
5073	1.8	357.73	95	5067.332	-1775.332	-27.1638	151.6964	467093.2	686881.8 32° 16' 59.1 103° 51' 44	0.2316	0	-25.92
5168	1.98	359.31	95	5162.28	-1870.28	-24.0319	151.6175	467096.4	686881.7 32° 16' 59.1 103° 51' 44	0.1972	16.9362	-22.79
5263	1.41	329.6	95	5257.24	-1965.24	-21.3827	151.0063	467099	686881.1 32° 16' 59.1 103° 51' 44	1.0831	222.7757	-20.14
5358	1.41	318.97	95	5352.211	-2060.211	-19.4929	149.6475	467100.9	686879.7 32° 16' 59.1 103° 51' 44	0.2749	264.6866	-18.26
5453	0.79	257.27	95	5447.196	-2155.196	-18.7554	148.2414	467101.6	686878.3 32° 16' 59.1 103° 51' 44	1.313	213.8943	-17.54
5548	1.1	213.24	95	5542.184	-2250.184	-19.6624	147.1027	467100.7	686877.2 32° 16' 59.1 103° 51' 44	0.8048	270.069	-18.46
5643	1.1	223.52	95	5637.167	-2345.167	-21.0863	145.9749	467099.3	686876.1 32° 16' 59.1 103° 51' 44	0.2075	95.1391	-19.89
5738	1.19	218.33	95	5732.148	-2440.148	-22.5214	144.7352	467097.9	686874.8 32° 16' 59.1 103° 51' 44	0.1445	308.3377	-21.33
5833	1.19	216.4	95	5827.127	-2535.127	-24.0893	143.538	467096.3	686873.6 32° 16' 59.1 103° 51' 44	0.0422	269.0352	-22.91
5928	1.32	222.55	95	5922.104	-2630.104	-25.6894	142.2127	467094.7	686872.3 32° 16' 59.1 103° 51' 44	0.1969	49.1186	-24.52
6023	1.41	214.55	95	6017.078	-2725.078	-27.4582	140.8098	467092.9	686870.9 32° 16' 59.1 103° 51' 44	0.2216	291.2448	-26.3
6118	0.4	115.85	95	6112.068	-2820.068	-28.5655	140.4454	467091.8	686870.5 32° 16' 59.1 103° 51' 44	1.6029	195.0518	-27.41
6213	0.48	136.51	95	6207.065	-2915.065	-28.9988	141.0177	467091.4	686871.1 32° 16' 59.1 103° 51' 44	0.1856	73.8215	-27.84
6308	0.7	172.72	95	6302.06	-3010.06	-29.8631	141.3651	467090.5	686871.5 32° 16' 59.1 103° 51' 44	0.4443	78.4099	-28.7
6403	0.7	196.54	95	6397.053	-3105.053	-30.995	141.2734	467089.4	686871.4 32° 16' 59.1 103° 51' 44	0.3041	101.9091	-29.84
6498	0.48	217.02	95	6492.048	-3200.048	-31.8691	140.8686	467088.5	686871.3 32° 16' 59.1 103° 51' 44	0.3173	146.1438	-30.71
6593	0.88	243.65	95	6587.042	-3295.042	-32.5106	139.9753	467087.9	686870.1 32° 16' 59.1 103° 51' 44	0.5259	52.136	-31.36
6689	1.01	252.61	96	6683.029	-3391.029	-33.0907	138.5073	467087.3	686868.6 32° 16' 59.1 103° 51' 44	0.2046	53.1986	-31.95
6784	0.88	238.9	95	6778.016	-3486.016	-33.7177	137.0836	467086.7	686867.2 32° 16' 59.1 103° 51' 44	0.2736	233.3683	-32.59
6879	1.1	63.73	95	6873.011	-3581.011	-33.6909	137.2767	467086.7	686867.4 32° 16' 59.1 103° 51' 44	2.0824	182.6839	-32.56
6974	1.58	75.51	95	6967.985	-3675.985	-32.9596	139.3624	467087.4	686869.5 32° 16' 59.1 103° 51' 44	0.58	35.8281	-31.82
7069	1.41	84.13	95	7062.952	-3770.952	-32.5124	141.7931	467087.9	686871.9 32° 16' 59.1 103° 51' 44	0.2963	131.3426	-31.35
7164	1.41	95.46	95	7157.924	-3865.924	-32.5041	144.1194	467087.9	686874.2 32° 16' 59.1 103° 51' 44	0.293	95.6633	-31.32
7259	0.48	27.35	95	7252.912	-3960.912	-32.2618	145.4657	467088.1	686875.6 32° 16' 59.1 103° 51' 44	1.378	199.892	-31.07
7355	0.4	37.89	96	7348.909	-4056.909	-31.6402	145.8563	467088.8	686876.3 32° 16' 59.1 103° 51' 44	0.1182	139.8541	-30.44
7450	0.31	69.54	95	7443.907	-4151.907	-31.2887	146.3007	467089.1	686876.4 32° 16' 59.1 103° 51' 44	0.2233	129.9199	-30.09
7545	0.31	74.02	95	7538.906	-4246.906	-31.1281	146.7886	467089.3	686876.9 32° 16' 59.1 103° 51' 44	0.0255	92.24	-29.92
7639	0.09	198.82	94	7632.906	-4340.906	-31.1279	147.0092	467089.3	686877.1 32° 16' 59.1 103° 51' 44	0.3924	168.4416	-29.92
7734	0.09	271.33	95	7727.906	-4435.906	-31.1968	146.9106	467089.2	686877.3 32° 16' 59.1 103° 51' 44	0.1121	126.255	-29.99
7829	0.09	45.01	95	7822.905	-4530.905	-31.1424	146.8887	467089.3	686877.3 32° 16' 59.1 103° 51' 44	0.1742	156.84	-29.94

7924	0.31	266.85	95	7917.905	-4625.905	-31.1037	146.6849	467089.3	686876.8 32° 16' 59.1 103° 51' 44	0.4019	212.7933	-29.9
8019	0.31	242.59	95	8012.904	-4720.904	-31.2362	146.2001	467089.2	686876.3 32° 16' 59.1 103° 51' 44	0.1371	257.8702	-30.04
8114	0.22	38.25	95	8107.903	-4815.903	-31.2112	146.0849	467089.2	686876.2 32° 16' 59.1 103° 51' 44	0.5457	169.9272	-30.01
8209	1.01	45.1	95	8202.897	-4910.897	-30.477	146.7909	467089.9	686876.9 32° 16' 59.1 103° 51' 44	0.8337	8.7484	-29.27
8304	1.1	330.57	95	8297.885	-5005.885	-29.0917	146.9359	467091.3	686877 32° 16' 59.1 103° 51' 44	1.3469	235.9486	-27.89
8399	0.62	316.86	95	8392.874	-5100.874	-27.9224	146.1364	467092.5	686876.2 32° 16' 59.1 103° 51' 44	0.5462	196.4502	-26.72
8494	0.62	332.77	95	8487.869	-5195.869	-27.0904	145.5498	467093.3	686875.6 32° 16' 59.1 103° 51' 44	0.1806	97.9545	-25.9
8589	0.7	9.33	95	8582.863	-5290.863	-26.0607	145.4087	467094.3	686875.5 32° 16' 59.1 103° 51' 44	0.4431	97.8822	-24.87
8684	0.62	24.71	95	8677.856	-5385.856	-25.0211	145.7176	467095.4	686875.8 32° 16' 59.1 103° 51' 44	0.2038	121.8625	-23.82
8779	0.4	19.44	95	8772.853	-5480.853	-24.2415	146.0428	467096.2	686876.1 32° 16' 59.1 103° 51' 44	0.2365	189.4098	-23.04
8875	0.22	25.24	96	8868.851	-5576.851	-23.7588	146.233	467096.6	686876.3 32° 16' 59.1 103° 51' 44	0.1901	173.0022	-22.56
8970	0.31	233.63	95	8963.851	-5671.851	-23.7462	146.1038	467096.7	686876.2 32° 16' 59.1 103° 51' 44	0.5414	196.6547	-22.55
9065	0.62	285.57	95	9058.848	-5766.848	-23.7607	145.4017	467096.6	686875.5 32° 16' 59.1 103° 51' 44	0.5195	81.5835	-22.57
9160	0.62	304.82	95	9153.842	-5861.842	-23.3292	144.4846	467097.1	686874.6 32° 16' 59.1 103° 51' 44	0.2182	99.6244	-22.14
9255	0.48	336.72	95	9248.838	-5956.838	-22.6702	143.9054	467097.7	686874 32° 16' 59.1 103° 51' 44	0.3483	129.954	-21.49
9350	0.48	19.44	95	9343.835	-6051.835	-21.9294	143.8806	467098.5	686874 32° 16' 59.1 103° 51' 44	0.3681	111.3593	-20.75
9445	0.88	22.43	95	9438.828	-6146.828	-20.8798	144.2914	467099.5	686874.4 32° 16' 59.1 103° 51' 44	0.4226	6.5657	-19.7
9540	1.58	195.66	95	9533.819	-6241.819	-21.4667	144.2162	467098.9	686874.3 32° 16' 59.1 103° 51' 44	2.5853	175.65	-20.28
9635	2.2	192.93	95	9628.767	-6336.767	-24.505	143.4546	467095.9	686873.6 32° 16' 59.1 103° 51' 44	0.6593	350.3713	-23.33
9676	1.98	195.13	41	9669.74	-6377.74	-25.9557	143.0937	467094.4	686873.2 32° 16' 59.1 103° 51' 44	0.5711	161.0604	-24.78
9771	4.62	310.97	95	9764.637	-6472.637	-25.0307	139.7737	467095.4	686869.9 32° 16' 59.1 103° 51' 44	6.0681	133.8024	-23.88
9866	17.01	339.8	95	9857.814	-6565.814	-9.4126	132.0529	467111	686862.2 32° 16' 59.1 103° 51' 44	13.8391	38.3307	-8.33
9961	25.19	344.19	95	9946.375	-6654.375	23.1378	121.7285	467143.5	686851.8 32° 17' 0.1 103° 51' 44	8.764	13.0024	24.14
10056	30.81	347.53	95	10030.23	-6738.226	66.3826	110.9577	467186.8	686841.1 32° 17' 0.5 103° 51' 44	6.1396	17.0762	67.29
10103	33.19	350.35	47	10070.08	-6778.084	90.8223	106.2013	467211.2	686836.3 32° 17' 0.8 103° 51' 45	5.9781	33.3273	91.69
10151	36.7	349.55	48	10109.42	-6817.424	117.8882	101.396	467238.3	686831.5 32° 17' 1.0 103° 51' 45	7.3744	352.2328	118.72
10199	42.42	349.64	48	10146.41	-6854.414	147.9438	95.8785	467268.3	686826 32° 17' 1.3 103° 51' 45	11.9173	0.6091	148.73
10246	51.38	352.54	47	10178.5	-6886.499	181.8156	90.6327	467302.2	686820.7 32° 17' 1.7 103° 51' 45	19.5851	14.3062	182.55
10294	61.41	356.85	48	10205.04	-6913.04	221.5644	87.0297	467342	686817.1 32° 17' 2.1 103° 51' 45	22.1861	20.9215	222.27
10341	66.2	1.51	47	10225.79	-6933.791	263.7051	86.4619	467384.1	686816.6 32° 17' 2.5 103° 51' 45	13.5251	42.173	264.41
10389	70.51	1.16	48	10243.49	-6951.491	308.2978	87.499	467428.7	686817.6 32° 17' 2.9 103° 51' 45	9.0047	355.6179	309.01
10436	76.79	2.91	47	10256.72	-6964.716	353.3437	89.1107	467473.7	686819.2 32° 17' 3.4 103° 51' 45	13.8305	15.2253	354.06
10484	78.51	3.53	48	10266.98	-6974.983	400.1569	91.7452	467520.6	686821.8 32° 17' 3.8 103° 51' 45	3.799	19.4655	400.9
10531	80.79	4.14	47	10275.43	-6983.426	446.2852	94.8382	467566.7	686824.9 32° 17' 4.3 103° 51' 45	5.0162	14.8012	447.05
10626	91.12	5.02	95	10282.12	-6990.118	540.6168	102.3995	467661	686832.5 32° 17' 5.2 103° 51' 45	10.9128	4.8949	541.44
10721	89.98	5.99	95	10281.21	-6989.207	635.1716	111.5125	467755.6	686841.6 32° 17' 6.2 103° 51' 44	1.5756	139.6018	636.06
10816	91.78	2.56	95	10279.75	-6987.747	729.878	118.5926	467850.3	686848.7 32° 17' 7.1 103° 51' 44	4.077	297.7108	730.83
10911	88.62	1.95	95	10279.42	-6987.416	824.7914	122.33	467945.2	686852.4 32° 17' 8.0 103° 51' 44	3.3877	190.9283	825.77
11012	88.88	2.21	101	10281.62	-6989.619	925.7006	125.995	468046.1	686856.1 32° 17' 9.0 103° 51' 44	0.364	44.9961	926.7
11107	87.38	0.45	95	10284.72	-6992.719	1020.618	128.1993	468141	686858.3 32° 17' 10.1 103° 51' 44	2.4334	229.5192	1021.64
11202	94.11	0.37	95	10283.48	-6991.485	1115.553	128.8787	468236	686859 32° 17' 10.1 103° 51' 44	7.0847	359.3191	1116.57
11297	89.98	359.75	95	10280.1	-6988.095	1210.471	128.9774	468330.9	686859.1 32° 17' 11.1 103° 51' 44	4.396	188.5452	1211.49
11392	89.8	0.54	95	10280.28	-6988.278	1305.47	129.2178	468425.9	686859.3 32° 17' 12.1 103° 51' 44	0.8529	102.8362	1306.49
11487	89.32	0.72	95	10281.01	-6989.007	1400.461	130.2624	468520.9	686860.4 32° 17' 13.1 103° 51' 44	0.5396	159.4451	1401.48
11582	88.88	0.89	95	10282.5	-6990.499	1495.44	131.5969	468615.8	686861.7 32° 17' 14.1 103° 51' 44	0.4965	158.8789	1496.47
11678	91.12	0.63	96	10282.5	-6990.499	1591.425	132.8702	468711.8	686863 32° 17' 15.1 103° 51' 44	2.349	353.3788	1592.46
11772	90.81	1.77	94	10280.92	-6988.916	1685.39	134.8385	468805.8	686864.9 32° 17' 16.1 103° 51' 44	1.2566	105.2045	1686.44
11867	90.29	2.13	95	10280	-6988.004	1780.33	138.0709	468900.7	686868.2 32° 17' 17.1 103° 51' 44	0.6657	145.3042	1781.4
11962	89.54	359.49	95	10280.15	-6988.145	1875.311	139.4138	468995.7	686869.5 32° 17' 18.1 103° 51' 44	2.8889	254.1414	1876.39
12057	91.3	358.52	95	10279.45	-6987.449	1970.289	137.7643	469090.7	686867.9 32° 17' 19.1 103° 51' 44	2.1153	331.1419	1971.35
12152	91.38	358.87	95	10277.23	-6985.227	2065.239	135.6013	469185.6	686865.7 32° 17' 20.1 103° 51' 44	0.3778	77.1175	2066.28
12247	91.3	359.31	95	10275.01	-6983.006	2160.2	134.093	469280.6	686864.2 32° 17' 21.1 103° 51' 44	0.4706	100.3024	2161.23

12343	93.98	1.6	96	10270.58	-6978.584	2256.08	134.8523	469376.5	686865 32° 17' 22.1 103° 51' 44	3.6702	40.4367	2257.11
12438	88.79	3.53	95	10268.29	-6976.288	2350.92	139.1027	469471.3	686869.2 32° 17' 23.1 103° 51' 44	5.8282	159.5753	2351.98
12533	84.4	0.1	95	10273.93	-6981.931	2445.668	142.1116	469566.1	686872.2 32° 17' 24.1 103° 51' 44	5.8598	217.8653	2446.75
12628	84.09	355.97	95	10283.46	-6991.461	2540.112	138.8722	469660.5	686869 32° 17' 25.1 103° 51' 44	4.3377	265.4804	2541.17
12723	88.09	352.89	95	10289.94	-6997.939	2634.412	129.6697	469754.8	686859.8 32° 17' 25.1 103° 51' 44	5.3091	322.3509	2635.39
12822	91.6	353.51	99	10290.21	-6998.207	2732.7	117.9497	469853.1	686848 32° 17' 26.1 103° 51' 44	3.6003	10.0197	2733.58
12917	91.21	358.26	95	10287.88	-6995.876	2827.399	111.137	469947.8	686841.2 32° 17' 27.1 103° 51' 44	5.0153	94.6342	2828.22
13012	91.38	0.1	95	10285.73	-6993.729	2922.361	109.7777	470042.8	686839.9 32° 17' 28.1 103° 51' 44	1.9446	84.6997	2923.16
13107	91.12	1.07	95	10283.66	-6991.657	3017.332	110.7475	470137.7	686840.8 32° 17' 29.1 103° 51' 44	1.0569	104.9974	3018.14
13202	91.38	3.27	95	10281.58	-6989.584	3112.235	114.3435	470232.6	686844.4 32° 17' 30.1 103° 51' 44	2.3314	83.2352	3113.07
13297	91.6	2.21	95	10279.11	-6987.114	3207.093	118.8833	470327.5	686849 32° 17' 31.1 103° 51' 44	1.1392	281.7424	3207.96
13392	91.21	2.3	95	10276.78	-6984.784	3301.991	122.6201	470422.4	686852.7 32° 17' 32.1 103° 51' 44	0.4213	167.008	3302.89
13487	91.3	3.09	95	10274.7	-6982.704	3396.862	127.0858	470517.3	686857.2 32° 17' 33.1 103° 51' 44	0.8368	83.4906	3397.79
13582	91.52	2.21	95	10272.37	-6980.366	3491.731	131.4768	470612.1	686861.6 32° 17' 34.1 103° 51' 44	0.9546	284.0509	3492.69
13677	91.52	0.54	95	10269.85	-6977.846	3586.667	133.7555	470707.1	686863.9 32° 17' 35.1 103° 51' 44	1.7573	270.0222	3587.64
13772	89.98	357.11	95	10268.6	-6976.602	3681.622	131.8074	470802	686861.9 32° 17' 36.1 103° 51' 44	3.9574	245.8486	3682.58
13867	89.89	357.73	95	10268.71	-6976.71	3776.525	127.5311	470896.9	686857.6 32° 17' 37.1 103° 51' 44	0.6595	98.2597	3777.44
13962	89.8	357.82	95	10268.97	-6976.967	3871.453	123.8429	470991.9	686853.9 32° 17' 38.1 103° 51' 44	0.134	135.0002	3872.34
14057	89.8	358.87	95	10269.3	-6977.298	3966.412	121.0992	471086.8	686851.2 32° 17' 39.1 103° 51' 44	1.1053	90.0018	3967.27
14152	89.89	0.54	95	10269.56	-6977.555	4061.407	120.6101	471181.8	686850.7 32° 17' 40.1 103° 51' 44	1.7604	86.9177	4062.26
14247	90.11	1.24	95	10269.56	-6977.555	4156.394	122.0857	471276.8	686852.2 32° 17' 41.1 103° 51' 44	0.7724	72.553	4157.26
14343	89.98	0.19	96	10269.48	-6977.48	4252.386	123.2836	471372.8	686853.4 32° 17' 41.1 103° 51' 44	1.1021	262.9428	4253.25
14438	89.89	0.01	95	10269.59	-6977.588	4347.385	123.4494	471467.8	686853.5 32° 17' 42.1 103° 51' 44	0.2118	243.4349	4348.25
14533	89.89	1.16	95	10269.77	-6977.77	4442.379	124.4194	471562.8	686854.5 32° 17' 43.1 103° 51' 44	1.2105	90.0011	4443.25
14628	90.68	359.4	95	10269.3	-6977.297	4537.372	124.8837	471657.8	686855 32° 17' 44.1 103° 51' 44	2.0307	294.1764	4538.24
14723	90.2	358.34	95	10268.57	-6976.568	4632.349	123.0102	471752.7	686853.1 32° 17' 45.1 103° 51' 44	1.2248	245.6417	4633.2
14818	89.8	358.61	95	10268.57	-6976.568	4727.315	120.482	471847.7	686850.6 32° 17' 46.1 103° 51' 44	0.508	145.9805	4728.14
14913	89.8	357.55	95	10268.9	-6976.9	4822.26	117.2992	471942.7	686847.4 32° 17' 47.1 103° 51' 44	1.1158	269.9981	4823.06
15007	89.89	358.43	94	10269.15	-6977.154	4916.201	114.0023	472036.6	686844.1 32° 17' 48.1 103° 51' 44	0.9411	84.1618	4916.97
15102	89.98	358.34	95	10269.26	-6977.262	5011.163	111.3249	472131.6	686841.4 32° 17' 49.1 103° 51' 44	0.134	315	5011.91
15198	89.8	358.26	96	10269.45	-6977.446	5107.12	108.4769	472227.5	686838.6 32° 17' 50.1 103° 51' 44	0.2052	203.9624	5107.84
15293	89.89	0.1	95	10269.7	-6977.703	5202.106	107.1174	472322.5	686837.2 32° 17' 51.1 103° 51' 44	1.9392	87.2024	5202.81
15388	89.89	1.6	95	10269.89	-6977.885	5297.093	108.5267	472417.5	686838.6 32° 17' 52.1 103° 51' 44	1.5789	90.0014	5297.8
15483	89.89	0.01	95	10270.07	-6978.068	5392.08	109.8613	472512.5	686840 32° 17' 53.1 103° 51' 44	1.6737	269.9985	5392.8
15577	90.11	0.89	94	10270.07	-6978.068	5486.076	110.5996	472606.5	686840.7 32° 17' 54.1 103° 51' 44	0.965	75.964	5486.8
15673	89.8	0.63	96	10270.14	-6978.143	5582.068	111.8729	472702.5	686842 32° 17' 55.1 103° 51' 44	0.4215	219.9869	5582.8
15768	90.42	0.63	95	10269.96	-6977.961	5677.061	112.9175	472797.5	686843 32° 17' 56.1 103° 51' 44	0.6526	0	5677.8
15863	90.68	0.1	95	10269.05	-6977.049	5772.054	113.5226	472892.5	686843.6 32° 17' 57.1 103° 51' 44	0.6214	296.1344	5772.79
15958	90.42	0.1	95	10268.14	-6976.137	5867.05	113.6884	472987.4	686843.8 32° 17' 57.1 103° 51' 44	0.2737	180	5867.79
16053	89.98	0.45	95	10267.81	-6975.805	5962.048	114.1444	473082.4	686844.2 32° 17' 58.1 103° 51' 44	0.5918	141.4988	5962.78
16148	90.51	359.14	95	10267.4	-6975.399	6057.044	113.8045	473177.4	686843.9 32° 17' 59.1 103° 51' 44	1.4875	292.0293	6057.77
16243	90.68	359.93	95	10266.41	-6974.412	6152.035	113.0336	473272.4	686843.1 32° 18' 0.7 103° 51' 44	0.8506	77.8512	6152.76
16339	90.81	0.19	96	10265.16	-6973.164	6248.027	113.1341	473368.4	686843.2 32° 18' 1.7 103° 51' 44	0.3028	63.4314	6248.74
16434	90.29	0.01	95	10264.25	-6972.252	6343.022	113.2999	473463.4	686843.4 32° 18' 2.6 103° 51' 44	0.5792	199.0936	6343.74
16529	90.51	0.45	95	10263.59	-6971.589	6438.018	113.6812	473558.4	686843.8 32° 18' 3.6 103° 51' 44	0.5178	63.433	6438.73
16624	90.42	359.31	95	10262.82	-6970.818	6533.013	113.4823	473653.4	686843.6 32° 18' 4.5 103° 51' 44	1.2037	265.4906	6533.72
16719	90.51	358.43	95	10262.05	-6970.047	6627.991	111.6089	473748.4	686841.7 32° 18' 5.5 103° 51' 44	0.9311	275.8431	6628.68
16814	90.68	357.55	95	10261.06	-6969.061	6722.926	108.2771	473843.3	686838.4 32° 18' 6.4 103° 51' 44	0.9434	280.9387	6723.59
16909	90.42	358.61	95	10260.15	-6968.149	6817.867	105.0944	473938.3	686835.2 32° 18' 7.3 103° 51' 44	1.1488	103.7767	6818.5
17004	90.42	358.52	95	10259.45	-6967.452	6912.835	102.7154	474033.2	686832.8 32° 18' 8.3 103° 51' 44	0.0947	270.0003	6913.44
17099	90.42	359.05	95	10258.76	-6966.756	7007.811	100.7011	474128.2	686830.8 32° 18' 9.2 103° 51' 44	0.5579	89.9981	7008.4
17194	90.42	358.61	95	10258.06	-6966.059	7102.788	98.7613	474223.2	686828.9 32° 18' 10.1 103° 51' 44	0.4631	270.0016	7103.36

17289	89.98	359.4	95	10257.73	-6965.728	7197.772	97.1117	474318.2	686827.2 32° 18' 11.0 103° 51' 44	0.9519	119.1145	7198.33
17384	89.89	359.4	95	10257.84	-6965.836	7292.767	96.1168	474413.2	686826.2 32° 18' 12.0 103° 51' 44	0.0947	180	7293.31
17479	90.2	0.19	95	10257.76	-6965.761	7387.765	95.7769	474508.2	686825.9 32° 18' 13.0 103° 51' 44	0.8933	68.5747	7388.3
17574	89.41	359.93	95	10258.08	-6966.084	7482.764	95.8764	474603.2	686826 32° 18' 13.0 103° 51' 44	0.8755	198.2167	7483.3
17669	89.49	359.66	95	10259	-6966.996	7577.759	95.5365	474698.2	686825.6 32° 18' 14.0 103° 51' 44	0.2964	286.5038	7578.29
17764	89.98	0.19	95	10259.44	-6967.436	7672.757	95.4122	474793.2	686825.5 32° 18' 15.0 103° 51' 44	0.7598	47.247	7673.28
17859	89.8	0.1	95	10259.62	-6967.618	7767.757	95.6526	474888.2	686825.8 32° 18' 16.0 103° 51' 44	0.2118	206.5649	7768.28
17954	90.29	359.93	95	10259.54	-6967.543	7862.756	95.6775	474983.2	686825.8 32° 18' 17.0 103° 51' 44	0.5459	340.8664	7863.28
18049	89.8	0.1	95	10259.47	-6967.469	7957.756	95.7024	475078.2	686825.8 32° 18' 18.0 103° 51' 44	0.5459	160.8662	7958.27
18144	89.98	359.49	95	10259.65	-6967.651	8052.755	95.3625	475173.2	686825.5 32° 18' 19.0 103° 51' 44	0.6695	286.4397	8053.27
18239	90.11	0.37	95	10259.58	-6967.577	8147.754	95.2464	475268.2	686825.3 32° 18' 20.0 103° 51' 44	0.9364	81.5964	8148.26
18334	89.98	0.01	95	10259.5	-6967.502	8242.753	95.5614	475363.2	686825.7 32° 18' 21.0 103° 51' 44	0.4029	250.145	8243.26
18429	90.11	0.19	95	10259.43	-6967.427	8337.753	95.7272	475458.2	686825.8 32° 18' 22.0 103° 51' 44	0.2337	54.1623	8338.26
18524	90.11	0.72	95	10259.24	-6967.245	8432.749	96.4816	475553.1	686826.6 32° 18' 23.0 103° 51' 44	0.5579	89.9995	8433.26
18619	90.11	359.49	95	10259.06	-6967.063	8527.747	96.6557	475648.1	686826.8 32° 18' 24.0 103° 51' 44	1.2947	270.0012	8528.25
18714	90.11	0.19	95	10258.88	-6966.88	8622.746	96.3904	475743.1	686826.5 32° 18' 25.0 103° 51' 44	0.7368	89.9993	8623.25
18809	89.89	0.45	95	10258.88	-6966.88	8717.744	96.921	475838.1	686827 32° 18' 26.0 103° 51' 44	0.3585	130.2363	8718.25
18904	89.8	0.19	95	10259.14	-6967.137	8812.742	97.4516	475933.1	686827.6 32° 18' 27.0 103° 51' 44	0.2896	250.9061	8813.25
18999	90.2	0.19	95	10259.14	-6967.137	8907.742	97.7666	476028.1	686827.9 32° 18' 28.0 103° 51' 44	0.4211	0	8908.24
19094	89.58	359.84	95	10259.32	-6967.32	9002.741	97.7915	476123.1	686827.9 32° 18' 29.0 103° 51' 44	0.7494	209.4452	9003.24
19189	89.8	0.19	95	10259.83	-6967.834	9097.739	97.8164	476218.1	686827.9 32° 18' 29.0 103° 51' 44	0.4352	57.8484	9098.24
19284	90.2	359.66	95	10259.83	-6967.834	9192.739	97.692	476313.1	686827.8 32° 18' 30.0 103° 51' 44	0.6989	307.0422	9193.23
19379	89.89	359.31	95	10259.76	-6967.759	9287.734	96.8381	476408.1	686826.9 32° 18' 31.0 103° 51' 44	0.4922	228.4685	9288.22
19474	90.29	0.19	95	10259.61	-6967.61	9382.732	96.4236	476503.1	686826.5 32° 18' 32.0 103° 51' 44	1.0175	65.5558	9383.21
19569	89.89	0.54	95	10259.46	-6967.46	9477.73	97.0288	476598.1	686827.1 32° 18' 33.0 103° 51' 44	0.5595	138.8137	9478.21
19663	90.42	359.75	94	10259.21	-6967.206	9571.728	97.2667	476692.1	686827.4 32° 18' 34.0 103° 51' 44	1.012	303.8578	9572.2
19758	90.68	357.47	95	10258.29	-6966.294	9666.689	94.9625	476787.1	686825.1 32° 18' 35.0 103° 51' 44	2.4154	276.516	9667.14
19853	90.51	358.26	95	10257.31	-6965.308	9761.618	91.4236	476882	686821.5 32° 18' 36.0 103° 51' 44	0.8506	102.1406	9762.04
19948	90.42	358.17	95	10256.54	-6964.537	9856.568	88.4645	476977	686818.6 32° 18' 37.0 103° 51' 44	0.134	224.9994	9856.96
20043	90.51	357.91	95	10255.77	-6963.766	9951.51	85.2155	477071.9	686815.3 32° 18' 38.0 103° 51' 44	0.2896	289.0951	9951.87
20138	89.8	359.4	95	10255.51	-6963.509	10046.48	82.9857	477166.9	686813.1 32° 18' 39.0 103° 51' 44	1.7374	115.4749	10046.82
20233	90.99	359.84	95	10254.85	-6962.854	10141.47	82.3556	477261.9	686812.5 32° 18' 40.0 103° 51' 44	1.3355	20.2902	10141.81
20328	90.29	2.04	95	10253.79	-6961.792	10236.45	83.9141	477356.8	686814 32° 18' 41.0 103° 51' 44	2.43	107.6367	10236.79
20423	90.59	2.12	95	10253.06	-6961.063	10331.38	87.362	477451.8	686817.5 32° 18' 42.0 103° 51' 44	0.3268	14.9307	10331.75
20518	90.81	1.07	95	10251.9	-6959.902	10426.34	90.006	477546.7	686820.1 32° 18' 43.0 103° 51' 44	1.1292	281.8406	10426.73
20578	90.29	359.22	60	10251.33	-6959.326	10486.33	90.1578	477606.7	686820.3 32° 18' 43.0 103° 51' 44	3.2027	254.3099	10486.72
20617	90.29	359.22	39	10251.13	-6959.129	10525.33	89.6269	477645.7	686819.7 32° 18' 44.0 103° 51' 44	0	0	10525.71 Projection to TD-20617.00' MD

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Well Completion Print

05/05/2022

Operator Name MEWBOURNE OIL COMPANY SHL Lot P Sec 22 23S 30E	Well Name FORTY NINER RIDGE UNIT	Well Number 117H	US Well Number 3001547891
	County EDDY	State NM	Lease Number(s) NMNM0531277, NMNM0531731
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name FORTY NINER RIDGE UNIT	Agreement Number(s) NMNM70951X
Allottee/Tribe Name	Well Pad Name FORTY NINER RIDGE UNIT	Well Pad Number 3	ID 10400042552

Section 1 - General

Well Completion Report Id: 84253**Submission Date:** N/A until DB**BLM Office:** Carlsbad Field Office**User:** JENIFER SORLEY**Title:** Regulatory Analyst**Federal/Indian:** FEDERAL**Lease Number:** NMNM0531277**Lease Acres:****Agreement in place?:** YES**Federal or Indian Agreement:****Agreement Number:** NMNM70951X**Agreement Name:** FORTY NINER**Keep this Well Completion Report confidential?:****APD Operator:** MEWBOURNE OIL
COMPANY

Section 2 - Well

Field/Pool or Exploratory:**Pool Name:** BONE SPRING (24270)**Field Name:** FORTY NINER RIDGE**Well Type:** CONVENTIONAL GAS**Spud Date:** 07-22-2021**Date Total Measured Depth Reached:** 09-06-2021**Drill & Abandon or Ready To Produce:** READY TO**Well Class:** HORIZONTAL

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
UNKNOWN	OTHER	Topsoil	3264	27	27	NONE	
TOP SALT	SALT		2789	475	475	NONE	

Operator Name MEWBOURNE OIL COMPANY SHL Lot P Sec 22 23S 30E	Well Name FORTY NINER RIDGE UNIT	Well Number 117H	US Well Number 3001547891
	County EDDY	State NM	Lease Number(s) NMNM0531277, NMNM0531731
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name FORTY NINER RIDGE UNIT	Agreement Number(s) NMNM70951X
Allottee/Tribe Name	Well Pad Name FORTY NINER RIDGE UNIT	Well Pad Number 3	ID 10400042552

Section 3 - Geologic

Formation Name	Lithology	Describe Lithology	Elevation	TVD	MD	Mineral Resources	Describe Mineral
BOTTOM SALT	SALT		-286	3550	3550	NONE	
LAMAR	LIMESTONE		-511	3775	3775	NATURAL GAS, OIL	
BELL CANYON	SANDSTONE		-541	3805	3805	NATURAL GAS, OIL	
CHERRY CANYON	SANDSTONE		-1441	4705	4705	NATURAL GAS, OIL	
MANZANITA	LIMESTONE		-1611	4875	4875	NATURAL GAS, OIL	
BASAL ANHYDRITE	ANHYDRITE		-2731	5995	5995	NATURAL GAS, OIL	
BONE SPRING	LIMESTONE, SHALE		-4386	7650	7650	NATURAL GAS, OIL	
BONE SPRING 1ST	SANDSTONE		-5386	8650	8650	NATURAL GAS, OIL	
BONE SPRING 2ND	SANDSTONE		-6091	9355	9355	NATURAL GAS, OIL	
BONE SPRING 3RD	SANDSTONE		-7236	10500	10500	NATURAL GAS, OIL	
WOLFCAMP	LIMESTONE, SANDSTONE, SHALE		-7686	10950	10950	NATURAL GAS, OIL	

Completion and Completed

Operator Name MEWBOURNE OIL COMPANY SHL Lot P Sec 22 23S 30E	Well Name FORTY NINER RIDGE UNIT	Well Number 117H	US Well Number 3001547891
	County EDDY	State NM	Lease Number(s) NMNM0531277, NMNM0531731
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name FORTY NINER RIDGE UNIT	Agreement Number(s) NMNM70951X
Allottee/Tribe Name	Well Pad Name FORTY NINER RIDGE UNIT	Well Pad Number 3	ID 10400042552

Completion Data

Wellbore Code	Completion Code	Interval Number	Case Number	Lease Number	Well Completion Type	Describe Well Completion Type	Completion Status	Date Completed	Date First Produced	Formation	Interval Top (MD)	Interval Bottom (MD)	Interval Perforated?	Perforation Size	Number of Holes	Status of Interval
00	X1	1	NMNM70951X	NMNM0531731	NEW		GLG	12-30-2021	01-10-2022	BONE SPRING	10252	20599	Y	.39	2268	OPEN

Treatment Data

Wellbore Code	Completion Code	Interval Number	Interval Treated?	Treatment Type	Tottle Fluid (bbls)	Total Proppant (lbs)	Treatment Remarks
00	X1	1	Y	FRAC	603904	25703800	

Production Data

Wellbore Code	Completion Code	Interval Number	API Oil Gravity	Gas Gravity	Production Method	Describe Production	Disposition of Gas	Describe Disposition
00	X1	1			GAS LIFT		SOLD	

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)

Operator Name MEWBOURNE OIL COMPANY SHL Lot P Sec 22 23S 30E	Well Name FORTY NINER RIDGE UNIT	Well Number 117H	US Well Number 3001547891
	County EDDY	State NM	Lease Number(s) NMNM0531277, NMNM0531731
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name FORTY NINER RIDGE UNIT	Agreement Number(s) NMNM70951X
Allottee/Tribe Name	Well Pad Name FORTY NINER RIDGE UNIT	Well Pad Number 3	ID 10400042552

Test Data

Wellbore Code	Completion Code	Interval Number	Test Date	Hours Tested	24-Hour Rate Oil (bbls)	24-Hour Rate Gas (MCF)	24-Hour Rate Water(BWPD)	Gas-Oil Ratio (SCF/Bbl)	Choke Size	Tubing Pressure	Tubing Pressure Shut-In (psi)	Casing Pressure (psi)
00	X1	1	01/22/2022	24	1345	874	3197	649		525		60

Well Location

Survey Type: RECTANGULAR

Survey Number:

Datum: NAD83

Vertical Datum: NAVD88

Reference Datum:

State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
SHL	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.283317	-103.8628567	3264	STATE	STATE			40	FSL	800	FEL	23S	30E	22	Lot P
KOP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.2832386	-103.8623941	-6405	STATE	STATE			13	FSL	657	FEL	23S	30E	22	Lot P
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.3050262	-103.8624348	-6995	FEDERAL	NMNM0543748			2645	FNL	651	FEL	23S	30E	15	Lot H
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.2977504	-103.862433	-7005	FEDERAL	NMNM0531277			0	FSL	640	FEL	23S	30E	15	Lot P
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.283824	-103.8625623	-6917	STATE	STATE			226	FSL	708	FEL	23S	30E	22	Lot P

Operator Name MEWBOURNE OIL COMPANY SHL Lot P Sec 22 23S 30E	Well Name FORTY NINER RIDGE UNIT	Well Number 117H	US Well Number 3001547891
	County EDDY	State NM	Lease Number(s) NMNM0531277, NMNM0531731
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name FORTY NINER RIDGE UNIT	Agreement Number(s) NMNM70951X
Allottee/Tribe Name	Well Pad Name FORTY NINER RIDGE UNIT	Well Pad Number 3	ID 10400042552

	State	Meridian	County	Latitude	Longitude	Elevation (MSL)	Lease Type	Lease Number	Plug TVD (ft)	Plug MD (ft)	Plug Type	NS-Foot	NS-Indicator	EW-Foot	EW-Indicator	Township	Range	Section	Aliquot/Lot/Tract
PPP Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.2941151	-103.8624057	-7005	FEDERAL	NMNM0531731				1322	FNL	639	FEL	23S	30E	22	Lot A
EXIT Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.3121929	-103.8624166	-6987	FEDERAL	NMNM0543748				39	FNL	656	FEL	23S	30E	15	Lot A
BHL Well bore 00	NEW MEXICO	NEW MEXICO PRINCIPAL	EDDY	32.3122424	-103.8624172	-6987	FEDERAL	NMNM0543748				21	FNL	656	FEL	23S	30E	15	Lot A

Casing, Liner and Tubing

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	SURFACE	17.5	0	440	13.375	54.5	J-55		ST&C		

Operator Name MEWBOURNE OIL COMPANY SHL Lot P Sec 22 23S 30E	Well Name FORTY NINER RIDGE UNIT	Well Number 117H	US Well Number 3001547891
	County EDDY	State NM	Lease Number(s) NMNM0531277, NMNM0531731
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name FORTY NINER RIDGE UNIT	Agreement Number(s) NMNM70951X
Allottee/Tribe Name	Well Pad Name FORTY NINER RIDGE UNIT	Well Pad Number 3	ID 10400042552

Casing and Liner

Wellbore Code	Casing String Type	Hole Size	Top Setting Depth (MD)	Bottom Setting Depth (MD)	Casing Size	Wt(lbs/ft)	Casing Grade	Describe Other Casing Grade	Joint	Other Joint	Amount Pulled (ft)
00	INTERMEDIATE	12.25	0	3743	9.625	40	HCL-80		LT&C		
00	PRODUCT ION	8.75	0	9606	7.0	29	OTHER	HPP-110	OTHER	BT&C	
00	LINER	6.125	9406	20617	4.5	13.5	HCP-110		OTHER	CDC-HTQ	

Cementing

Wellbore Code	Casing String Type	Stage Tool Depth	Cement Lead Type	Cement Lead Qty (sks)	Cement Lead Yield (cu.ft/sks)	Cement Lead Top (MD)	Cement Tail Type	Cement Tail Qty (sks)	Cement Tail Yield(cu.ft/sks)	Cement Tail Top (MD)	Total (Lead + Tail) Cement Slurry Volume
00	SURFACE		Class C	200	2.31	0	Class C	200	1.34	186	130
00	INTERMEDIATE		Class C	700	1.32	0	Class C	200	1.32	3017	211.6
00	PRODUCT ION		PVL	300	3.41	0	Class C	400	1.18	6384	266.3
00	LINER		Poz H	850	1.74	9406				925	263.4

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
---------------	-------------	----------------	------------------------------	----------------------	---------------	--------------	----------------	-----------------	----------------

Operator Name MEWBOURNE OIL COMPANY SHL Lot P Sec 22 23S 30E	Well Name FORTY NINER RIDGE UNIT	Well Number 117H	US Well Number 3001547891
	County EDDY	State NM	Lease Number(s) NMNM0531277, NMNM0531731
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name FORTY NINER RIDGE UNIT	Agreement Number(s) NMNM70951X
Allottee/Tribe Name	Well Pad Name FORTY NINER RIDGE UNIT	Well Pad Number 3	ID 10400042552

Tubing

Wellbore Code	Tubing Size	Describe Other	Tubing Setting Depth (MD/ft)	Packer Depth (MD/ft)	Tubing Weight	Tubing Grade	Describe Other	Tubing Coupling	Describe Other
00	3.5		9345		9	L-80		OTHER	IPC

Logs

Wellbore Code	Log Upload	Was Well Cored?	Was DST Run?	Directional Survey?	Geologic Report	Wellbore Diagram
00	YES	NO	NO	YES	NO	YES

Operator Name MEWBOURNE OIL COMPANY SHL Lot P Sec 22 23S 30E	Well Name FORTY NINER RIDGE UNIT	Well Number 117H	US Well Number 3001547891
	County EDDY	State NM	Lease Number(s) NMNM0531277, NMNM0531731
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name FORTY NINER RIDGE UNIT	Agreement Number(s) NMNM70951X
Allottee/Tribe Name	Well Pad Name FORTY NINER RIDGE UNIT	Well Pad Number 3	ID 10400042552

Operator

I hereby certify that the foregoing and attached information is complete and correct as determined from all available records. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Well Completion Reports through this system satisfies regulations requiring a submission of Form 3160-4 or a Well Completion Report.

Name: MEWBOURNE OIL COMPANY**Signed By:** JENIFER SORLEY**Title:** Regulatory Analyst**Signed on:** 05/05/2022**Street Address:** 2129 S GREAT SOUTHWEST PARKWAY SUITE 313**City:** GRAND PRAIRIE**State:** TX**Zip:** 75051**Phone:** (817)529-1180**Email address:** JENIFER.SORLEY@TRANSGLOBALLLC.COM**Field****Representative Name:****Street Address:****City:****State:****Zip:****Phone:****Extension:****Email address:****Attachments**

Forty_Niner_Ridge_Unit_117H___Final_Survey_20220505084703.pdf

FORTY_NINER_RIDGE_UNIT_117H_AS_DRILLED_20220505084710.pdf

Forty_Niner_Ridge_Unit_117H___WBD_20220505084712.pdf


Forty_Niner_Ridge_Unit_117H_2.5in_TVD_20220505084719.tiff

Forty_Niner_Ridge_Unit_117H_5in_TVD_20220505084730.tiff

Operator Name MEWBOURNE OIL COMPANY SHL Lot P Sec 22 23S 30E	Well Name FORTY NINER RIDGE UNIT	Well Number 117H	US Well Number 3001547891
	County EDDY	State NM	Lease Number(s) NMNM0531277, NMNM0531731
Well Type CONVENTIONAL GAS WELL	Well Status Drilling Well	Agreement Name FORTY NINER RIDGE UNIT	Agreement Number(s) NMNM70951X
Allottee/Tribe Name	Well Pad Name FORTY NINER RIDGE UNIT	Well Pad Number 3	ID 10400042552

Forty_Niner_Ridge_Unit_117H_2.5in_MD_20220505084737.tiff

Forty_Niner_Ridge_Unit_117H_5in_MD_20220505084748.tiff

Submit To Appropriate District Office Two Copies <u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 <u>District II</u> 811 S. First St., Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Rd., Aztec, NM 87410 <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG								1. WELL API NO. 30-015-47891		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name Forty Niner Ridge Unit		
								6. Well Number: 117H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Mewbourne Oil Company						9. OGRID 14744				
10. Address of Operator PO Box 5270 Hoobs, NM 88241						11. Pool name or Wildcat Forty Niner Ridge; Bone Spring				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	P	22	23S	30E		40	South	800	East	Eddy
BH:	A	15	23S	30E		21	North	656	East	Eddy
13. Date Spudded 7/22/2021	14. Date T.D. Reached 9/7/2021		15. Date Rig Released 9/9/2021			16. Date Completed (Ready to Produce) 12/30/2021		17. Elevations (DF and RKB, RT, GR, etc.) 3264 GR		
18. Total Measured Depth of Well 20617			19. Plug Back Measured Depth 20612			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run		
22. Producing Interval(s), of this completion - Top, Bottom, Name 10252-20599, Bone Spring										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
13 3/8		54.5		440		17 1/2		400		0
9 5/8		40		3743		12 1/4		900		0
7		29		9606		8 3/4		700		0
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		25. TUBING RECORD		SIZE		DEPTH SET
4 1/2	9406	20617	850					3 1/2		9345
26. Perforation record (interval, size, and number) 10252-20599, 0.39, 2268						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						10252-20599		25363968-gal SW, 212698100# 100 mesh sand		
								4005700# 40/70 sand		
28. PRODUCTION										
Date First Production 1/11/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Prod				
Date of Test 1/22/2022	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 1345	Gas - MCF 874	Water - Bbl. 3197	Gas - Oil Ratio			
Flow Tubing Press. 525	Casing Pressure 60	Calculated 24-Hour Rate	Oil - Bbl. 1345	Gas - MCF 874	Water - Bbl. 3197	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature				Printed Name		Jenifer Sorley		Title		Regulatory Analyst
E-mail Address		Jenifer.sorley@transgloballlc.com								
										Date 5/11/2022

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T.Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T.Tubb	T. Delaware Sand	T. Morrison	
T. Drinkard	T. Bone Springs	T.Todilto	
T. Abo	T.	T. Entrada	
T. Wolfcamp	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

Mewbourne Oil Company

Well Name: Forty Niner Ridge Unit #117H

Updated by: Rhet Maxey

Date Updated: 3/22/2022

Spud Date: 07/22/21
 Rig Release: 09/09/2021
 Frac Complete: 12/30/2021
 Prod Date: 01/11/22
 GL: 3264

Surface

17 1/2" x 13 3/4" 54.5# J55
 Set @ 440'
 Cmt w/ 400 sx
 Circ. 114 sx to pit
 Top Lead: 0'
 Top Tail: 186'

Intermediate

12 3/4" x 9 3/4" 36# J55
 Set @ 3743'
 Cmt w/ 900 sx
 Circ. 194 sx to pit
 Top Lead: 0'
 Top Tail: 3017'

Production

8 3/4" x 7" 29# HPP110
 Set @ 9606'
 Cmt w/ 700 sx
 Circ. 25 sx to pit
 Top Lead: 0'
 Top Tail: 6384'

Liner

6 1/8" x 4 1/2" 13.5 # HCP110
 Set @ 9406' - 20617'
 Cmt w/ 850 sx
 TOC @ 9406'

TBG Details:

1 2 1/2" 6.5# L80 Tbg Sub w/collar	6.00'
1 2 1/2" x 7" AS 1X Pkr w/O/O tool	9.75'
1 2 1/2" SN w/collar	1.10'
1 2 1/2" x 3 1/2" XO	0.60'
1 3 1/2" 9.3# L80 IPC Tbg	33.05'
1 3 1/2" L80 GLV #1	4.10'
18 3 1/2" 9.3# L80 IPC Tbg	594.32'
1 3 1/2" L80 GLV #2	4.10'
20 3 1/2" 9.3# L80 IPC Tbg	660.05'
1 3 1/2" L80 GLV #3	4.10'
19 3 1/2" 9.3# L80 IPC Tbg	626.80'
1 3 1/2" L80 GLV #4	4.10'
19 3 1/2" 9.3# L80 IPC Tbg	617.52'
1 3 1/2" L80 GLV #5	4.10'
19 3 1/2" 9.3# L80 IPC Tbg	625.95'
1 3 1/2" L80 GLV #6	4.10'
20 3 1/2" 9.3# L80 IPC Tbg	633.56'
1 3 1/2" L80 GLV #7	4.10'
20 3 1/2" 9.3# L80 IPC Tbg	625.90'
1 3 1/2" L80 GLV #8	4.10'
20 3 1/2" 9.3# L80 IPC Tbg	632.64'
1 3 1/2" L80 GLV #9	4.10'
20 3 1/2" 9.3# L80 IPC Tbg	638.42'
1 3 1/2" L80 GLV #10	4.10'
20 3 1/2" 9.3# L80 IPC Tbg	631.56'
1 3 1/2" L80 GLV #11	4.10'
33 3 1/2" 9.3# L80 IPC Tbg	1038.83'
1 3 1/2" L80 GLV #12	4.10'
59 3 1/2" 9.3# L80 IPC Tbg	1856.91'
1 3 1/2" 9.3# L80 IPC Sub (2')	2.00'
1 3 1/2" 9.3# L80 IPC Tbg	32.92'

Total tbg	9317.08'
KB Correction	28.00'
Tbg set @	9345.08'

	Lat	Long	Footage	Section	Town/Rng	Lease	MD
SHL	32.2833117	-103.8628567	40' FSL & 800' FEL		22 T23S/R30E	State	
KOP	32.2832386	-103.8623941	13' FSL & 657' FEL		22 T23S/R30E	State	9676
FTP	32.2838240	-103.8625623	226' FSL & 708' FEL		22 T23S/R30E	State	10252
PPP2	32.2941151	-103.8624057	1322' FNL & 639' FEL		22 T23S/R30E	NMNM0531731	14021
PPP3	32.2977504	-103.8624330	0' FSL & 640' FEL		15 T23S/R30E	NMNM0531277	15344
PPP4	32.3050262	-103.8624348	2645' FNL & 651' FEL		15 T23S/R30E	NMNM0543748	17991
LTP	32.3121929	-103.8624166	39' FNL & 656' FEL		15 T23S/R30E	NMNM0543748	20599
BHL	32.3122424	-103.8624172	21' FNL & 656' FEL		15 T23S/R30E	NMNM0543748	20617

KOP @ 9676'
 Dev @ KOP: 1.98°

TVD @ 10251'
 TD 6 1/8" hole @ 20617'
 PBTD: 20612'
 Perfs: 10252' - 20599', 0.39, 2268

Frac horizontal Harkey w/25363968 gals slickwater, carrying 21698100# 100 mesh sand (7379920# local sand & 14318180# premium sand) & 4005700# local 40/70

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 106355

ACKNOWLEDGMENTS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 106355
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 106355

CONDITIONS

Operator: MEWBOURNE OIL CO P.O. Box 5270 Hobbs, NM 88241	OGRID: 14744
	Action Number: 106355
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	8/4/2025