

Submit 1 Copy To Appropriate District  
Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised August 1, 2011

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

|                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| WELL API NO.<br>30-025-38576 and 30-025-42139                                                                                                          |
| 5. Indicate Type of Lease<br>STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>                                                    |
| 6. State Oil & Gas Lease No.<br>V07530-0001                                                                                                            |
| 7. Lease Name or Unit Agreement Name<br>Linam AGI                                                                                                      |
| 8. Wells Number 1 and 2                                                                                                                                |
| 9. OGRID Number 36785                                                                                                                                  |
| 10. Pool name or Wildcat<br>Wildcat                                                                                                                    |
| 4. Well Location<br>Unit Letter K; 1980 feet from the South line and 1980 feet from the West line<br>Section 30 Township 18S Range 37E NMPM County Lea |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br>3736 GR                                                                                          |

SUNDRY NOTICES AND REPORTS ON WELLS  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well: Oil Well ☐ Gas Well ☒ Other

2. Name of Operator  
DCP Operating Company, LP

3. Address of Operator  
6900 E. Layton Ave, Suite 900, Denver CO 80237

4. Well Location

Unit Letter K; 1980 feet from the South line and 1980 feet from the West line

Section 30 Township 18S Range 37E NMPM County Lea

11. Elevation (Show whether DR, RKB, RT, GR, etc.)  
3736 GR

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐  
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐  
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐  
DOWNHOLE COMMINGLE ☐  
OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐  
COMMENCE DRILLING OPNS. ☐ P AND A ☐  
CASING/CEMENT JOB ☐  
OTHER: Monthly Report pursuant to Workover C-103 ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

Report for the Month ending August 31, 2024 Pursuant to Workover C-103 for Linam AGI #1 and AGI #2

This is the 148<sup>th</sup> monthly submittal of data as agreed between DCP and OCD relative to injection pressure, TAG temperature and casing annulus pressure and bottom hole data for Linam AGI #1. Since the data for both wells provide the best overall picture of the performance of the AGI system, the data for both wells are analyzed and presented herein even though that analysis is required only on a quarterly basis for AGI #2.

All flow this month was directed to AGI #2. Injection parameters being monitored for AGI #1 (currently static) were as follows (Figures 1, 2, 3, 4): Average Injection Rate: 0 scf/hr, Average TAG Injection Pressure: 1097 psig, Average TAG Temperature: 87°F, Average Annulus Pressure: 325 psig, Average Pressure Differential: 772 psig. Bottom hole (BH) sensors provided the average BH pressure for the entire period of 4,049 psig and BH temperature of 138 °F (Figures 8 and 9). The BH pressure quickly responded to the switchover to AGI #2. This is a very good indication of the continued resilience of the injection zone and the excess capacity available for TAG at current injection rates.

The recorded injection parameters for AGI #2 for the month were: Average Injection Rate 169,777 scf/hr (AGI #2 was the only well used this month), Average Injection Pressure: 1,352 psig, Average TAG Temperature: 100°F, Average Annulus Pressure: 101 psig. Average Pressure Differential: 1,251 psig (Figures 5, 6, 7).


The Linam AGI #1 and AGI #2 wells are serving as a safe, effective, and environmentally friendly system to dispose of, and permanently sequester, Class II wastes consisting of H<sub>2</sub>S and CO<sub>2</sub>. The Linam AGI Facility permanently sequestered 5,045 Metric Tons of CO<sub>2</sub> for this month (Figure 10). The two wells provide the required redundancy to the plant that allows for operation with disposal to either or both wells. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE  TITLE Consultant to DCP Operating Company, LP/ Geolex, Inc. DATE 9/5/2024  
Type or print name Alberto A. Gutierrez, RG E-mail address: aag@geolex.com PHONE: 505-842-8000


For State Use Only

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_  
Conditions of Approval (if any): \_\_\_\_\_


**Figure #1: Linam AGI #1 and #2 Combined TAG Injection Flow Rate**




**Figure #2: Linam AGI #1 Surface TAG Injection Pressure and Annular Pressure**




### Figure #3: Linam AGI #1 TAG Injection Pressure, Casing Annulus Pressure and TAG Injection Temperature




**Figure #4: Linam AGI #1 TAG Injection Pressure and Casing Annular Pressure Differential**




**Figure #5: Linam AGI #2 Injection Pressure, Rate and Casing Annulus Pressure**




**Figure #6: Linam AGI #2 TAG Injection Pressure, Casing Annulus Pressure and TAG Injection Temperature**




**Figure #7: Linam AGI #2 TAG Injection Pressure and Casing Annular Pressure Differential (psig)**



**Figure #8: Linam AGI #1 Bottom Hole Pressure and Temperature**




**Figure #9: Linam AGI #1 Surface Injection Pressure and Bottom Hole Pressure**



## CO2 Sequestered (metric tons)

**Figure #10: Linam AGI Facility Daily Metric Tons of Carbon Sequestered**



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 372953

CONDITIONS

|                                                                                   |                                                      |
|-----------------------------------------------------------------------------------|------------------------------------------------------|
| Operator:<br>DCP OPERATING COMPANY, LP<br>2331 Citywest Blvd<br>Houston, TX 77042 | OGRID:<br>36785                                      |
|                                                                                   | Action Number:<br>372953                             |
|                                                                                   | Action Type:<br>[C-103] Sub. General Sundry (C-103Z) |

CONDITIONS

| Created By    | Condition | Condition Date |
|---------------|-----------|----------------|
| mgebremichael | None      | 8/5/2025       |