

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 5380
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 025-50152	⁵ Pool Name WC-025 G-08 S243217P; UPR WOLFCAMP(OIL)	⁶ Pool Code 98248
⁷ Property Code 332874	⁸ Property Name OUTRIDER 28 FEDERAL	⁹ Well Number 502H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
M	28	24S	32E		423	South	538	West	Lea

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	21	24S	32E		22	North	1008	West	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	Plains Marketing	O
320009	Enlink Midstream	G
373073	XTO Permian Midstream	W

IV. Well Completion Data

²¹ Spud Date 06/08/2022	²² Ready Date 07/21/2023	²³ TD 22354 MD 12103 TYD	²⁴ PRTD 22332 MD 12103 TYD	²⁵ Perforations 12,152 TO 22,265	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
12.25	9.625 HCL80 40#	976	535		
8.75	7.625 HCL80 29.7#	11,155	1,390		
6.75	5 P110 18#	22,334	870		
	2 7/8 L80 6.5#	11,653			

V. Well Test Data

³¹ Date New Oil 07/22/23	³² Gas Delivery Date 07/28/23	³³ Test Date 07/28/23	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 3688	³⁶ Csg. Pressure 3694
³⁷ Choke Size	³⁸ Oil 752	³⁹ Water 3273	⁴⁰ Gas 2452		⁴¹ Test Method Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Amanda Thames</i>			OIL CONSERVATION DIVISION		
Printed name: Amanda Thames			Approved by:		
Title: Regulatory Analyst			Title:		
E-mail Address: amanda.thames@exxonmobil.com			Approval Date:		
Date: 8/9/2023		Phone: 432.221.7340			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720
District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720
District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT AS-DRILLED PLAT


¹ API Number 30-025-50152		² Pool Code 98248		³ Pool Name WC-025 G-08 S243217P;UPR WC	
⁴ Property Code 332874		⁵ Property Name OUTRIDER 28 FED			⁶ Well Number 502H
⁷ OGRID No. 005380		⁸ Operator Name XTO ENERGY, INC.			⁹ Elevation 3,514'

¹⁰ Surface Location									
UL or lot no. M	Section 28	Township 24 S	Range 32 E	Lot Idn	Feet from the 423	North/South line SOUTH	Feet from the 537	East/West line WEST	County LEA

¹¹ Bottom Hole Location If Different From Surface									
UL or lot no. D	Section 21	Township 24 S	Range 32 E	Lot Idn	Feet from the 22	North/South line NORTH	Feet from the 1,008	East/West line WEST	County LEA

¹² Dedicated Acres 320	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.
NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FUNISHED BY XTO ENERGY



¹⁷ OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Amanda Thames 8/9/2023
Signature Date

Amanda Thames
Printed Name

amanda.thames@exxonmobil.com
E-mail Address

¹⁸ SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

07-28-2023
Date of Survey

Signature and Seal of Professional Surveyor:

MARK DILLON HARP 23786
Certificate Number

GG 618.013012.00-23

Intent ☐ As Drilled ☐

API #		
Operator Name:	Property Name:	Well Number

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
Latitude					Longitude				NAD

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



Oilfield Services, Central U.S. Land
Schlumberger Drilling and Measurements
Drilling Group
Geo Market Area: South West Texas Basin
7220 W I-H 20
Midland, Texas 79706
Phone : (432) 742-5400 (Main)
Fax : (432) 742-5606 (Shared)

August 16, 2022

XTO ENERGY INCORPORATED
22777 SPRINGWOODS VILLAGE PKWY
SPRING, TX 77389

Re:

28 24S 32E LEA
N 32.182257 W -103.685937

CLIENT: XTO ENERGY INCORPORATED
WELL: OUTRIDER 28 FED 502H
FIELD: MESA VERDE; WOLFCAMP

RIG: Nabors X12
COUNTY: LEA
API NO: 30-025-50152
JOB NO: 22MLE0142

Enclosed, please find the original copy of the survey performed on the referenced well by Drilling & Measurements, a division of Schlumberger Technology Corporation (P-5 No. 754900).

Other information required by your office is as follows.

<u>Name & Title of Surveyor</u>	<u>Drainhole Number</u>	<u>Surveyed Depths</u>	<u>Dates Performed</u>	<u>Type of Survey</u>
Alla Postolakiy	OUTRIDER 28 FED	198.00 Ft	June 8, 2022	XBOLT
FE	502H Original Hole	22354.00 Ft	August 14, 2022	Third Party Corrected

Schlumberger-Private


Oilfield Services, Central U.S. Land
Schlumberger Drilling and Measurements
Drilling Group
Geo Market Area: South West Texas Basin
7220 W I-H 20
Midland, Texas 79706
Phone : (432) 742-5400 (Main)
Fax : (432) 742-5606 (Shared)

Schlumberger

Well Reference:

28 24S 32E LEA
N 32.182257 W -103.685937

I, Alla Postolakiy certify that; I am employed by Drilling & Measurements, a division of Schlumberger Technology Corporation; that I did on the day(s) of June 08, 2022 through August 14, 2022, conduct or supervise the taking of the XBOLT & Third Party Corrected surveys from a depth of 198.00 feet to a depth of 22354.00 feet referenced to driller's depth; that the data is true, correct, complete and within the limitations of the tool as set forth by Drilling & Measurements, a division of Schlumberger Technology Corporation; that I am authorized and qualified to make this report; that this survey was conducted at the request of XTO ENERGY INCORPORATED for the OUTRIDER 28 FED 502H Well (Original Hole) API No. 30-025-50152 in New Mexico; and that I have reviewed this report and find that it conforms to the principals and procedures as set forth by Drilling & Measurements, a division of Schlumberger Technology Corporation.



By
Alla Postolakiy
FE

Subscribed and Sworn to before me this _____ day of _____ (month) _____ (yr)

My Commission expires:

_____- (signature)
Notary Public

(County State)

Schlumberger

XTO OUTRIDER 28 FED 502H MWD Surveys 0' to 22354' MD Survey Geodetic Report**Definitive Survey**

Report Date: August 15, 2022 - 03:51 PM (UTC 0)
Client: XTO ENERGY, INC.
Field: NM Lea County (NAD 27)
Structure / Slot: XTO OUTRIDER 28 FED PAD / OUTRIDER 28 FED 502H
Well: OUTRIDER 28 FED 502H
Borehole: OUTRIDER 28 FED 502H
UBHI / API / JobNumber: Unknown / Unknown / Unknown
Survey Name / Version: XTO OUTRIDER 28 FED 502H MWD Surveys 0' to 22354' MD / 1
Survey Date: May 31, 2022
Tort / AHD / DDI / ERD Ratio: 387.820' / 11260.461 ft / 6.905' / 0.927
Coordinate Reference System: NAD27 New Mexico State Plane, Eastern Zone, US Feet
Location Lat / Long: N 32°10'56.12554" , W 103°41'9.37432"
Location Grid N/E Y/X: N 430628.200 RUS , E 700293.200 RUS
CRS Grid Convergence Angle: 0.3448"
Grid Scale Factor: 0.99995504
Engine Version: 2022.2.0.1

Survey / DLS Computation: Minimum Curvature / Lubinski
Vertical Section Asimuth: 2.251 ("Grid North)
Vertical Section Origin: 0.000 ft, 0.000 ft
TVD Reference Datum: RKB
TVD Reference Elevation: 3546.500 ft above MSL
Seabed / Ground Elevation: 3514.000 ft above MSL
Magnetic Declination: 6.501"
Total Gravity Field Strength: 988.4297mg (9.80665 Based)
Gravity Model: GARM
Total Magnetic Field Strength: 47554 nT
Magnetic Dip Angle: 59.78"
Declination Date: June 07, 2022
Magnetic Declination Model: IFR1+MS
North Reference: Grid
North Offset: 6.1562"
Local Coord Referenced To: Well Head

Comments	MD (ft)	Incl (°)	Azim (°)	TVD (ft)	VSEC (ft)	NS (ft)	EW (ft)	TVDS (ft)	DLS (°/100ft)	Northing (RUS)	Easting (RUS)	Latitude (N/S ° ' ")	Longitude (E/W ° ' ")	Closure (ft)	Closure Azimuth
SHL	0.00	0.00	0.00	0.00	0.00	0.00	0.00	-3.546.50	0.20	430.628.20	700.293.20	N 32°10'56.13"	W 103°41'9.37"		
	198.00	0.40	52.97	198.00	0.44	0.42	0.55	-3.348.50	0.20	430.628.62	700.293.75	N 32°10'56.13"	W 103°41'9.37"	0.69	52.97
	343.00	0.42	47.28	342.99	1.13	1.08	1.35	-3.203.51	0.03	430.629.28	700.294.55	N 32°10'56.14"	W 103°41'9.36"	1.73	51.22
	532.00	0.42	12.01	531.99	2.31	2.23	2.00	-3.014.51	0.13	430.630.43	700.295.20	N 32°10'56.15"	W 103°41'9.35"	2.99	41.89
	626.00	0.25	357.23	625.99	2.85	2.77	2.06	-2.920.51	0.20	430.630.97	700.295.26	N 32°10'56.15"	W 103°41'9.35"	3.45	36.64
	719.00	0.31	300.53	718.99	3.17	3.10	1.63	-2.827.51	0.29	430.631.30	700.295.03	N 32°10'56.16"	W 103°41'9.35"	3.60	30.61
	810.00	0.65	271.12	809.98	3.28	3.24	1.11	-2.736.52	0.45	430.631.44	700.294.31	N 32°10'56.16"	W 103°41'9.36"	3.42	18.87
	902.00	0.83	278.88	901.98	3.34	3.35	-0.07	-2.644.52	0.22	430.631.55	700.293.13	N 32°10'56.16"	W 103°41'9.37"	3.35	358.74
12-1/4" Casing	929.00	0.88	275.29	928.97	3.38	3.40	-0.47	-2.617.53	0.27	430.631.60	700.292.73	N 32°10'56.16"	W 103°41'9.38"	3.43	352.07
	929.00	0.88	275.29	928.97	3.38	3.40	-0.47	-2.617.53	0.27	430.631.60	700.292.73	N 32°10'56.16"	W 103°41'9.38"	3.43	352.07
	1,039.00	1.02	275.73	1,038.96	3.48	3.57	-2.29	-2.507.54	0.13	430.631.77	700.290.91	N 32°10'56.16"	W 103°41'9.40"	4.24	327.37
	1,131.00	0.94	301.53	1,130.95	3.90	4.05	-3.75	-2.415.55	0.48	430.632.25	700.289.45	N 32°10'56.17"	W 103°41'9.42"	5.52	317.23
	1,224.00	0.89	282.26	1,223.93	4.40	4.60	-5.10	-2.322.57	0.33	430.632.80	700.288.10	N 32°10'56.17"	W 103°41'9.43"	6.87	312.05
	1,327.00	0.82	293.98	1,326.92	4.81	5.07	-6.56	-2.219.58	0.18	430.633.27	700.286.64	N 32°10'56.18"	W 103°41'9.45"	8.29	307.72
	1,513.00	1.10	334.71	1,512.90	6.89	7.23	-8.54	-2.033.60	0.39	430.635.43	700.284.66	N 32°10'56.20"	W 103°41'9.47"	11.19	310.25
	1,608.00	1.26	324.45	1,607.88	8.52	8.90	-9.53	-1.938.62	0.28	430.637.10	700.283.67	N 32°10'56.21"	W 103°41'9.48"	13.04	313.04
	1,704.00	1.64	332.26	1,703.85	10.54	10.98	-10.79	-1,842.65	0.45	430.639.18	700.282.41	N 32°10'56.23"	W 103°41'9.50"	15.39	315.50
	1,799.00	1.12	327.09	1,798.82	12.48	12.96	-11.92	-1,747.68	0.56	430.641.16	700.281.28	N 32°10'56.25"	W 103°41'9.51"	17.61	317.38
	1,894.00	1.05	347.10	1,893.79	14.56	15.07	-12.73	-1,652.71	0.75	430.643.27	700.280.47	N 32°10'56.28"	W 103°41'9.52"	19.73	319.81
	1,989.00	1.62	349.59	1,988.75	17.19	17.73	-13.28	-1,557.75	0.08	430.645.93	700.279.92	N 32°10'56.30"	W 103°41'9.53"	22.15	323.16
	2,084.00	1.45	43.20	2,083.72	19.41	19.92	-12.70	-1,462.78	1.47	430.648.12	700.280.50	N 32°10'56.32"	W 103°41'9.55"	23.63	327.48
	2,179.00	2.10	54.93	2,178.68	21.37	21.80	-10.45	-1,367.82	0.78	430.650.00	700.282.75	N 32°10'56.34"	W 103°41'9.49"	24.18	334.38
	2,273.00	3.35	87.75	2,272.57	22.63	22.90	-6.30	-1,273.93	2.08	430.651.10	700.286.90	N 32°10'56.35"	W 103°41'9.45"	23.75	344.62
	2,369.00	4.84	104.16	2,368.33	22.02	22.02	0.43	-1,178.17	1.96	430.650.22	700.293.63	N 32°10'56.34"	W 103°41'9.37"	22.02	1.12
	2,461.00	6.22	113.69	2,459.90	19.39	19.06	8.76	-1,086.60	1.80	430.647.26	700.301.96	N 32°10'56.31"	W 103°41'9.27"	20.98	24.68
	2,555.00	6.97	117.74	2,553.28	15.08	14.36	18.47	-993.22	0.94	430.642.56	700.311.67	N 32°10'56.27"	W 103°41'9.16"	23.40	52.13
	2,650.00	7.42	116.67	2,647.53	10.06	8.93	29.05	-898.97	0.49	430.637.13	700.322.25	N 32°10'56.21"	W 103°41'9.04"	30.39	72.92
	2,745.00	8.27	112.52	2,741.64	5.16	3.56	40.85	-804.86	1.07	430.631.76	700.334.04	N 32°10'56.16"	W 103°41'8.90"	41.00	85.02
	2,840.00	9.08	113.60	2,835.55	0.06	-2.06	54.03	-710.95	0.87	430.626.14	700.347.22	N 32°10'56.10"	W 103°41'8.75"	54.07	92.19
	2,935.00	9.82	122.10	2,929.27	-6.70	-9.37	67.76	-617.23	1.66	430.618.83	700.360.96	N 32°10'56.03"	W 103°41'8.59"	68.40	97.87
	3,030.00	9.43	126.84	3,022.93	-15.15	-18.34	80.85	-523.57	0.93	430.609.86	700.374.05	N 32°10'55.94"	W 103°41'8.37"	82.91	102.78
	3,116.00	8.59	126.87	3,116.76	-23.60	-27.26	92.76	-429.74	0.88	430.600.94	700.385.95	N 32°10'55.85"	W 103°41'8.30"	96.68	106.38
	3,220.00	6.24	126.33	3,210.96	-30.52	-34.58	102.59	-335.54	2.47	430.593.62	700.395.79	N 32°10'55.78"	W 103°41'8.18"	108.26	108.63
	3,315.00	5.41	130.57	3,305.47	-40.41	-110.30	164.02	-258.43	1.91	430.587.79	700.403.46	N 32°10'55.72"	W 103°41'8.09"	117.47	110.12
	3,410.00	5.24	132.02	3,400.06	-41.36	-45.99	117.12	-146.44	0.35	430.582.21	700.410.32	N 32°10'55.66"	W 103°41'8.01"	125.83	111.44
	3,505.00	5.34	127.54	3,494.65	-46.58	-51.49	123.90	-51.85	0.32	430.576.71	700.417.10	N 32°10'55.61"	W 103°41'7.94"	134.18	112.57
	3,600.00	5.83	121.73	3,589.20	-51.51	-56.72	131.51	42.70	0.79	430.571.48	700.424.71	N 32°10'55.56"	W 103°41'7.85"	143.22	113.33
	3,695.00	4.44	117.49	3,683.82	-55.46	-60.96	138.88	137.32	1.52	430.567.25	700.432.07	N 32°10'55.51"	W 103°41'7.76"	151.67	113.70
	3,789.00	5.82	130.37	3,777.44	-59.95	-65.72	145.74	230.94	1.90	430.562.48	700.438.93	N 32°10'55.47"	W 103°41'7.66"	159.87	114.27
	3,884.00	6.88	129.41	3,871.86	-66.36	-72.46	153.81	325.36	1.12	430.555.75	700.447.00	N 32°10'55.40"	W 103°41'7.59"	170.02	115.22
	3,979.00	8.29	121.89	3,966.03	-73.18	-79.09	164.02	419.63	1.21	430.548.32	700.457.11	N 32°10'55.33"	W 103°41'7.47"	182.35	115.91
	4,074.00	10.11	125.06	4,059.80	-81.09	-88.09	176.66	513.30	1.99	430.540.11	700.469.85	N 32°10'55.24"	W 103°41'7.33"	197.41	116.50
	4,168.00	7.63	114.96	4,152.68	-87.97	-95.47	189.07	606.18	3.11	430.532.74	700.482.26	N 32°10'55.17"	W 103°41'7.18"	211.81	116.79
	4,263.00	9.52	119.13	4,246.61	-93.96	-101.96	201.65	700.11	2.09	430.526.25	700.494.84	N 32°10'55.10"	W 103°41'7.04"	225.96	116.82
	4,358.00	12.95	127.36	4,339.78	-103.64	-112.24	216.98	793.28	3.98	430.515.96	700.510.17	N 32°10'55.00"	W 103°41'6.86"	244.30	117.35
	4,453.00	14.48	134.28	4,432.08	-117.71	-127.00	233.95	885.58	2.36	430.501.21	700.527.14	N 32°10'54.85"	W 103°41'6.66"	266.20	118.49
	4,547.00	11.13	138.19	4,523.73	-132.10	-141.97	248.42	977.23	2.38	430.486.24	700.541.60	N 32°10'54.71"	W 103°41'6.49"	286.12	119.75
	4,642.00	8.07	139.70	4,617.39	-143.61	-153.69	258.94	1,070.89	3.23	430.474.32	700.552.03	N 32°10'54.57"	W 103°41'6.37"	301.14	120.73
	4,736.00	6.16	134.19	4,704.93	-160.16	-171.88	274.70	1,158.43	2.05	430.457.13	700.567.89	N 32°10'54.42"	W 103°41'6.27"	323.61	121.91
	4,826.00	6.12	129.96	4,809.38	-166.66	-177.88	282.23	1,332.88	0.48	430.450.33	700.575.41	N 32°10'54.35"	W 103°41'6.10"	333.61	122.22
	5,116.00	6.41	123.76	5,088.25	-178.39	-190.27	298.80	1,541.75	0.39	430.437.94	700.591.98	N 32°10'54.22"	W 103°41'5.91"	354.23	122.49
	5,211.00	6.38	120.41	5,182.66	-183.65	-195.89	307.76	1,636.16	0.39	430.432.32	700.600.94	N 32°10'54.17"	W 103°41'5.81"	364.81	122.48
	5,300.00	7.69	107.43	5,270.25	-191.92	-204.99	328.88	1,823.75	1.09	430.423.22	700.622.06	N 32°10'54.08"	W 103°41'5.56"	387.53	121.94
	5,495.00	7.80	100.83	5,464.38	-194.54	-208.11	341.28	1,917.88	0.94	430.420.10	700.634.46	N 32°10'54.05"	W 103°41'5.42"	399.72	121.37
	5,590.00	7.72	102.44	5,558.51	-210.69	-216.69	353.84	2,012.01	0.54	430.417.52	700.647.02	N 32°10'53.97"	W 103°41'5.27"	411.82	120.77
	5,684.00	7.85	109.74	5,651.75	-196.44	-213.44	365.88	2,105.25	1.35	430.414.27	700.658.47	N 32°10'53.90"	W 103°41'5.14"	425.32	120.42
	5,779.00	7.78	108.05	5,745.98	-202.90	-217.86	376.75	2,199.48	1.04	430.410.35	700.669.93	N 32°10'53.95"	W 103°41'5.01"	435.20	120.04
	5,873.00	7.22	116.95	5,839.17	-207.10	-222.51	388.09	2,292.67	1.39	430.405.70	700.681.27	N 32°10			

	10.039.00	0.95	226.65	9.997.30	-334.04	-352.92	473.86	6.450.80	0.40	430.275.29	700.767.04	N 32°10'52.60"	W 103°41'3.89"	590.85	126.68
	10.134.00	0.89	205.49	10.092.29	-335.28	-354.13	472.97	6.545.79	0.36	430.274.09	700.766.15	N 32°10'53.90"	W 103°41'3.90"	590.85	126.82
	10.229.00	1.26	173.36	10.187.27	-336.99	-355.83	472.77	6.640.77	0.73	430.272.38	700.765.95	N 32°10'52.58"	W 103°41'3.90"	591.72	126.97
	10.324.00	1.59	160.24	10.282.24	-339.27	-358.13	472.70	6.735.74	0.44	430.270.09	700.765.66	N 32°10'52.55"	W 103°41'3.89"	593.51	127.11
	10.419.00	1.08	169.81	10.377.21	-341.38	-360.27	473.04	6.830.71	0.56	430.267.85	700.767.07	N 32°10'53.25"	W 103°41'3.89"	595.24	127.25
	10.513.00	0.97	229.40	10.471.20	-342.79	-361.66	473.39	6.924.70	1.09	430.266.56	700.766.57	N 32°10'52.52"	W 103°41'3.89"	596.73	127.38
	10.608.00	0.99	264.30	10.566.19	-343.45	-362.26	471.96	7.019.69	0.62	430.265.95	700.765.14	N 32°10'52.51"	W 103°41'3.91"	594.96	127.51
	10.703.00	1.71	304.08	10.661.16	-342.82	-361.55	469.97	7.114.66	1.20	430.266.67	700.763.15	N 32°10'52.52"	W 103°41'3.93"	592.95	127.57
	10.798.00	1.59	264.08	10.756.13	-342.25	-360.89	467.49	7.209.63	1.19	430.267.33	700.760.67	N 32°10'52.53"	W 103°41'3.96"	590.58	127.67
	10.892.00	2.14	244.11	10.850.08	-343.27	-361.79	464.61	7.303.58	0.90	430.266.42	700.757.79	N 32°10'52.52"	W 103°41'3.99"	588.86	127.91
	10.987.00	2.18	214.08	10.944.99	-345.77	-365.47	469.79	7.393.63	1.47	430.263.75	700.753.46	N 32°10'52.53"	W 103°41'4.03"	588.21	128.29
8-3/4" Casing	11.082.00	4.06	224.08	11.039.82	-350.52	-368.79	458.02	7.483.32	1.44	430.269.43	700.751.20	N 32°10'52.45"	W 103°41'4.07"	588.03	128.84
	11.082.00	4.06	224.08	11.039.82	-350.52	-368.79	458.02	7.483.32	1.44	430.269.43	700.751.20	N 32°10'52.45"	W 103°41'4.12"	587.38	129.42
	11.164.00	4.25	226.69	11.121.61	-354.85	-372.96	453.79	7.575.11	0.33	430.255.26	700.746.97	N 32°10'52.38"	W 103°41'4.16"	586.50	129.84
	11.258.00	1.23	246.14	11.215.49	-357.78	-375.75	450.33	7.668.99	3.32	430.252.46	700.743.51	N 32°10'52.38"	W 103°41'4.18"	585.51	129.93
	11.353.00	0.65	313.89	11.310.48	-357.87	-375.79	449.01	7.763.98	1.21	430.252.43	700.742.19	N 32°10'52.39"	W 103°41'4.18"	584.44	129.86
	11.448.00	1.05	1.59	11.405.47	-359.64	-374.55	448.64	7.858.97	0.82	430.253.67	700.741.82	N 32°10'52.39"	W 103°41'4.17"	579.55	129.10
	11.543.00	10.02	7.78	11.499.93	-347.53	-365.47	449.79	7.953.63	9.45	430.262.75	700.742.87	N 32°10'52.73"	W 103°41'4.16"	564.46	127.07
	11.638.00	20.88	358.15	11.591.37	-322.34	-340.29	450.36	8.044.87	11.71	430.267.93	700.743.54	N 32°10'52.95"	W 103°41'4.16"	550.67	125.24
FTP [100' FSL, 336' FEL]	11.693.90	26.73	358.72	11.642.49	-299.83	-317.74	449.76	8.095.99	10.48	430.310.48	700.742.94	N 32°10'53.14"	W 103°41'4.17"	540.02	123.68
	11.732.00	30.72	358.99	11.675.90	-281.58	-299.43	449.40	8.129.40	10.48	430.328.78	700.742.58	N 32°10'53.64"	W 103°41'4.17"	512.47	118.95
	11.827.00	34.83	358.92	11.755.76	-230.22	-248.03	448.46	8.209.26	4.33	430.380.19	700.741.64	N 32°10'54.22"	W 103°41'4.18"	486.13	112.99
	11.922.00	40.70	359.20	11.830.83	-172.16	-189.88	447.51	8.284.33	6.18	430.438.33	700.740.69	N 32°10'54.86"	W 103°41'4.18"	464.31	105.68
	12.016.00	45.82	359.92	11.899.28	-107.83	-125.48	447.04	8.352.76	5.47	430.502.72	700.740.22	N 32°10'55.58"	W 103°41'4.17"	450.97	96.69
	12.111.00	54.06	1.35	11.959.96	-34.91	-52.54	447.90	8.413.46	9.38	430.575.67	700.741.08	N 32°10'56.37"	W 103°41'4.16"	451.66	96.92
	12.206.00	61.11	2.04	12.010.44	45.51	62.15	447.05	8.483.43	0.94	430.656.03	700.739.46	N 32°10'57.21"	W 103°41'4.09"	467.36	76.03
	12.301.00	66.00	2.32	12.052.73	130.54	112.82	453.54	8.506.23	0.15	430.741.02	700.746.72	N 32°10'58.09"	W 103°41'4.04"	499.85	66.21
	12.396.00	72.94	2.61	12.086.03	219.45	201.65	457.37	8.539.53	7.31	430.829.84	700.750.55	N 32°10'59.01"	W 103°41'3.97"	540.07	57.57
	12.491.00	80.62	3.86	12.107.74	311.85	293.91	462.60	8.561.24	8.18	430.922.10	700.755.78	N 32°10'59.84"	W 103°41'3.89"	609.03	50.39
	12.586.00	89.08	4.13	12.114.77	406.42	388.30	469.19	8.568.27	10.80	431.016.48	700.762.37	N 32°11'00.88"	W 103°41'3.85"	676.65	44.43
	12.681.00	90.89	1.31	12.114.79	501.40	483.17	473.70	8.568.29	3.52	431.111.35	700.766.88	N 32°11'01.82"	W 103°41'3.83"	746.80	39.27
	12.776.00	89.03	357.51	12.116.35	596.26	578.14	472.72	8.569.85	4.00	431.206.31	700.765.90	N 32°11'02.48"	W 103°41'3.82"	820.21	34.89
	12.871.00	89.46	357.79	12.117.60	690.94	671.07	475.85	8.571.10	0.54	431.301.22	700.762.02	N 32°11'03.70"	W 103°41'3.85"	897.65	31.18
	12.966.00	89.58	357.32	12.118.40	785.62	767.96	464.77	8.571.90	0.51	431.396.12	700.757.95	N 32°11'04.63"	W 103°41'3.95"	977.48	28.15
	13.060.00	89.56	358.20	12.119.11	879.33	861.89	461.10	8.572.61	0.96	431.490.05	700.754.28	N 32°11'06.51"	W 103°41'3.97"	1,147.26	23.53
	13.250.00	90.01	359.96	12.119.82	1,069.03	1,051.85	458.05	8.573.32	0.94	431.680.00	700.751.23	N 32°11'07.45"	W 103°41'3.95"	1,234.97	21.78
	13.345.00	89.55	0.14	12.120.18	1,163.96	1,146.85	458.13	8.573.68	0.52	431.775.00	700.751.31	N 32°11'09.33"	W 103°41'3.93"	1,413.73	18.98
	13.535.00	89.88	0.92	12.121.13	1,353.87	1,336.84	459.89	8.574.63	0.45	431.964.98	700.753.07	N 32°11'10.27"	W 103°41'3.91"	1,504.23	17.85
	13.630.00	89.77	0.48	12.121.42	1,448.83	1,431.83	461.05	8.574.92	0.48	432.059.96	700.754.23	N 32°11'12.15"	W 103°41'3.89"	1,595.02	16.91
	13.725.00	89.65	359.92	12.121.90	1,543.77	1,526.75	461.63	8.575.14	0.66	432.154.96	700.754.70	N 32°11'13.25"	W 103°41'3.86"	1,686.22	15.88
	13.820.00	90.18	0.25	12.122.04	1,638.70	1,621.83	461.52	8.575.54	0.68	432.249.95	700.754.70	N 32°11'13.80"	W 103°41'3.85"	1,778.26	15.11
	13.915.00	89.94	2.09	12.121.94	1,733.68	1,716.80	463.46	8.575.44	1.95	432.344.92	700.756.64	N 32°11'14.03"	W 103°41'3.81"	1,870.96	14.45
	14.010.00	90.02	2.21	12.121.97	1,828.68	1,811.74	467.03	8.575.47	0.15	432.439.85	700.760.20	N 32°11'14.97"	W 103°41'3.82"	1,963.40	13.80
	14.105.00	90.15	359.40	12.121.83	1,923.64	1,906.72	468.36	8.575.33	2.96	432.534.83	700.761.54	N 32°11'15.91"	W 103°41'3.82"	2,055.12	13.10
	14.200.00	90.42	357.30	12.121.36	2,018.41	2,001.67	465.63	8.574.86	2.23	432.629.78	700.758.80	N 32°11'16.84"	W 103°41'3.85"	2,146.97	12.43
	14.295.00	89.68	358.67	12.121.28	2,113.15	2,096.61	462.29	8.574.78	1.64	432.724.71	700.755.46	N 32°11'17.82"	W 103°41'3.91"	2,239.02	11.31
	14.390.00	89.82	357.43	12.121.49	2,207.91	2,191.49	463.26	8.575.09	1.72	432.819.63	700.750.31	N 32°11'19.66"	W 103°41'3.89"	2,331.78	10.87
	14.485.00	90.08	359.45	12.121.59	2,302.72	2,286.53	467.13	8.575.12	1.48	432.909.62	700.750.53	N 32°11'20.60"	W 103°41'3.85"	2,425.05	10.51
	14.580.00	90.15	0.82	12.121.62	2,397.65	2,381.53	467.35	8.575.12	1.17	433.004.59	700.752.81	N 32°11'21.54"	W 103°41'3.82"	2,518.80	10.87
	14.675.00	90.08	1.93	12.121.43	2,492.64	2,476.50	459.63	8.574.93	1.05	433.104.59	700.752.81	N 32°11'22.48"	W 103°41'3.84"	2,612.60	10.18
	14.770.00	89.43	0.61	12.121.83	2,587.62	2,571.48	461.74	8.575.33	1.55	433.199.56	700.754.92	N 32°11'23.42"	W 103°41'3.82"	2,705.73	9.78
	14.865.00	90.11	356.70	12.122.22	2,682.42	2,666.43	459.51	8.575.72	4.18	433.294.50	700.752.69	N 32°11'24.36"	W 103°41'3.91"	2,798.07	9.31
	14.960.00	89.43	355.19	12.122.60	2,776.84	2,761.19	452.79	8.576.10	1.74	433.389.26	700.745.97	N 32°11'25.30"	W 103°41'3.99"	2,890.41	8.86
	15.055.00	89.49	356.89	12.123.49	2,871.16	2,855.89	445.38	8.576.89	0.71	433.483.96	700.738.56	N 32°11'26.23"	W 103°41'3.99"	2,982.02	8.36
	15.150.00	89.41	354.73	12.124.59	2,965.47	2,950.57	443.82	8.577.68	1.23	433.578.63	700.737.17	N 32°11'27.17"	W 103°41'4.01"	3,075.49	8.04
	15.245.00	89.65	356.25	12.125.55	3,059.81	3,045.26	430.12	8.579.05	1.67	433.673.32	700.723.30	N 32°11'28.12"	W 103°41'4.01"	3,168.87	7.72
	15.340.00	89.72	358.35	12.126.07	3,154.44	3,140.15	425.64	8.579.57	2.21	433.768.20	700.718.82	N 32°11'29.05"	W 103°41'4.12"	3,263.85	7.47
	15.436.00	89.75	0.18	12.126.51	3,250.31	3,236.14	424.41	8.580.01	1.91	433.864.19	700.717.59	N 32°11'30.05"	W 103°41'4.12"	3,357.27	7.29
	15.530.00	90.15	1.84	12.126.60	3,344.28	3,330.12	426.07	8.580.10	1.82	433.958.16	700.719.25	N 32°11'31.00"	W 103°41'4.12"	3,452.01	7.18
	15.625.00	89.95	4.38	12.127.34	3,439.26	3,424.97	431.22	8.580.84	2.96	434.053.01	700.724.40	N 32°11'32.00"	W 103°41'4.13"	3,548.68	7.10
	15.720.00	89.46	4.90	12.128.66	3,534.19	3,519.70	438.21	8.582.16	0.63	434.147.74	700.731.39	N 32°11'33.00"	W 103°41'4.13"	3,645.26	6.82
	15.816.00	89.65	2.14	12.129.38											

Projection to Bit [316' FEL, 23' FNL]	22,354.00	87.41	359.89	12,104.14	10,132.50	10,124.68	397.89	8,557.64	0.00	440,752.41	700,691.08	N 32°12'36.29"	W 103°41'4.03"
--	-----------	-------	--------	-----------	-----------	-----------	--------	----------	------	------------	------------	----------------	----------------

10,132.50 2.25

Survey Type: Non-Def Plan
Survey Error Model: ISCWSA0 2 sigma
Survey Program:

Description	Part	MD From (ft)	MD To (ft)	EOU Freq (ft)	Hole Size (in)	Casing Diameter (in)	Expected Max Inclination (deg)	Survey Tool Type	Borehole / Survey
Slumberger / xBolt	1	0.000	929.000	Act Stns	12.250	9.625		A008Mb_MWD+IFR1+MS	OUTRIDER 28 FED 502H / XTO OUTRIDER 28 FED 502H MWD Surveys 0' to 22354' MD
Slumberger / xBolt	1	929.000	11,082.000	Act Stns	8.750	7.625		A008Mb_MWD+IFR1+MS	OUTRIDER 28 FED 502H / XTO OUTRIDER 28 FED 502H MWD Surveys 0' to 22354' MD
Slumberger / xBolt	1	11,082.000	22,354.000	Act Stns	6.750	5.500		A008Mb_MWD+IFR1+MS	OUTRIDER 28 FED 502H / XTO OUTRIDER 28 FED 502H MWD Surveys 0' to 22354' MD

Well Name: OUTRIDER 28 FED	Well Location: T24S / R32E / SEC 28 / SWSW / 32.182381 / -103.686417	County or Parish/State: LEA / NM
Well Number: 502H	Type of Well: OIL WELL	Allottee or Tribe Name:
Lease Number: NMNM016353Z	Unit or CA Name:	Unit or CA Number:
US Well Number: 3002550152	Well Status: Producing Oil Well	Operator: XTO ENERGY INCORPORATED

Subsequent Report**Sundry ID:** 2740981**Type of Submission:** Subsequent Report**Type of Action:** Hydraulic Fracturing**Date Sundry Submitted:** 07/14/2023**Time Sundry Submitted:** 07:06**Date Operation Actually Began:** 03/12/2023

Actual Procedure: XTO PERMIAN OPERATING LLC respectfully submits this sundry notice to report the completion operations of the referenced well. KOP @ depth 11,435 ft. PBTD = 22,332 ft. 12/15/22 Run RCB/GR/CCL 1/16/23 Pressure test 5 in csg to 7,500 psi for 30min test good, open sleeve. 3/12/23 Perf and frac 50 stages, 1,252 total shots, from 12,152 to 22,265 using 543,569 bbls of fluid and 25,495,355 lbs Proppant. Tag and drill out plugs. 6/30/23 Run 2-7/8 L80 6.5# tubing set at 11,653 ft.

Well Name: SUTRODER 28 FED

Well Location: T24S / R32E / SEC 28 /
SWSW / 32.182381 / -103.686417County or Parish/State: LEA /
NM

Well Number: 502H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM016353Z

Unit or CA Name:

Unit or CA Number:

US Well Number: 3002550152

Well Status: Producing Oil Well

Operator: XTO ENERGY
INCORPORATED**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: AMANDA THAMES

Signed on: JUL 14, 2023 07:06 AM

Name: XTO ENERGY INCORPORATED

Title: Regulatory Analyst

Street Address: 6401 HOLIDAY HILL ROAD BLDG 5

City: MIDLAND

State: TX

Phone: (432) 221-7340

Email address: AMANDA.THAMES@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: JONATHON W SHEPARD

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 07/26/2023

Signature: Jonathon Shepard

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017				
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name OUTRIDER 28 FEDERAL		
								6. Well Number: 502H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 5380				
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat WC-025 G-08 S243217P;UPR WOLFCAMP (OIL)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	M	28	24S	32E		423	South	538	West	Lea
BH:	D	21	24S	32E		22	North	1008	West	Lea
13. Date Spudded 06/08/2022	14. Date T.D. Reached 08/14/2022		15. Date Rig Released 08/17/2022			16. Date Completed (Ready to Produce) 07/21/2023		17. Elevations (DF and RKB, RT, GR, etc.) 3514' GL		
18. Total Measured Depth of Well 22,354			19. Plug Back Measured Depth 22,332			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12,152 TO 22,265 WC-025 G-08 S243217P;UPR WOLFCAMP (OIL)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
9 5/8"		40		976'		12 1/4"		535		
7 5/8"		29.7		11,155'		8 3/4"		1,390		
5"		18		22,334'		6 3/4"		870		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET	PACKER SET		
						2 7/8"	11,653			
26. Perforation record (interval, size, and number)						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
12,152 TO 22,265, 4spf, 1,252 Total Shots 50 stages						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						12,152 TO 22,265		546,569 bbl fluid + 25,495,355 lbs proppant		
28. PRODUCTION										
Date First Production 07/22/23		Production Method (<i>Flowing, gas lift, pumping - Size and type pump</i>) Gas Lift				Well Status (<i>Prod. or Shut-in</i>) Producing				
Date of Test 07/28/23	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 752	Gas - MCF 2452	Water - Bbl. 3273	Gas - Oil Ratio 3260			
Flow Tubing Press. 3688	Casing Pressure 3694	Calculated 24-Hour Rate	Oil - Bbl. 752	Gas - MCF 2452	Water - Bbl. 3273	Oil Gravity - API - (<i>Corr.</i>)				
29. Disposition of Gas (<i>Sold, used for fuel, vented, etc.</i>) Sold							30. Test Witnessed By			
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.							33. Rig Release Date:			
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude			Longitude			NAD83				
<i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief</i>										
Signature <i>Amanda Thames</i>			Printed Name Amanda Thames		Title Regulatory Analyst			Date 8/9/2023		
E-mail Address amanda.thames@exxonmobil.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 1,225'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 4,532'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 4,740'	T. Morrison	
T. Drinkard	T. Bone Springs 8,658'	T. Todilto	
T. Abo	T. Rustler 911'	T. Entrada	
T. Wolfcamp 12,072'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....


From	To	Thickness In Feet	Lithology



Schematic - Current Directional with Perfs

Well Name: Outrider 28 Fed 502H

API/UWI 3002550152	SAP Cost Center ID 222871001	Permit Number	State/Province New Mexico	County Lea	Ground Elevation (ft) 3,514.00	KB-Ground Distance (ft) 32.00	Surface Casing Flange Elevatio...
Surface Location T24S-R32E-S28	Spud Date 6/8/2022 16:15	Original KB Elevation (ft) 3,546.00	Ground Elevation (ft) 3,514.00	KB-Ground Distance (ft) 32.00	Surface Casing Flange Elevatio...		



Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 249958

ACKNOWLEDGMENTS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 249958
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 249958

CONDITIONS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 249958
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report within 10 days of BLM approval.	8/6/2025