

District I
1625 N. French Dr., Hobbs, NM 88240
District II
811 S. First St., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-104
Revised August 1, 2011

Submit one copy to appropriate District Office

☐ AMENDED REPORT

I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT

¹ Operator name and Address Devon Energy Production Company, L.P. 333 West Sheridan, Oklahoma City, OK 73102		² OGRID Number 6137
		³ Reason for Filing Code/ Effective Date NW / 12/1/22
⁴ API Number 30-025-46086	⁵ Pool Name HARDIN TANK; BONE SPRING	⁶ Pool Code 96661
⁷ Property Code 325720	⁸ Property Name Stranger 34 Fed	⁹ Well Number 3H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	34	25S	34E		205	South	2280	East	Lea

¹¹ Bottom Hole Location

UL or lot no. B	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
	34	25S	34E		104	North	1753	East	Lea
¹² Lse Code F	¹³ Producing Method Code F	¹⁴ Gas Connection Date 12/1/22	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
020809	Lucid Energy Group 3100 McKinnon St. Ste 800 Dallas, TX 75201	Gas
014035	Marathon P.O. Box 552 Midland, TX 79702	Gas

IV. Well Completion Data

²¹ Spud Date 7/4/22	²² Ready Date 12/1/22	²³ TD 17428	²⁴ PBDT 17,400 MD/12,437 TVD	²⁵ Perforations 12715 - 17399	²⁶ DHC, MC
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
13-1/2"	10-3/4"	1006	520 sx CIC; Circ 258sx		
9-7/8"	8-5/8"	12037	720 sx CIC; Circ 0 sx		
7-7/8"	5-1/2"	17413	1860 sx CIH; Circ 166		
	Tubing: 2-7/8"	12182			

V. Well Test Data

³¹ Date New Oil 12/29/22	³² Gas Delivery Date 12/29/22	³³ Test Date 12/29/22	³⁴ Test Length 24 hrs	³⁵ Tbg. Pressure 141 psi	³⁶ Csg. Pressure 1123 psi
³⁷ Choke Size	³⁸ Oil 300 bbl	³⁹ Water 984 bbl	⁴⁰ Gas 865 mcf		⁴¹ Test Method
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Arianna Evans</i>			OIL CONSERVATION DIVISION		
Printed name: Arianna Evans			Approved by: <i>PATRICIA MARTINEZ</i>		
Title: Regulatory Specialist			Title: <i>PETROLEUM SPECIALIST</i>		
E-mail Address: arianna.evans@dmn.com			Approval Date: <i>8/25/2025</i>		
Date: 5/1/2023		Phone: 405-552-4514			

DISTRICT I
1625 N. FRENCH DR., HOBBS, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

DISTRICT II
811 S. FIRST ST., ARTESIA, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

DISTRICT III
1000 RIO BRAZOS RD., AZTEC, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

DISTRICT IV
1220 S. ST. FRANCIS DR., SANTA FE, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 SOUTH ST. FRANCIS DR.
Santa Fe, New Mexico 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-025-46086	Pool Code 96661	Pool Name HARDIN TANK; BONE SPRING
Property Code 325720	Property Name STRANGER 34 FED COM	Well Number 3H
OGRID No. 6137	Operator Name DEVON ENERGY PRODUCTION COMPANY, L.P.	Elevation 3313.7'

Surface Location


UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
0	34	25-S	34-E		205	SOUTH	2280	EAST	LEA

Bottom Hole Location If Different From Surface

UL or lot No.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
B	34	25-S	34-E		104	NORTH	1753	EAST	LEA

Dedicated Acres	Joint or Infill	Consolidation Code	Order No.
160			

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED
OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION



OPERATOR CERTIFICATION

I hereby certify that the information herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Arianna Evans 11/17/22
Signature Date

ARIANNA EVANS

Printed Name

ARIANNA.EVANS@DVN.COM

E-mail Address


SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.

7/2022

Date of Survey

Signature & Seal of Professional Surveyor



01/13/23

Certificate No. 22404

B.L. LAMAN

DRAWN BY: CM

Note: All bearings recited herein are based on the New Mexico State Plane Coordinate System, NAD 83, New Mexico East Zone 3001, US Survey Feet, all distances are grid.

STRANGER 34 FED COM 3H
LAT:32.080300
LON:103.456628
N:394053.63
E:812873.16

KICK OFF POINT
132' FSL 1772' FEL SEC. 34
LAT:32.080095
LON:103.454988
N:393983.41
E:813381.72

FIRST TAKE POINT
465' FSL 1762' FEL SEC. 34
LAT:32.081010
LON:103.454957
N:394316.18
E:813388.62
LAST TAKE POINT
133' FSL 1753' FEL SEC. 34
LAT:32.093870
LON:103.454935
N:398994.55
E:813357.47

BOTTOM OF HOLE
LAT:32.093950
LON:103.454934
N:399023.55
E:813357.34

Intent ☐ As Drilled ☒

API #		
Operator Name: DEVON ENERGY PRODUCTION COMPANY, LP.	Property Name: STRANGER 34 FED COM	Well Number 3H

Kick Off Point (KOP)

UL O	Section 34	Township 25-S	Range 34-E	Lot	Feet 132	From N/S SOUTH	Feet 1772	From E/W EAST	County LEA
Latitude 32.080095					Longitude 103.454988			NAD 83	

First Take Point (FTP)

UL O	Section 34	Township 25-S	Range 34-E	Lot	Feet 465	From N/S SOUTH	Feet 1762	From E/W EAST	County LEA
Latitude 32.081010					Longitude 103.454957			NAD 83	

Last Take Point (LTP)

UL B	Section 34	Township 25-S	Range 34-E	Lot	Feet 133	From N/S NORTH	Feet 1753	From E/W EAST	County LEA
Latitude 32.093870					Longitude 103.454935			NAD 83	

Is this well the defining well for the Horizontal Spacing Unit? ☐Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Stranger 34 Fed Com 3H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3313.7' + KB 30' @ 3343.70usft
Site:	Stranger 33/34 Fed	MD Reference:	GE 3313.7' + KB 30' @ 3343.70usft
Well:	Stranger 34 Fed Com 3H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Project	Lea County, NM (NAD83)		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	New Mexico Eastern Zone		

Site		Stranger 33/34 Fed			
Site Position:		Northing:	393,780.12 usft	Latitude:	32.0797305
From:	Map	Easting:	804,581.96 usft	Longitude:	-103.4834023
Position Uncertainty:	0.50 usft	Slot Radius:	13-3/16 "	Grid Convergence:	0.45 °

Well	Stranger 34 Fed Com 3H					
Well Position	+N/-S	0.00 usft	Northing:	394,053.63 usft	Latitude:	32.0802999
	+E/-W	0.00 usft	Easting:	812,873.16 usft	Longitude:	-103.4566282
Position Uncertainty		0.50 usft	Wellhead Elevation:	usft	Ground Level:	3,313.70 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	HDGM2022	6/12/2022	6.27	59.63	47,397.40000000

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)	
	0.00	0.00	0.00	5.56	

Survey Program	Date	8/21/2022			
From (usft)	To (usft)	Survey (Wellbore)	Tool Name	Description	
174.00	17,428.00	Survey #1 (Wellbore #1)	MWD+HRGM	OWSG MWD + HRGM	

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
0.00	0.00	0.00	0.00	0.00	0.00	394,053.63	812,873.16	32.0802999	-103.4566282
174.00	0.97	265.08	173.99	-0.13	-1.47	394,053.50	812,871.69	32.0802996	-103.4566329
270.00	1.23	267.27	269.97	-0.25	-3.31	394,053.38	812,869.85	32.0802993	-103.4566389
365.00	1.23	272.28	364.95	-0.25	-5.34	394,053.38	812,867.81	32.0802993	-103.4566455
461.00	1.41	273.60	460.93	-0.14	-7.55	394,053.49	812,865.61	32.0802997	-103.4566526
557.00	1.49	273.34	556.90	0.01	-9.98	394,053.64	812,863.18	32.0803001	-103.4566604
652.00	1.49	267.63	651.86	0.03	-12.44	394,053.66	812,860.71	32.0803002	-103.4566684
748.00	1.63	271.84	747.83	0.02	-15.06	394,053.65	812,858.10	32.0803003	-103.4566768
843.00	1.58	269.47	842.79	0.05	-17.72	394,053.68	812,855.44	32.0803004	-103.4566854
939.00	1.71	273.69	938.75	0.13	-20.47	394,053.76	812,852.69	32.0803007	-103.4566943
1,090.00	1.76	271.32	1,089.68	0.33	-25.03	394,053.96	812,848.12	32.0803013	-103.4567090
1,185.00	0.70	233.17	1,184.66	0.02	-26.96	394,053.65	812,846.20	32.0803005	-103.4567152

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Stranger 34 Fed Com 3H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3313.7' + KB 30' @ 3343.70usft
Site:	Stranger 33/34 Fed	MD Reference:	GE 3313.7' + KB 30' @ 3343.70usft
Well:	Stranger 34 Fed Com 3H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
1,281.00	0.97	111.09	1,280.65	-0.63	-26.67	394,053.00	812,846.49	32.0802987	-103.4567143
1,377.00	1.36	106.43	1,376.63	-1.24	-24.82	394,052.39	812,848.34	32.0802970	-103.4567084
1,472.00	1.98	114.08	1,471.59	-2.23	-22.24	394,051.40	812,850.92	32.0802942	-103.4567001
1,568.00	3.69	108.37	1,567.47	-3.88	-17.79	394,049.75	812,855.37	32.0802896	-103.4566857
1,663.00	4.79	106.79	1,662.21	-5.99	-11.09	394,047.64	812,862.06	32.0802837	-103.4566642
1,758.00	6.33	100.63	1,756.76	-8.10	-2.15	394,045.53	812,871.01	32.0802776	-103.4566353
1,853.00	7.78	98.61	1,851.04	-10.03	9.36	394,043.60	812,882.52	32.0802721	-103.4565983
1,949.00	8.22	99.76	1,946.11	-12.17	22.55	394,041.46	812,895.70	32.0802659	-103.4565557
2,044.00	8.57	99.05	2,040.09	-14.43	36.23	394,039.20	812,909.39	32.0802594	-103.4565116
2,139.00	8.53	100.72	2,134.03	-16.85	50.14	394,036.77	812,923.30	32.0802524	-103.4564668
2,235.00	8.70	99.76	2,228.95	-19.41	64.29	394,034.22	812,937.45	32.0802451	-103.4564212
2,331.00	8.84	97.82	2,323.83	-21.64	78.76	394,031.98	812,951.91	32.0802386	-103.4563745
2,426.00	9.05	98.35	2,417.67	-23.72	93.38	394,029.91	812,966.54	32.0802326	-103.4563274
2,521.00	9.45	99.05	2,511.44	-26.03	108.47	394,027.59	812,981.63	32.0802259	-103.4562787
2,616.00	8.70	94.39	2,605.25	-27.81	123.34	394,025.82	812,996.50	32.0802207	-103.4562307
2,712.00	9.10	96.85	2,700.09	-29.27	138.12	394,024.36	813,011.27	32.0802163	-103.4561831
2,806.00	8.26	100.37	2,793.02	-31.37	152.14	394,022.25	813,025.30	32.0802102	-103.4561379
2,902.00	8.40	101.07	2,888.00	-33.96	165.80	394,019.67	813,038.96	32.0802028	-103.4560938
2,997.00	7.52	98.61	2,982.09	-36.23	178.76	394,017.40	813,051.92	32.0801963	-103.4560520
3,092.00	7.96	96.94	3,076.22	-37.95	191.44	394,015.68	813,064.59	32.0801913	-103.4560112
3,187.00	7.03	98.00	3,170.41	-39.55	203.72	394,014.07	813,076.88	32.0801866	-103.4559715
3,283.00	7.21	95.80	3,265.67	-40.98	215.53	394,012.65	813,088.69	32.0801824	-103.4559335
3,379.00	7.16	95.62	3,360.91	-42.18	227.48	394,011.45	813,100.64	32.0801789	-103.4558949
3,474.00	6.11	93.78	3,455.28	-43.09	238.42	394,010.54	813,111.58	32.0801761	-103.4558596
3,569.00	6.73	91.58	3,549.68	-43.58	249.03	394,010.05	813,122.19	32.0801745	-103.4558254
3,665.00	5.14	98.44	3,645.17	-44.36	258.91	394,009.27	813,132.06	32.0801721	-103.4557935
3,760.00	4.92	100.55	3,739.80	-45.73	267.12	394,007.90	813,140.28	32.0801682	-103.4557670
3,855.00	5.67	92.64	3,834.39	-46.69	275.81	394,006.93	813,148.97	32.0801654	-103.4557390
3,950.00	5.45	93.16	3,928.95	-47.16	285.01	394,006.47	813,158.16	32.0801639	-103.4557093
4,046.00	6.68	92.28	4,024.41	-47.63	295.14	394,006.00	813,168.30	32.0801623	-103.4556766
4,142.00	7.08	88.51	4,119.72	-47.70	306.63	394,005.93	813,179.79	32.0801619	-103.4556395
4,237.00	6.68	87.98	4,214.03	-47.35	318.01	394,006.27	813,191.16	32.0801626	-103.4556028
4,333.00	6.68	94.83	4,309.38	-47.63	329.15	394,006.00	813,202.31	32.0801616	-103.4555668
4,428.00	6.59	94.57	4,403.75	-48.53	340.09	394,005.10	813,213.25	32.0801589	-103.4555315
4,524.00	7.74	94.57	4,499.00	-49.48	352.02	394,004.15	813,225.18	32.0801560	-103.4554930
4,619.00	8.09	96.24	4,593.09	-50.72	365.05	394,002.91	813,238.21	32.0801523	-103.4554510
4,715.00	8.09	97.47	4,688.13	-52.33	378.46	394,001.30	813,251.62	32.0801476	-103.4554078
4,810.00	8.00	96.42	4,782.20	-53.94	391.66	393,999.69	813,264.81	32.0801429	-103.4553652
4,905.00	8.97	99.67	4,876.16	-55.92	405.53	393,997.71	813,278.69	32.0801371	-103.4553205
5,001.00	8.57	102.66	4,971.04	-58.75	419.88	393,994.88	813,293.04	32.0801290	-103.4552742
5,096.00	7.74	104.94	5,065.08	-61.95	432.97	393,991.68	813,306.13	32.0801199	-103.4552320
5,191.00	5.05	103.45	5,159.48	-64.57	443.22	393,989.06	813,316.38	32.0801125	-103.4551990
5,286.00	4.44	102.92	5,254.15	-66.36	450.87	393,987.27	813,324.03	32.0801074	-103.4551744
5,382.00	3.78	104.59	5,349.90	-67.99	457.56	393,985.64	813,330.71	32.0801028	-103.4551528
5,477.00	3.69	110.04	5,444.70	-69.83	463.46	393,983.80	813,336.62	32.0800976	-103.4551338
5,573.00	3.87	112.15	5,540.49	-72.11	469.36	393,981.52	813,342.52	32.0800912	-103.4551148
5,668.00	3.69	109.95	5,635.29	-74.36	475.20	393,979.27	813,348.36	32.0800849	-103.4550960
5,763.00	3.60	105.20	5,730.09	-76.18	480.96	393,977.44	813,354.11	32.0800797	-103.4550775
5,858.00	3.08	102.92	5,824.93	-77.54	486.32	393,976.09	813,359.48	32.0800759	-103.4550602
5,953.00	2.64	95.71	5,919.81	-78.33	490.99	393,975.30	813,364.14	32.0800736	-103.4550452
6,049.00	2.64	99.84	6,015.71	-78.92	495.36	393,974.71	813,368.52	32.0800719	-103.4550311
6,144.00	2.37	94.66	6,110.62	-79.46	499.48	393,974.17	813,372.64	32.0800703	-103.4550178
6,240.00	1.85	99.14	6,206.56	-79.86	502.99	393,973.76	813,376.14	32.0800691	-103.4550065
6,335.00	1.54	97.29	6,301.51	-80.27	505.77	393,973.36	813,378.92	32.0800679	-103.4549975
6,430.00	1.27	101.95	6,396.49	-80.65	508.06	393,972.98	813,381.22	32.0800668	-103.4549901

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Stranger 34 Fed Com 3H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3313.7' + KB 30' @ 3343.70usft
Site:	Stranger 33/34 Fed	MD Reference:	GE 3313.7' + KB 30' @ 3343.70usft
Well:	Stranger 34 Fed Com 3H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
6,526.00	1.49	92.20	6,492.46	-80.92	510.35	393,972.71	813,383.51	32.0800660	-103.4549827
6,621.00	1.36	82.79	6,587.43	-80.82	512.70	393,972.80	813,385.86	32.0800662	-103.4549751
6,716.00	1.10	86.84	6,682.41	-80.63	514.73	393,973.00	813,387.89	32.0800667	-103.4549686
6,812.00	1.10	106.00	6,778.39	-80.84	516.54	393,972.79	813,389.70	32.0800661	-103.4549628
6,907.00	0.97	112.94	6,873.37	-81.40	518.16	393,972.23	813,391.31	32.0800645	-103.4549575
7,003.00	0.75	100.99	6,969.36	-81.84	519.52	393,971.79	813,392.68	32.0800633	-103.4549532
7,098.00	0.92	100.90	7,064.35	-82.10	520.88	393,971.53	813,394.04	32.0800626	-103.4549488
7,194.00	0.70	103.62	7,160.34	-82.38	522.21	393,971.25	813,395.36	32.0800617	-103.4549445
7,289.00	0.48	79.89	7,255.34	-82.45	523.16	393,971.18	813,396.32	32.0800615	-103.4549414
7,385.00	0.44	99.40	7,351.34	-82.44	523.92	393,971.19	813,397.08	32.0800616	-103.4549390
7,480.00	0.57	130.43	7,446.33	-82.81	524.64	393,970.82	813,397.80	32.0800605	-103.4549366
7,576.00	0.66	133.42	7,542.33	-83.50	525.41	393,970.13	813,398.56	32.0800586	-103.4549342
7,671.00	0.57	146.78	7,637.32	-84.27	526.06	393,969.36	813,399.22	32.0800565	-103.4549321
7,766.00	0.70	140.80	7,732.32	-85.11	526.69	393,968.52	813,399.85	32.0800541	-103.4549301
7,862.00	0.57	129.20	7,828.31	-85.87	527.43	393,967.76	813,400.59	32.0800521	-103.4549277
7,957.00	0.62	147.74	7,923.30	-86.60	528.07	393,967.03	813,401.23	32.0800500	-103.4549257
8,053.00	0.79	145.72	8,019.30	-87.59	528.72	393,966.04	813,401.88	32.0800473	-103.4549236
8,148.00	0.70	153.72	8,114.29	-88.65	529.35	393,964.98	813,402.50	32.0800444	-103.4549216
8,244.00	0.53	164.88	8,210.28	-89.60	529.72	393,964.03	813,402.88	32.0800417	-103.4549204
8,339.00	0.66	168.75	8,305.28	-90.56	529.94	393,963.06	813,403.10	32.0800391	-103.4549197
8,435.00	0.62	161.81	8,401.27	-91.60	530.21	393,962.03	813,403.37	32.0800362	-103.4549189
8,531.00	0.75	161.10	8,497.27	-92.69	530.58	393,960.94	813,403.74	32.0800332	-103.4549177
8,627.00	0.75	146.69	8,593.26	-93.81	531.13	393,959.82	813,404.28	32.0800301	-103.4549160
8,722.00	0.62	155.92	8,688.25	-94.80	531.68	393,958.83	813,404.84	32.0800274	-103.4549142
8,817.00	0.79	153.10	8,783.24	-95.85	532.18	393,957.78	813,405.34	32.0800245	-103.4549126
8,913.00	0.79	152.75	8,879.23	-97.03	532.79	393,956.60	813,405.94	32.0800213	-103.4549107
9,008.00	0.66	142.12	8,974.23	-98.04	533.42	393,955.59	813,406.58	32.0800185	-103.4549087
9,104.00	0.57	161.28	9,070.22	-98.93	533.91	393,954.70	813,407.07	32.0800160	-103.4549071
9,200.00	0.53	141.59	9,166.22	-99.73	534.34	393,953.90	813,407.50	32.0800138	-103.4549058
9,295.00	0.66	154.42	9,261.21	-100.57	534.85	393,953.06	813,408.01	32.0800115	-103.4549041
9,391.00	0.48	126.21	9,357.21	-101.31	535.42	393,952.32	813,408.57	32.0800094	-103.4549023
9,486.00	0.62	68.47	9,452.20	-101.35	536.22	393,952.28	813,409.37	32.0800093	-103.4548998
9,581.00	0.75	49.83	9,547.20	-100.76	537.17	393,952.87	813,410.33	32.0800109	-103.4548967
9,677.00	1.01	10.99	9,643.19	-99.53	537.81	393,954.10	813,410.97	32.0800143	-103.4548946
9,772.00	1.45	1.32	9,738.16	-97.50	538.00	393,956.13	813,411.16	32.0800198	-103.4548939
9,868.00	1.85	358.51	9,834.12	-94.74	537.98	393,958.89	813,411.14	32.0800274	-103.4548939
9,963.00	2.02	0.35	9,929.07	-91.53	537.96	393,962.10	813,411.11	32.0800362	-103.4548939
10,058.00	1.63	355.87	10,024.02	-88.51	537.87	393,965.12	813,411.03	32.0800446	-103.4548941
10,153.00	1.36	355.08	10,118.99	-86.04	537.67	393,967.59	813,410.83	32.0800514	-103.4548947
10,249.00	1.27	353.67	10,214.96	-83.85	537.46	393,969.78	813,410.62	32.0800574	-103.4548953
10,345.00	1.41	5.01	10,310.94	-81.61	537.44	393,972.02	813,410.60	32.0800635	-103.4548953
10,440.00	1.27	16.87	10,405.91	-79.44	537.85	393,974.19	813,411.01	32.0800695	-103.4548939
10,536.00	1.14	26.89	10,501.89	-77.57	538.59	393,976.06	813,411.75	32.0800746	-103.4548915
10,632.00	0.97	21.27	10,597.87	-75.96	539.32	393,977.67	813,412.48	32.0800790	-103.4548891
10,727.00	1.01	327.04	10,692.86	-74.51	539.16	393,979.12	813,412.31	32.0800830	-103.4548896
10,822.00	2.02	306.30	10,787.83	-72.82	537.35	393,980.81	813,410.51	32.0800877	-103.4548953
10,918.00	2.90	300.67	10,883.74	-70.58	533.90	393,983.05	813,407.06	32.0800939	-103.4549064
11,014.00	1.36	317.72	10,979.67	-68.49	531.04	393,985.13	813,404.20	32.0800997	-103.4549156
11,109.00	1.23	325.37	11,074.65	-66.82	529.71	393,986.81	813,402.86	32.0801044	-103.4549199
11,205.00	1.54	315.00	11,170.62	-65.06	528.21	393,988.57	813,401.37	32.0801092	-103.4549247
11,300.00	1.41	307.79	11,265.59	-63.44	526.38	393,990.19	813,399.54	32.0801137	-103.4549305
11,396.00	1.14	286.26	11,361.56	-62.45	524.53	393,991.18	813,397.69	32.0801165	-103.4549365
11,491.00	1.14	273.78	11,456.55	-62.12	522.68	393,991.50	813,395.84	32.0801174	-103.4549424
11,586.00	0.92	252.16	11,551.53	-62.30	521.01	393,991.33	813,394.17	32.0801170	-103.4549478
11,681.00	1.41	244.42	11,646.51	-63.03	519.23	393,990.59	813,392.39	32.0801150	-103.4549536

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Stranger 34 Fed Com 3H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3313.7' + KB 30' @ 3343.70usft
Site:	Stranger 33/34 Fed	MD Reference:	GE 3313.7' + KB 30' @ 3343.70usft
Well:	Stranger 34 Fed Com 3H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
11,777.00	2.20	239.59	11,742.46	-64.48	516.58	393,989.15	813,389.74	32.0801111	-103.4549622
11,872.00	2.15	237.30	11,837.39	-66.36	513.50	393,987.27	813,386.66	32.0801060	-103.4549722
11,968.00	2.11	227.28	11,933.33	-68.53	510.69	393,985.09	813,383.85	32.0801001	-103.4549813
11,990.00	2.11	223.24	11,955.31	-69.10	510.12	393,984.52	813,383.27	32.0800985	-103.4549832
12,102.00	1.58	249.43	12,067.26	-71.15	507.26	393,982.48	813,380.42	32.0800930	-103.4549925
12,134.00	2.77	321.33	12,099.24	-70.70	506.36	393,982.93	813,379.52	32.0800942	-103.4549953
KOP & FTP @ 12134' MD, 135' FSL, 1774' FEL									
12,197.00	7.74	352.79	12,161.96	-65.30	504.88	393,988.33	813,378.04	32.0801091	-103.4550000
12,244.00	12.00	355.08	12,208.26	-57.29	504.06	393,996.34	813,377.22	32.0801311	-103.4550024
12,292.00	15.78	355.96	12,254.85	-45.80	503.17	394,007.83	813,376.33	32.0801627	-103.4550050
12,387.00	31.74	7.82	12,341.56	-7.89	505.68	394,045.73	813,378.84	32.0802669	-103.4549959
12,482.00	48.18	2.37	12,414.15	52.66	510.58	394,106.29	813,383.74	32.0804332	-103.4549785
12,576.00	63.91	0.97	12,466.49	130.36	512.76	394,183.99	813,385.91	32.0806467	-103.4549694
12,671.00	72.88	2.11	12,501.43	218.56	515.15	394,272.19	813,388.31	32.0808891	-103.4549593
12,767.00	82.15	358.77	12,522.17	312.17	515.82	394,365.80	813,388.98	32.0811464	-103.4549547
12,860.00	90.77	355.69	12,527.91	404.78	511.33	394,458.41	813,384.49	32.0814010	-103.4549668
12,956.00	91.16	357.36	12,526.29	500.59	505.51	394,554.22	813,378.67	32.0816645	-103.4549831
13,051.00	91.08	358.42	12,524.43	595.51	502.02	394,649.13	813,375.17	32.0819255	-103.4549919
13,146.00	92.97	359.56	12,521.08	690.43	500.34	394,744.05	813,373.50	32.0821864	-103.4549948
13,242.00	93.80	359.65	12,515.41	786.26	499.68	394,839.88	813,372.84	32.0824498	-103.4549944
13,337.00	95.30	0.09	12,507.87	880.95	499.47	394,934.58	813,372.62	32.0827101	-103.4549926
13,433.00	92.40	359.30	12,501.43	976.72	498.96	395,030.35	813,372.11	32.0829734	-103.4549917
13,528.00	92.13	358.51	12,497.67	1,071.63	497.14	395,125.26	813,370.30	32.0832343	-103.4549951
13,623.00	90.77	359.03	12,495.27	1,166.58	495.10	395,220.21	813,368.26	32.0834953	-103.4549992
13,719.00	90.64	359.30	12,494.09	1,262.56	493.70	395,316.19	813,366.86	32.0837592	-103.4550012
13,814.00	91.30	359.30	12,492.48	1,357.54	492.54	395,411.17	813,365.70	32.0840202	-103.4550024
13,909.00	90.02	359.82	12,491.38	1,452.53	491.81	395,506.16	813,364.97	32.0842814	-103.4550023
14,005.00	91.03	359.91	12,490.50	1,548.52	491.59	395,602.15	813,364.75	32.0845452	-103.4550005
14,100.00	90.07	0.00	12,489.59	1,643.52	491.51	395,697.14	813,364.67	32.0848063	-103.4549982
14,195.00	91.96	0.44	12,487.91	1,738.50	491.88	395,792.12	813,365.04	32.0850674	-103.4549945
14,290.00	89.23	359.65	12,486.92	1,833.48	491.95	395,887.11	813,365.11	32.0853285	-103.4549918
14,385.00	88.70	0.26	12,488.64	1,928.46	491.88	395,982.09	813,365.04	32.0855895	-103.4549895
14,481.00	90.95	0.35	12,488.93	2,024.46	492.39	396,078.08	813,365.55	32.0858534	-103.4549854
14,576.00	91.16	0.61	12,487.18	2,119.44	493.18	396,173.07	813,366.34	32.0861144	-103.4549803
14,671.00	92.53	2.72	12,484.12	2,214.34	495.94	396,267.97	813,369.10	32.0863752	-103.4549689
14,766.00	90.99	0.17	12,481.21	2,309.25	498.34	396,362.88	813,371.49	32.0866360	-103.4549587
14,862.00	92.92	358.42	12,477.93	2,405.18	497.16	396,458.81	813,370.31	32.0868997	-103.4549600
14,957.00	90.37	359.03	12,475.20	2,500.11	495.04	396,553.74	813,368.20	32.0871607	-103.4549643
15,052.00	91.16	359.03	12,473.94	2,595.09	493.44	396,648.72	813,366.59	32.0874218	-103.4549670
15,148.00	91.43	358.77	12,471.77	2,691.05	491.59	396,744.68	813,364.75	32.0876856	-103.4549704
15,243.00	90.37	358.59	12,470.27	2,786.01	489.40	396,839.64	813,362.56	32.0879467	-103.4549750
15,338.00	89.54	357.89	12,470.35	2,880.96	486.49	396,934.59	813,359.65	32.0882077	-103.4549819
15,433.00	89.27	357.36	12,471.34	2,975.87	482.55	397,029.50	813,355.71	32.0884687	-103.4549921
15,529.00	90.02	356.84	12,471.93	3,071.75	477.69	397,125.38	813,350.85	32.0887323	-103.4550053
15,624.00	90.20	358.51	12,471.75	3,166.67	473.84	397,220.30	813,347.00	32.0889933	-103.4550152
15,720.00	89.23	358.24	12,472.23	3,262.63	471.12	397,316.25	813,344.28	32.0892571	-103.4550215
15,815.00	90.07	0.79	12,472.81	3,357.61	470.31	397,411.24	813,343.47	32.0895182	-103.4550216
15,910.00	90.68	0.61	12,472.18	3,452.60	471.47	397,506.23	813,344.63	32.0897793	-103.4550153
16,006.00	92.13	0.44	12,469.83	3,548.57	472.35	397,602.20	813,345.51	32.0900431	-103.4550100
16,101.00	92.09	0.26	12,466.33	3,643.50	472.93	397,697.13	813,346.09	32.0903040	-103.4550056
16,196.00	92.26	359.82	12,462.73	3,738.43	473.00	397,792.06	813,346.16	32.0905649	-103.4550029
16,292.00	92.75	359.56	12,458.53	3,834.34	472.48	397,887.97	813,345.64	32.0908285	-103.4550021
16,387.00	91.87	0.09	12,454.70	3,929.26	472.19	397,982.89	813,345.35	32.0910894	-103.4550005
16,482.00	91.30	359.47	12,452.07	4,024.22	471.83	398,077.85	813,344.98	32.0913505	-103.4549992
16,578.00	92.40	0.26	12,448.97	4,120.17	471.60	398,173.80	813,344.76	32.0916142	-103.4549974

Survey Report - Geographic

Company:	Devon Energy	Local Co-ordinate Reference:	Well Stranger 34 Fed Com 3H
Project:	Lea County, NM (NAD83)	TVD Reference:	GE 3313.7' + KB 30' @ 3343.70usft
Site:	Stranger 33/34 Fed	MD Reference:	GE 3313.7' + KB 30' @ 3343.70usft
Well:	Stranger 34 Fed Com 3H	North Reference:	Grid
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	EDM 5000.1 Single User Db

Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Map Northing (usft)	Map Easting (usft)	Latitude	Longitude
16,673.00	91.30	1.32	12,445.91	4,215.11	472.91	398,268.74	813,346.07	32.0918751	-103.4549907
16,769.00	90.81	0.44	12,444.14	4,311.08	474.38	398,364.71	813,347.54	32.0921389	-103.4549834
16,864.00	89.85	0.70	12,443.59	4,406.07	475.33	398,459.70	813,348.49	32.0924000	-103.4549778
16,959.00	91.03	2.11	12,442.86	4,501.04	477.66	398,554.66	813,350.82	32.0926609	-103.4549678
17,054.00	90.86	1.58	12,441.30	4,595.97	480.72	398,649.60	813,353.87	32.0929218	-103.4549554
17,149.00	90.24	1.05	12,440.38	4,690.94	482.90	398,744.57	813,356.05	32.0931828	-103.4549459
17,245.00	90.73	0.44	12,439.57	4,786.93	484.14	398,840.56	813,357.30	32.0934466	-103.4549393
17,340.00	90.73	0.00	12,438.36	4,881.92	484.51	398,935.55	813,357.67	32.0937077	-103.4549357
17,373.00	90.42	359.74	12,438.03	4,914.92	484.43	398,968.55	813,357.59	32.0937984	-103.4549350
17,428.00	90.42	359.74	12,437.63	4,969.92	484.18	399,023.55	813,357.34	32.0939496	-103.4549344
PBHL & LTP @ 17428' MD, 104' FNL, 1752' FEL									

Design Annotations					
Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates			
		+N/-S (usft)	+E/-W (usft)	Comment	
12,134.00	12,099.24	-70.70	506.36	KOP & FTP @ 12134' MD, 135' FSL, 1774' FEL	
17,428.00	12,437.63	4,969.92	484.18	PBHL & LTP @ 17428' MD, 104' FNL, 1752' FEL	

Checked By: _____	Approved By: _____	Date: _____
-------------------	--------------------	-------------

Submit 1 Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

Form C-103
 Revised August 1, 2011

WELL API NO.	30-025-46086
5. Indicate Type of Lease STATE ☐ FEE ☐	
6. State Oil & Gas Lease No.	
7. Lease Name or Unit Agreement Name	Stranger 34 Fed
8. Well Number	3H
9. OGRID Number	6137
10. Pool name or Wildcat	HARDIN TANK; BONE SPRING

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.) 1. Type of Well: Oil Well ☒ Gas Well ☐ Other ☐ 2. Name of Operator Devon Energy Production Company, L.P. 3. Address of Operator 333 West Sheridan, Oklahoma City, OK 73102 4. Well Location Unit Letter <u>O</u> : <u>205</u> feet from the <u>South</u> line and <u>2280</u> feet from the <u>East</u> line Section <u>34</u> Township <u>25S</u> Range <u>34E</u> NMPM County <u>Lea</u> 11. Elevation (Show whether DR, RKB, RT, GR, etc.) GL: 3313.7'	
---	--

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐ DOWNHOLE COMMINGLE ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ P AND A ☐ CASING/CEMENT JOB ☐ OTHER: Completion ☒
---	---

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

12/11/22-11/16/22: MIRU WL & PT. Production cmt verified to surf. No logs ran. PT csg for 30min, OK. TIH w/pump through frac plug and guns. Perf Wolfcamp, 12715'-17399', total 574 holes. Frac totals 8595000# proppant, 96 bbl acid. ND frac, MIRU PU, NU BOP, DO plugs & CO to PBTD w/ float collar 17,400' MD/12,437' TVD. CHC, FWB, ND BOP. RIH w/ 362 jts 2-7/8" L-80 tbg, set @ 12182'. TOP.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Arianna Evans TITLE Regulatory Specialist DATE 5/1/2023

Type or print name Arianna Evans E-mail address: arianna.evans@dmn.com PHONE: 405-552-4514
For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____
 Conditions of Approval (if any): _____

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised August 1, 2011				
		1. WELL API NO. 30-025-46086								
		2. Type of Lease ☐ STATE ☐ FEE ☒ FED/INDIAN								
		3. State Oil & Gas Lease No.								
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)						5. Lease Name or Unit Agreement Name Stranger 34 Fed				
						6. Well Number: 3H				
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator Devon Energy Production Company, L.P.						9. OGRID 6137				
10. Address of Operator 333 West Sheridan Avenue, Oklahoma City, OK 73102						11. Pool name or Wildcat HARDIN TANK; BONE SPRING				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	O	34	25S	34E		205	South	2280	East	Lea
BH:	B	34	25S	34E		104	North	1753	East	Lea
13. Date Spudded 7/4/22	14. Date T.D. Reached 8/3/22		15. Date Rig Released 8/6/22		16. Date Completed (Ready to Produce) 12/1/22		17. Elevations (DF and RKB, RT, GR, etc.) 3313.7' GL			
18. Total Measured Depth of Well 17428 MD, 12437 TVD			19. Plug Back Measured Depth 17,400 MD/12,437 TVD			20. Was Directional Survey Made? Yes		21. Type Electric and Other Logs Run NO LOGS; CEMENT TO SURFACE		
22. Producing Interval(s), of this completion - Top, Bottom, Name 12715-17399, BONE SPRING										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
10-3/4"		45.5		1006		13-1/2"		520 sx C/C; circ 258sx		
8-5/8"		32		12037		9-7/8"		720 sx C/C; circ 0 sx		
5-1/2"		20		17413		7-7/8"		1860 sx C/H; circ 166		
24. LINER RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN						
				2-7/8" L-80						
25. TUBING RECORD										
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN						
				2-7/8" L-80						
26. Perforation record (interval, size, and number) 12715 - 17399, total 574 holes						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. DEPTH INTERVAL AMOUNT AND KIND MATERIAL USED 12715-17399 Acidize and frac in 20 stages. See detailed summary attached.				
28. PRODUCTION										
Date First Production 12/1/22		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 12/29/22	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl	Gas - MCF	Water - Bbl.	Gas - Oil Ratio 2883.333333			
				300	865	984				
Flow Tubing Press. 141 psi	Casing Pressure 1123 psi	Calculated 24-Hour Rate	Oil - Bbl.	Gas - MCF	Water - Bbl.	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold						30. Test Witnessed By				
31. List Attachments Directional Survey, Logs										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.										
33. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD 1927 1983		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Arianna Evans</i>			Printed Name Arianna Evans		Title Regulatory Specialist		Date 5/1/2023			
E-mail Address arianna.evans@dv.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
Rustler - 810			
Salt - 1200			
Base of Salt - 5325			
Lamar - 5325			
Delaware - 5325			
Cherry Canyon - 6325			
Brushy Canyon - 8050			
1st Bone Spring Lime - 9350			
1st Bone Spring Sand - 10450			
2nd Bone Spring Sand - 11025			
3rd Bone Spring Lime - 11450			
3rd Bone Spring Sand - 12020			
Wolfcamp - 12480			
Strawn - 14400			

No. 1, from..... N/Ato..... N/A
 No. 2, from..... N/Ato..... N/A
 No. 3, from..... N/Ato..... N/A
 No. 4, from..... N/Ato..... N/A

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 212175

ACKNOWLEDGMENTS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 212175
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 212175

CONDITIONS

Operator: DEVON ENERGY PRODUCTION COMPANY, LP 333 West Sheridan Ave. Oklahoma City, OK 73102	OGRID: 6137
	Action Number: 212175
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
plmartinez	File 3160-4 Completion Report and 3160-5 Completion Sundry within 10 days of BLM approval.	8/25/2025