

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural ResourcesForm C-104
Revised August 1, 2011Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 5380
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-467116	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 328244	⁸ Property Name CORRAL CANYON 9 4 FEDERAL	⁹ Well Number 162H

II. ¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
L	09	25S	29E		1991	South	366	West	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
4	04	25S	29E		204	North	1050	West	Eddy

¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date
F	F				

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
248440	Western Refining	O
329302	Enlink	G
147831	Lucid	G
373073	XTO Permian Midstream	W

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ PRTD	²⁵ Perforations	²⁶ DHC, MC
6/14/2020	6/5/2022	18795 MD 10929 TVD	18778 MD 10929 TVD	11,390 TO 18,659	

²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement
14.75	11.75 J55 54#	888	675
10.625	8.625 HCL80 32#	10,228	2,520
7.875	5.5 P110 23#	18,780	2,400
	2 7/8 L80 6.5#	10,731	

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
6/6/22	6/12/22	6/12/22	24 hrs	1045	400

³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas	⁴¹ Test Method
	1550	6021	6570	Flowing

⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:

Amanda Thames

Printed name:

Amanda Thames

Title:

Regulatory Analyst

E-mail Address:

amanda.thames@exxonmobil.com

Date:

6/28/2022

Phone:

432.221.7340

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office
☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT AS-DRILLED PLAT

¹ API Number 30-015-47116	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 328244	⁵ Property Name CORRAL CANYON 9-4 FED	⁶ Well Number 162H
⁷ OGRID No. 005380	⁸ Operator Name XTO ENERGY, INC.	⁹ Elevation 3,006'

¹⁰ Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	9	25 S	29 E		1,991	SOUTH	366	WEST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L4	4	25 S	29 E		204	NORTH	1,050	WEST	EDDY

¹² Dedicated Acres 479.58	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
---	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY.



Intent ☐ As Drilled ☒

API # 30-015-47116		
Operator Name: XTO XTO ENERGY, INC.	Property Name: CORRAL CANYON 9-4 FED	Well Number 162H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
L	9	25S	29E		2,405	FSL	995	FWL	EDDY
Latitude 32.143932					Longitude 103.994842				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
E	9	25S	29E		2,293	FNL	1,028	FWL	EDDY
Latitude 32.145602					Longitude 103.994730				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
L4	4	25S	29E		338	FNL	1,033	FWL	EDDY
Latitude 32.165558					Longitude 103.994734				NAD 83

Is this well the defining well for the Horizontal Spacing Unit? ☒Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API #		
Operator Name:	Property Name:	Well Number

KZ 06/29/2018



Directional Survey Report

Company: **XTO Energy Incorporated**
 Well: **Corral Canyon 9-4 Federal 162H**
 County: **Eddy**
 State: **NM**
 Field: **Welch**
 API: **30015471160000**
 Rig: **Precision 580**
 Service Co: **Gordon Technologies LLC**
 Job #: **GT2010788**
 Survey Calc: **Minimum Curvature**

Well Surface Location
 Latitude: **32.142670**
 Longitude: **-103.996386**
 Reference: **NAD 1927**
 Y (Northing): **415788.30**
 X (Easting): **604290.20**
 Field Engr: **Tony Bautista**
Salim Timsar

Report Date: **Sep 17 2020**
 Time: **06:09**
 Mag Reference: **Grid North**
 Mag Correction: **6.66**
 Vert Sect. Azi: **359.77**
 Perm Datum: **Mean Sea Level**
 Depth Ref: **Rotary Table**
 RKB Height: **27**
 GL Elev: **3006**

Survey Tie In	MD	Inc	Azimuth	TVD	VS	Rectangular Offsets		Course		Temp	Closure		Source
						NS	EW	Length	DLS		Distance	Azimuth	
1	146.00	0.23	185.05	146.00	-0.29	-0.29	-0.03	146.00	0.16	0.00	0.29	185.05	Imp Svy
2	236.00	0.22	343.71	236.00	-0.31	-0.31	-0.09	90.00	0.49	0.00	0.32	196.42	Imp Svy
3	329.00	0.18	26.13	329.00	0.00	0.00	-0.08	93.00	0.16	0.00	0.08	267.39	Imp Svy
4	422.00	0.17	98.17	422.00	0.11	0.11	0.12	93.00	0.22	0.00	0.17	49.15	Imp Svy
5	513.00	0.12	129.89	513.00	0.03	0.03	0.33	91.00	0.10	0.00	0.33	85.21	Imp Svy
6	605.00	0.12	124.12	605.00	-0.09	-0.09	0.49	92.00	0.01	0.00	0.49	100.28	Imp Svy
7	697.00	0.43	107.57	697.00	-0.25	-0.25	0.89	92.00	0.34	0.00	0.93	105.40	Imp Svy
8	789.00	0.40	135.26	788.99	-0.58	-0.58	1.45	92.00	0.22	0.00	1.56	111.76	Imp Svy
9	861.00	0.19	146.10	860.99	-0.86	-0.86	1.69	72.00	0.30	0.00	1.90	116.83	Imp Svy
10	905.00	0.24	158.74	904.99	-1.01	-1.00	1.77	44.00	0.16	0.00	2.03	119.57	Imp Svy
11	990.00	1.09	88.22	989.99	-1.15	-1.14	2.64	85.00	1.22	0.00	2.88	113.42	Imp Svy
12	1081.00	3.63	73.83	1080.90	-0.34	-0.31	6.27	91.00	2.84	0.00	6.28	92.87	Imp Svy
13	1171.00	6.24	70.66	1170.56	2.04	2.10	13.63	90.00	2.91	0.00	13.79	81.24	Imp Svy
14	1260.00	7.61	68.35	1258.91	5.78	5.88	23.67	89.00	1.57	0.00	24.39	76.06	Imp Svy
15	1350.00	8.16	65.32	1348.06	10.60	10.74	35.01	90.00	0.77	0.00	36.62	72.94	Imp Svy
16	1439.00	9.94	59.26	1435.95	17.12	17.31	47.35	89.00	2.27	0.00	50.42	69.92	Imp Svy
17	1528.00	10.23	55.68	1523.58	25.45	25.69	60.48	89.00	0.78	0.00	65.71	66.99	Imp Svy
18	1618.00	10.82	45.30	1612.07	35.84	36.14	73.09	90.00	2.20	0.00	81.53	63.69	Imp Svy
19	1707.00	11.39	44.51	1699.40	47.94	48.28	85.19	89.00	0.66	0.00	97.92	60.46	Imp Svy
20	1797.00	11.60	43.78	1787.60	60.76	61.15	97.68	90.00	0.28	0.00	115.24	57.95	Imp Svy
21	1886.00	10.90	43.85	1874.89	73.24	73.68	109.70	89.00	0.79	0.00	132.15	56.11	Imp Svy
22	1976.00	8.56	43.11	1963.59	84.22	84.71	120.17	90.00	2.60	0.00	147.03	54.82	Imp Svy
23	2065.00	9.15	42.74	2051.53	94.22	94.74	129.50	89.00	0.67	0.00	160.46	53.81	Imp Svy
24	2155.00	9.32	44.20	2140.36	104.66	105.22	139.44	90.00	0.32	0.00	174.68	52.96	Imp Svy
25	2244.00	9.48	52.09	2228.17	114.29	114.89	150.25	89.00	1.46	0.00	189.14	52.60	Imp Svy
26	2333.00	8.94	66.35	2316.03	121.52	122.17	162.36	89.00	2.63	0.00	203.19	53.04	Imp Svy
27	2423.00	8.98	65.83	2404.93	127.15	127.85	175.18	90.00	0.10	0.00	216.87	53.88	Imp Svy
28	2512.00	9.67	68.14	2492.76	132.72	133.48	188.45	89.00	0.88	0.00	230.94	54.69	Imp Svy
29	2601.00	10.24	70.04	2580.42	138.15	138.96	202.83	89.00	0.74	0.00	245.86	55.58	Imp Svy
30	2690.00	8.95	70.90	2668.17	143.06	143.93	216.80	89.00	1.46	0.00	260.23	56.42	Imp Svy
31	2780.00	9.41	73.84	2757.02	147.34	148.27	230.49	90.00	0.73	0.00	274.06	57.25	Imp Svy
32	2869.00	8.97	58.70	2844.89	152.92	153.90	243.41	89.00	2.75	0.00	287.98	57.70	Imp Svy
33	2958.00	8.52	57.60	2932.85	160.01	161.03	254.90	89.00	0.54	0.00	301.51	57.72	Imp Svy
34	3048.00	8.40	56.24	3021.87	167.19	168.26	266.00	90.00	0.26	0.00	314.75	57.68	Imp Svy
35	3137.00	8.71	56.02	3109.88	174.52	175.64	276.99	89.00	0.35	0.00	327.98	57.62	Imp Svy
36	3227.00	9.05	55.31	3198.80	182.32	183.48	288.46	90.00	0.40	0.00	341.86	57.54	Imp Svy
37	3316.00	9.34	54.78	3286.66	190.42	191.62	300.11	89.00	0.34	0.00	356.07	57.44	Imp Svy
38	3406.00	9.59	54.83	3375.44	198.90	200.15	312.21	90.00	0.28	0.00	370.86	57.34	Imp Svy
39	3495.00	9.71	55.70	3463.18	207.35	208.65	324.47	89.00	0.21	0.00	385.77	57.26	Imp Svy
40	3585.00	9.73	55.64	3551.88	215.87	217.22	337.02	90.00	0.02	0.00	400.96	57.20	Imp Svy
41	3674.00	9.98	55.03	3639.57	224.48	225.89	349.55	89.00	0.30	0.00	416.18	57.13	Imp Svy
42	3764.00	10.35	54.84	3728.16	233.56	235.01	362.55	90.00	0.41	0.00	432.05	57.05	Imp Svy
43	3853.00	10.71	54.70	3815.66	242.89	244.40	375.83	89.00	0.41	0.00	448.31	56.96	Imp Svy
44	3943.00	10.76	54.35	3904.08	252.56	254.13	389.48	90.00	0.09	0.00	465.06	56.88	Imp Svy
45	4032.00	11.24	54.49	3991.45	262.38	264.01	403.29	89.00	0.54	0.00	482.02	56.79	Imp Svy
46	4122.00	9.93	53.76	4079.91	272.01	273.69	416.69	90.00	1.46	0.00	498.54	56.70	Imp Svy
47	4211.00	8.77	47.09	4167.73	281.13	282.85	427.85	89.00	1.78	0.00	512.89	56.53	Imp Svy
48	4300.00	9.27	45.94	4255.63	290.69	292.45	437.97	89.00	0.60	0.00	526.64	56.27	Imp Svy
49	4389.00	9.58	46.31	4343.43	300.75	302.55	448.48	89.00	0.35	0.00	540.99	56.00	Imp Svy
50	4479.00	9.59	46.22	4432.17	311.06	312.91	459.31	90.00	0.02	0.00	555.77	55.73	Imp Svy
51	4569.00	9.64	46.23	4520.91	321.42	323.31	470.16	90.00	0.06	0.00	570.60	55.49	Imp Svy
52	4658.00	9.65	46.31	4608.65	331.68	333.62	480.94	89.00	0.02	0.00	585.32	55.25	Imp Svy

53	4747.00	9.66	46.72	4696.39	341.91	343.89	491.77	89.00	0.08	0.00	600.08	55.04	Imp Svy
54	4836.00	8.08	55.98	4784.33	350.49	352.51	502.39	89.00	2.39	0.00	613.73	54.94	Imp Svy
55	4926.00	8.52	55.18	4873.39	357.79	359.85	513.11	90.00	0.51	0.00	626.72	54.96	Imp Svy
56	5015.00	8.68	54.60	4961.39	365.40	367.51	523.99	89.00	0.20	0.00	640.02	54.96	Imp Svy
57	5104.00	8.83	54.92	5049.35	373.18	375.33	535.06	89.00	0.18	0.00	653.57	54.95	Imp Svy
58	5194.00	8.72	54.72	5138.30	381.04	383.24	546.28	90.00	0.13	0.00	667.30	54.95	Imp Svy
59	5283.00	8.62	55.83	5226.28	388.64	390.88	557.30	89.00	0.22	0.00	680.72	54.96	Imp Svy
60	5373.00	8.43	56.58	5315.28	396.02	398.30	568.39	90.00	0.24	0.00	694.05	54.98	Imp Svy
61	5462.00	8.41	58.07	5403.32	403.01	405.34	579.36	89.00	0.25	0.00	707.07	55.02	Imp Svy
62	5552.00	8.02	58.69	5492.40	409.71	412.08	590.31	90.00	0.44	0.00	719.91	55.08	Imp Svy
63	5641.00	7.02	60.34	5580.63	415.58	418.00	600.34	89.00	1.15	0.00	731.53	55.15	Imp Svy
64	5730.00	5.63	66.48	5669.09	419.98	422.43	609.07	89.00	1.73	0.00	741.22	55.26	Imp Svy
65	5820.00	5.20	65.37	5758.69	423.41	425.89	616.83	90.00	0.49	0.00	749.57	55.38	Imp Svy
66	5909.00	3.65	57.88	5847.42	426.58	429.08	622.89	89.00	1.86	0.00	756.37	55.44	Imp Svy
67	5999.00	1.91	41.67	5937.31	429.21	431.72	626.31	90.00	2.10	0.00	760.69	55.42	Imp Svy
68	6088.00	1.87	43.58	6026.27	431.36	433.88	628.30	89.00	0.08	0.00	763.56	55.37	Imp Svy
69	6178.00	0.94	96.86	6116.24	432.33	434.86	630.05	90.00	1.68	0.00	765.55	55.39	Imp Svy
70	6267.00	0.95	101.46	6205.23	432.09	434.63	631.50	89.00	0.09	0.00	766.61	55.46	Imp Svy
71	6356.00	0.97	98.05	6294.22	431.83	434.37	632.96	89.00	0.07	0.00	767.67	55.54	Imp Svy
72	6445.00	0.94	101.52	6383.20	431.57	434.12	634.43	89.00	0.07	0.00	768.74	55.62	Imp Svy
73	6535.00	0.86	99.87	6473.19	431.30	433.86	635.81	90.00	0.09	0.00	769.74	55.69	Imp Svy
74	6624.00	0.86	99.28	6562.18	431.08	433.64	637.13	89.00	0.01	0.00	770.70	55.76	Imp Svy
75	6714.00	0.89	101.06	6652.17	430.83	433.39	638.48	90.00	0.04	0.00	771.68	55.83	Imp Svy
76	6803.00	0.62	100.01	6741.16	430.61	433.18	639.64	89.00	0.30	0.00	772.51	55.89	Imp Svy
77	6892.00	1.39	101.65	6920.14	429.99	432.57	642.72	179.00	0.43	0.00	774.73	56.06	Imp Svy
78	7071.00	1.49	89.94	7009.11	429.76	432.35	644.93	89.00	0.35	0.00	776.44	56.16	Imp Svy
79	7161.00	1.65	96.06	7099.07	429.62	432.22	647.39	90.00	0.26	0.00	778.41	56.27	Imp Svy
80	7250.00	2.11	99.44	7188.03	429.20	431.81	650.28	89.00	0.53	0.00	780.59	56.41	Imp Svy
81	7340.00	1.96	100.47	7277.97	428.64	431.26	653.43	90.00	0.17	0.00	782.91	56.58	Imp Svy
82	7429.00	2.28	102.47	7366.91	427.96	430.60	656.65	89.00	0.37	0.00	785.25	56.74	Imp Svy
83	7519.00	2.23	112.99	7456.84	426.88	429.53	660.01	90.00	0.46	0.00	787.47	56.94	Imp Svy
84	7608.00	2.33	104.09	7545.77	425.75	428.42	663.36	89.00	0.41	0.00	789.68	57.14	Imp Svy
85	7698.00	2.66	98.09	7635.68	425.00	427.68	667.20	90.00	0.47	0.00	792.51	57.34	Imp Svy
86	7787.00	2.04	96.35	7724.61	424.52	427.21	670.82	89.00	0.70	0.00	795.31	57.51	Imp Svy
87	7876.00	1.26	71.05	7813.57	424.65	427.35	673.32	89.00	1.18	0.00	797.49	57.60	Imp Svy
88	7966.00	1.35	49.88	7903.55	425.65	428.36	675.07	90.00	0.54	0.00	799.51	57.60	Imp Svy
89	8055.00	1.92	58.71	7992.51	427.09	429.81	677.15	89.00	0.70	0.00	802.04	57.60	Imp Svy
90	8145.00	2.03	70.51	8082.46	428.39	431.12	679.94	90.00	0.47	0.00	805.10	57.62	Imp Svy
91	8234.00	0.72	71.21	8171.43	429.09	431.83	681.95	89.00	1.47	0.00	807.18	57.66	Imp Svy
92	8324.00	1.58	268.82	8261.42	429.25	431.99	681.25	90.00	2.53	0.00	806.67	57.62	Imp Svy
93	8413.00	1.80	246.64	8350.39	428.68	431.41	678.74	89.00	0.77	0.00	804.24	57.56	Imp Svy
94	8503.00	1.97	238.57	8440.34	427.32	430.04	676.12	90.00	0.35	0.00	801.29	57.54	Imp Svy
95	8592.00	2.03	228.51	8529.28	425.49	428.20	673.63	89.00	0.40	0.00	798.21	57.56	Imp Svy
96	8681.00	2.17	223.83	8618.22	423.24	425.94	671.29	89.00	0.25	0.00	795.01	57.60	Imp Svy
97	8771.00	2.07	222.41	8708.16	420.82	423.51	669.01	90.00	0.13	0.00	791.79	57.66	Imp Svy
98	8860.00	2.04	226.81	8797.10	418.56	421.24	666.77	89.00	0.18	0.00	788.68	57.72	Imp Svy
99	8950.00	2.11	228.18	8887.05	416.37	419.04	664.37	90.00	0.10	0.00	785.48	57.76	Imp Svy
100	9039.00	2.01	246.56	8975.99	414.66	417.32	661.71	89.00	0.75	0.00	782.32	57.76	Imp Svy
101	9129.00	1.97	266.36	9065.94	413.95	416.60	658.72	90.00	0.76	0.00	779.40	57.69	Imp Svy
102	9218.00	1.67	257.07	9154.89	413.57	416.21	655.93	89.00	0.47	0.00	776.84	57.60	Imp Svy
103	9308.00	1.50	259.29	9244.86	413.07	415.70	653.50	90.00	0.20	0.00	774.51	57.54	Imp Svy
104	9397.00	1.42	258.19	9333.83	412.64	415.25	651.27	89.00	0.10	0.00	772.39	57.48	Imp Svy
105	9487.00	1.49	276.10	9423.80	412.54	415.15	649.02	90.00	0.51	0.00	770.44	57.39	Imp Svy
106	9576.00	1.84	286.00	9512.76	413.07	415.67	646.49	89.00	0.51	0.00	768.59	57.26	Imp Svy
107	9666.00	1.71	279.77	9602.72	413.71	416.29	643.78	90.00	0.26	0.00	766.65	57.11	Imp Svy
108	9755.00	1.64	279.72	9691.68	414.16	416.73	641.22	89.00	0.08	0.00	764.74	56.98	Imp Svy
109	9845.00	1.43	274.78	9781.65	414.48	417.05	638.83	90.00	0.28	0.00	762.91	56.86	Imp Svy
110	9934.00	1.30	266.57	9870.62	414.52	417.08	636.71	89.00	0.26	0.00	761.16	56.77	Imp Svy
111	10024.00	1.29	265.76	9960.60	414.39	416.94	634.68	90.00	0.02	0.00	759.38	56.70	Imp Svy
112	10113.00	1.28	257.58	10049.58	414.11	416.65	632.71	89.00	0.21	0.00	757.58	56.63	Imp Svy
113	10159.00	1.21	253.82	10095.57	413.87	416.41	631.75	46.00	0.23	0.00	756.64	56.61	Imp Svy
114	10278.00	1.71	241.49	10214.53	412.68	415.21	628.98	119.00	0.49	145.40	753.67	56.57	MWD Run 1
115	10367.00	2.17	324.18	10303.49	413.42	415.94	626.82	89.00	2.91	163.40	752.28	56.43	MWD Run 1
116	10457.00	5.97	354.32	10393.26	419.47	421.99	625.36	90.00	4.71	172.40	754.42	55.99	MWD Run 1
117	10546.00	12.07	359.61	10481.11	433.40	435.91	624.84	89.00	6.90	174.20	761.87	55.10	MWD Run 1
118	10636.00	17.70	0.92	10568.06	456.51	459.02	625.00	90.00	6.27	170.60	775.45	53.70	MWD Run 1
119	10718.00	22.27	7.13	10645.11	484.41	486.93	627.13	82.00	6.14	161.60	793.97	52.17	MWD Run 2
120	10808.00	26.46	14.25	10727.09	520.76	523.31	634.19	90.00	5.67	159.80	822.22	50.47	MWD Run 3
121	10897.00	39.70	13.70	10801.50	567.75	570.35	645.85	89.00	14.88	172.40	861.64	48.55	MWD Run 3
122	10987.00	54.31	9.77	10862.72	632.00	634.65	658.94	89.00	16.53	177.80	914.87	46.08	MWD Run 3
123	11076.00	69.88	2.13	10904.30	709.91	712.59	666.68	90.00	19.05	177.80	975.83	43.09	MWD Run 3
124	11165.00	82.58	358.66	10925.45	796.16	798.84	667.20	89.00	14.76	177.80	1040.82	39.87	MWD Run 3
125	11259.00	92.61	358.73	10929.40	889.94	892.62	665.07	94.00	10.67	165.20	1113.14	36.69	MWD Run 4

126	11348.00	92.94	357.48	10925.09	978.79	981.46	662.14	89.00	1.45	170.60	1183.93	34.01	MWD Run 4
127	11438.00	92.72	357.34	10920.65	1068.61	1071.26	658.07	90.00	0.30	172.40	1257.24	31.56	MWD Run 4
128	11527.00	91.99	357.09	10917.00	1157.44	1160.08	653.75	89.00	0.87	177.80	1331.60	29.40	MWD Run 4
129	11617.00	89.38	353.75	10915.92	1247.16	1249.76	646.56	90.00	4.71	179.60	1407.11	27.35	MWD Run 4
130	11706.00	91.06	357.39	10915.57	1335.90	1338.48	639.68	89.00	4.51	181.40	1483.48	25.54	MWD Run 4
131	11796.00	92.80	0.99	10912.53	1425.83	1428.40	638.41	90.00	4.44	183.20	1564.57	24.08	MWD Run 4
132	11886.00	92.89	1.39	10908.07	1515.69	1518.27	640.28	90.00	0.45	186.80	1647.76	22.87	MWD Run 4
133	11975.00	92.49	1.79	10903.89	1604.54	1607.14	642.74	89.00	0.62	188.60	1730.90	21.80	MWD Run 4
134	12065.00	92.83	359.99	10899.71	1694.43	1697.03	644.13	90.00	2.03	188.60	1815.16	20.79	MWD Run 4
135	12155.00	92.24	358.97	10895.72	1784.33	1786.93	643.31	90.00	1.31	190.40	1899.20	19.80	MWD Run 4
136	12244.00	92.91	357.96	10891.72	1873.22	1875.81	640.93	89.00	1.36	181.40	1982.28	18.86	MWD Run 4
137	12333.00	91.60	357.36	10888.22	1962.09	1964.66	637.29	89.00	1.63	188.60	2065.44	17.97	MWD Run 4
138	12423.00	89.30	356.06	10887.51	2051.95	2054.50	632.13	90.00	2.93	192.20	2149.55	17.10	MWD Run 4
139	12513.00	90.56	358.04	10887.62	2141.84	2144.38	627.50	90.00	2.60	192.20	2234.30	16.31	MWD Run 4
140	12602.00	90.56	1.73	10886.75	2230.82	2233.36	627.32	89.00	4.15	194.00	2319.79	15.69	MWD Run 4
141	12692.00	90.25	3.09	10886.12	2320.72	2323.27	631.10	90.00	1.55	195.80	2407.47	15.20	MWD Run 4
142	12781.00	89.16	1.90	10886.57	2409.62	2412.19	634.97	89.00	1.82	195.80	2494.36	14.75	MWD Run 4
143	12871.00	90.45	2.47	10886.88	2499.53	2502.12	638.40	90.00	1.57	199.40	2582.28	14.31	MWD Run 4
144	12960.00	90.34	2.29	10886.27	2588.44	2591.04	642.10	89.00	0.24	197.60	2669.42	13.92	MWD Run 4
145	13050.00	89.27	359.41	10886.58	2678.41	2681.02	643.45	90.00	3.41	201.20	2757.15	13.50	MWD Run 4
146	13139.00	91.57	1.15	10885.93	2767.40	2770.00	643.88	89.00	3.24	203.00	2843.85	13.09	MWD Run 4
147	13229.00	90.14	359.83	10884.58	2857.38	2859.99	644.66	90.00	2.16	201.20	2931.74	12.70	MWD Run 4
148	13318.00	90.92	359.02	10883.76	2946.37	2948.98	643.77	89.00	1.27	204.80	3018.43	12.31	MWD Run 4
149	13408.00	90.34	357.86	10882.77	3036.34	3038.94	641.31	90.00	1.44	201.20	3105.87	11.92	MWD Run 4
150	13497.00	90.03	356.55	10882.48	3125.25	3127.83	636.98	89.00	1.51	204.80	3192.03	11.51	MWD Run 4
151	13587.00	90.81	356.30	10881.82	3215.09	3217.65	631.37	90.00	0.91	206.60	3279.01	11.10	MWD Run 4
152	13676.00	90.67	356.72	10880.67	3303.94	3306.48	625.95	89.00	0.49	208.40	3365.20	10.72	MWD Run 4
153	13766.00	88.80	356.43	10881.09	3393.79	3396.31	620.57	90.00	2.11	210.20	3452.54	10.35	MWD Run 4
154	13855.00	90.36	357.32	10881.74	3482.67	3485.17	615.72	89.00	2.03	206.60	3539.14	10.02	MWD Run 4
155	13945.00	90.34	358.33	10881.19	3572.62	3575.11	612.31	90.00	1.12	210.20	3627.16	9.72	MWD Run 4
156	14034.00	91.93	358.57	10879.43	3661.57	3664.05	609.90	89.00	1.81	212.00	3714.47	9.45	MWD Run 4
157	14123.00	92.02	359.37	10876.36	3750.51	3752.98	608.31	89.00	0.90	212.00	3801.96	9.21	MWD Run 4
158	14212.00	92.21	359.43	10873.08	3839.45	3841.92	607.37	89.00	0.23	212.00	3889.63	8.98	MWD Run 4
159	14302.00	87.59	358.33	10873.23	3929.41	3931.88	605.61	90.00	5.28	212.00	3978.24	8.76	MWD Run 4
160	14391.00	86.30	357.44	10877.97	4018.24	4020.69	602.34	89.00	1.76	213.80	4065.55	8.52	MWD Run 4
161	14481.00	87.25	358.34	10883.03	4108.04	4110.48	599.03	90.00	1.45	210.20	4153.90	8.29	MWD Run 4
162	14570.00	89.05	359.43	10885.90	4196.98	4199.41	597.30	89.00	2.36	210.20	4241.68	8.10	MWD Run 4
163	14659.00	89.78	2.25	10886.82	4285.95	4288.39	598.60	89.00	3.27	212.00	4329.97	7.95	MWD Run 4
164	14749.00	89.86	5.47	10887.10	4375.71	4378.17	604.65	90.00	3.58	213.80	4419.73	7.86	MWD Run 4
165	14838.00	90.95	7.35	10886.47	4464.11	4466.61	614.59	89.00	2.45	204.80	4508.69	7.83	MWD Run 4
166	14927.00	90.36	6.26	10885.45	4552.43	4554.97	625.14	89.00	1.39	206.60	4597.67	7.81	MWD Run 4
167	15017.00	89.83	1.35	10885.30	4642.18	4644.75	631.11	90.00	5.50	208.40	4687.43	7.74	MWD Run 4
168	15106.00	90.17	2.44	10885.30	4731.11	4733.70	634.05	89.00	1.29	210.20	4775.97	7.63	MWD Run 4
169	15196.00	90.78	1.67	10884.55	4821.04	4823.63	637.28	90.00	1.10	204.80	4865.55	7.53	MWD Run 4
170	15285.00	89.94	357.41	10883.98	4910.01	4912.61	636.57	89.00	4.88	210.20	4953.68	7.38	MWD Run 4
171	15375.00	89.61	358.57	10884.33	4999.97	5002.55	633.41	90.00	1.34	206.60	5042.49	7.22	MWD Run 4
172	15464.00	90.00	356.86	10884.64	5088.91	5091.48	629.85	89.00	1.97	212.00	5130.29	7.05	MWD Run 4
173	15553.00	91.09	357.07	10883.79	5177.79	5180.35	625.14	89.00	1.25	213.80	5217.93	6.88	MWD Run 4
174	15643.00	90.08	356.90	10882.87	5267.68	5270.21	620.40	90.00	1.14	215.60	5306.60	6.71	MWD Run 4
175	15732.00	90.22	357.49	10882.63	5356.59	5359.11	616.04	89.00	0.69	213.80	5394.40	6.56	MWD Run 4
176	15822.00	91.88	0.10	10880.98	5446.55	5449.06	614.15	90.00	3.43	217.40	5483.56	6.43	MWD Run 4
177	15911.00	90.76	0.92	10878.93	5535.52	5538.03	614.95	89.00	1.56	217.40	5572.07	6.34	MWD Run 4
178	16001.00	89.55	0.69	10878.69	5625.50	5628.02	616.22	90.00	1.36	213.80	5661.66	6.25	MWD Run 4
179	16090.00	90.00	1.08	10879.04	5714.48	5717.01	617.60	89.00	0.67	217.40	5750.27	6.17	MWD Run 4
180	16180.00	86.92	0.74	10881.46	5804.42	5806.95	619.02	90.00	3.45	213.80	5839.86	6.08	MWD Run 4
181	16269.00	90.59	0.03	10883.39	5893.38	5895.92	619.62	89.00	4.20	219.20	5928.39	6.00	MWD Run 4
182	16358.00	91.01	359.10	10882.15	5982.37	5984.90	618.95	89.00	1.15	215.60	6016.82	5.90	MWD Run 4
183	16448.00	89.86	357.68	10881.47	6072.34	6074.86	616.43	90.00	2.03	221.00	6106.06	5.79	MWD Run 4
184	16537.00	91.65	358.24	10880.30	6161.28	6163.79	613.26	89.00	2.11	219.20	6194.23	5.68	MWD Run 4
185	16656.00	89.38	358.56	10879.22	6280.24	6282.73	609.95	119.00	1.93	201.20	6312.27	5.55	MWD Run 5
186	16746.00	88.68	358.70	10880.74	6370.20	6372.70	607.79	90.00	0.79	204.80	6401.61	5.45	MWD Run 5
187	16835.00	88.66	358.86	10882.81	6459.17	6461.65	605.90	89.00	0.19	206.60	6490.00	5.36	MWD Run 5
188	16925.00	90.00	359.36	10883.86	6549.15	6551.63	604.50	90.00	1.59	206.60	6579.46	5.27	MWD Run 5
189	17014.00	89.89	359.48	10883.95	6638.15	6640.63	603.60	89.00	0.18	210.20	6668.00	5.19	MWD Run 5
190	17104.00	90.36	359.64	10883.75	6728.15	6730.62	602.90	90.00	0.56	208.40	6757.57	5.12	MWD Run 5
191	17193.00	88.12	358.03	10884.93	6817.12	6819.59	601.09	89.00	3.10	212.00	6846.03	5.04	MWD Run 5
192	17283.00	91.06	359.65	10885.56	6907.09	6909.56	599.26	90.00	3.73	210.20	6935.49	4.96	MWD Run 5
193	17372.00	91.99	0.43	10883.19	6996.06	6998.52	599.32	89.00	1.36	213.80	7024.14	4.89	MWD Run 5
194	17462.00	90.90	0.58	10880.93	7086.02	7088.49	600.12	90.00	1.23	212.00	7113.85	4.84	MWD Run 5
195	17551.00	89.36	358.74	10880.73	7175.02	7177.48	599.59	89.00	2.70	215.60	7202.48	4.78	MWD Run 5
196	17640.00	92.10	359.48	10879.60	7266.99	7269.45	598.20	89.00	3.19	213.80	7291.03	4.71	MWD Run 5
197	17729.00	94.32	359.80	10874.62	7352.85	7355.31	597.64	89.00	2.52	215.60	7379.55	4.65	MWD Run 5
198	17819.00	93.92	358.94	10868.15	7442.61	7445.07	596.66	90.00	1.05	219.20	7468.94	4.58	MWD Run 5

199	17864.00	94.34	359.31	10864.91	7487.49	7489.94	595.98	45.00	1.24	221.00	7513.62	4.55	MWD Run 5
200	17908.00	95.02	359.55	10861.31	7531.34	7533.80	595.54	44.00	1.63	217.40	7557.30	4.52	MWD Run 5
201	17953.00	94.76	0.25	10857.48	7576.18	7578.63	595.46	45.00	1.65	215.60	7601.99	4.49	MWD Run 5
202	17998.00	89.61	1.57	10855.76	7621.12	7623.58	596.18	45.00	11.83	219.20	7646.85	4.47	MWD Run 5
203	18087.00	88.49	1.48	10857.24	7710.07	7712.53	598.54	89.00	1.26	224.60	7735.72	4.44	MWD Run 5
204	18176.00	88.57	2.13	10859.53	7798.98	7801.46	601.35	89.00	0.74	226.40	7824.60	4.41	MWD Run 5
205	18221.00	86.55	2.39	10861.44	7843.89	7846.38	603.12	45.00	4.52	224.60	7869.52	4.40	MWD Run 5
206	18265.00	86.05	2.51	10864.28	7887.75	7890.25	605.00	44.00	1.17	219.20	7913.41	4.38	MWD Run 5
207	18355.00	88.21	3.58	10868.79	7977.49	7980.00	609.77	90.00	2.68	221.00	8003.26	4.37	MWD Run 5
208	18445.00	88.85	4.57	10871.10	8067.20	8069.74	616.16	90.00	1.31	219.20	8093.23	4.37	MWD Run 5
209	18534.00	89.69	5.25	10872.23	8155.84	8158.41	623.78	89.00	1.21	221.00	8182.22	4.37	MWD Run 5
210	18623.00	91.90	6.11	10870.99	8244.35	8246.96	632.59	89.00	2.66	222.80	8271.18	4.39	MWD Run 5
211	18713.00	93.08	6.78	10867.07	8333.65	8336.30	642.67	90.00	1.51	226.40	8361.04	4.41	MWD Run 5
PTB	18795.00	93.08	6.78	10862.67	8414.92	8417.61	652.34	82.00	0.01	0.00	8442.85	4.43	Bit Proj

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

[REDACTED]

Well Name: CORRAL CANYON 9-4 FEDERAL	Well Location: T25S / R29E / SEC 9 / NWSW / 32.142794 / -103.996873	County or Parish/State: EDDY / NM
Well Number: 162H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM136870	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547116	Well Status: Producing Gas Well	Operator: XTO ENERGY INCORPORATED

Subsequent Report

Sundry ID: 2672756

Type of Submission: Subsequent Report

Type of Action: Drilling Operations

Date Sundry Submitted: 05/20/2022

Time Sundry Submitted: 01:21

Date Operation Actually Began: 02/23/2022

Actual Procedure: XTO PERMIAN OPERATING LLC respectfully submits this sundry notice to report the completion operations of the referenced well. KOP @ depth 10,331 ft. PBTD = 18,778 ft. 9/17/21 Run RCB/GR/CCL 12/21/21 Pressure test 5.5 in csg to 8,593 psi for 30min test good, open sleeve. 2/23/22 Perf and frac 36 stages, 1,756 total shots, from 11,390 to 18,659 using 385,444 bbls of fluid and 15,953,921 lbs Proppant. Tag and drill out plugs. 4/28/22 Run 2-7/8 L80 6.5# tubing set at 10,731 ft. 4/28/22 Packer setting depth 10,715 ft.

Well Number: 162H

Type of Well: CONVENTIONAL GAS
WELL

Allottee or Tribe Name:

Lease Number: NMNM136870

Unit or CA Name:

Unit or CA Number:

US Well Number: 3001547116

Well Status: Producing Gas Well

Operator: XTO ENERGY
INCORPORATED**Operator**

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: CASSIE EVANS

Signed on: MAY 20, 2022 01:21 PM

Name: XTO ENERGY INCORPORATED

Title: Regulatory Analyst

Street Address: 6401 Holiday Hill Road, Bldg 5

City: Midland

State: TX

Phone: (432) 218-3671

Email address: CASSIE.EVANS@EXXONMOBIL.COM

Field

Representative Name:

Street Address:

City:

State:

Zip:

Phone:

Email address:

BLM Point of Contact

BLM POC Name: Jonathon W Shepard

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972

BLM POC Email Address: jshepard@blm.gov

Disposition: Accepted

Disposition Date: 06/10/2022

Signature: Jonathon Shepard

Well Name: CORRAL CANYON 9-4 FEDERAL	Well Location: T25S / R29E / SEC 9 / NWSW / 32.142794 / -103.996873	County or Parish/State: EDDY / NM
Well Number: 162H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM136870	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547116	Well Status: Producing Gas Well	Operator: XTO ENERGY INCORPORATED

Notification

Sundry ID:	2672757		
Type of Submission:	Notification	Type of Action:	First Production
Date Sundry Submitted:	May 20, 2022	Time Sundry Submitted:	1:22:22 PM
First Production Date:	May 2, 2022		
US Well Number:	3001547116		
First Production Remarks:	Ready Date: 5/1/2022 First Production: 5/2/2022		
Disposition:	Accepted		
Accepted Date:	05/26/2022		

Wellbore Code	Completion Code
00	X1

Well Name: CORRAL CANYON 9-4 FEDERAL	Well Location: T25S / R29E / SEC 9 / NWSW / 32.142794 / -103.996873	County or Parish/State: EDDY / NM
Well Number: 162H	Type of Well: CONVENTIONAL GAS WELL	Allottee or Tribe Name:
Lease Number: NMNM136870	Unit or CA Name:	Unit or CA Number:
US Well Number: 3001547116	Well Status: Producing Gas Well	Operator: XTO ENERGY INCORPORATED

Notification

Sundry ID:	2679316		
Type of Submission:	Notification	Type of Action:	First Production
Date Sundry Submitted:	Jun 28, 2022	Time Sundry Submitted:	9:26:11 AM
First Production Date:	Jun 6, 2022		
US Well Number:	3001547116	Wellbore Code	Completion Code
		00	S1
First Production Remarks:	Well record clean up for ready date and first production: Ready Date: 6/5/2022 First Production Date: 6/6/2022		

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505			Form C-105 Revised April 3, 2017					
WELL COMPLETION OR RECOMPLETION REPORT AND LOG										
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name CORRAL CANYON 9 4 FEDERAL		
								6. Well Number: 162H		
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER										
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 5380				
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat PURPLE SAGE;WOLFCAMP (GAS)				
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County
Surface:	L	09	25S	29E		1991	South	366	West	Eddy
BH:	4	04	25S	29E		204	North	1050	West	Eddy
13. Date Spudded 6/14/2020	14. Date T.D. Reached 9/16/2020		15. Date Rig Released 9/18/2020		16. Date Completed (Ready to Produce) 6/5/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3002' GL		
18. Total Measured Depth of Well 18,795			19. Plug Back Measured Depth 18,778		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL		
22. Producing Interval(s), of this completion - Top, Bottom, Name 11,390 TO 18,659 PURPLE SAGE;WOLFCAMP (GAS)										
23. CASING RECORD (Report all strings set in well)										
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED
11 3/4"		54.0		888'		14 3/4"		675		
8 5/8"		32.0		10,228'		10 5/8"		2,520		
5 1/2"		23.0		18,780'		7 7/8"		2,400		
24. LINER RECORD						25. TUBING RECORD				
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN		SIZE	DEPTH SET		PACKER SET	
						2 7/8"	10,731		10,715	
26. Perforation record (interval, size, and number) 11,390 TO 18,659, 4spf, 1,756 Total Shots 36 stages						27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.				
						DEPTH INTERVAL		AMOUNT AND KIND MATERIAL USED		
						11,390 TO 18,659		385,444 bbl fluid + 15,953,921 lbs proppant		
28. PRODUCTION										
Date First Production 6/6/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing				
Date of Test 6/12/22	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 1550	Gas - MCF 6570	Water - Bbl. 6021	Gas - Oil Ratio 4239			
Flow Tubing Press. 1045	Casing Pressure 400	Calculated 24-Hour Rate	Oil - Bbl. 1550	Gas - MCF 6570	Water - Bbl. 6021	Oil Gravity - API - (Corr.)				
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By		
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)										
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:		
34. If an on-site burial was used at the well, report the exact location of the on-site burial:										
Latitude				Longitude				NAD83		
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief										
Signature <i>Amanda Thames</i>			Name Amanda Thames			Title Regulatory Analyst			Date 6/28/2022	
E-mail Address amanda.thames@exxonmobil.com										

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 905'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 2,759'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 2,978'	T. Morrison	
T. Drinkard	T. Bone Springs 6,726'	T. Todilto	
T. Abo	T. Rustler 423'	T. Entrada	
T. Wolfcamp 9,937'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....

From	To	Thickness In Feet	Lithology

LITHOLOGY RECORD (Attach additional sheets if necessary)

From	To	Thickness In Feet	Lithology

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 121136

ACKNOWLEDGMENTS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 121136
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 121136

CONDITIONS

Operator: XTO ENERGY, INC 6401 Holiday Hill Road Midland, TX 79707	OGRID: 5380
	Action Number: 121136
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	9/2/2025