

<b>Well Name:</b> WEST BISTI 26-12-5 COM	<b>Well Location:</b> T26N / R12W / SEC 5 / NESW / 36.51619 / -108.136993	<b>County or Parish/State:</b> SAN JUAN / NM
<b>Well Number:</b> 2	<b>Type of Well:</b> OTHER	<b>Allottee or Tribe Name:</b>
<b>Lease Number:</b> NMSF081102A	<b>Unit or CA Name:</b> WEST BISTI 26-12-5	<b>Unit or CA Number:</b> NMNM94028
<b>US Well Number:</b> 300452915100S1	<b>Operator:</b> DUGAN PRODUCTION CORPORATION	

Subsequent Report

**Sundry ID:** 2870682

**Type of Submission:** Subsequent Report

**Type of Action:** Plug and Abandonment

**Date Sundry Submitted:** 08/28/2025

**Time Sundry Submitted:** 03:26

**Date Operation Actually Began:** 07/18/2025

**Actual Procedure:** Dugan Production P&A'd the well on 7/18/2025 - 7/21/2025 per the attached procedure.

SR Attachments

Actual Procedure

- West\_Bisti\_26\_12\_5\_Com\_2\_apvd\_plug\_changes\_20250828152428.pdf
- West\_Bisti\_26\_12\_5\_Com\_2\_SR\_PA\_marker\_and\_gps\_20250828152059.pdf
- West\_Bisti\_26\_12\_5\_Com\_2\_SR\_PA\_formation\_tops\_20250828151212.pdf
- West\_Bisti\_26\_12\_5\_Com\_2\_SR\_PA\_completed\_wellbore\_schematic\_20250828151152.pdf
- West\_Bisti\_26\_12\_5\_Com\_2\_SR\_PA\_work\_completed\_20250828151120.pdf

Well Name: WEST BISTI 26-12-5 COM

Well Location: T26N / R12W / SEC 5 /  
NESW / 36.51619 / -108.136993

County or Parish/State: SAN  
JUAN / NM

Well Number: 2

Type of Well: OTHER

Allottee or Tribe Name:

Lease Number: NMSF081102A

Unit or CA Name: WEST BISTI 26-12-5

Unit or CA Number:  
NMNM94028

US Well Number: 300452915100S1

Operator: DUGAN PRODUCTION  
CORPORATION

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: TYRA FEIL

Signed on: AUG 28, 2025 03:25 PM

Name: DUGAN PRODUCTION CORPORATION

Title: Authorized Representative

Street Address: PO BOX 420

City: FARMINGTONState: NM

Phone: (505) 325-1821

Email address: TYRAFEIL@DUGANPRODUCTION.COM

Field

Representative Name: Aliph Reena

Street Address: PO Box 420

City: FarmingtonState: NMZip: 87499-0420

Phone: (505)360-9192

Email address: Aliph.Reena@duganproduction.com

BLM Point of Contact

BLM POC Name: MATTHEW H KADE

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647736

BLM POC Email Address: MKADE@BLM.GOV

Disposition: Accepted

Disposition Date: 08/28/2025

Signature: Matthew Kade

Dugan Production P&A'd the well on **07/18/2025 - 07/21/2025** per the following procedure:

- MI & RU Aztec Rig 450 and cement equipment. Spot & RU.
- Check pressures: Tubing 0 psi, Casing 40 psi, BH 0 psi.
- Pull and LD all rods & production tubing.
- Run 4½" string mill to 1013'. TOOH & SB.
- RIH & set 4½" cement retainer to 954'. Fruitland Coal perforations @ 1003'-1154'.
- Load and circulate hole w/ 20 bbls water.
- **Attempt to pressure test casing to 650 psi for 30 mins. Casing held good for 30 minutes. Test passed.**
- Run CBL from 954' to surface. Sent copy of CBL to NMOCD and BLM. Copy of communications attached.
- **Plug I, Pictured Cliffs-Fruitland-Kirtland:** Sting in the cement retainer. Established rate at 2 bpm at 150 psi. Swapped to cement. Squeeze 18 sks, 20.7 cu ft Class G neat cement to cover the Pictured Cliffs below the retainer till the top perforation. Sting out. Spot inside 4½" casing above cement retainer @ 954' w/ 66 sks (75.9 cu ft) Class G neat cement to cover the Pictured Cliffs, Fruitland & Kirtland tops. Displaced w/0.3 bbls water. Reversed out from 159'. WOC 4 hrs. Tagged TOC at 270' (5 gal/sk, 15.8 #/gal, 1.15 cu ft/sk). **Plug I, Inside 4½" casing, cement retainer at 954', 82 sks, 96.6 cu ft, Pictured Cliffs-Fruitland-Kirtland, 270'-1003'.**
- **Plug II, Ojo Alamo-Surface:** RU Wireline and perforate at 84'. Establish circulation to surface w/4 bbls water. RIH open-ended to 270'. Spot Plug II, Inside/Outside 4½" casing from 270' to surface and shut down casing side to circulate to cement through BH w/37 sks, 42.3 cu ft Class G neat cement. Circulate cement to surface. WOC 4 hrs. RU welder and tagged TOC at surface inside 4½" casing and inside the annulus. Good tag. **Plug II, Inside/Outside 4½" casing, perforations at 84', 37 sks, 42.3 cu ft, Ojo Alamo-Surface Casing shoe-Surface, 0-270'.**
- Install below-grade plate for dry hole marker. Pictures and GPS coordinates included.
- Clean location. Rig down Aztec 450 and move.
- Lucas Mason w/BLM witnessed job.
- **Well P&A'd 07/21/2025.**

**Completed P & A Wellbore Schematic**

West Bisti 26-12-5 Com #2

30-045-29151


Basin Fruitland Coal (Gas)

2306' FSL & 1815' FWL

K-S5-T26N R12W

San Juan County, NM

Lat:36.765219, Long:108.281374



7" 20# K-55 casing @ 125'. Hole size @ 8 3/4". Cemented w/ 70 sks (83 cu ft) Class B cement. Circulated 4 bbls cement to surface.

**Plug II, Inside/Outside 4 1/2" casing, Perforations at 84', 37 sks, 42.3 Cu.ft, Ojo Alamo-Surface Casing shoe-Surface, 0-270'**

4 1/2" 10.5# casing @ 1355'. Hole size: 6-1/4" Cemented w/150 sks Class B . Top of Cement @ 96' from an old CBL.

**Plug I, Inside 4 1/2" casing, Cement Retainer at 954', 82 sks, 96.6 Cu.ft, Pictured Cliffs-Fruitland-Kirtland, 270'-1003'.**

Fruitland Coal Perforated @ 1003' – 1154'

PBTD @ 1310', TD 1358'

**West Bisti 26-12-5 Com #2**  
30-045-29151  
Basin Fruitland Coal (Gas)  
2306' FSL & 1815' FWL  
K-S5-T26N R12W  
San Juan County, NM  
Lat:36.765219, Long:108.281374

**Formation Tops (Referenced for P & A)**

- **Surface Casing – 125'**
- **Ojo Alamo - Surface**
- **Kirtland – 197'**
- **Fruitland – 956'**
- **Perforations – 1003'-1154'**
- **Pictured Cliffs – 1174'**

**Tyra Feil**

---

**From:** Kade, Matthew H <mkade@blm.gov>  
**Sent:** Monday, July 21, 2025 9:58 AM  
**To:** Aliph Reena; Rennick, Kenneth G; Lucero, Virgil S; Mason, Lucas E; JohnA.Garcia@emnrd.nm.gov; Diede, Loren, EMNRD  
**Cc:** Tyra Feil; Omar Ramirez  
**Subject:** Re: [EXTERNAL] Dugan\_west\_bisti\_26\_12\_5\_com\_2\_cbl

The BLM approves of the change to procedure.

Thanks,

**Matthew Kade**

*Petroleum Engineer* | Bureau of Land Management

Farmington Field Office | 6251 College Blvd., Suite A / Farmington, NM 87402

Office: 505-564-7736



---

**From:** Aliph Reena <Aliph.Reena@duganproduction.com>  
**Sent:** Monday, July 21, 2025 8:06 AM  
**To:** Kade, Matthew H <mkade@blm.gov>; Rennick, Kenneth G <krennick@blm.gov>; Lucero, Virgil S <vlucero@blm.gov>; Mason, Lucas E <lmason@blm.gov>; JohnA.Garcia@emnrd.nm.gov <johna.garcia@emnrd.nm.gov>; Diede, Loren, EMNRD <loren.diede@emnrd.nm.gov>  
**Cc:** Tyra Feil <Tyra.Feil@duganproduction.com>; Omar Ramirez <oramirez@aztecwell.com>  
**Subject:** [EXTERNAL] Dugan\_west\_bisti\_26\_12\_5\_com\_2\_cbl

**This email has been received from outside of DOI - Use caution before clicking on links, opening attachments, or responding.**


**Re: Dugan Production Corp.  
West Bisti 26-12-5 Com # 2  
API: 30-045-29151**

Please see the CBL ran on the West Bisti 26-12-5 Com # 2. From the CBL, the TOC appear to be at 95' from surface.

We propose to perforate at 85' from surface and attempt to establish circulation to surface through BH. If a rate cannot be established from the perforations to surface, we will run, 1" poly in the annulus and will fill up from surface.


Please let us know if the request is acceptable to BLM & NMOCD and we will proceed accordingly.


Aliph Reena  
505-360-9192



**Aliph Reena**  
Engineering Supervisor  
Dugan Production Corp



 O: 505-326-4548 | D: 505-360-9192

 [aliph.reena@duganproduction.com](mailto:aliph.reena@duganproduction.com)



**DuganProduction.com**



4100 W Piedras St. | Farmington, NM  
Mailing: PO Box 420 | Farmington, NM 87499-0420

---

**From:** Omar Ramirez <oramirez@aztecwell.com>  
**Sent:** Friday, July 18, 2025 3:26 PM  
**To:** Aliph Reena <Aliph.Reena@duganproduction.com>  
**Cc:** Tyra Feil <Tyra.Feil@duganproduction.com>  
**Subject:** dugan\_west\_bisti\_26\_12\_5\_com\_2\_cbl

Here is the CBL for the West Bisti 26-12-5 Com #2

Omar Ramirez  
Rig Manager – San Juan Basin  
Aztec Well Servicing Co.  
P.O. Box 100  
Aztec, New Mexico 87410  
Cell: 505-486-1828  
505-402-6753  
Office: 505-334-6191  
[Oramirez@aztecwell.com](mailto:Oramirez@aztecwell.com)





DUGAN PROD. CORP.

WEST BIST 26-12-5

COM 2

300452.915100S!

NM5508112A

T26N/R12W/SEC 5

NESW

36.51626781-108.373415

SAN JUAN NM









Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 500930

CONDITIONS

Operator: DUGAN PRODUCTION CORP PO Box 420 Farmington, NM 87499	OGRID: 6515
	Action Number: 500930
	Action Type: [C-103] Sub. Plugging (C-103P)

CONDITIONS

Created By	Condition	Condition Date
loren.diede	Accepted for record.	9/2/2025