

|                                                                                                                                                                                                                                       |                                                                                                            |                                                                                         |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| Santa Fe Main Office<br>Phone: (505) 476-3441<br>General Information<br>Phone: (505) 629-6116<br><br>Online Phone Directory Visit:<br><a href="https://www.emnrd.nm.gov/ocd/contact-us/">https://www.emnrd.nm.gov/ocd/contact-us/</a> | State of New Mexico<br>Energy, Minerals & Natural Resources Department<br><b>OIL CONSERVATION DIVISION</b> | <b>C-104</b><br>Revised July 9, 2024<br><br>Submit Electronically<br>Via OCD Permitting |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|

**REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT****Section 1 - Operator and Well Information**

|                                                                                                                                                                                                                                                    |                           |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|
| Submittal Type: <input type="checkbox"/> Test Allowable (C-104RT) <input checked="" type="checkbox"/> New Well (C-104NW) <input type="checkbox"/> Recomplete (C-104RC) <input type="checkbox"/> Pay Add (C-104RC) <input type="checkbox"/> Amended |                           |
| Operator Name: SPUR ENERGY PARTNERS LLC                                                                                                                                                                                                            | OGRID: 328947             |
| Property Name and Well Number: RED SKIES 10 FEDERAL COM 11H                                                                                                                                                                                        | Property Code: 336464     |
| Mineral Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal                                                                                             | API Number: 30-0 15-55680 |
| Pool Name: RED LAKE; GLORIETA-YESO                                                                                                                                                                                                                 | Pool Code: 51120          |

**Section 2 – Surface Location**

| UL | Section | Township | Range | Lot | Ft. from N/S | Ft. from E/W | Latitude   | Longitude   | County |
|----|---------|----------|-------|-----|--------------|--------------|------------|-------------|--------|
| D  | 11      | 18S      | 27E   |     | 1100' FNL    | 871' FWL     | 32.7662037 | -104.254877 | EDDY   |

**Section 3 – Completion Information**

|                  |            |                 |                  |
|------------------|------------|-----------------|------------------|
| Producing Method | Ready Date | Perforations MD | Perforations TVD |
| PUMPING ON ESP   | 08/08/2025 | 4371'-9418'     | 3809'-3557'      |

**Section 4 – Action IDs for Submissions and Order Numbers**

| List Action IDs for Drilling Sundries                                                                                         | Was an Order required / needed (Y/N), if yes list Order number:                                                                                |
|-------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
| C-104 RT Action ID (if C-104NW):                                                                                              | Communitization Agreement <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No, Order No. NMNM106726088                         |
| Surface Casing Action ID: 439702                                                                                              | Unit: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.                                                           |
| Intermediate 1 Casing Action ID: 453817                                                                                       | Compulsory Pooling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.                                             |
| Intermediate 2 Casing Action ID:                                                                                              | Down Hole Commingling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.                                          |
| Production Casing Action ID: 453817                                                                                           | Surface Commingling: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.                                            |
| All casing was pressure tested in accordance with NMAC<br><input checked="" type="checkbox"/> Yes <input type="checkbox"/> No | Non-standard Location: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No <input type="checkbox"/> Common ownership Order No. |
| Liner 1 Action ID: TUBING 479307                                                                                              | Non-standard Proration: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.                                         |
| Casing was installed prior to OCD's Action ID system (Y/N): N                                                                 | Simultaneous Dedication: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.                                        |

**Section 5 - Operator Signature and Certification**

|                                                                                                                                                                                                                                |                      |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| <input checked="" type="checkbox"/> I hereby certify that the required Water Use Report has been, or will be, submitted for this well's completion.                                                                            |                      |
| <input checked="" type="checkbox"/> I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well's completion.                                                                        |                      |
| <input checked="" type="checkbox"/> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. |                      |
| Name                                                                                                                                                                                                                           |                      |
| SARAH CHAPMAN                                                                                                                                                                                                                  | <i>Sarah Chapman</i> |
| Title                                                                                                                                                                                                                          | Date                 |
| REGULATORY DIRECTOR                                                                                                                                                                                                            | 10/14/2025           |

|                                                      |                                                                                                     |                                                  |                      |                                            |
|------------------------------------------------------|-----------------------------------------------------------------------------------------------------|--------------------------------------------------|----------------------|--------------------------------------------|
| C-102<br>Submit Electronically<br>Via OCD Permitting | State of New Mexico<br>Energy, Minerals & Natural Resources Department<br>OIL CONSERVATION DIVISION |                                                  | Revised July 9, 2024 |                                            |
|                                                      |                                                                                                     |                                                  | Submittal<br>Type:   | <input type="checkbox"/> Initial Submittal |
|                                                      |                                                                                                     |                                                  |                      | <input type="checkbox"/> Amended Report    |
|                                                      |                                                                                                     | <input checked="" type="checkbox"/> As Completed |                      |                                            |

## WELL LOCATION INFORMATION

|                                                                                                                                                        |                                                   |                                                                                                                                                        |
|--------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| API Number<br><b>30-015-55680</b>                                                                                                                      | Pool Code<br><b>51120</b>                         | Pool Name<br><b>RED LAKE; GLORIETA-YESO</b>                                                                                                            |
| Property Code<br><b>336464</b>                                                                                                                         | Property Name<br><b>RED SKIES 10 FEDERAL</b>      | Well Number<br><b>11H</b>                                                                                                                              |
| OGRID No.<br><b>328947</b>                                                                                                                             | Operator Name<br><b>SPUR ENERGY PARTNERS LLC.</b> | Ground Level Elevation<br><b>3556'</b>                                                                                                                 |
| Surface Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal |                                                   | Mineral Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal |

## Surface Location

|                |                      |                        |                     |     |                                 |                                |                                 |                                   |                       |
|----------------|----------------------|------------------------|---------------------|-----|---------------------------------|--------------------------------|---------------------------------|-----------------------------------|-----------------------|
| UL<br><b>D</b> | Section<br><b>11</b> | Township<br><b>18S</b> | Range<br><b>27E</b> | Lot | Ft. from N/S<br><b>1100 FNL</b> | Ft. from E/W<br><b>871 FWL</b> | Latitude<br><b>32.7662037°N</b> | Longitude<br><b>104.2548771°W</b> | County<br><b>EDDY</b> |
|----------------|----------------------|------------------------|---------------------|-----|---------------------------------|--------------------------------|---------------------------------|-----------------------------------|-----------------------|

## Bottom Hole Location

|                |                      |                        |                     |     |                                 |                               |                                 |                                   |                       |
|----------------|----------------------|------------------------|---------------------|-----|---------------------------------|-------------------------------|---------------------------------|-----------------------------------|-----------------------|
| UL<br><b>E</b> | Section<br><b>10</b> | Township<br><b>18S</b> | Range<br><b>27E</b> | Lot | Ft. from N/S<br><b>1450 FNL</b> | Ft. from E/W<br><b>51 FWL</b> | Latitude<br><b>32.7655782°N</b> | Longitude<br><b>104.2747283°W</b> | County<br><b>EDDY</b> |
|----------------|----------------------|------------------------|---------------------|-----|---------------------------------|-------------------------------|---------------------------------|-----------------------------------|-----------------------|

|                                        |                                            |                   |                                                                                                               |                                |
|----------------------------------------|--------------------------------------------|-------------------|---------------------------------------------------------------------------------------------------------------|--------------------------------|
| Dedicated Acres<br><b>320</b>          | Infill or Defining Well<br><b>DEFINING</b> | Defining Well API | Overlapping Spacing Unit (Y/N)<br><b>N</b>                                                                    | Consolidation Code<br><b>C</b> |
| Order Numbers.<br><b>NMNM106726088</b> |                                            |                   | Well setbacks are under Common Ownership: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |                                |

## Kick Off Point (KOP)

|                |                      |                        |                     |     |                                 |                                |                                 |                                   |                       |
|----------------|----------------------|------------------------|---------------------|-----|---------------------------------|--------------------------------|---------------------------------|-----------------------------------|-----------------------|
| UL<br><b>E</b> | Section<br><b>11</b> | Township<br><b>18S</b> | Range<br><b>27E</b> | Lot | Ft. from N/S<br><b>1381 FNL</b> | Ft. from E/W<br><b>864 FWL</b> | Latitude<br><b>32.7654306°N</b> | Longitude<br><b>104.2549110°W</b> | County<br><b>EDDY</b> |
|----------------|----------------------|------------------------|---------------------|-----|---------------------------------|--------------------------------|---------------------------------|-----------------------------------|-----------------------|


## First Take Point (FTP)

|                |                      |                        |                     |     |                                 |                                |                                 |                                   |                       |
|----------------|----------------------|------------------------|---------------------|-----|---------------------------------|--------------------------------|---------------------------------|-----------------------------------|-----------------------|
| UL<br><b>H</b> | Section<br><b>10</b> | Township<br><b>18S</b> | Range<br><b>27E</b> | Lot | Ft. from N/S<br><b>1425 FNL</b> | Ft. from E/W<br><b>120 FEL</b> | Latitude<br><b>32.7652955°N</b> | Longitude<br><b>104.2581132°W</b> | County<br><b>EDDY</b> |
|----------------|----------------------|------------------------|---------------------|-----|---------------------------------|--------------------------------|---------------------------------|-----------------------------------|-----------------------|

## Last Take Point (LTP)

|                |                      |                        |                     |     |                                 |                                |                                 |                                   |                       |
|----------------|----------------------|------------------------|---------------------|-----|---------------------------------|--------------------------------|---------------------------------|-----------------------------------|-----------------------|
| UL<br><b>E</b> | Section<br><b>10</b> | Township<br><b>18S</b> | Range<br><b>27E</b> | Lot | Ft. from N/S<br><b>1449 FNL</b> | Ft. from E/W<br><b>120 FWL</b> | Latitude<br><b>32.7655774°N</b> | Longitude<br><b>104.2745039°W</b> | County<br><b>EDDY</b> |
|----------------|----------------------|------------------------|---------------------|-----|---------------------------------|--------------------------------|---------------------------------|-----------------------------------|-----------------------|

|                                                       |                                                                                                    |                                         |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------------------------------|
| Unitized Area or Area of Uniform Interest<br><b>Y</b> | Spacing Unit Type <input checked="" type="checkbox"/> Horizontal <input type="checkbox"/> Vertical | Ground Floor Elevation:<br><b>3556'</b> |
|-------------------------------------------------------|----------------------------------------------------------------------------------------------------|-----------------------------------------|

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |  |                                                                                                                                                                                                                                                                                                                                                      |                                      |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>OPERATOR CERTIFICATIONS</b><br><br><i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and, if the well is a vertical or directional well, that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of a working interest or unleased mineral interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</i><br><br><i>If this well is a horizontal well, I further certify that this organization has received the consent of at least one lessee or owner of a working interest or unleased mineral interest in each tract (in the target pool or formation) in which any part of the well's completed interval will be located or obtained a compulsory pooling order from the division.</i><br><br><b>Sarah Chapman</b> 10/14/2025 |  | <b>SURVEYOR CERTIFICATIONS</b><br><br><i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me under my supervision, and that the same is true and correct to the best of my belief.</i><br><br> |                                      |
| Signature<br><b>SARAH CHAPMAN</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |  | Signature and Seal of Professional Surveyor<br>                                                                                                                                                                                                                  |                                      |
| Printed Name<br><b>SCHAPMAN@SPURENERGY.COM</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |  | Certificate Number<br><b>14400</b>                                                                                                                                                                                                                                                                                                                   | Date of Survey<br><b>06/10/20225</b> |
| Email Address                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |  |                                                                                                                                                                                                                                                                                                                                                      |                                      |


Note: No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.

## ACREAGE DEDICATION PLATS

This grid represents a standard section. You may superimpose a non-standard section, or larger area, over this grid. Operators must outline the dedicated acreage in a red box, clearly show the well surface location and bottom hole location, if it is a directionally drilled, with the dimensions from the section lines in the cardinal directions. If this is a horizontal wellbore show on this plat the location of the First Take Point and Last Take Point, and the point within the Completed interval (other than the First Take Point or Last Take Point) that is closest to any outer boundary of the tract.

Surveyors shall use the latest United States government survey or dependent resurvey. Well locations will be in reference to the New Mexico Principal Meridian. If the land is not surveyed, contact the OCD Engineering Bureau. Independent subdivision surveys will not be acceptable.

## RED SKIES 10 FEDERAL #11H



## GEODETIC DATA

NAD 83 GRID - NM EAST

## SURFACE LOCATION (SL)

1100' FNL - 871' FWL SEC.11

N: 642485.8 - E: 565453.6

LAT: 32.7662037° N

LONG: 104.2548771° W

## KICK OFF POINT (KOP)

1381' FNL - 864' FWL SEC.11

N: 642204.6 - E: 565443.4

LAT: 32.7654306° N

LONG: 104.2549110° W

MD: 2805.0 - TVD: 2785.0

## FIRST TAKE POINT (FTP)

1425' FNL - 120' FWL SEC.10

N: 642154.7 - E: 564459.1

LAT: 32.7652955° N

LONG: 104.2581132° W

MD: 4371.0 - TVD: 3809.0

## LAST TAKE POINT (LTP)

1449' FNL - 120' FWL SEC.10

N: 642254.1 - E: 559420.8

LAT: 32.7655774° N

LONG: 104.2745039° W

MD: 9418.0 - TVD: 3556.9

## BOTTOM HOLE (BH)

1450' FNL - 51' FWL SEC.10

N: 642254.3 - E: 559351.8

LAT: 32.7655782° N

LONG: 104.2747283° W

MD: 9487.0 - TVD: 3554.5

## CORNER DATA

NAD 83 GRID - NM EAST

A: FOUND BRASS CAP "1941"

N: 638442.5 - E: 559275.0

B: FOUND BRASS CAP "1941"

N: 641074.3 - E: 559292.9

C: FOUND BRASS CAP "1941"

N: 643705.3 - E: 559311.4

D: FOUND BRASS CAP "1941"

N: 643640.2 - E: 561953.9

E: FOUND BRASS CAP "1941"

N: 643576.8 - E: 564594.9

F: FOUND BRASS CAP "1941"

N: 643603.5 - E: 567239.7

G: FOUND BRASS CAP "1941"

N: 643569.0 - E: 569851.5

H: FOUND BRASS CAP "1941"

N: 640937.2 - E: 569825.3

I: FOUND BRASS CAP "1941"

N: 638302.5 - E: 569800.0

J: FOUND BRASS CAP "1941"

N: 638335.5 - E: 567187.6

K: FOUND BRASS CAP "1941"

N: 638374.3 - E: 564542.8

L: FOUND BRASS CAP "1941"

N: 638407.8 - E: 561899.5

M: FOUND BRASS CAP "1941"

N: 641004.4 - E: 564565.8

JOB #: LS23100911AC



April 14<sup>h</sup> , 2025

State Of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S St Francis Dr.  
Santa Fe NM 87505

RE: SPUR ENERGY PARTNERS LLC 328947  
Well: Red Skies 10 Federal 11H  
POOLS:(51120) RED LAKE;GLORIETA-YESO  
EDDY COUNTY, NM  
API Number: 30-015-55680

Please find the attached surveys performed on the above referenced well by Prime Solution Services.

Other information required by your office is as follows:

Original Hole:

Surveyed Depths: 589' MD– 9425' MD projection to 9487' MD  
Date Performed: 04/6/2025 – 04/11/2025  
Type of Survey: Directional Survey – MWD/IFR

A certified plat on which the bottom hole location is oriented both to the surface location and the lease lines (or unit lines in case of pooling) is attached to the survey report. If any other information is required, please contact the undersigned at the letterhead address and phone number.

Sincerely,

Chris Rust

Quantum Oilfield Services

Via – Prime Solutions Services MWD

832-965-0735

SPUR ENERGY PARTNERS LLC.

3556+20 @ 3576.00usft (akita57)  
North American Datum 1983










Project: Eddy County, NM (NAD83) NMEZ Grid  
Site: Red Skies 10 Federal  
Well: Red Skies 10 Federal 11H  
Wellbore: 11H OH  
Design: 11H OH AsDrilled

FINAL ANNOTATIONS

| MD      | Inc   | Azi    | TVD     | +N/-S   | +E/-W    | Vsect   | Departure | Annotation            |
|---------|-------|--------|---------|---------|----------|---------|-----------|-----------------------|
| 2805.00 | 8.67  | 180.59 | 2785.04 | -281.24 | -10.22   | 3.39    | 286.78    | ESTKOP 1381FNL 859FWL |
| 4226.14 | 80.00 | 271.51 | 3797.69 | -337.38 | -849.45  | 841.02  | 1145.25   | 80° 1425FNL 26FWL     |
| 4252.00 | 82.23 | 272.22 | 3801.68 | -336.55 | -874.99  | 866.56  | 1170.69   | SECX 1425FNL_0FWL/FEL |
| 4352.00 | 89.31 | 272.40 | 3809.24 | -332.03 | -974.54  | 966.19  | 1270.33   | FTP 1425FNL 100FEL    |
| 9437.00 | 92.06 | 270.19 | 3556.26 | -231.66 | -6051.83 | 6044.43 | 6348.79   | LTP 1451FNL 100FWL    |
| 9487.00 | 92.06 | 270.19 | 3554.46 | -231.50 | -6101.79 | 6094.38 | 6398.76   | TD 1451FNL_50FWL      |

TARGET DETAILS

| Name                               | TVD     | +N/-S   | +E/-W    | Northing   | Easting    |
|------------------------------------|---------|---------|----------|------------|------------|
| RS10F 11H SHL 1100FNL_871FWL       | 0.00    | 0.00    | 0.00     | 642485.800 | 565453.600 |
| RS10F 11H ESTKOP 1381FNL_859FWL AD | 2785.03 | -281.55 | -10.52   | 642204.249 | 565443.084 |
| RS10F 11H TD 1451FNL_50FWL AD      | 3554.46 | -231.81 | -6102.09 | 642253.992 | 559351.506 |
| RS10F 11H PBHL p3 1444FNL_50FEL    | 3555.00 | -225.21 | -6102.26 | 642260.590 | 559351.340 |
| RS10F 11H LTP 1451FNL_100FWL AD    | 3556.26 | -231.97 | -6052.13 | 642253.827 | 559401.473 |
| RS10F 11H FinalScvy                | 3556.69 | -232.01 | -6040.13 | 642253.790 | 559413.470 |
| RS10F 11H 80° 1425FNL_26FWL AD     | 3797.69 | -337.69 | -849.75  | 642148.109 | 564603.849 |
| RS10F 11H SECX 1425FNL_0FWL/FEL AD | 3801.68 | -336.86 | -875.29  | 642148.941 | 564578.314 |
| RS10F 11H FTP 1425FNL_100FEL AD    | 3809.24 | -332.34 | -974.83  | 642153.461 | 564478.765 |



Azimuths to Grid North  
True North: -0.04°  
Magnetic North: 6.51°

Magnetic Field  
Strength: 47300.1nT  
Dip Angle: 60.30°  
Date: 04/04/2025  
Model: SUPERIOR QC

PROJECT DETAILS: Eddy County, NM (NAD83) NMEZ Grid  
Geodetic System: US State Plane 1983  
Datum: North American Datum 1983  
Ellipsoid: GRS 1980  
Zone: New Mexico Eastern Zone  
System Datum: Mean Sea Level

To convert a Magnetic Direction to a Grid Direction, Add 6.51°

Magnetic North is 6.51° East of Grid North (Magnetic Convergence)  
Magnetic North is 6.55° East of True North (Magnetic Declination)



SPUR ENERGY PARTNERS LLC.  
Eddy County, NM (NAD83) NMEZ Grid  
Red Skies 10 Federal  
Red Skies 10 Federal 11H  
11H OH AsDrilled  
Created By: Mekka Williams  
eSomina Well Design  
mekka@esominawell.com

# **SPUR ENERGY PARTNERS LLC.**

Eddy County, NM (NAD83) NMEZ Grid

Red Skies 10 Federal

Red Skies 10 Federal 11H

11H OH

Design: 11H OH AsDrilled

## **Standard Survey Report**

14 April, 2025

Survey Report

|                  |                                   |                                     |                                 |
|------------------|-----------------------------------|-------------------------------------|---------------------------------|
| <b>Company:</b>  | SPUR ENERGY PARTNERS LLC.         | <b>Local Co-ordinate Reference:</b> | Well Red Skies 10 Federal 11H   |
| <b>Project:</b>  | Eddy County, NM (NAD83) NMEZ Grid | <b>TVD Reference:</b>               | 3556+20 @ 3576.00usft (akita57) |
| <b>Site:</b>     | Red Skies 10 Federal              | <b>MD Reference:</b>                | 3556+20 @ 3576.00usft (akita57) |
| <b>Well:</b>     | Red Skies 10 Federal 11H          | <b>North Reference:</b>             | Grid                            |
| <b>Wellbore:</b> | 11H OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature               |
| <b>Design:</b>   | 11H OH AsDrilled                  | <b>Database:</b>                    | PRIME_EDM                       |

|                    |                                   |                      |                |
|--------------------|-----------------------------------|----------------------|----------------|
| <b>Project</b>     | Eddy County, NM (NAD83) NMEZ Grid |                      |                |
| <b>Map System:</b> | US State Plane 1983               | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | North American Datum 1983         |                      |                |
| <b>Map Zone:</b>   | New Mexico Eastern Zone           |                      |                |

|                              |                      |                     |                  |                                 |
|------------------------------|----------------------|---------------------|------------------|---------------------------------|
| <b>Site</b>                  | Red Skies 10 Federal |                     |                  |                                 |
| <b>Site Position:</b>        |                      | <b>Northing:</b>    | 642,525.900 usft | <b>Latitude:</b> 32.7663138     |
| <b>From:</b>                 | Map                  | <b>Easting:</b>     | 565,454.100 usft | <b>Longitude:</b> -104.2548753  |
| <b>Position Uncertainty:</b> | 0.00 usft            | <b>Slot Radius:</b> | 13-3/16 "        | <b>Grid Convergence:</b> 0.04 ° |

|                             |                          |           |                            |                  |
|-----------------------------|--------------------------|-----------|----------------------------|------------------|
| <b>Well</b>                 | Red Skies 10 Federal 11H |           |                            |                  |
| <b>Well Position</b>        | <b>+N/-S</b>             | 0.00 usft | <b>Northing:</b>           | 642,485.800 usft |
|                             | <b>+E/-W</b>             | 0.00 usft | <b>Easting:</b>            | 565,453.600 usft |
| <b>Position Uncertainty</b> | 0.00 usft                |           | <b>Wellhead Elevation:</b> | usft             |
|                             |                          |           | <b>Ground Level:</b>       | 3,556.00 usft    |

|                  |                   |                    |                        |                      |                            |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| <b>Wellbore</b>  | 11H OH            |                    |                        |                      |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b> | <b>Dip Angle (°)</b> | <b>Field Strength (nT)</b> |
|                  | User Defined      | 04/04/25           | 6.55                   | 60.30                | 47,300.10000000            |

|                          |                                |                     |                     |                           |
|--------------------------|--------------------------------|---------------------|---------------------|---------------------------|
| <b>Design</b>            | 11H OH AsDrilled               |                     |                     |                           |
| <b>Audit Notes:</b>      |                                |                     |                     |                           |
| <b>Version:</b>          | 1.0                            | <b>Phase:</b>       | ACTUAL              | <b>Tie On Depth:</b> 0.00 |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Direction (°)</b>      |
|                          | 0.00                           | 0.00                | 0.00                | 271.39                    |

|                       |                  |                          |                   |                                         |
|-----------------------|------------------|--------------------------|-------------------|-----------------------------------------|
| <b>Survey Program</b> | <b>Date</b>      | 04/14/25                 |                   |                                         |
| <b>From (usft)</b>    | <b>To (usft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b>  | <b>Description</b>                      |
| 20.00                 | 490.00           | Survey #1 (11H OH)       | MWD               | OWSG MWD - Standard                     |
| 500.00                | 9,425.00         | Survey #2 AKITA (11H OH) | MWD+IFR1+SAG+FDIR | OWSG MWD + IFR1 + Sag + FDIR Correction |
| 9,487.00              | 9,487.00         | Survey #3 (11H OH)       | Projection        | Projection                              |

|                              |                        |                    |                              |                     |                     |                                |                                |                               |                              |  |
|------------------------------|------------------------|--------------------|------------------------------|---------------------|---------------------|--------------------------------|--------------------------------|-------------------------------|------------------------------|--|
| <b>Survey</b>                |                        |                    |                              |                     |                     |                                |                                |                               |                              |  |
| <b>Measured Depth (usft)</b> | <b>Inclination (°)</b> | <b>Azimuth (°)</b> | <b>Vertical Depth (usft)</b> | <b>+N/-S (usft)</b> | <b>+E/-W (usft)</b> | <b>Vertical Section (usft)</b> | <b>Dogleg Rate (°/100usft)</b> | <b>Build Rate (°/100usft)</b> | <b>Turn Rate (°/100usft)</b> |  |
| 0.00                         | 0.00                   | 0.00               | 0.00                         | 0.00                | 0.00                | 0.00                           | 0.00                           | 0.00                          | 0.00                         |  |
| 20.00                        | 0.00                   | 0.00               | 20.00                        | 0.00                | 0.00                | 0.00                           | 0.00                           | 0.00                          | 0.00                         |  |
| 195.00                       | 0.20                   | 118.60             | 195.00                       | -0.15               | 0.27                | -0.27                          | 0.11                           | 0.11                          | 0.00                         |  |
| 285.00                       | 0.30                   | 290.60             | 285.00                       | -0.14               | 0.19                | -0.19                          | 0.55                           | 0.11                          | 191.11                       |  |
| 380.00                       | 0.50                   | 72.60              | 380.00                       | 0.07                | 0.35                | -0.35                          | 0.80                           | 0.21                          | 149.47                       |  |
| 443.00                       | 0.50                   | 311.60             | 443.00                       | 0.34                | 0.41                | -0.40                          | 1.38                           | 0.00                          | -192.06                      |  |
| 490.00                       | 1.00                   | 345.60             | 489.99                       | 0.87                | 0.15                | -0.13                          | 1.38                           | 1.06                          | 72.34                        |  |
| 589.00                       | 0.09                   | 124.50             | 588.99                       | 1.66                | 0.00                | 0.04                           | 1.08                           | -0.92                         | 140.30                       |  |
| 648.00                       | 1.02                   | 184.52             | 647.99                       | 1.11                | 0.00                | 0.03                           | 1.66                           | 1.58                          | 101.73                       |  |

## Survey Report

|                  |                                   |                                     |                                 |
|------------------|-----------------------------------|-------------------------------------|---------------------------------|
| <b>Company:</b>  | SPUR ENERGY PARTNERS LLC.         | <b>Local Co-ordinate Reference:</b> | Well Red Skies 10 Federal 11H   |
| <b>Project:</b>  | Eddy County, NM (NAD83) NMEZ Grid | <b>TVD Reference:</b>               | 3556+20 @ 3576.00usft (akita57) |
| <b>Site:</b>     | Red Skies 10 Federal              | <b>MD Reference:</b>                | 3556+20 @ 3576.00usft (akita57) |
| <b>Well:</b>     | Red Skies 10 Federal 11H          | <b>North Reference:</b>             | Grid                            |
| <b>Wellbore:</b> | 11H OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature               |
| <b>Design:</b>   | 11H OH AsDrilled                  | <b>Database:</b>                    | PRIME_EDM                       |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |  |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 768.00                | 2.52            | 188.19      | 767.92                | -2.56        | -0.46        | 0.40                    | 1.25                    | 1.25                   | 3.06                  |  |
| 890.00                | 4.35            | 186.75      | 889.70                | -9.81        | -1.39        | 1.15                    | 1.50                    | 1.50                   | -1.18                 |  |
| 1,009.00              | 5.93            | 183.87      | 1,008.22              | -20.43       | -2.34        | 1.84                    | 1.34                    | 1.33                   | -2.42                 |  |
| 1,128.00              | 7.54            | 178.44      | 1,126.39              | -34.37       | -2.54        | 1.70                    | 1.45                    | 1.35                   | -4.56                 |  |
| 1,250.00              | 8.83            | 179.91      | 1,247.15              | -51.73       | -2.31        | 1.05                    | 1.07                    | 1.06                   | 1.20                  |  |
| 1,375.00              | 8.31            | 181.21      | 1,370.75              | -70.36       | -2.48        | 0.77                    | 0.44                    | -0.42                  | 1.04                  |  |
| 1,500.00              | 7.99            | 180.95      | 1,494.49              | -88.07       | -2.82        | 0.68                    | 0.26                    | -0.26                  | -0.21                 |  |
| 1,624.00              | 8.81            | 181.20      | 1,617.16              | -106.19      | -3.16        | 0.58                    | 0.66                    | 0.66                   | 0.20                  |  |
| 1,749.00              | 8.66            | 181.88      | 1,740.71              | -125.16      | -3.67        | 0.63                    | 0.15                    | -0.12                  | 0.54                  |  |
| 1,873.00              | 8.35            | 182.52      | 1,863.35              | -143.49      | -4.37        | 0.89                    | 0.26                    | -0.25                  | 0.52                  |  |
| 1,996.00              | 8.51            | 183.53      | 1,985.02              | -161.49      | -5.32        | 1.40                    | 0.18                    | 0.13                   | 0.82                  |  |
| 2,032.00              | 8.59            | 183.78      | 2,020.62              | -166.83      | -5.66        | 1.61                    | 0.25                    | 0.22                   | 0.69                  |  |
| 2,123.00              | 8.73            | 183.54      | 2,110.58              | -180.51      | -6.54        | 2.16                    | 0.16                    | 0.15                   | -0.26                 |  |
| 2,185.00              | 8.33            | 184.23      | 2,171.89              | -189.68      | -7.16        | 2.56                    | 0.67                    | -0.65                  | 1.11                  |  |
| 2,308.00              | 7.87            | 184.19      | 2,293.67              | -206.97      | -8.43        | 3.41                    | 0.37                    | -0.37                  | -0.03                 |  |
| 2,432.00              | 7.39            | 184.08      | 2,416.57              | -223.39      | -9.62        | 4.20                    | 0.39                    | -0.39                  | -0.09                 |  |
| 2,557.00              | 9.59            | 179.72      | 2,540.19              | -241.82      | -10.14       | 4.27                    | 1.83                    | 1.76                   | -3.49                 |  |
| 2,679.00              | 9.17            | 180.08      | 2,660.56              | -261.71      | -10.10       | 3.75                    | 0.35                    | -0.34                  | 0.30                  |  |
| 2,805.00              | 8.67            | 180.59      | 2,785.04              | -281.24      | -10.22       | 3.39                    | 0.40                    | -0.40                  | 0.40                  |  |
| ESTKOP 1381FNL_859FWL |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 2,868.00              | 9.30            | 207.24      | 2,847.29              | -290.52      | -12.60       | 5.55                    | 6.62                    | 1.00                   | 42.30                 |  |
| 2,929.00              | 11.16           | 225.49      | 2,907.33              | -299.04      | -19.06       | 11.80                   | 6.09                    | 3.05                   | 29.92                 |  |
| 2,991.00              | 12.10           | 238.36      | 2,968.07              | -306.66      | -28.88       | 21.43                   | 4.44                    | 1.52                   | 20.76                 |  |
| 3,084.00              | 18.78           | 254.12      | 3,057.70              | -315.88      | -51.61       | 43.93                   | 8.42                    | 7.18                   | 16.95                 |  |
| 3,146.00              | 19.73           | 253.65      | 3,116.23              | -321.56      | -71.25       | 63.43                   | 1.55                    | 1.53                   | -0.76                 |  |
| 3,208.00              | 23.31           | 257.53      | 3,173.90              | -327.16      | -93.28       | 85.32                   | 6.21                    | 5.77                   | 6.26                  |  |
| 3,269.00              | 26.20           | 260.57      | 3,229.29              | -331.97      | -118.35      | 110.27                  | 5.18                    | 4.74                   | 4.98                  |  |
| 3,331.00              | 28.70           | 263.43      | 3,284.31              | -335.92      | -146.65      | 138.46                  | 4.56                    | 4.03                   | 4.61                  |  |
| 3,392.00              | 31.36           | 265.35      | 3,337.12              | -338.88      | -177.03      | 168.76                  | 4.64                    | 4.36                   | 3.15                  |  |
| 3,454.00              | 36.02           | 269.11      | 3,388.70              | -340.47      | -211.36      | 203.04                  | 8.23                    | 7.52                   | 6.06                  |  |
| 3,516.00              | 39.22           | 268.79      | 3,437.80              | -341.17      | -249.19      | 240.84                  | 5.17                    | 5.16                   | -0.52                 |  |
| 3,577.00              | 43.66           | 268.23      | 3,483.52              | -342.23      | -289.54      | 281.15                  | 7.30                    | 7.28                   | -0.92                 |  |
| 3,639.00              | 48.96           | 268.31      | 3,526.33              | -343.58      | -334.34      | 325.90                  | 8.55                    | 8.55                   | 0.13                  |  |
| 3,701.00              | 53.63           | 270.33      | 3,565.09              | -344.13      | -382.70      | 374.24                  | 7.95                    | 7.53                   | 3.26                  |  |
| 3,762.00              | 57.58           | 271.29      | 3,599.54              | -343.40      | -433.02      | 424.56                  | 6.60                    | 6.48                   | 1.57                  |  |
| 3,824.00              | 59.77           | 271.36      | 3,631.77              | -342.18      | -485.96      | 477.52                  | 3.53                    | 3.53                   | 0.11                  |  |
| 3,855.00              | 60.33           | 271.19      | 3,647.25              | -341.58      | -512.82      | 504.38                  | 1.87                    | 1.81                   | -0.55                 |  |
| 3,885.00              | 60.35           | 271.05      | 3,662.10              | -341.07      | -538.88      | 530.45                  | 0.41                    | 0.07                   | -0.47                 |  |
| 3,916.00              | 60.42           | 271.25      | 3,677.42              | -340.53      | -565.82      | 557.40                  | 0.60                    | 0.23                   | 0.65                  |  |
| 3,947.00              | 60.55           | 271.46      | 3,692.69              | -339.89      | -592.79      | 584.37                  | 0.72                    | 0.42                   | 0.68                  |  |
| 3,978.00              | 60.51           | 271.53      | 3,707.94              | -339.19      | -619.77      | 611.36                  | 0.24                    | -0.13                  | 0.23                  |  |
| 4,009.00              | 60.55           | 271.40      | 3,723.19              | -338.50      | -646.75      | 638.35                  | 0.39                    | 0.13                   | -0.42                 |  |
| 4,070.00              | 64.50           | 269.71      | 3,751.33              | -337.99      | -700.86      | 692.45                  | 6.93                    | 6.48                   | -2.77                 |  |

## Survey Report

|                  |                                   |                                     |                                 |
|------------------|-----------------------------------|-------------------------------------|---------------------------------|
| <b>Company:</b>  | SPUR ENERGY PARTNERS LLC.         | <b>Local Co-ordinate Reference:</b> | Well Red Skies 10 Federal 11H   |
| <b>Project:</b>  | Eddy County, NM (NAD83) NMEZ Grid | <b>TVD Reference:</b>               | 3556+20 @ 3576.00usft (akita57) |
| <b>Site:</b>     | Red Skies 10 Federal              | <b>MD Reference:</b>                | 3556+20 @ 3576.00usft (akita57) |
| <b>Well:</b>     | Red Skies 10 Federal 11H          | <b>North Reference:</b>             | Grid                            |
| <b>Wellbore:</b> | 11H OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature               |
| <b>Design:</b>   | 11H OH AsDrilled                  | <b>Database:</b>                    | PRIME_EDM                       |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |  |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 4,132.00              | 71.40           | 269.85      | 3,774.59              | -338.21      | -758.29      | 749.86                  | 11.13                   | 11.13                  | 0.23                  |  |
| 4,193.00              | 77.14           | 270.59      | 3,791.12              | -337.98      | -816.98      | 808.54                  | 9.48                    | 9.41                   | 1.21                  |  |
| 4,226.14              | 80.00           | 271.51      | 3,797.69              | -337.38      | -849.45      | 841.02                  | 9.05                    | 8.63                   | 2.78                  |  |
| 80° 1425FNL_26FWL     |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 4,252.00              | 82.23           | 272.22      | 3,801.68              | -336.55      | -874.99      | 866.56                  | 9.05                    | 8.63                   | 2.74                  |  |
| SECX 1425FNL_0FWL/FEL |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 4,255.00              | 82.49           | 272.30      | 3,802.08              | -336.43      | -877.96      | 869.54                  | 9.05                    | 8.64                   | 2.72                  |  |
| 4,316.00              | 86.51           | 272.88      | 3,807.93              | -333.69      | -938.60      | 930.23                  | 6.66                    | 6.59                   | 0.95                  |  |
| 4,352.00              | 89.31           | 272.40      | 3,809.24              | -332.03      | -974.54      | 966.19                  | 7.90                    | 7.79                   | -1.32                 |  |
| FTP 1425FNL_100FEL    |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 4,378.00              | 91.34           | 272.06      | 3,809.09              | -331.02      | -1,000.51    | 992.19                  | 7.90                    | 7.79                   | -1.32                 |  |
| 4,501.00              | 92.68           | 270.75      | 3,804.78              | -328.00      | -1,123.40    | 1,115.11                | 1.52                    | 1.09                   | -1.07                 |  |
| 4,624.00              | 92.85           | 270.52      | 3,798.84              | -326.64      | -1,246.24    | 1,237.95                | 0.23                    | 0.14                   | -0.19                 |  |
| 4,747.00              | 93.02           | 270.71      | 3,792.54              | -325.32      | -1,369.08    | 1,360.78                | 0.21                    | 0.14                   | 0.15                  |  |
| 4,870.00              | 92.99           | 270.68      | 3,786.10              | -323.83      | -1,491.90    | 1,483.60                | 0.03                    | -0.02                  | -0.02                 |  |
| 4,995.00              | 92.88           | 270.86      | 3,779.70              | -322.16      | -1,616.72    | 1,608.43                | 0.17                    | -0.09                  | 0.14                  |  |
| 5,119.00              | 92.90           | 271.05      | 3,773.44              | -320.09      | -1,740.55    | 1,732.27                | 0.15                    | 0.02                   | 0.15                  |  |
| 5,245.00              | 93.10           | 271.09      | 3,766.85              | -317.74      | -1,866.35    | 1,858.10                | 0.16                    | 0.16                   | 0.03                  |  |
| 5,370.00              | 93.02           | 270.67      | 3,760.18              | -315.82      | -1,991.16    | 1,982.91                | 0.34                    | -0.06                  | -0.34                 |  |
| 5,495.00              | 93.13           | 270.61      | 3,753.47              | -314.43      | -2,115.97    | 2,107.72                | 0.10                    | 0.09                   | -0.05                 |  |
| 5,620.00              | 93.07           | 270.98      | 3,746.71              | -312.70      | -2,240.78    | 2,232.53                | 0.30                    | -0.05                  | 0.30                  |  |
| 5,746.00              | 93.07           | 270.99      | 3,739.96              | -310.54      | -2,366.58    | 2,358.35                | 0.01                    | 0.00                   | 0.01                  |  |
| 5,871.00              | 93.10           | 270.76      | 3,733.24              | -308.63      | -2,491.38    | 2,483.16                | 0.19                    | 0.02                   | -0.18                 |  |
| 5,996.00              | 93.21           | 270.62      | 3,726.36              | -307.13      | -2,616.18    | 2,607.96                | 0.14                    | 0.09                   | -0.11                 |  |
| 6,117.00              | 93.38           | 270.08      | 3,719.40              | -306.39      | -2,736.98    | 2,728.74                | 0.47                    | 0.14                   | -0.45                 |  |
| 6,237.00              | 92.62           | 271.85      | 3,713.12              | -304.37      | -2,856.79    | 2,848.57                | 1.60                    | -0.63                  | 1.48                  |  |
| 6,357.00              | 92.68           | 271.49      | 3,707.57              | -300.88      | -2,976.61    | 2,968.44                | 0.30                    | 0.05                   | -0.30                 |  |
| 6,476.00              | 92.87           | 271.50      | 3,701.81              | -297.78      | -3,095.43    | 3,087.30                | 0.16                    | 0.16                   | 0.01                  |  |
| 6,596.00              | 92.96           | 271.42      | 3,695.71              | -294.72      | -3,215.24    | 3,207.14                | 0.10                    | 0.08                   | -0.07                 |  |
| 6,716.00              | 92.99           | 271.21      | 3,689.48              | -291.97      | -3,335.05    | 3,326.98                | 0.18                    | 0.03                   | -0.18                 |  |
| 6,838.00              | 92.82           | 271.25      | 3,683.30              | -289.36      | -3,456.86    | 3,448.83                | 0.14                    | -0.14                  | 0.03                  |  |
| 6,957.00              | 92.65           | 271.32      | 3,677.62              | -286.69      | -3,575.70    | 3,567.69                | 0.15                    | -0.14                  | 0.06                  |  |
| 7,076.00              | 92.54           | 271.12      | 3,672.23              | -284.16      | -3,694.55    | 3,686.57                | 0.19                    | -0.09                  | -0.17                 |  |
| 7,199.00              | 92.59           | 271.34      | 3,666.73              | -281.52      | -3,817.40    | 3,809.44                | 0.18                    | 0.04                   | 0.18                  |  |
| 7,324.00              | 92.37           | 271.29      | 3,661.32              | -278.66      | -3,942.25    | 3,934.33                | 0.18                    | -0.18                  | -0.04                 |  |
| 7,450.00              | 92.26           | 271.08      | 3,656.23              | -276.05      | -4,068.12    | 4,060.22                | 0.19                    | -0.09                  | -0.17                 |  |
| 7,575.00              | 92.11           | 270.78      | 3,651.46              | -274.02      | -4,193.01    | 4,185.13                | 0.27                    | -0.12                  | -0.24                 |  |
| 7,700.00              | 92.12           | 270.75      | 3,646.85              | -272.36      | -4,317.91    | 4,310.03                | 0.03                    | 0.01                   | -0.02                 |  |
| 7,823.00              | 93.41           | 271.78      | 3,640.92              | -269.65      | -4,440.73    | 4,432.89                | 1.34                    | 1.05                   | 0.84                  |  |
| 7,947.00              | 93.35           | 271.67      | 3,633.61              | -265.92      | -4,564.46    | 4,556.67                | 0.10                    | -0.05                  | -0.09                 |  |
| 8,072.00              | 93.07           | 271.03      | 3,626.61              | -262.98      | -4,689.23    | 4,681.47                | 0.56                    | -0.22                  | -0.51                 |  |
| 8,195.00              | 93.10           | 270.61      | 3,619.99              | -261.22      | -4,812.04    | 4,804.29                | 0.34                    | 0.02                   | -0.34                 |  |
| 8,318.00              | 93.83           | 271.92      | 3,612.55              | -258.51      | -4,934.78    | 4,927.06                | 1.22                    | 0.59                   | 1.07                  |  |
| 8,441.00              | 93.94           | 271.99      | 3,604.22              | -254.33      | -5,057.43    | 5,049.77                | 0.11                    | 0.09                   | 0.06                  |  |

## Survey Report

|                  |                                   |                                     |                                 |
|------------------|-----------------------------------|-------------------------------------|---------------------------------|
| <b>Company:</b>  | SPUR ENERGY PARTNERS LLC.         | <b>Local Co-ordinate Reference:</b> | Well Red Skies 10 Federal 11H   |
| <b>Project:</b>  | Eddy County, NM (NAD83) NMEZ Grid | <b>TVD Reference:</b>               | 3556+20 @ 3576.00usft (akita57) |
| <b>Site:</b>     | Red Skies 10 Federal              | <b>MD Reference:</b>                | 3556+20 @ 3576.00usft (akita57) |
| <b>Well:</b>     | Red Skies 10 Federal 11H          | <b>North Reference:</b>             | Grid                            |
| <b>Wellbore:</b> | 11H OH                            | <b>Survey Calculation Method:</b>   | Minimum Curvature               |
| <b>Design:</b>   | 11H OH AsDrilled                  | <b>Database:</b>                    | PRIME_EDM                       |

| Survey                |                 |             |                       |              |              |                         |                         |                        |                       |  |
|-----------------------|-----------------|-------------|-----------------------|--------------|--------------|-------------------------|-------------------------|------------------------|-----------------------|--|
| Measured Depth (usft) | Inclination (°) | Azimuth (°) | Vertical Depth (usft) | +N/-S (usft) | +E/-W (usft) | Vertical Section (usft) | Dogleg Rate (°/100usft) | Build Rate (°/100usft) | Turn Rate (°/100usft) |  |
| 8,564.00              | 94.25           | 271.90      | 3,595.43              | -250.16      | -5,180.04    | 5,172.45                | 0.26                    | 0.25                   | -0.07                 |  |
| 8,687.00              | 93.35           | 272.43      | 3,587.28              | -245.52      | -5,302.68    | 5,295.17                | 0.85                    | -0.73                  | 0.43                  |  |
| 8,811.00              | 93.38           | 271.81      | 3,580.00              | -240.95      | -5,426.38    | 5,418.94                | 0.50                    | 0.02                   | -0.50                 |  |
| 8,934.00              | 92.12           | 271.25      | 3,574.10              | -237.67      | -5,549.20    | 5,541.80                | 1.12                    | -1.02                  | -0.46                 |  |
| 9,057.00              | 92.06           | 271.15      | 3,569.62              | -235.09      | -5,672.09    | 5,664.71                | 0.09                    | -0.05                  | -0.08                 |  |
| 9,180.00              | 91.95           | 270.85      | 3,565.31              | -232.95      | -5,794.99    | 5,787.64                | 0.26                    | -0.09                  | -0.24                 |  |
| 9,303.00              | 92.03           | 270.06      | 3,561.04              | -231.97      | -5,917.91    | 5,910.54                | 0.65                    | 0.07                   | -0.64                 |  |
| 9,425.00              | 92.06           | 270.19      | 3,556.69              | -231.70      | -6,039.84    | 6,032.44                | 0.11                    | 0.02                   | 0.11                  |  |
| 9,437.00              | 92.06           | 270.19      | 3,556.26              | -231.66      | -6,051.83    | 6,044.43                | 0.00                    | 0.00                   | 0.00                  |  |
| LTP 1451FNL_100FWL    |                 |             |                       |              |              |                         |                         |                        |                       |  |
| 9,487.00              | 92.06           | 270.19      | 3,554.46              | -231.50      | -6,101.79    | 6,094.38                | 0.00                    | 0.00                   | 0.00                  |  |
| TD 1451FNL_50FWL      |                 |             |                       |              |              |                         |                         |                        |                       |  |

| Design Targets                                                                                                                                |               |              |            |              |              |                 |                |            |              |  |
|-----------------------------------------------------------------------------------------------------------------------------------------------|---------------|--------------|------------|--------------|--------------|-----------------|----------------|------------|--------------|--|
| Target Name<br>- hit/miss target<br>- Shape                                                                                                   | Dip Angle (°) | Dip Dir. (°) | TVD (usft) | +N/-S (usft) | +E/-W (usft) | Northing (usft) | Easting (usft) | Latitude   | Longitude    |  |
| RS10F 11H SHL 1100FNL<br>- actual wellpath hits target center<br>- Point                                                                      | 0.00          | 0.00         | 0.00       | 0.00         | 0.00         | 642,485.800     | 565,453.600    | 32.7662036 | -104.2548770 |  |
| RS10F 11H ESTKOP 13<br>- actual wellpath misses target center by 0.43usft at 2805.05usft MD (2785.09 TVD, -281.25 N, -10.22 E)<br>- Point     | 0.00          | 0.00         | 2,785.03   | -281.55      | -10.52       | 642,204.249     | 565,443.084    | 32.7654298 | -104.2549119 |  |
| RS10F 11H TD 1451FNL<br>- actual wellpath misses target center by 0.43usft at 9487.00usft MD (3554.46 TVD, -231.50 N, -6101.79 E)<br>- Point  | 0.00          | 0.00         | 3,554.46   | -231.81      | -6,102.09    | 642,253.992     | 559,351.506    | 32.7655773 | -104.2747292 |  |
| RS10F 11H PBHL p3 14<br>- actual wellpath misses target center by 6.33usft at 9487.00usft MD (3554.46 TVD, -231.50 N, -6101.79 E)<br>- Point  | 0.00          | 0.00         | 3,555.00   | -225.21      | -6,102.26    | 642,260.590     | 559,351.340    | 32.7655955 | -104.2747297 |  |
| RS10F 11H LTP 1451FNL<br>- actual wellpath misses target center by 0.43usft at 9437.00usft MD (3556.26 TVD, -231.66 N, -6051.83 E)<br>- Point | 0.00          | 0.00         | 3,556.26   | -231.97      | -6,052.13    | 642,253.827     | 559,401.473    | 32.7655768 | -104.2745667 |  |
| RS10F 11H FinalScvy<br>- actual wellpath misses target center by 0.31usft at 9425.29usft MD (3556.68 TVD, -231.70 N, -6040.13 E)<br>- Point   | 0.00          | 0.00         | 3,556.69   | -232.01      | -6,040.13    | 642,253.790     | 559,413.470    | 32.7655767 | -104.2745276 |  |
| RS10F 11H 80° 1425FNL<br>- actual wellpath misses target center by 0.32usft at 4226.43usft MD (3797.74 TVD, -337.37 N, -849.73 E)<br>- Point  | 0.00          | 0.00         | 3,797.69   | -337.69      | -849.75      | 642,148.109     | 564,603.849    | 32.7652771 | -104.2576423 |  |
| RS10F 11H SECX 1425FNL<br>- actual wellpath misses target center by 0.32usft at 4252.28usft MD (3801.72 TVD, -336.54 N, -875.27 E)<br>- Point | 0.00          | 0.00         | 3,801.68   | -336.86      | -875.29      | 642,148.941     | 564,578.314    | 32.7652795 | -104.2577253 |  |
| RS10F 11H FTP 1425FNL<br>- actual wellpath misses target center by 0.32usft at 4352.29usft MD (3809.24 TVD, -332.02 N, -974.82 E)<br>- Point  | 0.00          | 0.00         | 3,809.24   | -332.34      | -974.84      | 642,153.461     | 564,478.765    | 32.7652921 | -104.2580492 |  |

Survey Report

|           |                                   |                              |                                 |
|-----------|-----------------------------------|------------------------------|---------------------------------|
| Company:  | SPUR ENERGY PARTNERS LLC.         | Local Co-ordinate Reference: | Well Red Skies 10 Federal 11H   |
| Project:  | Eddy County, NM (NAD83) NMEZ Grid | TVD Reference:               | 3556+20 @ 3576.00usft (akita57) |
| Site:     | Red Skies 10 Federal              | MD Reference:                | 3556+20 @ 3576.00usft (akita57) |
| Well:     | Red Skies 10 Federal 11H          | North Reference:             | Grid                            |
| Wellbore: | 11H OH                            | Survey Calculation Method:   | Minimum Curvature               |
| Design:   | 11H OH AsDrilled                  | Database:                    | PRIME_EDM                       |

| Design Annotations    |                       |                   |              |                       |
|-----------------------|-----------------------|-------------------|--------------|-----------------------|
| Measured Depth (usft) | Vertical Depth (usft) | Local Coordinates |              | Comment               |
|                       |                       | +N/-S (usft)      | +E/-W (usft) |                       |
| 2,805.00              | 2,785.04              | -281.24           | -10.22       | ESTKOP 1381FNL_859FWL |
| 4,226.14              | 3,797.69              | -337.38           | -849.45      | 80° 1425FNL_26FWL     |
| 4,252.00              | 3,801.68              | -336.55           | -874.99      | SECX 1425FNL_0FWL/FEL |
| 4,352.00              | 3,809.24              | -332.03           | -974.54      | FTP 1425FNL_100FEL    |
| 9,437.00              | 3,556.26              | -231.66           | -6,051.83    | LTP 1451FNL_100FWL    |
| 9,487.00              | 3,554.46              | -231.50           | -6,101.79    | TD 1451FNL_50FWL      |

Checked By: \_\_\_\_\_

Approved By: \_\_\_\_\_

Date: \_\_\_\_\_

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-0720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (575) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

|                            |  |                                                                |  |                        |                                        |
|----------------------------|--|----------------------------------------------------------------|--|------------------------|----------------------------------------|
| <sup>1</sup> API Number    |  | <sup>2</sup> Pool Code                                         |  | <sup>3</sup> Pool Name |                                        |
| <sup>4</sup> Property Code |  | <sup>5</sup> Property Name<br><b>RED SKIES 10 FEDERAL</b>      |  |                        | <sup>6</sup> Well Number<br><b>11H</b> |
| <sup>7</sup> OGRID NO.     |  | <sup>8</sup> Operator Name<br><b>SPUR ENERGY PARTNERS LLC.</b> |  |                        | <sup>9</sup> Elevation<br><b>3556'</b> |

<sup>10</sup> Surface Location

| UL or lot no. | Section   | Township   | Range      | Lot Idn | Feet from the | North/South line | Feet From the | East/West line | County      |
|---------------|-----------|------------|------------|---------|---------------|------------------|---------------|----------------|-------------|
| <b>D</b>      | <b>11</b> | <b>18S</b> | <b>27E</b> |         | <b>1100</b>   | <b>NORTH</b>     | <b>871</b>    | <b>WEST</b>    | <b>EDDY</b> |

<sup>11</sup> Bottom Hole Location If Different From Surface

| UL or lot no.                 | Section   | Township                      | Range      | Lot Idn                          | Feet from the | North/South line        | Feet from the | East/West line | County      |
|-------------------------------|-----------|-------------------------------|------------|----------------------------------|---------------|-------------------------|---------------|----------------|-------------|
| <b>E</b>                      | <b>10</b> | <b>18S</b>                    | <b>27E</b> |                                  | <b>1430</b>   | <b>NORTH</b>            | <b>50</b>     | <b>WEST</b>    | <b>EDDY</b> |
| <sup>12</sup> Dedicated Acres |           | <sup>13</sup> Joint or Infill |            | <sup>14</sup> Consolidation Code |               | <sup>15</sup> Order No. |               |                |             |

No allowable will be assigned to this completion until all interest have been consolidated or a non-standard unit has been approved by the division.

|                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><sup>16</sup> <b>GEODETIC DATA</b><br/>NAD 83 GRID - NM EAST</p> <p><b>SURFACE LOCATION (SL)</b><br/>N: 642485.8 - E: 565453.6<br/>LAT: 32.7662037° N<br/>LONG: 104.2548771° W</p> <p><b>FIRST TAKE POINT (FTP)</b><br/>1430' FNL &amp; 100' FEL - SEC.10<br/>N: 642149.7 - E: 564478.8<br/>LAT: 32.7652816° N<br/>LONG: 104.2580491° W</p> <p><b>LAST TAKE POINT (LTP)</b><br/>1430' FNL &amp; 100' FWL - SEC.10<br/>N: 642273.2 - E: 559401.3<br/>LAT: 32.7656302° N<br/>LONG: 104.2745671° W</p> <p><b>BOTTOM HOLE (BH)</b><br/>N: 642274.5 - E: 559351.3<br/>LAT: 32.7656336° N<br/>LONG: 104.2747297° W</p> |  | <p><b>CORNER DATA</b><br/>NAD 83 GRID - NM EAST</p> <p>A: FOUND BRASS CAP "1941"<br/>N: 638442.5 - E: 559275.0<br/>H: FOUND BRASS CAP "1941"<br/>N: 640937.2 - E: 569825.3</p> <p>B: FOUND BRASS CAP "1941"<br/>N: 641074.3 - E: 559292.9<br/>I: FOUND BRASS CAP "1941"<br/>N: 638302.5 - E: 569800.0</p> <p>C: FOUND BRASS CAP "1941"<br/>N: 643705.3 - E: 559311.4<br/>J: FOUND BRASS CAP "1941"<br/>N: 638335.5 - E: 567187.6</p> <p>D: FOUND BRASS CAP "1941"<br/>N: 643640.2 - E: 561953.9<br/>K: FOUND BRASS CAP "1941"<br/>N: 638374.3 - E: 564542.8</p> <p>E: FOUND BRASS CAP "1941"<br/>N: 643576.8 - E: 564594.9<br/>L: FOUND BRASS CAP "1941"<br/>N: 638407.8 - E: 561899.5</p> <p>F: FOUND BRASS CAP "1941"<br/>N: 643603.5 - E: 567239.7<br/>M: FOUND BRASS CAP "1941"<br/>N: 641004.4 - E: 564565.8</p> <p>G: FOUND BRASS CAP "1941"<br/>N: 643569.0 - E: 569851.5</p> |  | <p><b><sup>17</sup> OPERATOR CERTIFICATION</b><br/>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.</p> <p>Signature _____ Date _____</p> <p>Printed Name _____</p> <p>E-mail Address _____</p> |
| <p><b><sup>18</sup> SURVEYOR CERTIFICATION</b><br/>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</p> <p><b>10/10/2023</b><br/>Date of Survey</p> <p>Signature and Seal of Professional Surveyor _____</p> <p><b>14400</b><br/>Certificate Number</p> <p>REV: DRILL PATH 02/28/2024</p>                                                                                                                                                              |  | <p><b>DALE E. BELL</b><br/>NEW MEXICO<br/>PROFESSIONAL SURVEYOR<br/>14400<br/>02/29/2024</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |

Bottom Hole Location: PRIME SOLUTION SERVICES  
OH: Final Station 9425'MD Displacement = 6044.58' at a  
267.80° Azimuth  
API # 30-015-55680

Job No.: LS23100911R

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

Section 1 - Operator and Well Information

|                                                                                                                                                                                                                                                                                                   |                                                |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| Submittal Type: <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Workover <input type="checkbox"/> Deepening <input type="checkbox"/> Plugback <input type="checkbox"/> Different Reservoir <input type="checkbox"/> C-144 Closure Attachment <input type="checkbox"/> Other |                                                |
| Operator Name:                      SPUR ENERGY PARTNERS LLC                                                                                                                                                                                                                                      | OGRID:                      328947             |
| Property Name and Well Number:                      RED SKIES 10 FEDERAL COM 11H                                                                                                                                                                                                                  | Property Code:                      336464     |
| Mineral Owner: <input type="checkbox"/> State <input type="checkbox"/> Fee <input type="checkbox"/> Tribal <input checked="" type="checkbox"/> Federal                                                                                                                                            | API Number: 30-0                      15-55680 |
| Pool Name:                      RED LAKE; GLORIETA-YESO                                                                                                                                                                                                                                           | Pool Code:                      51120          |

Section 2 – Well Location

|      | Ul or lot no. | Section | Township | Range | Lot Id | Feet from | N/S Line | Feet from | E/W Line | County |
|------|---------------|---------|----------|-------|--------|-----------|----------|-----------|----------|--------|
| SHL: | D             | 11      | 18S      | 27E   |        | 1100      | NORTH    | 871       | WEST     | EDDY   |
| BHL  | E             | 10      | 19S      | 27E   |        | 1450      | NORTH    | 51        | WEST     | EDDY   |

Section 3 – Completion Information

|                                 |                                                        |                                             |                                                                                                                         |
|---------------------------------|--------------------------------------------------------|---------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| Date T.D. Reached<br>04/11/2025 | Total Measured Depth of Well<br>9487M'-3554'V          | Acid Volume (bbls)<br>28,105                | <input checked="" type="checkbox"/> Directional Survey Submitted<br><input type="checkbox"/> Deviation Survey Submitted |
| Date Rig Released<br>04/12/2025 | Plug-Back Measured Depth<br>9441'M-3554'V              | Completion Fluid Used (bbls)<br>275,688     | Were Logs Ran (Y/N)<br>Y                                                                                                |
| Completion Date<br>06/06/2025   | Perforations (MD and TVD)<br>4371'-9418'M/3809'-3557'V | Completion Proppant Used (lbs)<br>5,009,380 | List Type of Logs Ran if applicable:<br>GAMMA RAY                                                                       |

Section 4 – Action IDs for Submissions and Order Numbers

|                                                              |                                                                                                                            |
|--------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------|
| Surface Casing Action ID:                      439702        | UIC Permit/Order (UIC wells only) <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No, Order No.           |
| Intermediate 1 Casing Action ID:                      453817 | NOI Recomplete Action ID (if applicable):                                                                                  |
| Intermediate 2 Casing Action ID:                             | NOI Plugback Action ID (if applicable):                                                                                    |
| Production Casing Action ID:                      453817     | Cement Squeeze Action ID (if applicable):                                                                                  |
| Tubing Action ID:                      479307                | All casing was pressure tested in accordance with NMAC <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No |
| Liner 1 Action ID:                                           | Casing was installed prior to Action ID system (Y/N):                      Y                                               |

Section 5 – Test Data

|                                     |                                     |                                |                       |
|-------------------------------------|-------------------------------------|--------------------------------|-----------------------|
| Date First Production<br>08/08/2025 | Production Method<br>PUMPING ON ESP | Well Status<br>PRODUCING       | Gas – Oil Ratio       |
| Date of Test<br>10/06/2025          | Choke Size<br>N/A                   | Flowing Tubing Pressure<br>190 | Casing Pressure<br>10 |
| 24 hr Oil (bbls)<br>327             | 24 hr Gas (MCF)<br>329              | 24 hr Water (bbls)<br>4311     | Oil Gravity - API     |
| Disposition of Gas:                 |                                     |                                |                       |

Section 6 – Pits

☐ A temporary pit was used at the well. If so, attach a plat with the location of the temporary pit.  
☒ A Closed Loop System was used.  
☐ If an on-site burial was used at the well, report the exact location of the on-site burial:  
LAT: \_\_\_\_\_ LONG: \_\_\_\_\_


Section 7 - Operator Signature and Certification

|                                                                                                                                                                                                                                |                    |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
| <input checked="" type="checkbox"/> I hereby certify that the required Water Use Report has been, or will be, submitted for this well’s completion.                                                                            |                    |
| <input checked="" type="checkbox"/> I hereby certify that the required Fracfocus disclosure has been, or will be, submitted for this well’s completion.                                                                        |                    |
| <input checked="" type="checkbox"/> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. |                    |
| Name<br>SARAH CHAPMAN     Sarah Chapman     WILL FILE APPROVED 3160-5 WITHIN 10-DAYS OF BLM APPROVAL.                                                                                                                          |                    |
| Title<br>REGULATORY DIRECTOR                                                                                                                                                                                                   | Date<br>10/14/2025 |

| South Formations    |       |       |       | North Formations   |    |     |       |
|---------------------|-------|-------|-------|--------------------|----|-----|-------|
| Formation/Zone      | MD    | TVD   | W/O/G | Formation/Zone     | MD | TVD | W/O/G |
| T. Anhy             |       |       |       | T. San Jose        |    |     |       |
| T. Salt             |       |       |       | T. Nacimiento      |    |     |       |
| B. Salt             |       |       |       | T. Ojo Alamo       |    |     |       |
| T. Yates            | 175'  | 175'  | NONE  | T. Kirtland        |    |     |       |
| T. 7 Rivers         | 425'  | 425'  | O/G   | T. Fruitland       |    |     |       |
| T. Queen            | 995'  | 995'  | O/G   | T. Pictured Cliffs |    |     |       |
| T. Grayburg         | 1460' | 1460' | O/G   | T. Lewis Shale     |    |     |       |
| T. San Andres       | 1850' | 1790' | O/G   | T. Chacra          |    |     |       |
| T. Glorieta         | 3392' | 3337' | O/G   | T. Cliff House     |    |     |       |
| T. Yeso             |       |       |       | T. Menefee         |    |     |       |
| T. Paddock          | 9487' | 3554' | O/G   | T. Point Lookout   |    |     |       |
| T. Blinebry         |       |       |       | T. Mancos          |    |     |       |
| T.Tubb              |       |       |       | T. Gallup          |    |     |       |
| T. Drinkard         |       |       |       | T. Greenhorn       |    |     |       |
| T. Abo              |       |       |       | T. Graneros        |    |     |       |
| T. Wolfcamp         |       |       |       | T. Dakota          |    |     |       |
| T. Penn             |       |       |       | T. Morrison        |    |     |       |
| T. Cisco            |       |       |       | T. Bluff           |    |     |       |
| T. Canyon           |       |       |       | T.Todilto          |    |     |       |
| T. Strawn           |       |       |       | T. Entrada         |    |     |       |
| T. Atoka            |       |       |       | T. Wingate         |    |     |       |
| T. Morrow           |       |       |       | T. Chinle          |    |     |       |
| T. Barnett Shale    |       |       |       | T. Permian         |    |     |       |
| T. Miss             |       |       |       | T. Penn A"         |    |     |       |
| T. Woodford Shale   |       |       |       | T. Penn. "B"       |    |     |       |
| T. Devonian         |       |       |       | T. Penn. "C"       |    |     |       |
| T. Silurian         |       |       |       | T. Penn. "D"       |    |     |       |
| T. Fusselman        |       |       |       | T. Leadville       |    |     |       |
| T. Montoya          |       |       |       | T. Madison         |    |     |       |
| T. Simpson          |       |       |       | T. Elbert          |    |     |       |
| T. McKee            |       |       |       | T. McCracken       |    |     |       |
| T. Waddell          |       |       |       | T. Ignacio Otzte   |    |     |       |
| T. Connel           |       |       |       | T. Granite         |    |     |       |
| T. Ellenburger      |       |       |       | T. Hermosa         |    |     |       |
| T. Gr. Wash         |       |       |       | T. De Chelly       |    |     |       |
| T. Delaware Sand    |       |       |       | T. Pinkerton       |    |     |       |
| T. Lamar Lime       |       |       |       |                    |    |     |       |
| T. Bell Canyon      |       |       |       |                    |    |     |       |
| T. Cherry Canyon    |       |       |       |                    |    |     |       |
| T. Brushy Canyon    |       |       |       |                    |    |     |       |
| T. Bone Springs     |       |       |       |                    |    |     |       |
| T. 1st BS Sand      |       |       |       |                    |    |     |       |
| T. 2nd BS Carbonate |       |       |       |                    |    |     |       |
| T. 2nd BS Sand      |       |       |       |                    |    |     |       |
| T. 3rd BS Carbonate |       |       |       |                    |    |     |       |
| T. 3rd BS Sand      |       |       |       |                    |    |     |       |

Eddy County, NM  
API# 30-015-55680

SPUD DATE: 222/2025  
ELEV: 3,556' GL, 20' KB



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 515057

ACKNOWLEDGMENTS

|                                                                                 |                                                                |
|---------------------------------------------------------------------------------|----------------------------------------------------------------|
| Operator:<br>Spur Energy Partners LLC<br>9655 Katy Freeway<br>Houston, TX 77024 | OGRID:<br>328947                                               |
|                                                                                 | Action Number:<br>515057                                       |
|                                                                                 | Action Type:<br>[C-104] Completion Packet - New Well (C-104NW) |

ACKNOWLEDGMENTS

|                                     |                                                                                                                                                                                            |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.                                                                             |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.                                                                         |
| <input checked="" type="checkbox"/> | I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 515057

CONDITIONS

|                                                                                 |                                                                |
|---------------------------------------------------------------------------------|----------------------------------------------------------------|
| Operator:<br>Spur Energy Partners LLC<br>9655 Katy Freeway<br>Houston, TX 77024 | OGRID:<br>328947                                               |
|                                                                                 | Action Number:<br>515057                                       |
|                                                                                 | Action Type:<br>[C-104] Completion Packet - New Well (C-104NW) |

CONDITIONS

| Created By | Condition                                                                  | Condition Date |
|------------|----------------------------------------------------------------------------|----------------|
| plmartinez | C-105 -future submittal needs to indicate -Section 5 "Disposition of Gas". | 10/15/2025     |
| plmartinez | File 3160-4 within 10 days of BLM Approval.                                | 10/15/2025     |