

1625 N. French Dr., Hobbs, NM 88240

District II

811 S. First St., Artesia, NM 88210

District III

1000 Rio Brazos Rd., Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy, Minerals & Natural ResourcesForm C-104  
Revised August 1, 2011Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

|                                                                                                                           |                                                              |                                                                  |
|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------|------------------------------------------------------------------|
| <sup>1</sup> Operator name and Address<br><b>XTO Energy, Inc.<br/>6401 HOLIDAY HILL ROAD BLDG 5<br/>MIDLAND, TX 79707</b> |                                                              | <sup>2</sup> OGRID Number<br><b>373075</b>                       |
|                                                                                                                           |                                                              | <sup>3</sup> Reason for Filing Code/ Effective Date<br><b>NW</b> |
| <sup>4</sup> API Number<br><b>30 - 015-45516</b>                                                                          | <sup>5</sup> Pool Name<br><b>PURPLE SAGE; WOLFCAMP (GAS)</b> | <sup>6</sup> Pool Code<br><b>98220</b>                           |
| <sup>7</sup> Property Code<br><b>325597</b>                                                                               | <sup>8</sup> Property Name<br><b>POKER LAKE UNIT 21 BD</b>   | <sup>9</sup> Well Number<br><b>125H</b>                          |

**II. <sup>10</sup> Surface Location**

| Ul or lot no. | Section   | Township   | Range      | Lot Idn | Feet from the | North/South Line | Feet from the | East/West line | County      |
|---------------|-----------|------------|------------|---------|---------------|------------------|---------------|----------------|-------------|
| <b>O</b>      | <b>21</b> | <b>25S</b> | <b>30E</b> |         | <b>330</b>    | <b>South</b>     | <b>1980</b>   | <b>East</b>    | <b>EDDY</b> |

**<sup>11</sup> Bottom Hole Location**

| UL or lot no.                      | Section                                         | Township                          | Range                             | Lot Idn                            | Feet from the                       | North/South line | Feet from the | East/West line | County      |
|------------------------------------|-------------------------------------------------|-----------------------------------|-----------------------------------|------------------------------------|-------------------------------------|------------------|---------------|----------------|-------------|
| <b>G</b>                           | <b>4</b>                                        | <b>26S</b>                        | <b>30E</b>                        |                                    | <b>2407</b>                         | <b>North</b>     | <b>1977</b>   | <b>East</b>    | <b>Eddy</b> |
| <sup>12</sup> Lse Code<br><b>F</b> | <sup>13</sup> Producing Method Code<br><b>F</b> | <sup>14</sup> Gas Connection Date | <sup>15</sup> C-129 Permit Number | <sup>16</sup> C-129 Effective Date | <sup>17</sup> C-129 Expiration Date |                  |               |                |             |

**III. Oil and Gas Transporters**

| <sup>18</sup> Transporter OGRID | <sup>19</sup> Transporter Name and Address | <sup>20</sup> O/G/W |
|---------------------------------|--------------------------------------------|---------------------|
| 34053                           | Plains Marketing                           | O                   |
| 248440                          | Western Refining                           | O                   |
| 373073                          | XTO Permian Midstream                      | G/W                 |
|                                 |                                            |                     |
|                                 |                                            |                     |

**IV. Well Completion Data**

|                                              |                                              |                                           |                                               |                                                       |                       |
|----------------------------------------------|----------------------------------------------|-------------------------------------------|-----------------------------------------------|-------------------------------------------------------|-----------------------|
| <sup>21</sup> Spud Date<br><b>11/13/2020</b> | <sup>22</sup> Ready Date<br><b>7/16/2022</b> | <sup>23</sup> TD<br>24223 MD<br>10921 TVD | <sup>24</sup> MBTD<br>24211 MBTD<br>10921 TVD | <sup>25</sup> Perforations<br><b>11,530 TO 24,109</b> | <sup>26</sup> DHC, MC |
| <sup>27</sup> Hole Size                      | <sup>28</sup> Casing & Tubing Size           | <sup>29</sup> Depth Set                   | <sup>30</sup> Sacks Cement                    |                                                       |                       |
| <b>14.75</b>                                 | <b>11.75 J55 54#</b>                         | <b>1,346</b>                              | <b>1,185</b>                                  |                                                       |                       |
| <b>8.75</b>                                  | <b>7.625 HCL 80 29.7#</b>                    | <b>10,016</b>                             | <b>1,742</b>                                  |                                                       |                       |
| <b>6.75</b>                                  | <b>5 P110 18#</b>                            | <b>24,212</b>                             | <b>1,160</b>                                  |                                                       |                       |
|                                              | <b>2 7/8 L80 6.5#</b>                        | <b>10,199</b>                             |                                               |                                                       |                       |

**V. Well Test Data**

|                                              |                                                   |                                           |                                            |                                            |                                             |
|----------------------------------------------|---------------------------------------------------|-------------------------------------------|--------------------------------------------|--------------------------------------------|---------------------------------------------|
| <sup>31</sup> Date New Oil<br><b>7/17/22</b> | <sup>32</sup> Gas Delivery Date<br><b>7/17/22</b> | <sup>33</sup> Test Date<br><b>7/17/22</b> | <sup>34</sup> Test Length<br><b>24 hrs</b> | <sup>35</sup> Tbg. Pressure<br><b>2554</b> | <sup>36</sup> Csg. Pressure<br><b>0</b>     |
| <sup>37</sup> Choke Size                     | <sup>38</sup> Oil<br><b>164</b>                   | <sup>39</sup> Water<br><b>458</b>         | <sup>40</sup> Gas<br><b>188</b>            |                                            | <sup>41</sup> Test Method<br><b>Flowing</b> |

<sup>42</sup> I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief.

Signature:

*Amanda Thames*

Printed name:

Amanda Thames

Title:

Regulatory Analyst

E-mail Address:

amanda.thames@exxonmobil.com

Date:

8/16/2022

Phone:

432.221.7340

OIL CONSERVATION DIVISION

Approved by:

Title:

Approval Date:

District I  
1625 N. French Dr., Hobbs, NM 88240  
Phone: (575) 393-6161 Fax: (575) 393-9720  
District II  
811 S. First St., Artesia, NM 88210  
Phone: (505) 748-1283 Fax: (575) 748-9720  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
Phone: (505) 334-6178 Fax: (505) 334-6170  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505  
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico  
Energy, Minerals & Natural Resources Department  
OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-102  
Revised August 1, 2011  
Submit one copy to appropriate  
District Office  
☐ AMENDED REPORT

## WELL LOCATION AND ACREAGE DEDICATION PLAT

## AS-DRILLED PLAT

|                                         |                                                           |                                                       |
|-----------------------------------------|-----------------------------------------------------------|-------------------------------------------------------|
| <sup>1</sup> API Number<br>30-015-45516 | <sup>2</sup> Pool Code<br>98220                           | <sup>3</sup> Pool Name<br>PURPLE SAGE; WOLFCAMP (GAS) |
| <sup>4</sup> Property Code<br>325597    | <sup>5</sup> Property Name<br>POKER LAKE UNIT 21 BD       | <sup>6</sup> Well Number<br>125H                      |
| <sup>7</sup> OGRID No.<br>373075        | <sup>8</sup> Operator Name<br>XTO PERMIAN OPERATING, LLC. | <sup>9</sup> Elevation<br>3,246'                      |

<sup>10</sup> Surface Location


| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| O             | 21      | 25 S     | 30 E  |         | 330           | SOUTH            | 1,980         | EAST           | EDDY   |

<sup>11</sup> Bottom Hole Location If Different From Surface

| UL or lot no. | Section | Township | Range | Lot Idn | Feet from the | North/South line | Feet from the | East/West line | County |
|---------------|---------|----------|-------|---------|---------------|------------------|---------------|----------------|--------|
| G             | 4       | 26 S     | 30 E  |         | 2,407         | NORTH            | 1,977         | EAST           | EDDY   |

|                                      |                               |                                  |                         |
|--------------------------------------|-------------------------------|----------------------------------|-------------------------|
| <sup>12</sup> Dedicated Acres<br>800 | <sup>13</sup> Joint or Infill | <sup>14</sup> Consolidation Code | <sup>15</sup> Order No. |
|--------------------------------------|-------------------------------|----------------------------------|-------------------------|

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY



Intent ☐ As Drilled ☒

|                                                   |                                             |                         |
|---------------------------------------------------|---------------------------------------------|-------------------------|
| API #<br>30-015-45516                             |                                             |                         |
| Operator Name:<br><br>XTO PERMIAN OPERATING, LLC. | Property Name:<br><br>POKER LAKE UNIT 21 BD | Well Number<br><br>125H |

## Kick Off Point (KOP)

| UL                    | Section | Township | Range | Lot | Feet                    | From N/S | Feet  | From E/W | County    |
|-----------------------|---------|----------|-------|-----|-------------------------|----------|-------|----------|-----------|
| O                     | 21      | 25       | 30    |     | 497                     | FSL      | 1,916 | FEL      | EDDY      |
| Latitude<br>32.109765 |         |          |       |     | Longitude<br>103.883723 |          |       |          | NAD<br>83 |

## First Take Point (FTP)

| UL                    | Section | Township | Range | Lot | Feet                    | From N/S | Feet  | From E/W | County    |
|-----------------------|---------|----------|-------|-----|-------------------------|----------|-------|----------|-----------|
| B                     | 28      | 25       | 30    |     | 372                     | FNL      | 1,966 | FEL      | EDDY      |
| Latitude<br>32.107375 |         |          |       |     | Longitude<br>103.883886 |          |       |          | NAD<br>83 |

## Last Take Point (LTP)

| UL                    | Section | Township | Range | Lot | Feet                    | From N/S | Feet  | From E/W | County    |
|-----------------------|---------|----------|-------|-----|-------------------------|----------|-------|----------|-----------|
| G                     | 4       | 26       | 30    |     | 2,293                   | FNL      | 1,978 | FEL      | EDDY      |
| Latitude<br>32.072822 |         |          |       |     | Longitude<br>103.884091 |          |       |          | NAD<br>83 |

Is this well the defining well for the Horizontal Spacing Unit? ☒Is this well an infill well? ☐

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

|                |                |             |
|----------------|----------------|-------------|
| API #          |                |             |
| Operator Name: | Property Name: | Well Number |

KZ 06/29/2018



NABORS DRILLING TECHNOLOGIES USA, INC.  
 515 West Greens Road  
 Houston, TX 77067  
 Phone: 281.874.0035  
 Fax: 281.872.5205

Wednesday, December 23, 2020

State of New Mexico  
 County of Eddy

Subject: **Survey Certification Letter**

Survey Company: **NABORS DRILLING TECH USA, INC.**

Job Number: **T9085**

Survey Job Type: **Nabors MWD**

Customer: **XTO Permian Operating LLC**

Well Name: **Poker Lake Unit 21 BD 125H**

Rig Name: **Nabors X15**

Surface: **32.109180 N / 103.8833547 W**

A.P.I. No: **30-015-45516**

Location: **Eddy, NM**

RKB Height: **3279'**

Distance to Bit: **41'**

| Surveyor Name | Surveyor Title                 | Borehole<br>Number | Start<br>Depth | End<br>Depth | Start<br>Date | End<br>Date | Type<br>of | TD Straight        |
|---------------|--------------------------------|--------------------|----------------|--------------|---------------|-------------|------------|--------------------|
|               |                                |                    |                |              |               |             |            | Line<br>Projection |
| Ben Benny     | Wellbore Navigation Specialist | OH                 | 10037'         | 24182'       | 12/14/20      | 12/22/20    | MWD        | 24223'             |

The data and calculations for this survey have been checked by me and conform to the calibration standards and operational procedures set forth by NABORS DRILLING TECHNOLOGIES USA, INC. I am authorized and qualified to review the data, calculations and these reports; the reports represents true and correct Directional Surveys of this well based on the original data, the minimum curvature method, corrected to Grid North and obtained at the well site.

*Ben Benny*

**Ben Benny**

Wellbore Navigation Specialist

NABORS DRILLING TECHNOLOGIES USA, INC.

[Back To Table of Contents](#)

Add Side Track

| Name Line 1                  |
|------------------------------|
|                              |
| State of Louisiana           |
| State of Montana             |
| State of North Dakota        |
| State of New Mexico          |
| State of Oklahoma            |
| Railroad Commission of Texas |
| State of Wyoming             |

| Name Line 2          | Address Line 1 | Address Line 2  | City   | State |
|----------------------|----------------|-----------------|--------|-------|
|                      |                |                 |        |       |
| Parish of Eddy       |                |                 |        | LA    |
| County of Eddy       |                |                 |        | MT    |
| County of Eddy       |                |                 |        | ND    |
| County of Eddy       |                |                 |        | NM    |
| County of Eddy       |                |                 |        | OK    |
| Oil and Gas Division | PO Box 12967   | Capitol Station | Austin | TX    |
| County of Eddy       |                |                 |        | WY    |

| Zip        | Contact Name | Operator # |
|------------|--------------|------------|
|            |              |            |
|            |              |            |
|            |              |            |
|            |              |            |
|            |              |            |
|            |              |            |
| 78711-2967 | Pam Johns    | 598880     |
|            |              |            |



## **XTO Permian Operating, LLC**

**Eddy Co., NM**

**Poker Lake Unit 21 BD**

**PLU 21 BD 125H**

**125H - OH**

**Design: 125H - OH**

## **Standard Survey Report**

**22 January, 2021**







# Nabors Survey Report



|                  |                            |                                     |                                                     |
|------------------|----------------------------|-------------------------------------|-----------------------------------------------------|
| <b>Company:</b>  | XTO Permian Operating, LLC | <b>Local Co-ordinate Reference:</b> | Well PLU 21 BD 125H                                 |
| <b>Project:</b>  | Eddy Co., NM               | <b>TVD Reference:</b>               | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Site:</b>     | Poker Lake Unit 21 BD      | <b>MD Reference:</b>                | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Well:</b>     | PLU 21 BD 125H             | <b>North Reference:</b>             | Grid                                                |
| <b>Wellbore:</b> | 125H - OH                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                                   |
| <b>Design:</b>   | 125H - OH                  | <b>Database:</b>                    | RyanUSA_ODBC_32bit                                  |

|                    |                                      |                      |                |
|--------------------|--------------------------------------|----------------------|----------------|
| <b>Project</b>     | Eddy Co., NM                         |                      |                |
| <b>Map System:</b> | US State Plane 1927 (Exact solution) | <b>System Datum:</b> | Mean Sea Level |
| <b>Geo Datum:</b>  | NAD 1927 (NADCON CONUS)              |                      |                |
| <b>Map Zone:</b>   | New Mexico East 3001                 |                      |                |

| Site                  |         | Poker Lake Unit 21 BD |                  |                   |                      |
|-----------------------|---------|-----------------------|------------------|-------------------|----------------------|
| Site Position:        |         | Northing:             | 403,785.000 usft | Latitude:         | 32° 6' 33.625969 N   |
| From:                 | Map     | Easting:              | 637,678.700 usft | Longitude:        | 103° 53' 19.227689 W |
| Position Uncertainty: | 0.00 ft | Slot Radius:          | 13-3/16 "        | Grid Convergence: | 0.24 °               |

| Well                 | PLU 21 BD 125H |         |                     |                  |               |                     |
|----------------------|----------------|---------|---------------------|------------------|---------------|---------------------|
| Well Position        | +N/-S          | 0.00 ft | Northing:           | 403,733.300 usft | Latitude:     | 32° 6' 33.047853 N  |
|                      | +E/-W          | 0.00 ft | Easting:            | 639,297.600 usft | Longitude:    | 103° 53' 0.407953 W |
| Position Uncertainty |                | 0.00 ft | Wellhead Elevation: | ft               | Ground Level: | 3,246.00 ft         |

|                  |                   |                    |                        |                      |                            |
|------------------|-------------------|--------------------|------------------------|----------------------|----------------------------|
| <b>Wellbore</b>  | 125H - OH         |                    |                        |                      |                            |
| <b>Magnetics</b> | <b>Model Name</b> | <b>Sample Date</b> | <b>Declination (°)</b> | <b>Dip Angle (°)</b> | <b>Field Strength (nT)</b> |
|                  | User Defined      | 11/16/2020         | 6.68                   | 59.72                | 47,657.00000000            |

|                          |                              |                   |                   |                      |      |
|--------------------------|------------------------------|-------------------|-------------------|----------------------|------|
| <b>Design</b>            | 125H - OH                    |                   |                   |                      |      |
| <b>Audit Notes:</b>      |                              |                   |                   |                      |      |
| <b>Version:</b>          | 1.0                          | <b>Phase:</b>     | ACTUAL            | <b>Tie On Depth:</b> | 0.00 |
| <b>Vertical Section:</b> | <b>Depth From (TVD) (ft)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Direction (°)</b> |      |
|                          | 0.00                         | 0.00              | 0.00              | 179.99               |      |

|                       |                |                          |                  |                                            |  |
|-----------------------|----------------|--------------------------|------------------|--------------------------------------------|--|
| <b>Survey Program</b> | <b>Date</b>    | 12/23/2020               |                  |                                            |  |
| <b>From (ft)</b>      | <b>To (ft)</b> | <b>Survey (Wellbore)</b> | <b>Tool Name</b> | <b>Description</b>                         |  |
| 211.00                | 24,223.00      | Survey #1 (125H - OH)    | MWD+IFR1+MS      | OWSG MWD + IFR1 + Multi-Station Correction |  |

|                            |                        |                    |                            |                   |                   |                              |                              |                             |                            |  |
|----------------------------|------------------------|--------------------|----------------------------|-------------------|-------------------|------------------------------|------------------------------|-----------------------------|----------------------------|--|
| <b>Survey</b>              |                        |                    |                            |                   |                   |                              |                              |                             |                            |  |
| <b>Measured Depth (ft)</b> | <b>Inclination (°)</b> | <b>Azimuth (°)</b> | <b>Vertical Depth (ft)</b> | <b>+N/-S (ft)</b> | <b>+E/-W (ft)</b> | <b>Vertical Section (ft)</b> | <b>Dogleg Rate (°/100ft)</b> | <b>Build Rate (°/100ft)</b> | <b>Turn Rate (°/100ft)</b> |  |
| 0.00                       | 0.00                   | 0.00               | 0.00                       | 0.00              | 0.00              | 0.00                         | 0.00                         | 0.00                        | 0.00                       |  |
| 211.00                     | 0.60                   | 285.43             | 211.00                     | 0.29              | -1.06             | -0.29                        | 0.28                         | 0.28                        | 0.00                       |  |
| 302.00                     | 0.76                   | 300.42             | 301.99                     | 0.73              | -2.04             | -0.73                        | 0.26                         | 0.18                        | 16.47                      |  |
| 400.00                     | 0.75                   | 298.21             | 399.98                     | 1.36              | -3.17             | -1.36                        | 0.03                         | -0.01                       | -2.26                      |  |
| 493.00                     | 1.04                   | 292.31             | 492.97                     | 1.97              | -4.49             | -1.97                        | 0.33                         | 0.31                        | -6.34                      |  |
| 586.00                     | 1.12                   | 290.37             | 585.95                     | 2.60              | -6.12             | -2.60                        | 0.09                         | 0.09                        | -2.09                      |  |
| 679.00                     | 1.30                   | 296.54             | 678.93                     | 3.39              | -7.92             | -3.39                        | 0.24                         | 0.19                        | 6.63                       |  |
| 772.00                     | 1.60                   | 297.09             | 771.90                     | 4.45              | -10.02            | -4.46                        | 0.32                         | 0.32                        | 0.59                       |  |
| 865.00                     | 1.76                   | 290.75             | 864.86                     | 5.55              | -12.51            | -5.55                        | 0.26                         | 0.17                        | -6.82                      |  |



# Nabors Survey Report



|                  |                            |                                     |                                                     |
|------------------|----------------------------|-------------------------------------|-----------------------------------------------------|
| <b>Company:</b>  | XTO Permian Operating, LLC | <b>Local Co-ordinate Reference:</b> | Well PLU 21 BD 125H                                 |
| <b>Project:</b>  | Eddy Co., NM               | <b>TVD Reference:</b>               | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Site:</b>     | Poker Lake Unit 21 BD      | <b>MD Reference:</b>                | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Well:</b>     | PLU 21 BD 125H             | <b>North Reference:</b>             | Grid                                                |
| <b>Wellbore:</b> | 125H - OH                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                                   |
| <b>Design:</b>   | 125H - OH                  | <b>Database:</b>                    | RyanUSA_ODBC_32bit                                  |

| Survey              |                 |             |                     |            |            |                       |                       |                      |                     |
|---------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-----------------------|----------------------|---------------------|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |
| 958.00              | 1.87            | 292.70      | 957.82              | 6.64       | -15.24     | -6.65                 | 0.14                  | 0.12                 | 2.10                |
| 1,050.00            | 0.73            | 246.82      | 1,049.79            | 6.99       | -17.17     | -6.99                 | 1.59                  | -1.24                | -49.87              |
| 1,143.00            | 0.70            | 209.67      | 1,142.79            | 6.26       | -17.99     | -6.27                 | 0.49                  | -0.03                | -39.95              |
| 1,237.00            | 0.55            | 230.24      | 1,236.78            | 5.48       | -18.62     | -5.48                 | 0.28                  | -0.16                | 21.88               |
| 1,293.00            | 0.28            | 239.10      | 1,292.78            | 5.23       | -18.95     | -5.24                 | 0.49                  | -0.48                | 15.82               |
| 1,426.00            | 0.93            | 37.09       | 1,425.77            | 5.93       | -18.58     | -5.93                 | 0.90                  | 0.49                 | 118.79              |
| 1,519.00            | 0.76            | 41.60       | 1,518.76            | 6.99       | -17.71     | -7.00                 | 0.20                  | -0.18                | 4.85                |
| 1,612.00            | 0.36            | 33.84       | 1,611.76            | 7.70       | -17.14     | -7.70                 | 0.44                  | -0.43                | -8.34               |
| 1,705.00            | 0.19            | 359.71      | 1,704.76            | 8.09       | -16.98     | -8.10                 | 0.25                  | -0.18                | -36.70              |
| 1,800.00            | 0.46            | 359.36      | 1,799.76            | 8.63       | -16.98     | -8.63                 | 0.28                  | 0.28                 | -0.37               |
| 1,895.00            | 0.60            | 9.80        | 1,894.75            | 9.50       | -16.90     | -9.51                 | 0.18                  | 0.15                 | 10.99               |
| 1,989.00            | 0.79            | 356.34      | 1,988.75            | 10.63      | -16.86     | -10.64                | 0.27                  | 0.20                 | -14.32              |
| 2,083.00            | 2.24            | 19.32       | 2,082.71            | 13.02      | -16.29     | -13.02                | 1.64                  | 1.54                 | 24.45               |
| 2,177.00            | 2.73            | 6.98        | 2,176.62            | 16.97      | -15.41     | -16.97                | 0.77                  | 0.52                 | -13.13              |
| 2,272.00            | 4.08            | 9.31        | 2,271.45            | 22.55      | -14.59     | -22.55                | 1.43                  | 1.42                 | 2.45                |
| 2,367.00            | 3.60            | 358.64      | 2,366.24            | 28.87      | -14.11     | -28.87                | 0.90                  | -0.51                | -11.23              |
| 2,462.00            | 3.20            | 352.87      | 2,461.07            | 34.48      | -14.51     | -34.48                | 0.55                  | -0.42                | -6.07               |
| 2,556.00            | 5.62            | 21.86       | 2,554.80            | 41.36      | -13.13     | -41.36                | 3.42                  | 2.57                 | 30.84               |
| 2,651.00            | 4.87            | 20.24       | 2,649.40            | 49.46      | -10.00     | -49.46                | 0.80                  | -0.79                | -1.71               |
| 2,746.00            | 4.19            | 16.55       | 2,744.10            | 56.57      | -7.62      | -56.57                | 0.78                  | -0.72                | -3.88               |
| 2,841.00            | 3.74            | 18.89       | 2,838.88            | 62.83      | -5.62      | -62.83                | 0.50                  | -0.47                | 2.46                |
| 2,934.00            | 4.64            | 32.21       | 2,931.63            | 68.88      | -2.64      | -68.88                | 1.42                  | 0.97                 | 14.32               |
| 3,028.00            | 4.02            | 26.86       | 3,025.36            | 75.04      | 0.88       | -75.04                | 0.79                  | -0.66                | -5.69               |
| 3,122.00            | 3.80            | 41.32       | 3,119.14            | 80.32      | 4.42       | -80.32                | 1.07                  | -0.23                | 15.38               |
| 3,216.00            | 3.71            | 62.28       | 3,212.95            | 84.07      | 9.17       | -84.07                | 1.46                  | -0.10                | 22.30               |
| 3,311.00            | 3.08            | 70.14       | 3,307.78            | 86.37      | 14.29      | -86.36                | 0.82                  | -0.66                | 8.27                |
| 3,406.00            | 3.62            | 90.83       | 3,402.62            | 87.19      | 19.69      | -87.19                | 1.38                  | 0.57                 | 21.78               |
| 3,500.00            | 4.30            | 82.62       | 3,496.40            | 87.60      | 26.16      | -87.60                | 0.94                  | 0.72                 | -8.73               |
| 3,595.00            | 5.10            | 89.53       | 3,591.08            | 88.09      | 33.91      | -88.09                | 1.03                  | 0.84                 | 7.27                |
| 3,689.00            | 4.90            | 87.83       | 3,684.72            | 88.28      | 42.10      | -88.27                | 0.26                  | -0.21                | -1.81               |
| 3,784.00            | 3.53            | 37.88       | 3,779.49            | 90.74      | 47.95      | -90.73                | 3.97                  | -1.44                | -52.58              |
| 3,879.00            | 4.47            | 357.80      | 3,874.28            | 96.75      | 49.61      | -96.74                | 3.03                  | 0.99                 | -42.19              |
| 3,973.00            | 4.56            | 355.82      | 3,967.98            | 104.14     | 49.19      | -104.13               | 0.19                  | 0.10                 | -2.11               |
| 4,067.00            | 4.56            | 354.97      | 4,061.69            | 111.59     | 48.59      | -111.58               | 0.07                  | 0.00                 | -0.90               |
| 4,162.00            | 4.48            | 353.23      | 4,156.39            | 119.03     | 47.82      | -119.02               | 0.17                  | -0.08                | -1.83               |
| 4,256.00            | 4.38            | 351.22      | 4,250.11            | 126.23     | 46.84      | -126.22               | 0.20                  | -0.11                | -2.14               |
| 4,351.00            | 4.55            | 351.81      | 4,344.82            | 133.54     | 45.75      | -133.53               | 0.19                  | 0.18                 | 0.62                |
| 4,445.00            | 4.45            | 351.75      | 4,438.53            | 140.84     | 44.70      | -140.83               | 0.11                  | -0.11                | -0.06               |
| 4,539.00            | 4.39            | 349.90      | 4,532.25            | 147.99     | 43.55      | -147.98               | 0.16                  | -0.06                | -1.97               |
| 4,634.00            | 4.57            | 348.78      | 4,626.96            | 155.28     | 42.17      | -155.28               | 0.21                  | 0.19                 | -1.18               |
| 4,728.00            | 4.39            | 354.16      | 4,720.68            | 162.54     | 41.08      | -162.53               | 0.49                  | -0.19                | 5.72                |
| 4,823.00            | 3.91            | 4.48        | 4,815.43            | 169.38     | 40.96      | -169.37               | 0.93                  | -0.51                | 10.86               |



# Nabors Survey Report



|                  |                            |                                     |                                                     |
|------------------|----------------------------|-------------------------------------|-----------------------------------------------------|
| <b>Company:</b>  | XTO Permian Operating, LLC | <b>Local Co-ordinate Reference:</b> | Well PLU 21 BD 125H                                 |
| <b>Project:</b>  | Eddy Co., NM               | <b>TVD Reference:</b>               | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Site:</b>     | Poker Lake Unit 21 BD      | <b>MD Reference:</b>                | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Well:</b>     | PLU 21 BD 125H             | <b>North Reference:</b>             | Grid                                                |
| <b>Wellbore:</b> | 125H - OH                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                                   |
| <b>Design:</b>   | 125H - OH                  | <b>Database:</b>                    | RyanUSA_ODBC_32bit                                  |

| Survey                                        |                 |             |                     |            |            |                       |                       |                      |                     |
|-----------------------------------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-----------------------|----------------------|---------------------|
| Measured Depth (ft)                           | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |
| 4,917.00                                      | 3.77            | 1.89        | 4,909.22            | 175.67     | 41.31      | -175.66               | 0.24                  | -0.15                | -2.76               |
| 5,012.00                                      | 3.55            | 359.87      | 5,004.02            | 181.73     | 41.41      | -181.72               | 0.27                  | -0.23                | -2.13               |
| 5,106.00                                      | 3.69            | 3.10        | 5,097.83            | 187.66     | 41.57      | -187.65               | 0.26                  | 0.15                 | 3.44                |
| 5,200.00                                      | 3.56            | 0.68        | 5,191.65            | 193.60     | 41.76      | -193.59               | 0.21                  | -0.14                | -2.57               |
| 5,281.24                                      | 3.44            | 358.86      | 5,272.74            | 198.56     | 41.74      | -198.55               | 0.20                  | -0.15                | -2.24               |
| Plan @ 5271.80 (PLU 21 BD 125H 125H - OH PN2) |                 |             |                     |            |            |                       |                       |                      |                     |
| 5,294.00                                      | 3.42            | 358.56      | 5,285.47            | 199.32     | 41.73      | -199.31               | 0.20                  | -0.15                | -2.33               |
| 5,389.00                                      | 2.55            | 23.84       | 5,380.35            | 204.08     | 42.51      | -204.08               | 1.64                  | -0.92                | 26.61               |
| 5,483.00                                      | 2.20            | 41.65       | 5,474.27            | 207.35     | 44.55      | -207.34               | 0.86                  | -0.37                | 18.95               |
| 5,578.00                                      | 2.09            | 41.23       | 5,569.20            | 210.01     | 46.91      | -210.00               | 0.12                  | -0.12                | -0.44               |
| 5,673.00                                      | 1.91            | 41.04       | 5,664.14            | 212.51     | 49.09      | -212.50               | 0.19                  | -0.19                | -0.20               |
| 5,767.00                                      | 2.05            | 41.44       | 5,758.09            | 214.95     | 51.23      | -214.94               | 0.15                  | 0.15                 | 0.43                |
| 5,861.00                                      | 2.19            | 40.83       | 5,852.02            | 217.57     | 53.52      | -217.56               | 0.15                  | 0.15                 | -0.65               |
| 5,956.00                                      | 2.23            | 39.50       | 5,946.95            | 220.37     | 55.88      | -220.36               | 0.07                  | 0.04                 | -1.40               |
| 6,051.00                                      | 2.11            | 32.32       | 6,041.88            | 223.27     | 57.99      | -223.26               | 0.31                  | -0.13                | -7.56               |
| 6,145.00                                      | 1.52            | 29.46       | 6,135.84            | 225.82     | 59.53      | -225.81               | 0.63                  | -0.63                | -3.04               |
| 6,239.00                                      | 1.16            | 26.91       | 6,229.81            | 227.75     | 60.57      | -227.74               | 0.39                  | -0.38                | -2.71               |
| 6,333.00                                      | 0.98            | 21.19       | 6,323.79            | 229.35     | 61.29      | -229.34               | 0.22                  | -0.19                | -6.09               |
| 6,428.00                                      | 0.80            | 20.16       | 6,418.78            | 230.73     | 61.82      | -230.72               | 0.19                  | -0.19                | -1.08               |
| 6,523.00                                      | 0.97            | 45.84       | 6,513.77            | 231.91     | 62.62      | -231.90               | 0.45                  | 0.18                 | 27.03               |
| 6,617.00                                      | 1.60            | 64.91       | 6,607.75            | 233.03     | 64.38      | -233.01               | 0.80                  | 0.67                 | 20.29               |
| 6,712.00                                      | 1.27            | 74.28       | 6,702.72            | 233.87     | 66.60      | -233.86               | 0.43                  | -0.35                | 9.86                |
| 6,806.00                                      | 1.30            | 81.87       | 6,796.69            | 234.31     | 68.65      | -234.29               | 0.18                  | 0.03                 | 8.07                |
| 6,900.00                                      | 1.26            | 83.15       | 6,890.67            | 234.58     | 70.74      | -234.57               | 0.05                  | -0.04                | 1.36                |
| 6,994.00                                      | 1.10            | 90.86       | 6,984.65            | 234.69     | 72.66      | -234.68               | 0.24                  | -0.17                | 8.20                |
| 7,089.00                                      | 1.21            | 109.87      | 7,079.63            | 234.34     | 74.52      | -234.32               | 0.42                  | 0.12                 | 20.01               |
| 7,184.00                                      | 1.21            | 115.52      | 7,174.61            | 233.56     | 76.37      | -233.55               | 0.13                  | 0.00                 | 5.95                |
| 7,278.00                                      | 1.21            | 124.88      | 7,268.59            | 232.57     | 78.08      | -232.55               | 0.21                  | 0.00                 | 9.96                |
| 7,372.00                                      | 1.27            | 133.24      | 7,362.57            | 231.29     | 79.65      | -231.27               | 0.20                  | 0.06                 | 8.89                |
| 7,467.00                                      | 0.82            | 146.23      | 7,457.55            | 230.00     | 80.80      | -229.99               | 0.53                  | -0.47                | 13.67               |
| 7,562.00                                      | 0.86            | 170.22      | 7,552.54            | 228.73     | 81.29      | -228.72               | 0.37                  | 0.04                 | 25.25               |
| 7,655.00                                      | 0.53            | 197.02      | 7,645.54            | 227.63     | 81.29      | -227.62               | 0.49                  | -0.35                | 28.82               |
| 7,749.00                                      | 0.53            | 251.02      | 7,739.53            | 227.08     | 80.75      | -227.06               | 0.51                  | 0.00                 | 57.45               |
| 7,844.00                                      | 1.07            | 284.42      | 7,834.52            | 227.15     | 79.47      | -227.14               | 0.73                  | 0.57                 | 35.16               |
| 7,939.00                                      | 0.96            | 278.08      | 7,929.51            | 227.49     | 77.83      | -227.47               | 0.17                  | -0.12                | -6.67               |
| 8,033.00                                      | 0.82            | 270.08      | 8,023.50            | 227.60     | 76.37      | -227.58               | 0.20                  | -0.15                | -8.51               |
| 8,127.00                                      | 1.17            | 278.50      | 8,117.48            | 227.74     | 74.75      | -227.73               | 0.40                  | 0.37                 | 8.96                |
| 8,221.00                                      | 1.66            | 295.40      | 8,211.45            | 228.47     | 72.57      | -228.45               | 0.68                  | 0.52                 | 17.98               |
| 8,316.00                                      | 1.06            | 285.95      | 8,306.43            | 229.30     | 70.49      | -229.29               | 0.67                  | -0.63                | -9.95               |
| 8,411.00                                      | 1.11            | 283.86      | 8,401.41            | 229.76     | 68.75      | -229.75               | 0.07                  | 0.05                 | -2.20               |
| 8,506.00                                      | 1.25            | 269.35      | 8,496.39            | 229.97     | 66.82      | -229.96               | 0.35                  | 0.15                 | -15.27              |
| 8,600.00                                      | 1.21            | 239.99      | 8,590.37            | 229.46     | 64.93      | -229.45               | 0.66                  | -0.04                | -31.23              |



# Nabors Survey Report



|                  |                            |                                     |                                                     |
|------------------|----------------------------|-------------------------------------|-----------------------------------------------------|
| <b>Company:</b>  | XTO Permian Operating, LLC | <b>Local Co-ordinate Reference:</b> | Well PLU 21 BD 125H                                 |
| <b>Project:</b>  | Eddy Co., NM               | <b>TVD Reference:</b>               | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Site:</b>     | Poker Lake Unit 21 BD      | <b>MD Reference:</b>                | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Well:</b>     | PLU 21 BD 125H             | <b>North Reference:</b>             | Grid                                                |
| <b>Wellbore:</b> | 125H - OH                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                                   |
| <b>Design:</b>   | 125H - OH                  | <b>Database:</b>                    | RyanUSA_ODBC_32bit                                  |

| Survey               |                 |             |                     |            |            |                       |                       |                      |                     |
|----------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-----------------------|----------------------|---------------------|
| Measured Depth (ft)  | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |
| 8,694.00             | 1.26            | 221.87      | 8,684.35            | 228.20     | 63.38      | -228.18               | 0.42                  | 0.05                 | -19.28              |
| 8,789.00             | 1.37            | 215.90      | 8,779.32            | 226.50     | 62.02      | -226.49               | 0.18                  | 0.12                 | -6.28               |
| 8,882.00             | 1.27            | 220.78      | 8,872.30            | 224.82     | 60.70      | -224.81               | 0.16                  | -0.11                | 5.25                |
| 8,976.00             | 1.15            | 234.57      | 8,966.28            | 223.48     | 59.25      | -223.47               | 0.33                  | -0.13                | 14.67               |
| 9,071.00             | 1.73            | 239.58      | 9,061.25            | 222.20     | 57.23      | -222.19               | 0.62                  | 0.61                 | 5.27                |
| 9,165.00             | 2.89            | 237.07      | 9,155.17            | 220.20     | 54.02      | -220.19               | 1.24                  | 1.23                 | -2.67               |
| 9,260.00             | 3.23            | 242.83      | 9,250.03            | 217.67     | 49.63      | -217.66               | 0.48                  | 0.36                 | 6.06                |
| 9,355.00             | 2.52            | 239.02      | 9,344.91            | 215.37     | 45.46      | -215.37               | 0.77                  | -0.75                | -4.01               |
| 9,450.00             | 2.97            | 201.09      | 9,439.81            | 212.00     | 42.78      | -212.00               | 1.93                  | 0.47                 | -39.93              |
| 9,545.00             | 3.67            | 197.67      | 9,534.65            | 206.81     | 40.97      | -206.80               | 0.77                  | 0.74                 | -3.60               |
| 9,639.00             | 4.06            | 198.37      | 9,628.44            | 200.78     | 39.01      | -200.78               | 0.42                  | 0.41                 | 0.74                |
| 9,733.00             | 3.98            | 198.59      | 9,722.21            | 194.53     | 36.92      | -194.53               | 0.09                  | -0.09                | 0.23                |
| 9,828.00             | 3.14            | 157.97      | 9,817.04            | 189.00     | 36.85      | -188.99               | 2.73                  | -0.88                | -42.76              |
| 9,922.00             | 4.01            | 142.06      | 9,910.86            | 184.02     | 39.83      | -184.01               | 1.40                  | 0.93                 | -16.93              |
| 9,960.00             | 3.65            | 138.59      | 9,948.77            | 182.06     | 41.45      | -182.06               | 1.13                  | -0.95                | -9.13               |
| 10,037.00            | 3.81            | 127.16      | 10,025.61           | 178.68     | 45.11      | -178.67               | 0.99                  | 0.21                 | -14.84              |
| 10,084.00            | 3.97            | 121.85      | 10,072.50           | 176.88     | 47.74      | -176.87               | 0.84                  | 0.34                 | -11.30              |
| 10,179.00            | 3.92            | 117.80      | 10,167.28           | 173.63     | 53.40      | -173.62               | 0.30                  | -0.05                | -4.26               |
| 10,273.00            | 3.88            | 116.28      | 10,261.06           | 170.72     | 59.10      | -170.71               | 0.12                  | -0.04                | -1.62               |
| 10,367.00            | 3.39            | 147.61      | 10,354.88           | 166.97     | 63.44      | -166.95               | 2.15                  | -0.52                | 33.33               |
| 10,415.00            | 8.00            | 179.14      | 10,402.64           | 162.42     | 64.25      | -162.41               | 11.27                 | 9.60                 | 65.69               |
| 10,462.00            | 12.86           | 181.40      | 10,448.85           | 153.92     | 64.17      | -153.91               | 10.38                 | 10.34                | 4.81                |
| 10,509.00            | 17.26           | 181.59      | 10,494.22           | 141.72     | 63.85      | -141.70               | 9.36                  | 9.36                 | 0.40                |
| 10,556.00            | 24.94           | 183.31      | 10,538.04           | 124.83     | 63.08      | -124.82               | 16.39                 | 16.34                | 3.66                |
| 10,603.00            | 31.79           | 184.70      | 10,579.37           | 102.57     | 61.49      | -102.56               | 14.64                 | 14.57                | 2.96                |
| 10,651.00            | 32.80           | 187.57      | 10,619.95           | 77.08      | 58.75      | -77.07                | 3.82                  | 2.10                 | 5.98                |
| 10,745.00            | 43.61           | 190.17      | 10,693.71           | 19.76      | 49.64      | -19.75                | 11.62                 | 11.50                | 2.77                |
| 10,839.00            | 56.17           | 186.10      | 10,754.16           | -51.27     | 39.72      | 51.28                 | 13.76                 | 13.36                | -4.33               |
| 10,934.00            | 60.36           | 182.46      | 10,804.13           | -131.81    | 33.76      | 131.82                | 5.48                  | 4.41                 | -3.83               |
| 11,028.00            | 65.00           | 182.00      | 10,847.26           | -215.24    | 30.51      | 215.25                | 4.96                  | 4.94                 | -0.49               |
| 11,122.00            | 69.14           | 181.77      | 10,883.88           | -301.75    | 27.67      | 301.75                | 4.41                  | 4.40                 | -0.24               |
| 11,216.00            | 74.82           | 184.53      | 10,912.95           | -390.95    | 22.73      | 390.96                | 6.66                  | 6.04                 | 2.94                |
| 11,310.00            | 82.83           | 183.86      | 10,931.15           | -482.85    | 15.99      | 482.85                | 8.55                  | 8.52                 | -0.71               |
| 11,405.00            | 84.84           | 181.57      | 10,941.36           | -577.18    | 11.52      | 577.18                | 3.20                  | 2.12                 | -2.41               |
| 11,487.97            | 87.57           | 176.15      | 10,946.85           | -659.91    | 13.18      | 659.92                | 7.30                  | 3.28                 | -6.53               |
| PLU 21 BD 125H - FTP |                 |             |                     |            |            |                       |                       |                      |                     |
| 11,499.00            | 87.93           | 175.43      | 10,947.29           | -670.91    | 13.99      | 670.91                | 7.30                  | 3.30                 | -6.51               |
| 11,515.00            | 89.13           | 175.79      | 10,947.70           | -686.85    | 15.21      | 686.86                | 7.83                  | 7.50                 | 2.25                |
| 11,609.00            | 87.58           | 177.67      | 10,950.40           | -780.65    | 20.57      | 780.66                | 2.59                  | -1.65                | 2.00                |
| 11,703.00            | 86.82           | 182.00      | 10,954.99           | -874.52    | 20.84      | 874.52                | 4.67                  | -0.81                | 4.61                |
| 11,797.00            | 90.18           | 180.15      | 10,957.45           | -968.45    | 19.08      | 968.46                | 4.08                  | 3.57                 | -1.97               |
| 11,892.00            | 90.29           | 181.35      | 10,957.06           | -1,063.44  | 17.84      | 1,063.44              | 1.27                  | 0.12                 | 1.26                |



# Nabors Survey Report



|                  |                            |                                     |                                                     |
|------------------|----------------------------|-------------------------------------|-----------------------------------------------------|
| <b>Company:</b>  | XTO Permian Operating, LLC | <b>Local Co-ordinate Reference:</b> | Well PLU 21 BD 125H                                 |
| <b>Project:</b>  | Eddy Co., NM               | <b>TVD Reference:</b>               | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Site:</b>     | Poker Lake Unit 21 BD      | <b>MD Reference:</b>                | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Well:</b>     | PLU 21 BD 125H             | <b>North Reference:</b>             | Grid                                                |
| <b>Wellbore:</b> | 125H - OH                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                                   |
| <b>Design:</b>   | 125H - OH                  | <b>Database:</b>                    | RyanUSA_ODBC_32bit                                  |

| Survey              |                 |             |                     |            |            |                       |                       |                      |                     |  |
|---------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-----------------------|----------------------|---------------------|--|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |  |
| 11,986.00           | 89.72           | 181.17      | 10,957.05           | -1,157.42  | 15.77      | 1,157.42              | 0.64                  | -0.61                | -0.19               |  |
| 12,081.00           | 89.78           | 180.96      | 10,957.47           | -1,252.40  | 14.00      | 1,252.40              | 0.23                  | 0.06                 | -0.22               |  |
| 12,175.00           | 89.87           | 177.22      | 10,957.76           | -1,346.37  | 15.50      | 1,346.37              | 3.98                  | 0.10                 | -3.98               |  |
| 12,269.00           | 88.60           | 180.73      | 10,959.01           | -1,440.33  | 17.18      | 1,440.33              | 3.97                  | -1.35                | 3.73                |  |
| 12,363.00           | 90.07           | 180.86      | 10,960.10           | -1,534.31  | 15.87      | 1,534.32              | 1.57                  | 1.56                 | 0.14                |  |
| 12,457.00           | 90.36           | 181.47      | 10,959.75           | -1,628.29  | 13.96      | 1,628.30              | 0.72                  | 0.31                 | 0.65                |  |
| 12,552.00           | 90.18           | 179.17      | 10,959.30           | -1,723.28  | 13.43      | 1,723.29              | 2.43                  | -0.19                | -2.42               |  |
| 12,741.00           | 91.05           | 180.45      | 10,957.27           | -1,912.27  | 14.06      | 1,912.27              | 0.82                  | 0.46                 | 0.68                |  |
| 12,835.00           | 88.56           | 182.04      | 10,957.59           | -2,006.23  | 12.02      | 2,006.24              | 3.14                  | -2.65                | 1.69                |  |
| 12,929.00           | 89.33           | 180.87      | 10,959.32           | -2,100.18  | 9.63       | 2,100.19              | 1.49                  | 0.82                 | -1.24               |  |
| 13,024.00           | 89.55           | 180.97      | 10,960.25           | -2,195.17  | 8.10       | 2,195.17              | 0.25                  | 0.23                 | 0.11                |  |
| 13,118.00           | 89.94           | 181.59      | 10,960.67           | -2,289.14  | 6.01       | 2,289.14              | 0.78                  | 0.41                 | 0.66                |  |
| 13,212.00           | 89.44           | 181.27      | 10,961.18           | -2,383.11  | 3.66       | 2,383.11              | 0.63                  | -0.53                | -0.34               |  |
| 13,306.00           | 90.28           | 182.76      | 10,961.41           | -2,477.05  | 0.35       | 2,477.05              | 1.82                  | 0.89                 | 1.59                |  |
| 13,401.00           | 89.31           | 180.52      | 10,961.75           | -2,572.00  | -2.36      | 2,572.00              | 2.57                  | -1.02                | -2.36               |  |
| 13,495.00           | 89.16           | 181.55      | 10,963.00           | -2,665.98  | -4.06      | 2,665.98              | 1.11                  | -0.16                | 1.10                |  |
| 13,590.00           | 91.20           | 180.90      | 10,962.70           | -2,760.95  | -6.09      | 2,760.95              | 2.25                  | 2.15                 | -0.68               |  |
| 13,684.00           | 89.52           | 178.67      | 10,962.11           | -2,854.94  | -5.74      | 2,854.94              | 2.97                  | -1.79                | -2.37               |  |
| 13,779.00           | 90.35           | 181.49      | 10,962.22           | -2,949.93  | -5.87      | 2,949.93              | 3.09                  | 0.87                 | 2.97                |  |
| 13,873.00           | 90.01           | 179.69      | 10,961.93           | -3,043.92  | -6.84      | 3,043.92              | 1.95                  | -0.36                | -1.91               |  |
| 13,967.00           | 89.92           | 178.88      | 10,961.98           | -3,137.91  | -5.67      | 3,137.91              | 0.87                  | -0.10                | -0.86               |  |
| 14,061.00           | 88.68           | 176.62      | 10,963.13           | -3,231.82  | -1.98      | 3,231.82              | 2.74                  | -1.32                | -2.40               |  |
| 14,156.00           | 89.22           | 175.92      | 10,964.87           | -3,326.60  | 4.20       | 3,326.61              | 0.93                  | 0.57                 | -0.74               |  |
| 14,250.00           | 88.87           | 177.63      | 10,966.44           | -3,420.44  | 9.49       | 3,420.44              | 1.86                  | -0.37                | 1.82                |  |
| 14,344.00           | 90.06           | 179.56      | 10,967.32           | -3,514.40  | 11.79      | 3,514.40              | 2.41                  | 1.27                 | 2.05                |  |
| 14,438.00           | 91.36           | 180.41      | 10,966.15           | -3,608.39  | 11.82      | 3,608.39              | 1.65                  | 1.38                 | 0.90                |  |
| 14,533.00           | 91.85           | 179.85      | 10,963.49           | -3,703.35  | 11.60      | 3,703.35              | 0.78                  | 0.52                 | -0.59               |  |
| 14,627.00           | 91.09           | 181.37      | 10,961.08           | -3,797.31  | 10.60      | 3,797.31              | 1.81                  | -0.81                | 1.62                |  |
| 14,722.00           | 91.97           | 181.33      | 10,958.54           | -3,892.25  | 8.36       | 3,892.25              | 0.93                  | 0.93                 | -0.04               |  |
| 14,816.00           | 90.78           | 181.65      | 10,956.29           | -3,986.19  | 5.92       | 3,986.19              | 1.31                  | -1.27                | 0.34                |  |
| 14,911.00           | 89.13           | 180.47      | 10,956.36           | -4,081.17  | 4.16       | 4,081.17              | 2.14                  | -1.74                | -1.24               |  |
| 15,005.00           | 90.48           | 179.39      | 10,956.68           | -4,175.17  | 4.28       | 4,175.17              | 1.84                  | 1.44                 | -1.15               |  |
| 15,100.00           | 91.67           | 178.14      | 10,954.90           | -4,270.12  | 6.32       | 4,270.12              | 1.82                  | 1.25                 | -1.32               |  |
| 15,194.00           | 90.59           | 177.54      | 10,953.05           | -4,364.04  | 9.87       | 4,364.04              | 1.31                  | -1.15                | -0.64               |  |
| 15,288.00           | 90.14           | 178.86      | 10,952.45           | -4,457.99  | 12.82      | 4,457.99              | 1.48                  | -0.48                | 1.40                |  |
| 15,383.00           | 90.99           | 178.98      | 10,951.51           | -4,552.96  | 14.61      | 4,552.97              | 0.90                  | 0.89                 | 0.13                |  |
| 15,477.00           | 91.06           | 179.45      | 10,949.83           | -4,646.94  | 15.90      | 4,646.94              | 0.51                  | 0.07                 | 0.50                |  |
| 15,572.00           | 89.93           | 180.96      | 10,949.01           | -4,741.93  | 15.56      | 4,741.93              | 1.99                  | -1.19                | 1.59                |  |
| 15,666.00           | 89.76           | 180.29      | 10,949.26           | -4,835.92  | 14.53      | 4,835.93              | 0.74                  | -0.18                | -0.71               |  |
| 15,761.00           | 90.11           | 180.45      | 10,949.37           | -4,930.92  | 13.92      | 4,930.92              | 0.41                  | 0.37                 | 0.17                |  |
| 15,855.00           | 89.34           | 179.79      | 10,949.82           | -5,024.92  | 13.72      | 5,024.92              | 1.08                  | -0.82                | -0.70               |  |
| 15,949.00           | 89.17           | 179.58      | 10,951.04           | -5,118.91  | 14.24      | 5,118.91              | 0.29                  | -0.18                | -0.22               |  |



# Nabors Survey Report



|                  |                            |                                     |                                                     |
|------------------|----------------------------|-------------------------------------|-----------------------------------------------------|
| <b>Company:</b>  | XTO Permian Operating, LLC | <b>Local Co-ordinate Reference:</b> | Well PLU 21 BD 125H                                 |
| <b>Project:</b>  | Eddy Co., NM               | <b>TVD Reference:</b>               | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Site:</b>     | Poker Lake Unit 21 BD      | <b>MD Reference:</b>                | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Well:</b>     | PLU 21 BD 125H             | <b>North Reference:</b>             | Grid                                                |
| <b>Wellbore:</b> | 125H - OH                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                                   |
| <b>Design:</b>   | 125H - OH                  | <b>Database:</b>                    | RyanUSA_ODBC_32bit                                  |

| Survey              |                 |             |                     |            |            |                       |                       |                      |                     |  |
|---------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-----------------------|----------------------|---------------------|--|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |  |
| 16,044.00           | 88.50           | 179.99      | 10,952.98           | -5,213.89  | 14.60      | 5,213.89              | 0.83                  | -0.71                | 0.43                |  |
| 16,138.00           | 91.68           | 181.13      | 10,952.83           | -5,307.87  | 13.68      | 5,307.87              | 3.59                  | 3.38                 | 1.21                |  |
| 16,233.00           | 91.18           | 180.17      | 10,950.46           | -5,402.83  | 12.60      | 5,402.84              | 1.14                  | -0.53                | -1.01               |  |
| 16,327.00           | 89.78           | 178.88      | 10,949.67           | -5,496.82  | 13.38      | 5,496.83              | 2.03                  | -1.49                | -1.37               |  |
| 16,421.00           | 88.15           | 177.67      | 10,951.37           | -5,590.76  | 16.21      | 5,590.76              | 2.16                  | -1.73                | -1.29               |  |
| 16,516.00           | 90.18           | 179.04      | 10,952.75           | -5,685.70  | 18.93      | 5,685.71              | 2.58                  | 2.14                 | 1.44                |  |
| 16,610.00           | 90.18           | 178.64      | 10,952.46           | -5,779.68  | 20.84      | 5,779.69              | 0.43                  | 0.00                 | -0.43               |  |
| 16,704.00           | 91.93           | 179.38      | 10,950.73           | -5,873.65  | 22.46      | 5,873.65              | 2.02                  | 1.86                 | 0.79                |  |
| 16,799.00           | 92.38           | 181.16      | 10,947.15           | -5,968.58  | 22.01      | 5,968.58              | 1.93                  | 0.47                 | 1.87                |  |
| 16,893.00           | 92.97           | 181.06      | 10,942.77           | -6,062.46  | 20.19      | 6,062.46              | 0.64                  | 0.63                 | -0.11               |  |
| 16,987.00           | 92.35           | 182.17      | 10,938.40           | -6,156.32  | 17.55      | 6,156.32              | 1.35                  | -0.66                | 1.18                |  |
| 17,082.00           | 88.81           | 181.95      | 10,937.44           | -6,251.23  | 14.13      | 6,251.24              | 3.73                  | -3.73                | -0.23               |  |
| 17,177.00           | 88.96           | 183.37      | 10,939.29           | -6,346.11  | 9.73       | 6,346.11              | 1.50                  | 0.16                 | 1.49                |  |
| 17,271.00           | 89.29           | 182.86      | 10,940.73           | -6,439.96  | 4.62       | 6,439.96              | 0.65                  | 0.35                 | -0.54               |  |
| 17,366.00           | 88.43           | 182.77      | 10,942.62           | -6,534.83  | -0.05      | 6,534.83              | 0.91                  | -0.91                | -0.09               |  |
| 17,460.00           | 88.64           | 184.16      | 10,945.02           | -6,628.62  | -5.73      | 6,628.62              | 1.50                  | 0.22                 | 1.48                |  |
| 17,555.00           | 88.91           | 182.34      | 10,947.05           | -6,723.44  | -11.11     | 6,723.44              | 1.94                  | 0.28                 | -1.92               |  |
| 17,649.00           | 90.10           | 181.00      | 10,947.86           | -6,817.40  | -13.85     | 6,817.39              | 1.91                  | 1.27                 | -1.43               |  |
| 17,743.00           | 90.03           | 180.78      | 10,947.76           | -6,911.39  | -15.31     | 6,911.38              | 0.25                  | -0.07                | -0.23               |  |
| 17,838.00           | 90.24           | 180.37      | 10,947.53           | -7,006.38  | -16.26     | 7,006.38              | 0.48                  | 0.22                 | -0.43               |  |
| 17,932.00           | 88.85           | 179.38      | 10,948.28           | -7,100.37  | -16.06     | 7,100.37              | 1.82                  | -1.48                | -1.05               |  |
| 18,026.00           | 90.45           | 180.21      | 10,948.85           | -7,194.37  | -15.72     | 7,194.36              | 1.92                  | 1.70                 | 0.88                |  |
| 18,120.00           | 90.74           | 180.18      | 10,947.88           | -7,288.36  | -16.04     | 7,288.36              | 0.31                  | 0.31                 | -0.03               |  |
| 18,214.00           | 90.39           | 179.74      | 10,946.95           | -7,382.36  | -15.98     | 7,382.35              | 0.60                  | -0.37                | -0.47               |  |
| 18,308.00           | 89.50           | 178.68      | 10,947.04           | -7,476.35  | -14.68     | 7,476.34              | 1.47                  | -0.95                | -1.13               |  |
| 18,403.00           | 89.79           | 178.92      | 10,947.63           | -7,571.32  | -12.69     | 7,571.32              | 0.40                  | 0.31                 | 0.25                |  |
| 18,498.00           | 90.17           | 179.50      | 10,947.66           | -7,666.31  | -11.38     | 7,666.31              | 0.73                  | 0.40                 | 0.61                |  |
| 18,592.00           | 90.45           | 180.29      | 10,947.15           | -7,760.31  | -11.21     | 7,760.31              | 0.89                  | 0.30                 | 0.84                |  |
| 18,686.00           | 90.59           | 180.42      | 10,946.30           | -7,854.30  | -11.79     | 7,854.30              | 0.20                  | 0.15                 | 0.14                |  |
| 18,781.00           | 90.63           | 181.42      | 10,945.29           | -7,949.29  | -13.32     | 7,949.28              | 1.05                  | 0.04                 | 1.05                |  |
| 18,875.00           | 87.90           | 179.43      | 10,946.50           | -8,043.26  | -14.01     | 8,043.26              | 3.59                  | -2.90                | -2.12               |  |
| 18,970.00           | 88.07           | 179.52      | 10,949.84           | -8,138.20  | -13.14     | 8,138.20              | 0.20                  | 0.18                 | 0.09                |  |
| 19,065.00           | 87.49           | 180.42      | 10,953.52           | -8,233.13  | -13.09     | 8,233.12              | 1.13                  | -0.61                | 0.95                |  |
| 19,159.00           | 91.05           | 182.90      | 10,954.71           | -8,327.06  | -15.82     | 8,327.05              | 4.62                  | 3.79                 | 2.64                |  |
| 19,254.00           | 89.80           | 180.00      | 10,954.01           | -8,422.01  | -18.22     | 8,422.01              | 3.32                  | -1.32                | -3.05               |  |
| 19,349.00           | 90.07           | 181.63      | 10,954.12           | -8,517.00  | -19.57     | 8,517.00              | 1.74                  | 0.28                 | 1.72                |  |
| 19,443.00           | 90.00           | 180.53      | 10,954.06           | -8,610.98  | -21.34     | 8,610.98              | 1.17                  | -0.07                | -1.17               |  |
| 19,537.00           | 90.32           | 180.69      | 10,953.80           | -8,704.97  | -22.34     | 8,704.97              | 0.38                  | 0.34                 | 0.17                |  |
| 19,631.00           | 88.85           | 180.73      | 10,954.48           | -8,798.96  | -23.51     | 8,798.96              | 1.56                  | -1.56                | 0.04                |  |
| 19,725.00           | 92.28           | 180.68      | 10,953.55           | -8,892.94  | -24.66     | 8,892.93              | 3.65                  | 3.65                 | -0.05               |  |
| 19,820.00           | 92.77           | 178.53      | 10,949.36           | -8,987.84  | -24.01     | 8,987.83              | 2.32                  | 0.52                 | -2.26               |  |
| 19,914.00           | 90.90           | 178.22      | 10,946.36           | -9,081.75  | -21.35     | 9,081.74              | 2.02                  | -1.99                | -0.33               |  |



# Nabors Survey Report



|                  |                            |                                     |                                                     |
|------------------|----------------------------|-------------------------------------|-----------------------------------------------------|
| <b>Company:</b>  | XTO Permian Operating, LLC | <b>Local Co-ordinate Reference:</b> | Well PLU 21 BD 125H                                 |
| <b>Project:</b>  | Eddy Co., NM               | <b>TVD Reference:</b>               | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Site:</b>     | Poker Lake Unit 21 BD      | <b>MD Reference:</b>                | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Well:</b>     | PLU 21 BD 125H             | <b>North Reference:</b>             | Grid                                                |
| <b>Wellbore:</b> | 125H - OH                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                                   |
| <b>Design:</b>   | 125H - OH                  | <b>Database:</b>                    | RyanUSA_ODBC_32bit                                  |

| Survey              |                 |             |                     |            |            |                       |                       |                      |                     |  |
|---------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-----------------------|----------------------|---------------------|--|
| Measured Depth (ft) | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |  |
| 20,009.00           | 91.72           | 178.32      | 10,944.18           | -9,176.68  | -18.48     | 9,176.67              | 0.87                  | 0.86                 | 0.11                |  |
| 20,104.00           | 91.15           | 179.24      | 10,941.80           | -9,271.62  | -16.46     | 9,271.62              | 1.14                  | -0.60                | 0.97                |  |
| 20,198.00           | 91.34           | 179.18      | 10,939.76           | -9,365.59  | -15.16     | 9,365.59              | 0.21                  | 0.20                 | -0.06               |  |
| 20,291.00           | 93.14           | 178.53      | 10,936.13           | -9,458.50  | -13.30     | 9,458.50              | 2.06                  | 1.94                 | -0.70               |  |
| 20,386.00           | 91.23           | 177.73      | 10,932.51           | -9,553.37  | -10.21     | 9,553.37              | 2.18                  | -2.01                | -0.84               |  |
| 20,481.00           | 92.31           | 177.83      | 10,929.57           | -9,648.26  | -6.53      | 9,648.26              | 1.14                  | 1.14                 | 0.11                |  |
| 20,574.00           | 92.79           | 178.22      | 10,925.43           | -9,741.11  | -3.33      | 9,741.11              | 0.66                  | 0.52                 | 0.42                |  |
| 20,669.00           | 90.97           | 177.31      | 10,922.32           | -9,835.98  | 0.38       | 9,835.98              | 2.14                  | -1.92                | -0.96               |  |
| 20,763.00           | 91.57           | 178.44      | 10,920.23           | -9,929.89  | 3.86       | 9,929.89              | 1.36                  | 0.64                 | 1.20                |  |
| 20,857.00           | 91.29           | 179.48      | 10,917.89           | -10,023.84 | 5.57       | 10,023.85             | 1.15                  | -0.30                | 1.11                |  |
| 20,950.00           | 89.19           | 178.70      | 10,917.50           | -10,116.83 | 7.04       | 10,116.83             | 2.41                  | -2.26                | -0.84               |  |
| 21,044.00           | 90.06           | 181.58      | 10,918.11           | -10,210.81 | 6.81       | 10,210.81             | 3.20                  | 0.93                 | 3.06                |  |
| 21,138.00           | 90.06           | 181.54      | 10,918.01           | -10,304.78 | 4.26       | 10,304.78             | 0.04                  | 0.00                 | -0.04               |  |
| 21,233.00           | 90.49           | 181.91      | 10,917.56           | -10,399.73 | 1.40       | 10,399.73             | 0.60                  | 0.45                 | 0.39                |  |
| 21,327.00           | 90.14           | 180.26      | 10,917.04           | -10,493.71 | -0.38      | 10,493.71             | 1.79                  | -0.37                | -1.76               |  |
| 21,421.00           | 89.55           | 180.05      | 10,917.30           | -10,587.71 | -0.64      | 10,587.71             | 0.67                  | -0.63                | -0.22               |  |
| 21,516.00           | 89.52           | 179.52      | 10,918.07           | -10,682.71 | -0.28      | 10,682.71             | 0.56                  | -0.03                | -0.56               |  |
| 21,610.00           | 89.76           | 177.72      | 10,918.66           | -10,776.67 | 1.98       | 10,776.67             | 1.93                  | 0.26                 | -1.91               |  |
| 21,704.00           | 89.47           | 176.37      | 10,919.29           | -10,870.54 | 6.83       | 10,870.55             | 1.47                  | -0.31                | -1.44               |  |
| 21,799.00           | 89.10           | 177.73      | 10,920.47           | -10,965.41 | 11.72      | 10,965.41             | 1.48                  | -0.39                | 1.43                |  |
| 21,894.00           | 88.71           | 179.08      | 10,922.29           | -11,060.35 | 14.36      | 11,060.35             | 1.48                  | -0.41                | 1.42                |  |
| 21,988.00           | 88.71           | 179.55      | 10,924.41           | -11,154.32 | 15.48      | 11,154.32             | 0.50                  | 0.00                 | 0.50                |  |
| 22,082.00           | 88.09           | 180.29      | 10,927.03           | -11,248.28 | 15.61      | 11,248.29             | 1.03                  | -0.66                | 0.79                |  |
| 22,177.00           | 88.38           | 180.84      | 10,929.96           | -11,343.23 | 14.68      | 11,343.24             | 0.65                  | 0.31                 | 0.58                |  |
| 22,271.00           | 89.10           | 181.25      | 10,932.02           | -11,437.19 | 12.96      | 11,437.20             | 0.88                  | 0.77                 | 0.44                |  |
| 22,365.00           | 89.47           | 181.93      | 10,933.20           | -11,531.15 | 10.36      | 11,531.15             | 0.82                  | 0.39                 | 0.72                |  |
| 22,460.00           | 88.05           | 183.05      | 10,935.25           | -11,626.03 | 6.23       | 11,626.04             | 1.90                  | -1.49                | 1.18                |  |
| 22,554.00           | 88.32           | 184.50      | 10,938.23           | -11,719.78 | 0.04       | 11,719.78             | 1.57                  | 0.29                 | 1.54                |  |
| 22,649.00           | 87.59           | 184.20      | 10,941.62           | -11,814.45 | -7.16      | 11,814.44             | 0.83                  | -0.77                | -0.32               |  |
| 22,743.00           | 88.36           | 184.62      | 10,944.94           | -11,908.11 | -14.38     | 11,908.11             | 0.93                  | 0.82                 | 0.45                |  |
| 22,837.00           | 89.16           | 184.46      | 10,946.98           | -12,001.79 | -21.82     | 12,001.79             | 0.87                  | 0.85                 | -0.17               |  |
| 22,932.00           | 90.42           | 184.57      | 10,947.32           | -12,096.49 | -29.30     | 12,096.49             | 1.33                  | 1.33                 | 0.12                |  |
| 23,026.00           | 91.26           | 181.29      | 10,945.95           | -12,190.35 | -34.10     | 12,190.34             | 3.60                  | 0.89                 | -3.49               |  |
| 23,120.00           | 91.16           | 178.36      | 10,943.96           | -12,284.31 | -33.81     | 12,284.31             | 3.12                  | -0.11                | -3.12               |  |
| 23,215.00           | 90.18           | 177.39      | 10,942.85           | -12,379.24 | -30.29     | 12,379.24             | 1.45                  | -1.03                | -1.02               |  |
| 23,309.00           | 90.46           | 176.54      | 10,942.32           | -12,473.11 | -25.31     | 12,473.10             | 0.95                  | 0.30                 | -0.90               |  |
| 23,403.00           | 90.97           | 175.32      | 10,941.15           | -12,566.86 | -18.64     | 12,566.86             | 1.41                  | 0.54                 | -1.30               |  |
| 23,498.00           | 90.74           | 175.97      | 10,939.73           | -12,661.57 | -11.43     | 12,661.57             | 0.73                  | -0.24                | 0.68                |  |
| 23,592.00           | 89.97           | 177.35      | 10,939.15           | -12,755.41 | -5.95      | 12,755.41             | 1.68                  | -0.82                | 1.47                |  |
| 23,687.00           | 88.71           | 177.54      | 10,940.25           | -12,850.31 | -1.72      | 12,850.31             | 1.34                  | -1.33                | 0.20                |  |
| 23,781.00           | 90.18           | 178.69      | 10,941.16           | -12,944.25 | 1.37       | 12,944.25             | 1.99                  | 1.56                 | 1.22                |  |
| 23,875.00           | 93.53           | 179.23      | 10,938.11           | -13,038.17 | 3.08       | 13,038.17             | 3.61                  | 3.56                 | 0.57                |  |





**Nabors**  
Survey Report



|                  |                            |                                     |                                                     |
|------------------|----------------------------|-------------------------------------|-----------------------------------------------------|
| <b>Company:</b>  | XTO Permian Operating, LLC | <b>Local Co-ordinate Reference:</b> | Well PLU 21 BD 125H                                 |
| <b>Project:</b>  | Eddy Co., NM               | <b>TVD Reference:</b>               | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Site:</b>     | Poker Lake Unit 21 BD      | <b>MD Reference:</b>                | WELL @ 3279.00ft (Nabors X15 (GE: 3246' + KB: 33')) |
| <b>Well:</b>     | PLU 21 BD 125H             | <b>North Reference:</b>             | Grid                                                |
| <b>Wellbore:</b> | 125H - OH                  | <b>Survey Calculation Method:</b>   | Minimum Curvature                                   |
| <b>Design:</b>   | 125H - OH                  | <b>Database:</b>                    | RyanUSA_ODBC_32bit                                  |

| Survey                       |                 |             |                     |            |            |                       |                       |                      |                     |
|------------------------------|-----------------|-------------|---------------------|------------|------------|-----------------------|-----------------------|----------------------|---------------------|
| Measured Depth (ft)          | Inclination (°) | Azimuth (°) | Vertical Depth (ft) | +N/-S (ft) | +E/-W (ft) | Vertical Section (ft) | Dogleg Rate (°/100ft) | Build Rate (°/100ft) | Turn Rate (°/100ft) |
| 23,969.00                    | 93.45           | 179.94      | 10,932.39           | -13,131.99 | 3.76       | 13,131.99             | 0.76                  | -0.09                | 0.76                |
| 24,063.00                    | 93.67           | 179.63      | 10,926.56           | -13,225.81 | 4.11       | 13,225.81             | 0.40                  | 0.23                 | -0.33               |
| 24,124.07                    | 92.69           | 179.17      | 10,923.17           | -13,286.78 | 4.75       | 13,286.79             | 1.77                  | -1.61                | -0.76               |
| <b>PLU 21 BD 125H - LTP</b>  |                 |             |                     |            |            |                       |                       |                      |                     |
| 24,157.00                    | 92.16           | 178.92      | 10,921.77           | -13,319.68 | 5.30       | 13,319.68             | 1.77                  | -1.61                | -0.75               |
| 24,182.00                    | 91.71           | 178.67      | 10,920.93           | -13,344.66 | 5.82       | 13,344.66             | 2.06                  | -1.80                | -1.00               |
| 24,223.00                    | 91.71           | 178.67      | 10,919.71           | -13,385.63 | 6.77       | 13,385.63             | 0.00                  | 0.00                 | 0.00                |
| <b>PLU 21 BD 125H - PBHL</b> |                 |             |                     |            |            |                       |                       |                      |                     |

Checked By: \_\_\_\_\_ Approved By: \_\_\_\_\_ Date: \_\_\_\_\_



Submit a Copy To Appropriate District  
Office  
District I – (575) 393-6161  
1625 N. French Dr., Hobbs, NM 88240  
District II – (575) 748-1283  
811 S. First St., Artesia, NM 88210  
District III – (505) 334-6178  
1000 Rio Brazos Rd., Aztec, NM 87410  
District IV – (505) 476-3460  
1220 S. St. Francis Dr., Santa Fe, NM  
87505

State of New Mexico  
Energy, Minerals and Natural Resources

Form C-103  
Revised July 18, 2013

OIL CONSERVATION DIVISION  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

|                                                                                                                                                                                                                        |  |                                                                                                |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|------------------------------------------------------------------------------------------------|
| <b>SUNDRY NOTICES AND REPORTS ON WELLS</b><br>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)          |  | WELL API NO.<br>30-015-45516                                                                   |
| 1. Type of Well: Oil Well <input type="checkbox"/> Gas Well <input checked="" type="checkbox"/> Other                                                                                                                  |  | 5. Indicate Type of Lease<br>STATE <input type="checkbox"/> FEE <input type="checkbox"/> FED X |
| 2. Name of Operator<br>XTO Permian Operating LLC                                                                                                                                                                       |  | 6. State Oil & Gas Lease No.                                                                   |
| 3. Address of Operator<br>6401 Holiday Hill Rd Bldg 5 Midland, Texas 79707                                                                                                                                             |  | 7. Lease Name or Unit Agreement Name<br>Poker Lake Unit 21 BD                                  |
| 4. Well Location<br>Unit Letter <u>O</u> : <u>330</u> feet from the <u>South</u> line and <u>1980</u> feet from the <u>East</u> line<br>Section <u>21</u> Township <u>25S</u> Range <u>30E</u> NMPM County <u>Eddy</u> |  | 8. Well Number <u>125H</u>                                                                     |
| 11. Elevation (Show whether DR, RKB, RT, GR, etc.)<br>3246 GL                                                                                                                                                          |  | 9. OGRID Number<br>373075                                                                      |
|                                                                                                                                                                                                                        |  | 10. Pool name or Wildcat<br>Purple Sage; Wolfcamp (Gas)                                        |

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

| NOTICE OF INTENTION TO:                        | SUBSEQUENT REPORT OF:                                        |
|------------------------------------------------|--------------------------------------------------------------|
| PERFORM REMEDIAL WORK <input type="checkbox"/> | REMEDIAL WORK <input type="checkbox"/>                       |
| TEMPORARILY ABANDON <input type="checkbox"/>   | ALTERING CASING <input type="checkbox"/>                     |
| PULL OR ALTER CASING <input type="checkbox"/>  | COMMENCE DRILLING OPNS. <input type="checkbox"/>             |
| DOWNHOLE COMMINGLE <input type="checkbox"/>    | P AND A <input type="checkbox"/>                             |
| CLOSED-LOOP SYSTEM <input type="checkbox"/>    | CASING/CEMENT JOB <input type="checkbox"/>                   |
| OTHER: <input type="checkbox"/>                | OTHER: Completion Sundry <input checked="" type="checkbox"/> |

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO PERMIAN OPERATING LLC respectfully submits this sundry notice to report the completion operations of the referenced well.  
KOP @ depth 10,356 ft.  
PBTD = 24,211 ft. 1/22/22 Run RCB/GR/CCL  
4/21/22 Pressure test 5.5 in csg to 8,067 psi for 30min test good, open sleeve.  
5/22/22 Perf and frac 63 stages, 1,632 total shots, from 11,530 to 24,109 using 659,190 bbls of fluid and 31,466,700 lbs Proppant. Tag and drill out plugs.  
7/1/22 Run 2-7/8 L80 6.5# tubing set at 10,199 ft.  
7/1/22 Packer setting depth 10,181 ft.  
Ready Date: 7/16/2022  
First Production: 7/17/2022

Spud Date:

11/13/2020

Rig Release Date:

12/24/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Amanda Thames TITLE Regulatory Analyst DATE 8/16/2022

Type or print name Amanda Thames E-mail address: amanda.thames@cxxonmobil.com PHONE: 432.221.7340

**For State Use Only**

APPROVED BY: \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

Conditions of Approval (if any):

|                                                                                                                                                                                                                                                                                                                                                                                       |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|------------------|----------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------|----------------------------------------------------------------------|----------------|---------------|
| Submit To Appropriate District Office<br>Two Copies<br><b>District I</b><br>1625 N. French Dr., Hobbs, NM 88240<br><b>District II</b><br>811 S. First St., Artesia, NM 88210<br><b>District III</b><br>1000 Rio Brazos Rd., Aztec, NM 87410<br><b>District IV</b><br>1220 S. St. Francis Dr., Santa Fe, NM 87505                                                                      |                                     | <b>State of New Mexico</b><br><b>Energy, Minerals and Natural Resources</b><br><br><b>Oil Conservation Division</b><br><b>1220 South St. Francis Dr.</b><br><b>Santa Fe, NM 87505</b> |                                        |                  |                                                    | <b>Form C-105</b><br>Revised April 3, 2017                        |                                             |                                                                      |                |               |
| <b>WELL COMPLETION OR RECOMPLETION REPORT AND LOG</b>                                                                                                                                                                                                                                                                                                                                 |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
| 4. Reason for filing:<br><input checked="" type="checkbox"/> <b>COMPLETION REPORT</b> (Fill in boxes #1 through #31 for State and Fee wells only)<br><br><input type="checkbox"/> <b>C-144 CLOSURE ATTACHMENT</b> (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC) |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             | 5. Lease Name or Unit Agreement Name<br><b>POKER LAKE UNIT 21 BD</b> |                |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             | 6. Well Number:<br><br><b>125H</b>                                   |                |               |
| 7. Type of Completion:<br><input checked="" type="checkbox"/> NEW WELL <input type="checkbox"/> WORKOVER <input type="checkbox"/> DEEPENING <input type="checkbox"/> PLUGBACK <input type="checkbox"/> DIFFERENT RESERVOIR <input type="checkbox"/> OTHER                                                                                                                             |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
| 8. Name of Operator<br><b>XTO PERMIAN OPERATING LLC.</b>                                                                                                                                                                                                                                                                                                                              |                                     |                                                                                                                                                                                       |                                        |                  |                                                    | 9. OGRID<br><b>373075</b>                                         |                                             |                                                                      |                |               |
| 10. Address of Operator<br><br><b>6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707</b>                                                                                                                                                                                                                                                                                                  |                                     |                                                                                                                                                                                       |                                        |                  |                                                    | 11. Pool name or Wildcat<br><br><b>PURPLE SAGE;WOLFCAMP (GAS)</b> |                                             |                                                                      |                |               |
| 12. Location                                                                                                                                                                                                                                                                                                                                                                          | Unit Ltr                            | Section                                                                                                                                                                               | Township                               | Range            | Lot                                                | Feet from the                                                     | N/S Line                                    | Feet from the                                                        | E/W Line       | County        |
| <b>Surface:</b>                                                                                                                                                                                                                                                                                                                                                                       | O                                   | 21                                                                                                                                                                                    | 25S                                    | 30E              |                                                    | 330                                                               | South                                       | 1980                                                                 | East           | Eddy          |
| <b>BH:</b>                                                                                                                                                                                                                                                                                                                                                                            | G                                   | 4                                                                                                                                                                                     | 26S                                    | 30E              |                                                    | 2407                                                              | North                                       | 1977                                                                 | East           | Eddy          |
| 13. Date Spudded<br>11/13/2020                                                                                                                                                                                                                                                                                                                                                        | 14. Date T.D. Reached<br>12/22/2020 |                                                                                                                                                                                       | 15. Date Rig Released<br>12/24/2020    |                  | 16. Date Completed (Ready to Produce)<br>7/16/2022 |                                                                   |                                             | 17. Elevations (DF and RKB, RT, GR, etc.)<br>3246' GL                |                |               |
| 18. Total Measured Depth of Well<br>24,223                                                                                                                                                                                                                                                                                                                                            |                                     |                                                                                                                                                                                       | 19. Plug Back Measured Depth<br>24,211 |                  | 20. Was Directional Survey Made?<br>Yes            |                                                                   |                                             | 21. Type Electric and Other Logs Run<br>CBL                          |                |               |
| 22. Producing Interval(s), of this completion - Top, Bottom, Name<br>11,530 TO 24,109 PURPLE SAGE;WOLFCAMP (GAS)                                                                                                                                                                                                                                                                      |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
| <b>23. CASING RECORD (Report all strings set in well)</b>                                                                                                                                                                                                                                                                                                                             |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
| CASING SIZE                                                                                                                                                                                                                                                                                                                                                                           |                                     | WEIGHT LB./FT.                                                                                                                                                                        |                                        | DEPTH SET        |                                                    | HOLE SIZE                                                         |                                             | CEMENTING RECORD                                                     |                | AMOUNT PULLED |
| 11 3/4"                                                                                                                                                                                                                                                                                                                                                                               |                                     | 54.0                                                                                                                                                                                  |                                        | 1,346            |                                                    | 14 3/4"                                                           |                                             | 1,185                                                                |                |               |
| 7 5/8"                                                                                                                                                                                                                                                                                                                                                                                |                                     | 29.7                                                                                                                                                                                  |                                        | 10,016           |                                                    | 8 3/4"                                                            |                                             | 1,742                                                                |                |               |
| 5 "                                                                                                                                                                                                                                                                                                                                                                                   |                                     | 18.0                                                                                                                                                                                  |                                        | 24,212           |                                                    | 6 3/4"                                                            |                                             | 1,160                                                                |                |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
| <b>24. LINER RECORD</b>                                                                                                                                                                                                                                                                                                                                                               |                                     |                                                                                                                                                                                       |                                        |                  |                                                    | <b>25. TUBING RECORD</b>                                          |                                             |                                                                      |                |               |
| SIZE                                                                                                                                                                                                                                                                                                                                                                                  | TOP                                 | BOTTOM                                                                                                                                                                                | SACKS CEMENT                           | SCREEN           | SIZE                                               | DEPTH SET                                                         | PACKER SET                                  |                                                                      |                |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                     |                                                                                                                                                                                       |                                        |                  | 2 7/8"                                             | 10,199                                                            | 10,181                                      |                                                                      |                |               |
| 26. Perforation record (interval, size, and number)<br><br>11,530 TO 24,109, 4spf, 1,632 Total Shots 63 stages                                                                                                                                                                                                                                                                        |                                     |                                                                                                                                                                                       |                                        |                  | 27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.    |                                                                   |                                             |                                                                      |                |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                     |                                                                                                                                                                                       |                                        |                  | DEPTH INTERVAL                                     |                                                                   | AMOUNT AND KIND MATERIAL USED               |                                                                      |                |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                     |                                                                                                                                                                                       |                                        |                  | 11,530 TO 24,109                                   |                                                                   | 659,190 bbl fluid + 31,466,700 lbs Proppant |                                                                      |                |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
|                                                                                                                                                                                                                                                                                                                                                                                       |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
| <b>28. PRODUCTION</b>                                                                                                                                                                                                                                                                                                                                                                 |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
| Date First Production<br>7/17/22                                                                                                                                                                                                                                                                                                                                                      |                                     | Production Method ( <i>Flowing, gas lift, pumping - Size and type pump</i> )<br>Flowing                                                                                               |                                        |                  |                                                    | Well Status ( <i>Prod. or Shut-in</i> )<br>Producing              |                                             |                                                                      |                |               |
| Date of Test<br>7/17/22                                                                                                                                                                                                                                                                                                                                                               | Hours Tested<br>24                  | Choke Size                                                                                                                                                                            | Prod'n For Test Period                 | Oil - Bbl<br>164 | Gas - MCF<br>188                                   | Water - Bbl.<br>458                                               | Gas - Oil Ratio<br>1,145                    |                                                                      |                |               |
| Flow Tubing Press.<br>2554                                                                                                                                                                                                                                                                                                                                                            | Casing Pressure<br>0                | Calculated 24-Hour Rate                                                                                                                                                               | Oil - Bbl.<br>164                      | Gas - MCF<br>188 | Water - Bbl.<br>458                                | Oil Gravity - API - ( <i>Corr.</i> )                              |                                             |                                                                      |                |               |
| 29. Disposition of Gas ( <i>Sold, used for fuel, vented, etc.</i> )<br>Sold                                                                                                                                                                                                                                                                                                           |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   | 30. Test Witnessed By                       |                                                                      |                |               |
| 31. List Attachments<br>C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)                                                                                                                                                                                                                                                                                     |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
| 32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.                                                                                                                                                                                                                                                                                    |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   | 33. Rig Release Date:                       |                                                                      |                |               |
| 34. If an on-site burial was used at the well, report the exact location of the on-site burial:                                                                                                                                                                                                                                                                                       |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
| Latitude                                                                                                                                                                                                                                                                                                                                                                              |                                     |                                                                                                                                                                                       | Longitude                              |                  |                                                    | NAD83                                                             |                                             |                                                                      |                |               |
| <i>I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief</i>                                                                                                                                                                                                                                             |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |
| Signature <i>Amanda Thames</i>                                                                                                                                                                                                                                                                                                                                                        |                                     |                                                                                                                                                                                       | Printed Name Amanda Thames             |                  |                                                    | Title Regulatory Analyst                                          |                                             |                                                                      | Date 8/16/2022 |               |
| E-mail Address amanda.thames@exxonmobil.com                                                                                                                                                                                                                                                                                                                                           |                                     |                                                                                                                                                                                       |                                        |                  |                                                    |                                                                   |                                             |                                                                      |                |               |

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

| Southeastern New Mexico |                         | Northwestern New Mexico |                  |
|-------------------------|-------------------------|-------------------------|------------------|
| T. Anhy                 | T. Canyon               | T. Ojo Alamo            | T. Penn A"       |
| T. Salt 1,285'          | T. Strawn               | T. Kirtland             | T. Penn. "B"     |
| B. Salt 3,603'          | T. Atoka                | T. Fruitland            | T. Penn. "C"     |
| T. Yates                | T. Miss                 | T. Pictured Cliffs      | T. Penn. "D"     |
| T. 7 Rivers             | T. Devonian             | T. Cliff House          | T. Leadville     |
| T. Queen                | T. Silurian             | T. Menefee              | T. Madison       |
| T. Grayburg             | T. Montoya              | T. Point Lookout        | T. Elbert        |
| T. San Andres           | T. Simpson              | T. Mancos               | T. McCracken     |
| T. Glorieta             | T. McKee                | T. Gallup               | T. Ignacio Otzte |
| T. Paddock              | T. Ellenburger          | Base Greenhorn          | T. Granite       |
| T. Blinebry             | T. Gr. Wash             | T. Dakota               |                  |
| T. Tubb                 | T. Delaware Sand 3,808' | T. Morrison             |                  |
| T. Drinkard             | T. Bone Springs 7,593'  | T. Todilto              |                  |
| T. Abo                  | T. Rustler 1,186'       | T. Entrada              |                  |
| T. Wolfcamp 10,900'     | T.                      | T. Wingate              |                  |
| T. Penn                 | T.                      | T. Chinle               |                  |
| T. Cisco (Bough C)      | T.                      | T. Permian              |                  |

No. 1, from.....to.....  
No. 2, from.....to.....  
No. 3, from.....to.....  
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....  
 No. 2, from.....to.....feet.....  
 No. 3, from.....to.....feet.....


| From | To | Thickness<br>In Feet | Lithology |
|------|----|----------------------|-----------|
|      |    |                      |           |



## Schematic - Wellbore - Horizontal

### Well Name: POKER LAKE UNIT 21 BD 125H

|                                   |                                  |                      |                              |                |                               |                                        |                                   |                                  |                                   |
|-----------------------------------|----------------------------------|----------------------|------------------------------|----------------|-------------------------------|----------------------------------------|-----------------------------------|----------------------------------|-----------------------------------|
| API/UWI<br>3001545516             | SAP Cost Center ID<br>1666421001 | Permit Number<br>BLM | State/Province<br>New Mexico | County<br>Eddy | Spud Date<br>11/13/2020 07:30 | Original KB Elevation (ft)<br>3,279.00 | Ground Elevation (ft)<br>3,246.00 | KB-Ground Distance (ft)<br>33.00 | Surface Casing Flange Elevatio... |
| Surface Location<br>T25S-R30E-S21 |                                  |                      |                              |                |                               |                                        |                                   |                                  |                                   |



Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 134452

ACKNOWLEDGMENTS

|                                                                                        |                                                    |
|----------------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>XTO PERMIAN OPERATING LLC.<br>6401 HOLIDAY HILL ROAD<br>MIDLAND, TX 79707 | OGRID:<br>373075                                   |
|                                                                                        | Action Number:<br>134452                           |
|                                                                                        | Action Type:<br>[C-104] Completion Packet (C-104C) |

ACKNOWLEDGMENTS

|                                     |                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------|
| <input checked="" type="checkbox"/> | I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.     |
| <input checked="" type="checkbox"/> | I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion. |

Sante Fe Main Office  
Phone: (505) 476-3441

General Information  
Phone: (505) 629-6116

Online Phone Directory  
<https://www.emnrd.nm.gov/ocd/contact-us>

State of New Mexico  
Energy, Minerals and Natural Resources  
Oil Conservation Division  
1220 S. St Francis Dr.  
Santa Fe, NM 87505

CONDITIONS

Action 134452

CONDITIONS

|                                                                                        |                                                    |
|----------------------------------------------------------------------------------------|----------------------------------------------------|
| Operator:<br>XTO PERMIAN OPERATING LLC.<br>6401 HOLIDAY HILL ROAD<br>MIDLAND, TX 79707 | OGRID:<br>373075                                   |
|                                                                                        | Action Number:<br>134452                           |
|                                                                                        | Action Type:<br>[C-104] Completion Packet (C-104C) |

CONDITIONS

| Created By     | Condition | Condition Date |
|----------------|-----------|----------------|
| crystal.walker | None      | 10/17/2025     |