

State of New Mexico
Energy, Minerals & Natural Resources

Form C-104

Revised August 1, 2011

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Submit one copy to appropriate District Office

☐ AMENDED REPORT**I. REQUEST FOR ALLOWABLE AND AUTHORIZATION TO TRANSPORT**

¹ Operator name and Address XTO Energy, Inc. 6401 HOLIDAY HILL ROAD BLDG 5 MIDLAND, TX 79707		² OGRID Number 373075
		³ Reason for Filing Code/ Effective Date NW
⁴ API Number 30 - 015-45517	⁵ Pool Name PURPLE SAGE; WOLFCAMP (GAS)	⁶ Pool Code 98220
⁷ Property Code 325597	⁸ Property Name POKER LAKE UNIT 21 BD	⁹ Well Number 126H

II. ¹⁰ Surface Location

Ul or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South Line	Feet from the	East/West line	County
O	21	25S	30E		330	South	1950	East	EDDY

¹¹ Bottom Hole Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	4	26S	30E		2409	North	1639	East	Eddy
¹² Lse Code	¹³ Producing Method Code	¹⁴ Gas Connection Date	¹⁵ C-129 Permit Number	¹⁶ C-129 Effective Date	¹⁷ C-129 Expiration Date				
F	F								

III. Oil and Gas Transporters

¹⁸ Transporter OGRID	¹⁹ Transporter Name and Address	²⁰ O/G/W
34053	Plains Marketing	O
248440	Western Refining	O
373073	Permian Midstream	G/W

IV. Well Completion Data

²¹ Spud Date	²² Ready Date	²³ TD	²⁴ MBTD	²⁵ Perforations	²⁶ DHC, MC
11/14/2020	7/19/2022	24483 MD 11313 TVD	24468 MBTD 11313 TVD	11,784 TO 24,366	
²⁷ Hole Size	²⁸ Casing & Tubing Size	²⁹ Depth Set	³⁰ Sacks Cement		
14.75	11.75 J55 54#	1,344	1,185		
8.75	7.625 HCL80 29.7#	10,380	1,320		
6.75	5 P110 18#	24,470	1,160		
	2 7/8 L80 6.5#	10,516			

V. Well Test Data

³¹ Date New Oil	³² Gas Delivery Date	³³ Test Date	³⁴ Test Length	³⁵ Tbg. Pressure	³⁶ Csg. Pressure
7/20/22	8/1/22	8/1/22	24 hrs	970	234
³⁷ Choke Size	³⁸ Oil	³⁹ Water	⁴⁰ Gas		⁴¹ Test Method
	1872	5788	7512		Flowing
⁴² I hereby certify that the rules of the Oil Conservation Division have been complied with and that the information given above is true and complete to the best of my knowledge and belief. Signature: <i>Amanda Thames</i>			OIL CONSERVATION DIVISION		
Printed name: Amanda Thames			Approved by:		
Title: Regulatory Analyst			Title:		
E-mail Address: amanda.thames@exxonmobil.com			Approval Date:		
Date: 8/16/2022		Phone: 432.221.7340			

District I
1625 N. French Dr., Hobbs, NM 88240
Phone: (575) 393-6161 Fax: (575) 393-0720

District II
811 S. First St., Artesia, NM 88210
Phone: (575) 748-1283 Fax: (575) 748-9720

District III
1000 Rio Brazos Road, Aztec, NM 87410
Phone: (505) 334-6178 Fax: (505) 334-6170

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505
Phone: (505) 476-3460 Fax: (505) 476-3462

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised August 1, 2011
Submit one copy to appropriate
District Office

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

AS-DRILLED PLAT

¹ API Number 30-015-45517	² Pool Code 98220	³ Pool Name PURPLE SAGE; WOLFCAMP (GAS)
⁴ Property Code 325597	⁵ Property Name POKER LAKE UNIT 21 BD	⁶ Well Number 126H
⁷ OGRID No. 373075	⁸ Operator Name XTO PERMIAN OPERATING, LLC.	⁹ Elevation 3,246'

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
O	21	25 S	30 E		330	SOUTH	1,950	EAST	EDDY

¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
G	4	26 S	30 E		2,409	NORTH	1,639	EAST	EDDY

¹² Dedicated Acres 800	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division. NOTE: AS-DRILLED BOTTOM HOLE PLOTTED FROM DATA FURNISHED BY XTO ENERGY

16 T25S R30E SEC. 21 SEC. 28 SEC. 33 T25S R30E SEC. 4 T26S R30E SHL (NAD83 NME) Y = 403,792.0 X = 680,512.6 LAT. = 32.109306 °N LONG. = 103.883832 °W KOP (NAD83 NME) Y = 403,883.6 X = 680,805.0 LAT. = 32.109554 °N LONG. = 103.882886 °W FTP (NAD83 NME) Y = 403,092.4 X = 680,792.4 LAT. = 32.107379 °N LONG. = 103.882938 °W CORNER COORDINATES (NAD83 NME) <table border="1"> <tr><td>A - Y = 403,457.2 N</td><td>X = 679,791.0 E</td></tr> <tr><td>B - Y = 403,465.5 N</td><td>X = 681,128.1 E</td></tr> <tr><td>C - Y = 400,792.3 N</td><td>X = 679,808.6 E</td></tr> <tr><td>D - Y = 400,802.9 N</td><td>X = 681,136.1 E</td></tr> <tr><td>E - Y = 398,139.1 N</td><td>X = 679,826.0 E</td></tr> <tr><td>F - Y = 398,145.7 N</td><td>X = 681,144.0 E</td></tr> <tr><td>G - Y = 395,469.4 N</td><td>X = 679,810.7 E</td></tr> <tr><td>H - Y = 395,479.4 N</td><td>X = 681,135.0 E</td></tr> <tr><td>I - Y = 392,807.4 N</td><td>X = 679,795.4 E</td></tr> <tr><td>J - Y = 392,817.9 N</td><td>X = 681,125.6 E</td></tr> <tr><td>K - Y = 390,149.1 N</td><td>X = 679,809.3 E</td></tr> <tr><td>L - Y = 390,159.5 N</td><td>X = 681,138.4 E</td></tr> </table> SHL (NAD27 NME) Y = 403,733.7 X = 639,327.6 LAT. = 32.109181 °N LONG. = 103.883350 °W KOP (NAD27 NME) Y = 403,825.3 X = 639,620.0 LAT. = 32.109429 °N LONG. = 103.882404 °W FTP (NAD27 NME) Y = 403,034.1 X = 639,607.3 LAT. = 32.107254 °N LONG. = 103.882456 °W CORNER COORDINATES (NAD27 NME) <table border="1"> <tr><td>A - Y = 403,398.9 N</td><td>X = 638,606.0 E</td></tr> <tr><td>B - Y = 403,407.2 N</td><td>X = 639,943.0 E</td></tr> <tr><td>C - Y = 400,734.1 N</td><td>X = 638,623.5 E</td></tr> <tr><td>D - Y = 400,744.6 N</td><td>X = 639,951.0 E</td></tr> <tr><td>E - Y = 398,080.9 N</td><td>X = 638,640.8 E</td></tr> <tr><td>F - Y = 398,087.6 N</td><td>X = 639,958.7 E</td></tr> <tr><td>G - Y = 395,411.3 N</td><td>X = 638,625.4 E</td></tr> <tr><td>H - Y = 395,421.3 N</td><td>X = 639,949.7 E</td></tr> <tr><td>I - Y = 392,749.4 N</td><td>X = 638,610.1 E</td></tr> <tr><td>J - Y = 392,759.9 N</td><td>X = 639,940.2 E</td></tr> <tr><td>K - Y = 390,091.1 N</td><td>X = 638,623.9 E</td></tr> <tr><td>L - Y = 390,101.6 N</td><td>X = 639,952.9 E</td></tr> </table> LTP (NAD83 NME) Y = 390,523.3 X = 680,823.7 LAT. = 32.072828 °N LONG. = 103.883006 °W BHL (NAD83 NME) Y = 390,406.4 X = 680,827.0 LAT. = 32.072507 °N LONG. = 103.882997 °W LTP (NAD27 NME) Y = 390,465.4 X = 639,638.2 LAT. = 32.072703 °N LONG. = 103.882526 °W BHL (NAD27 NME) Y = 390,348.4 X = 639,641.5 LAT. = 32.072381 °N LONG. = 103.882517 °W	A - Y = 403,457.2 N	X = 679,791.0 E	B - Y = 403,465.5 N	X = 681,128.1 E	C - Y = 400,792.3 N	X = 679,808.6 E	D - Y = 400,802.9 N	X = 681,136.1 E	E - Y = 398,139.1 N	X = 679,826.0 E	F - Y = 398,145.7 N	X = 681,144.0 E	G - Y = 395,469.4 N	X = 679,810.7 E	H - Y = 395,479.4 N	X = 681,135.0 E	I - Y = 392,807.4 N	X = 679,795.4 E	J - Y = 392,817.9 N	X = 681,125.6 E	K - Y = 390,149.1 N	X = 679,809.3 E	L - Y = 390,159.5 N	X = 681,138.4 E	A - Y = 403,398.9 N	X = 638,606.0 E	B - Y = 403,407.2 N	X = 639,943.0 E	C - Y = 400,734.1 N	X = 638,623.5 E	D - Y = 400,744.6 N	X = 639,951.0 E	E - Y = 398,080.9 N	X = 638,640.8 E	F - Y = 398,087.6 N	X = 639,958.7 E	G - Y = 395,411.3 N	X = 638,625.4 E	H - Y = 395,421.3 N	X = 639,949.7 E	I - Y = 392,749.4 N	X = 638,610.1 E	J - Y = 392,759.9 N	X = 639,940.2 E	K - Y = 390,091.1 N	X = 638,623.9 E	L - Y = 390,101.6 N	X = 639,952.9 E	17 OPERATOR CERTIFICATION I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division. <u>Amanda Thames</u> 8/16/2022 Signature Date Amanda Thames Printed Name amanda.thames@exxonmobil.com E-mail Address 18 SURVEYOR CERTIFICATION I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief. 7-7-2022 Date of Survey Signature and Seal of Professional Surveyor: MARK DILLON HARP 23786 Certificate Number LS 2017071075
A - Y = 403,457.2 N	X = 679,791.0 E																																																
B - Y = 403,465.5 N	X = 681,128.1 E																																																
C - Y = 400,792.3 N	X = 679,808.6 E																																																
D - Y = 400,802.9 N	X = 681,136.1 E																																																
E - Y = 398,139.1 N	X = 679,826.0 E																																																
F - Y = 398,145.7 N	X = 681,144.0 E																																																
G - Y = 395,469.4 N	X = 679,810.7 E																																																
H - Y = 395,479.4 N	X = 681,135.0 E																																																
I - Y = 392,807.4 N	X = 679,795.4 E																																																
J - Y = 392,817.9 N	X = 681,125.6 E																																																
K - Y = 390,149.1 N	X = 679,809.3 E																																																
L - Y = 390,159.5 N	X = 681,138.4 E																																																
A - Y = 403,398.9 N	X = 638,606.0 E																																																
B - Y = 403,407.2 N	X = 639,943.0 E																																																
C - Y = 400,734.1 N	X = 638,623.5 E																																																
D - Y = 400,744.6 N	X = 639,951.0 E																																																
E - Y = 398,080.9 N	X = 638,640.8 E																																																
F - Y = 398,087.6 N	X = 639,958.7 E																																																
G - Y = 395,411.3 N	X = 638,625.4 E																																																
H - Y = 395,421.3 N	X = 639,949.7 E																																																
I - Y = 392,749.4 N	X = 638,610.1 E																																																
J - Y = 392,759.9 N	X = 639,940.2 E																																																
K - Y = 390,091.1 N	X = 638,623.9 E																																																
L - Y = 390,101.6 N	X = 639,952.9 E																																																

Intent ☐ As Drilled ☒

API # 30-015-45517		
Operator Name: XTO PERMIAN OPERATING, LLC.	Property Name: POKER LAKE UNIT 21 BD	Well Number 126H

Kick Off Point (KOP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
O	21	25	30		420	FSL	1,657	FEL	EDDY
Latitude 32.109554					Longitude 103.882886				NAD 83

First Take Point (FTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
B	28	25	30		371	FNL	1,672	FEL	EDDY
Latitude 32.107379					Longitude 103.882938				NAD 83

Last Take Point (LTP)

UL	Section	Township	Range	Lot	Feet	From N/S	Feet	From E/W	County
G	4	26	30		2,292	FNL	1,642	FEL	EDDY
Latitude 32.072828					Longitude 103.883006				NAD 83

Is this well the defining well for the Horizontal Spacing Unit?

☐ N

Is this well an infill well?

☐ Y

If infill is yes please provide API if available, Operator Name and well number for Defining well for Horizontal Spacing Unit.

API # 30-015-45698		
Operator Name: XTO Permian Operating LLC	Property Name: Poker Lake Unit 21 BD	Well Number 905H

KZ 06/29/2018

COMPANY: XTO Permian Operating, LLC

FIELD: Eddy Co., NM

WELL NAME: PLU 21 BD 126H

UWI:

WELLBORE NAME: 126H - OH

Survey Name: 126H - Surveys

Extraction Date: 4/19/2022

Calculation Method: Minimum Curvature

Datum Name: WELL

LAT Reference: Well

Slot EW Map (us/ft): 639327.600

Slot NS Map (us/ft): 403733.700

Surface Latitude Map: 32° 6' 33.050573 N

Surface Longitude Map: 103° 53' 0.059137 W

Bottom Hole MD (us/ft): 24483.00

Bottom Hole TVD (us/ft): 11312.97

Bottom Hole EW Map (us/ft): 639641.520

Bottom Hole NS Map (us/ft): 390348.430

GL Elevation: 3246.00

KB Elevation: 3279.00

MAGNETIC CALCULATION DATE.....: 21-Nov-2020

Map-Zone: New Mexico East 3001

North Reference: Grid

Grid Convergence at Surface is 0.239°.

Total Correction: 6.44

Magnetic dip: 59.72

Magnetic field strength: 47655.00

Geo Datum: NAD 1927 (NADCON CONUS)

VSDIR: 178.70

H-----

H SURVEY TYPE INFORMATION

H 211.00 - 24483.00 SURVEY #1 : MWD+IFR1+MS

Measured Depth (ft)	Incl.	Azim.	TVD (ft)	NS (ft)	EW (ft)	Vertical Section (ft)	Dogleg Rate (dega/100ft)	Easting	Northing
0	0	0	0	0	0	0	0	639327.6	403733.7
211	0.19	248.07	211	-0.13	-0.32	0.12	0.09	639327.3	403733.6
302	0.32	276.44	302	-0.16	-0.72	0.14	0.2	639326.9	403733.5
400	0.32	219.14	400	-0.34	-1.16	0.31	0.31	639326.4	403733.4
493	0.42	217.11	493	-0.81	-1.53	0.78	0.11	639326.1	403732.9
586	0.67	184.2	585.99	-1.63	-1.78	1.59	0.42	639325.8	403732.1
679	0.4	161.8	678.99	-2.48	-1.72	2.44	0.36	639325.9	403731.2

772	0.43	172.81	771.98	-3.13	-1.57	3.1	0.09	639326	403730.6
865	0.41	217.72	864.98	-3.74	-1.73	3.7	0.35	639325.9	403730
958	0.53	256.33	957.98	-4.11	-2.35	4.05	0.36	639325.2	403729.6
1050	0.63	247.56	1049.98	-4.4	-3.23	4.33	0.15	639324.4	403729.3
1143	0.83	287.16	1142.97	-4.4	-4.35	4.3	0.57	639323.3	403729.3
1237	1.54	314	1236.95	-3.32	-5.91	3.18	0.94	639321.7	403730.4
1293	1.74	321.95	1292.93	-2.13	-6.97	1.97	0.54	639320.6	403731.6
1426	1.52	338.66	1425.87	1.11	-8.86	-1.31	0.39	639318.7	403734.8
1519	1.7	325.93	1518.84	3.4	-10.08	-3.63	0.43	639317.5	403737.1
1612	2.14	323.57	1611.78	5.94	-11.89	-6.21	0.48	639315.7	403739.6
1705	1.2	56.13	1704.76	7.88	-12.11	-8.15	2.69	639315.5	403741.6
1800	0.97	58.77	1799.74	8.85	-10.59	-9.09	0.25	639317	403742.5
1895	2.03	60.3	1894.7	10.1	-8.45	-10.29	1.12	639319.2	403743.8
1989	3.65	68.64	1988.59	12.01	-4.21	-12.11	1.77	639323.4	403745.7
2083	4.47	66.76	2082.35	14.55	1.94	-14.5	0.88	639329.5	403748.3
2178	6.88	58.12	2176.88	19.02	10.18	-18.78	2.68	639337.8	403752.7
2272	6.54	53.21	2270.24	25.2	19.24	-24.75	0.71	639346.8	403758.9
2367	5.03	53.3	2364.75	30.93	26.92	-30.31	1.59	639354.5	403764.6
2462	4.89	55.31	2459.39	35.72	33.58	-34.95	0.23	639361.2	403769.4
2556	6.13	65.26	2552.96	40.1	41.44	-39.15	1.66	639369	403773.8
2651	5.37	65.88	2647.48	44.04	50.1	-42.89	0.8	639377.7	403777.7
2746	5.41	68.13	2742.06	47.52	58.31	-46.19	0.23	639385.9	403781.2
2840	6.26	62.83	2835.57	51.51	66.99	-49.98	1.07	639394.6	403785.2
2934	6.09	65.89	2929.03	55.89	76.1	-54.15	0.39	639403.7	403789.6
3028	6.5	66.66	3022.46	60.04	85.53	-58.08	0.45	639413.1	403793.7
3122	6.67	72.71	3115.84	63.77	95.63	-61.58	0.76	639423.2	403797.5
3216	6.78	81.51	3209.2	66.21	106.33	-63.78	1.1	639433.9	403799.9
3311	6.52	74.08	3303.56	68.52	117.06	-65.84	0.95	639444.7	403802.2
3406	7.39	80.62	3397.86	70.99	128.28	-68.06	1.24	639455.9	403804.7
3500	8.46	88.49	3490.97	72.16	141.16	-68.94	1.62	639468.8	403805.9
3595	8.29	87.74	3584.95	72.61	154.99	-69.08	0.21	639482.6	403806.3
3689	8.38	69.07	3677.98	75.33	168.16	-71.49	2.87	639495.8	403809
3784	7.42	55.98	3772.08	81.23	179.71	-77.14	2.14	639507.3	403814.9
3973	7.03	51.53	3959.58	95.26	198.88	-90.72	0.36	639526.5	403829
4067	7.37	53.07	4052.84	102.46	208.2	-97.71	0.42	639535.8	403836.2
4256	7.77	49.05	4240.19	118.11	227.54	-112.92	0.35	639555.1	403851.8
4351	8.31	48.07	4334.26	126.91	237.5	-121.49	0.59	639565.1	403860.6
4445	8.37	48.32	4427.27	136	247.66	-130.35	0.07	639575.3	403869.7
4634	9.77	46.4	4613.9	156.21	269.55	-150.05	0.76	639597.2	403889.9
4728	10.09	44.91	4706.49	167.54	281.14	-161.12	0.44	639608.7	403901.2
4823	9	43.7	4800.17	178.8	292.15	-172.13	1.17	639619.7	403912.5
4917	7.96	53.18	4893.15	188.02	302.44	-181.11	1.85	639630	403921.7
5012	8.03	51.63	4987.23	196.08	312.91	-188.93	0.24	639640.5	403929.8
5106	8.88	51.64	5080.2	204.66	323.75	-197.26	0.9	639651.3	403938.4
5200	8.53	56.98	5173.12	212.96	335.28	-205.3	0.94	639662.9	403946.7
5294	7.33	61.25	5266.22	219.65	346.38	-211.73	1.42	639674	403953.3
5389	5.07	66.39	5360.66	224.24	355.54	-216.12	2.45	639683.1	403957.9
5483	3.44	75.69	5454.4	226.6	362.08	-218.33	1.88	639689.7	403960.3
5578	3.26	78.39	5549.24	227.85	367.49	-219.46	0.25	639695.1	403961.6
5673	2.87	86.3	5644.1	228.55	372.51	-220.04	0.6	639700.1	403962.2
5767	1.33	128.18	5738.04	228.03	375.72	-219.44	2.21	639703.3	403961.7

5862	1.21	132.86	5833.02	226.66	377.32	-218.04	0.17	639704.9	403960.4
5956	1.32	149.29	5927	225.06	378.6	-216.41	0.4	639706.2	403958.8
6051	1.96	152.86	6021.96	222.67	379.9	-213.99	0.68	639707.5	403956.4
6145	2.01	164.82	6115.9	219.65	381.06	-210.95	0.44	639708.7	403953.3
6239	1.82	162.66	6209.85	216.63	381.94	-207.91	0.22	639709.5	403950.3
6333	2.21	168.68	6303.79	213.43	382.74	-204.69	0.47	639710.3	403947.1
6428	2.05	199.21	6398.73	210.03	382.54	-201.3	1.19	639710.1	403943.7
6523	2.37	205.17	6493.66	206.65	381.15	-197.95	0.41	639708.7	403940.3
6617	2.15	208.51	6587.58	203.34	379.48	-194.68	0.27	639707.1	403937
6712	2.23	202.43	6682.51	200.06	377.92	-191.44	0.26	639705.5	403933.8
6806	2.36	207.89	6776.44	196.66	376.32	-188.08	0.27	639703.9	403930.4
6901	2.55	206.88	6871.35	193.05	374.45	-184.5	0.21	639702	403926.7
6995	2.55	206.6	6965.26	189.31	372.57	-180.81	0.01	639700.2	403923
7089	3.11	201.15	7059.14	185.07	370.71	-176.61	0.66	639698.3	403918.8
7184	3.49	196.14	7153.99	179.89	368.98	-171.47	0.5	639696.6	403913.6
7278	3.57	197.91	7247.81	174.35	367.28	-165.98	0.14	639694.9	403908.1
7372	3.91	195.37	7341.61	168.48	365.53	-160.14	0.4	639693.1	403902.2
7467	4.09	202.64	7436.38	162.23	363.37	-153.94	0.57	639691	403895.9
7562	3.73	211.61	7531.16	156.47	360.45	-148.25	0.75	639688	403890.2
7656	3.75	221.8	7624.96	151.57	356.79	-143.44	0.71	639684.4	403885.3
7749	3.85	233.64	7717.75	147.46	352.25	-139.43	0.85	639679.9	403881.2
7844	3.18	255.76	7812.58	144.92	347.13	-137	1.58	639674.7	403878.6
8033	3.14	272.54	8001.3	143.86	336.88	-136.18	0.49	639664.5	403877.6
8127	2.33	271.53	8095.19	144.02	332.4	-136.44	0.86	639660	403877.7
8222	2.63	269.5	8190.1	144.05	328.29	-136.57	0.33	639655.9	403877.8
8316	3.29	258.69	8283.97	143.51	323.48	-136.13	0.92	639651.1	403877.2
8411	3.1	259.43	8378.83	142.5	318.29	-135.24	0.2	639645.9	403876.2
8506	3.34	245.53	8473.68	140.88	313.24	-133.74	0.86	639640.8	403874.6
8600	3.88	242.35	8567.49	138.27	307.93	-131.25	0.61	639635.5	403872
8694	3.17	241	8661.31	135.54	302.84	-128.63	0.76	639630.4	403869.2
8789	0.98	179.21	8756.25	133.45	300.56	-126.6	2.99	639628.2	403867.2
8978	1.87	145.88	8945.19	129.28	302.31	-122.39	0.62	639629.9	403863
9072	0.92	146.69	9039.17	127.38	303.58	-120.46	1.01	639631.2	403861.1
9166	0.9	152.22	9133.15	126.1	304.34	-119.16	0.1	639631.9	403859.8
9262	1.99	201.56	9229.12	123.88	304.08	-116.95	1.63	639631.7	403857.6
9356	3.28	210.77	9323.02	120.05	302.1	-113.17	1.44	639629.7	403853.8
9451	3.99	206.44	9417.83	114.76	299.24	-107.94	0.8	639626.8	403848.5
9546	3.94	198.56	9512.61	108.7	296.73	-101.94	0.58	639624.3	403842.4
9640	1.95	190.75	9606.48	104.07	295.4	-97.34	2.15	639623	403837.8
9734	1.12	182.78	9700.44	101.58	295.06	-94.86	0.91	639622.7	403835.3
9829	0.2	275.66	9795.44	100.67	294.85	-93.95	1.21	639622.5	403834.4
9923	0.49	141.8	9889.44	100.37	294.94	-93.65	0.69	639622.5	403834.1
10017	0.97	128.04	9983.43	99.56	295.81	-92.83	0.54	639623.4	403833.3
10111	1.42	142.42	10077.41	98.15	297.15	-91.38	0.57	639624.7	403831.9
10205	1.06	181.19	10171.39	96.36	297.84	-89.58	0.95	639625.4	403830.1
10300	0.98	227.84	10266.37	94.93	297.22	-88.17	0.85	639624.8	403828.6
10336	0.98	234.22	10302.37	94.55	296.74	-87.79	0.3	639624.3	403828.2
10492	1.28	254.58	10458.34	93.3	293.98	-86.61	0.32	639621.6	403827
10586	2.94	211.1	10552.28	90.96	291.72	-84.32	2.34	639619.3	403824.7
10681	10.26	200.28	10646.58	80.92	287.53	-74.38	7.78	639615.1	403814.6
10775	16.29	195.53	10738.03	60.35	281.09	-53.96	6.51	639608.7	403794.1

10870	24.26	189.99	10827.08	28.24	274.12	-22.01	8.62	639601.7	403761.9
10964	31.25	178.21	10910.28	-15.24	271.53	21.39	9.42	639599.1	403718.5
11058	36.19	178.31	10988.44	-67.38	273.11	73.56	5.26	639600.7	403666.3
11153	43.87	179.56	11061.13	-128.43	274.19	134.61	8.13	639601.8	403605.3
11247	52.81	178.61	11123.55	-198.57	275.35	204.77	9.54	639603	403535.1
11341	59.27	181.88	11176.04	-276.48	274.94	282.64	7.45	639602.5	403457.2
11435	67.12	180.66	11218.4	-360.29	273.11	366.39	8.43	639600.7	403373.4
11530	72.69	178.59	11251.03	-449.46	273.72	455.56	6.21	639601.3	403284.2
11624	79.48	179.04	11273.62	-540.63	275.6	546.74	7.24	639603.2	403193.1
11718	85.87	178.3	11285.6	-633.79	277.77	639.93	6.84	639605.4	403099.9
11812	87.13	178.2	11291.34	-727.57	280.63	733.75	1.34	639608.2	403006.1
11907	87.23	177.49	11296.01	-822.39	284.2	828.62	0.75	639611.8	402911.3
12002	88.06	178.22	11299.92	-917.24	287.76	923.53	1.16	639615.4	402816.5
12190	90.22	178	11302.74	-1105.1	293.95	1111.49	1.15	639621.6	402628.6
12378	89.27	178.53	11303.57	-1293.01	299.65	1299.48	0.58	639627.2	402440.7
12473	89.18	179.28	11304.86	-1387.99	301.46	1394.47	0.8	639629.1	402345.7
12661	89.29	177.86	11307.37	-1575.91	306.15	1582.45	0.76	639633.8	402157.8
12756	89.11	180.22	11308.7	-1670.88	307.74	1677.43	2.49	639635.3	402062.8
12850	89.69	179.86	11309.68	-1764.87	307.68	1771.4	0.73	639635.3	401968.8
12944	89.37	177.22	11310.45	-1858.83	310.07	1865.38	2.83	639637.7	401874.9
13039	91.65	180.03	11309.61	-1953.78	312.35	1960.36	3.81	639640	401779.9
13133	91.74	179.98	11306.83	-2047.74	312.35	2054.3	0.11	639639.9	401686
13227	89.35	178.9	11305.93	-2141.72	313.26	2148.28	2.79	639640.9	401592
13322	86.88	180.25	11309.06	-2236.66	313.97	2243.21	2.96	639641.6	401497
13416	86.85	181.07	11314.2	-2330.51	312.89	2337.01	0.87	639640.5	401403.2
13510	86.89	181.37	11319.33	-2424.35	310.89	2430.78	0.32	639638.5	401309.4
13604	86.56	181.27	11324.7	-2518.17	308.73	2524.53	0.37	639636.3	401215.5
13699	86.02	180.56	11330.85	-2612.96	307.21	2619.26	0.94	639634.8	401120.7
13793	85.68	180.56	11337.65	-2706.71	306.3	2712.96	0.36	639633.9	401027
13887	85.75	180.7	11344.67	-2800.44	305.27	2806.64	0.17	639632.9	400933.3
13934	85.93	179.66	11348.08	-2847.32	305.12	2853.5	2.24	639632.7	400886.4
14028	90.34	177.48	11351.14	-2941.21	307.47	2947.43	5.23	639635.1	400792.5
14123	93.93	177.03	11347.6	-3036.02	312.01	3042.31	3.81	639639.6	400697.7
14217	94.3	177.45	11340.86	-3129.67	316.53	3136.04	0.59	639644.1	400604
14311	91.59	179.53	11336.03	-3223.49	319	3229.9	3.63	639646.6	400510.2
14393	90.02	180.67	11334.88	-3305.48	318.85	3311.87	2.37	639646.5	400428.2
14441	87.44	181.45	11335.94	-3353.46	317.97	3359.81	5.62	639645.6	400380.2
14536	90.28	182.26	11337.83	-3448.38	314.89	3454.64	3.11	639642.5	400285.3
14630	90.62	181.99	11337.09	-3542.31	311.41	3548.46	0.46	639639	400191.4
14724	90.56	182.22	11336.12	-3636.24	307.95	3642.29	0.25	639635.6	400097.5
14818	90.14	182.35	11335.55	-3730.17	304.21	3736.11	0.47	639631.8	400003.5
14913	89.93	182.7	11335.49	-3825.07	300.02	3830.9	0.43	639627.6	399908.6
15007	88.7	183.34	11336.61	-3918.93	295.07	3924.62	1.48	639622.7	399814.8
15102	89.69	184.78	11337.95	-4013.68	288.34	4019.19	1.84	639615.9	399720
15196	89.31	185.1	11338.77	-4107.33	280.25	4112.63	0.53	639607.8	399626.4
15291	89.44	184.45	11339.81	-4201.99	272.34	4207.09	0.7	639599.9	399531.7
15385	89.64	184.33	11340.56	-4295.71	265.15	4300.62	0.25	639592.7	399438
15480	88.56	180.97	11342.05	-4390.59	260.76	4395.37	3.71	639588.4	399343.1
15574	90.52	178.8	11342.81	-4484.57	260.94	4489.34	3.11	639588.5	399249.1
15668	92.55	176.19	11340.29	-4578.44	265.05	4583.27	3.52	639592.6	399155.3
15763	92.56	174.89	11336.05	-4673.05	272.43	4678.03	1.37	639600	399060.7

15857	90.28	174.33	11333.73	-4766.6	281.26	4771.76	2.5	639608.9	398967.1
15952	87.83	177.35	11335.29	-4861.32	288.15	4866.61	4.09	639615.7	398872.4
16046	87.68	178.99	11338.97	-4955.2	291.15	4960.53	1.75	639618.7	398778.5
16141	88.36	180.55	11342.26	-5050.14	291.53	5055.45	1.79	639619.1	398683.6
16235	89.43	182.07	11344.07	-5144.09	289.38	5149.33	1.98	639617	398589.6
16329	89.99	182.24	11344.55	-5238.02	285.84	5243.16	0.62	639613.4	398495.7
16424	90.11	182.43	11344.46	-5332.94	281.97	5337.97	0.24	639609.6	398400.8
16518	90.59	183.67	11343.89	-5426.81	276.97	5431.69	1.41	639604.6	398306.9
16613	89.87	183.65	11343.51	-5521.61	270.91	5526.34	0.76	639598.5	398212.1
16707	89.4	181.87	11344.11	-5615.5	266.38	5620.09	1.96	639594	398118.2
16801	89.68	179.53	11344.86	-5709.48	265.23	5714.03	2.51	639592.8	398024.2
16896	89.59	179.85	11345.47	-5804.48	265.75	5809.01	0.35	639593.3	397929.2
16990	89.72	179.99	11346.03	-5898.47	265.88	5902.99	0.2	639593.5	397835.2
17084	89.54	180.82	11346.64	-5992.47	265.21	5996.94	0.9	639592.8	397741.2
17179	90.64	180.81	11346.49	-6087.46	263.86	6091.88	1.16	639591.5	397646.3
17273	90.98	178.48	11345.16	-6181.44	264.44	6185.85	2.5	639592	397552.3
17367	90.67	176.17	11343.81	-6275.32	268.83	6279.8	2.48	639596.4	397458.4
17462	91.64	176.64	11341.89	-6370.11	274.79	6374.71	1.13	639602.4	397363.6
17557	91.68	176.29	11339.14	-6464.89	280.64	6469.6	0.37	639608.2	397268.8
17651	90.74	175.59	11337.16	-6558.63	287.3	6563.46	1.25	639614.9	397175.1
17746	90.04	175.05	11336.51	-6653.31	295.05	6658.3	0.93	639622.6	397080.4
17840	90.28	175.86	11336.25	-6747.02	302.49	6752.14	0.9	639630.1	396986.7
17935	89.89	176.91	11336.11	-6841.83	308.48	6847.06	1.18	639636.1	396891.9
18029	89.59	178.85	11336.53	-6935.76	311.96	6941.05	2.09	639639.6	396798
18123	89.05	180.94	11337.65	-7029.74	312.13	7035.02	2.3	639639.7	396704
18218	89.62	182.36	11338.75	-7124.7	309.4	7129.88	1.61	639637	396609
18312	89.64	183.06	11339.36	-7218.59	304.95	7223.65	0.74	639632.6	396515.1
18406	89.96	183.94	11339.69	-7312.41	299.22	7317.32	1	639626.8	396421.3
18500	90.83	183.31	11339.04	-7406.22	293.27	7410.97	1.14	639620.9	396327.5
18594	89.79	181.04	11338.53	-7500.14	289.71	7504.79	2.66	639617.3	396233.6
18688	88.75	179.73	11339.73	-7594.13	289.07	7598.73	1.78	639616.7	396139.6
18783	90.17	179.47	11340.62	-7689.12	289.74	7693.72	1.52	639617.3	396044.6
18878	89.13	177.83	11341.2	-7784.09	291.98	7788.71	2.04	639619.6	395949.6
18972	89.82	178.07	11342.06	-7878.02	295.34	7882.7	0.78	639622.9	395855.7
19066	89.29	176.96	11342.79	-7971.93	299.41	7976.67	1.31	639627	395761.8
19161	87.72	177.18	11345.27	-8066.77	304.27	8071.6	1.67	639631.9	395666.9
19255	90.16	180.28	11347.01	-8160.71	306.35	8165.56	4.2	639633.9	395573
19350	89.78	182.8	11347.06	-8255.67	303.8	8260.44	2.68	639631.4	395478
19445	92.16	182.99	11345.45	-8350.53	299	8355.16	2.51	639626.6	395383.2
19539	93.93	180.5	11340.46	-8444.34	296.14	8448.89	3.25	639623.7	395289.4
19634	91.89	178.64	11335.64	-8539.21	296.85	8543.74	2.9	639624.5	395194.5
19729	91.32	178.35	11332.98	-8634.14	299.35	8638.71	0.67	639626.9	395099.6
19823	90.49	178.36	11331.49	-8728.09	302.05	8732.69	0.88	639629.6	395005.6
19917	90.35	178.64	11330.8	-8822.05	304.51	8826.69	0.33	639632.1	394911.7
20011	90.08	179.17	11330.45	-8916.03	306.3	8920.69	0.63	639633.9	394817.7
20105	91.41	179.74	11329.23	-9010.02	307.2	9014.67	1.54	639634.8	394723.7
20200	90	179.52	11328.06	-9105.01	307.81	9109.65	1.5	639635.4	394628.7
20294	90.35	179.75	11327.77	-9199	308.41	9203.63	0.45	639636	394534.7
20389	90.38	179.98	11327.17	-9294	308.63	9298.61	0.24	639636.2	394439.7
20484	89.87	180.25	11326.96	-9389	308.44	9393.58	0.61	639636	394344.7
20578	90.01	181.03	11327.06	-9482.99	307.39	9487.53	0.84	639635	394250.7

20671	91.11	181.35	11326.15	-9575.97	305.46	9580.43	1.23	639633.1	394157.8
20766	90.08	180.47	11325.16	-9670.95	303.95	9675.36	1.43	639631.6	394062.8
20861	90.1	180.37	11325.01	-9765.95	303.26	9770.31	0.11	639630.9	393967.8
20954	89.97	179.86	11324.95	-9858.95	303.07	9863.28	0.57	639630.7	393874.8
21049	90.34	179.6	11324.7	-9953.94	303.52	9958.27	0.48	639631.1	393779.8
21143	89.68	178.77	11324.68	-10047.9	304.85	10052.26	1.13	639632.5	393685.8
21237	89.64	178.86	11325.24	-10141.9	306.8	10146.26	0.1	639634.4	393591.8
21331	90.52	178.72	11325.11	-10235.9	308.78	10240.26	0.95	639636.4	393497.8
21425	89.93	179.44	11324.74	-10329.9	310.29	10334.26	0.99	639637.9	393403.8
21520	90.64	180.21	11324.27	-10424.9	310.58	10429.24	1.1	639638.2	393308.8
21614	90.13	180.23	11323.63	-10518.9	310.22	10523.2	0.54	639637.8	393214.9
21709	89.96	180.89	11323.56	-10613.9	309.29	10618.15	0.72	639636.9	393119.9
21803	90.97	181.59	11322.8	-10707.8	307.26	10712.05	1.31	639634.9	393025.9
21897	90.01	181.45	11321.99	-10801.8	304.76	10805.93	1.03	639632.4	392931.9
21992	90.2	181.58	11321.82	-10896.8	302.25	10900.82	0.24	639629.9	392837
22087	90.2	181.98	11321.49	-10991.7	299.3	10995.68	0.42	639626.9	392742
22181	89.93	182.42	11321.38	-11085.7	295.69	11089.51	0.55	639623.3	392648.1
22274	90	182.89	11321.44	-11178.6	291.39	11182.28	0.51	639619	392555.2
22368	90.03	182.61	11321.41	-11272.4	286.88	11276.05	0.3	639614.5	392461.3
22463	89.86	182.49	11321.5	-11367.4	282.65	11370.83	0.22	639610.2	392366.4
22557	89.79	182.35	11321.79	-11461.3	278.68	11464.64	0.17	639606.3	392272.5
22652	89.57	182.61	11322.32	-11556.2	274.57	11559.43	0.36	639602.2	392177.6
22746	89.9	182.27	11322.76	-11650.1	270.57	11653.23	0.5	639598.2	392083.6
22840	89.85	182.1	11322.96	-11744	266.98	11747.05	0.19	639594.6	391989.7
22935	89.36	182.11	11323.62	-11839	263.49	11841.88	0.52	639591.1	391894.8
23029	90.1	182.04	11324.06	-11932.9	260.09	11935.72	0.79	639587.7	391800.8
23123	91.95	179.58	11322.38	-12026.9	258.76	12029.63	3.27	639586.4	391706.9
23218	93.08	177.59	11318.21	-12121.7	261.11	12124.53	2.41	639588.7	391612
23312	91.29	175.57	11314.63	-12215.5	266.71	12218.39	2.87	639594.3	391518.2
23406	89.16	175.21	11314.26	-12309.2	274.26	12312.22	2.3	639601.9	391424.6
23501	88.52	177.25	11316.18	-12403.9	280.51	12407.11	2.25	639608.1	391329.8
23595	88.91	178.51	11318.29	-12497.9	283.98	12501.08	1.4	639611.6	391235.9
23690	90.7	177.93	11318.61	-12592.8	286.94	12596.07	1.98	639614.5	391140.9
23784	90.53	177.19	11317.6	-12686.7	290.94	12690.04	0.81	639618.5	391047
23878	90.74	177.94	11316.56	-12780.6	294.93	12784.02	0.83	639622.5	390953.1
23973	90.73	178.31	11315.34	-12875.6	298.04	12879.01	0.39	639625.6	390858.2
24067	90.42	178.27	11314.4	-12969.5	300.84	12973	0.33	639628.4	390764.2
24161	90.36	178.18	11313.76	-13063.5	303.76	13066.99	0.12	639631.4	390670.3
24256	90.18	178	11313.31	-13158.4	306.92	13161.99	0.27	639634.5	390575.3
24349	89.68	178.02	11313.42	-13251.4	310.15	13254.98	0.54	639637.8	390482.4
24441	90.46	178.58	11313.31	-13343.3	312.88	13346.98	1.04	639640.5	390390.4
24483	90.46	178.58	11312.97	-13385.3	313.92	13388.97	0	639641.5	390348.4

Submit a Copy To Appropriate District Office
 District I – (575) 393-6161
 1625 N. French Dr., Hobbs, NM 88240
 District II – (575) 748-1283
 811 S. First St., Artesia, NM 88210
 District III – (505) 334-6178
 1000 Rio Brazos Rd., Aztec, NM 87410
 District IV – (505) 476-3460
 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
 Energy, Minerals and Natural Resources

Form C-103
 Revised July 18, 2013

OIL CONSERVATION DIVISION
 1220 South St. Francis Dr.
 Santa Fe, NM 87505

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-45517
1. Type of Well: Oil Well ☐ Gas Well ☒ Other		5. Indicate Type of Lease STATE ☐ FEE ☐ FED X
2. Name of Operator XTO Permian Operating LLC.		6. State Oil & Gas Lease No.
3. Address of Operator 6401 Holiday Hill Road Building 5, Midland, TX 79707		7. Lease Name or Unit Agreement Name Poker Lake Unit 21 BD
4. Well Location Unit Letter <u>O</u> : <u>330</u> feet from the <u>South</u> line and <u>1950</u> feet from the <u>East</u> line Section <u>21</u> Township <u>25S</u> Range <u>30E</u> NMPM County <u>Eddy</u>		8. Well Number 126H
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3246 GL		9. OGRID Number <u>373075</u>
		10. Pool name or Wildcat PURPLE SAGE; WOLFCAMP (GAS)

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐	REMEDIAL WORK ☐
TEMPORARILY ABANDON ☐	ALTERING CASING ☐
PULL OR ALTER CASING ☐	COMMENCE DRILLING OPNS. ☐
DOWNHOLE COMMINGLE ☐	P AND A ☐
CLOSED-LOOP SYSTEM ☐	CASING/CEMENT JOB ☐
OTHER: ☐	OTHER: Completions Sundry ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 19.15.7.14 NMAC. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

XTO PERMIAN OPERATING LLC respectfully submits this sundry notice to report the completion operations of the referenced well.

KOP @ depth 10,560 ft.

PBTD = 24,468 ft. 1/22/22 Run RCB/GR/CCL

6/22/22 Pressure test 5.5 in csg to 8,500 psi for 30min test good, open sleeve.

5/22/22 Perf and frac 63 stages, 3,028 total shots, from 11,784 to 24,366 using 662,912 bbls of fluid and 31,042,120 lbs Proppant. Tag and drill out plugs.

6/28/22 Run 2-7/8 L80 6.5# tubing set at 10,516 ft.

6/28/22 Packer setting depth 10,498 ft.

Ready Date: 7/19/2022

First Production: 7/20/2022

Spud Date:

11/14/2020

Rig Release Date:

12/13/2020

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE Amanda Thames TITLE Regulatory Analyst DATE 8/16/2022

Type or print name Amanda Thames E-mail address: amanda.thames@exxonmobil.com PHONE: 432-221-7340

For State Use Only

APPROVED BY: _____ TITLE _____ DATE _____

Conditions of Approval (if any):

Submit To Appropriate District Office Two Copies District I 1625 N. French Dr., Hobbs, NM 88240 District II 811 S. First St., Artesia, NM 88210 District III 1000 Rio Brazos Rd., Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505		State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505				Form C-105 Revised April 3, 2017												
WELL COMPLETION OR RECOMPLETION REPORT AND LOG																		
4. Reason for filing: ☒ COMPLETION REPORT (Fill in boxes #1 through #31 for State and Fee wells only) ☐ C-144 CLOSURE ATTACHMENT (Fill in boxes #1 through #9, #15 Date Rig Released and #32 and/or #33; attach this and the plat to the C-144 closure report in accordance with 19.15.17.13.K NMAC)								5. Lease Name or Unit Agreement Name POKER LAKE UNIT 21 BD										
								6. Well Number: 126H										
7. Type of Completion: ☒ NEW WELL ☐ WORKOVER ☐ DEEPENING ☐ PLUGBACK ☐ DIFFERENT RESERVOIR ☐ OTHER																		
8. Name of Operator XTO PERMIAN OPERATING LLC.						9. OGRID 373075												
10. Address of Operator 6401 HOLIDAY HILL RD BLDG #5, MIDLAND TX 79707						11. Pool name or Wildcat PURPLE SAGE;WOLFCAMP (GAS)												
12. Location	Unit Ltr	Section	Township	Range	Lot	Feet from the	N/S Line	Feet from the	E/W Line	County								
Surface:	O	21	25S	30E		330	South	1950	East	Eddy								
BH:	G	4	26S	30E		2409	North	1639	East	Eddy								
13. Date Spudded 11/14/2020	14. Date T.D. Reached 12/11/2020		15. Date Rig Released 12/13/2020		16. Date Completed (Ready to Produce) 7/19/2022			17. Elevations (DF and RKB, RT, GR, etc.) 3246' GL										
18. Total Measured Depth of Well 24,483			19. Plug Back Measured Depth 24,468		20. Was Directional Survey Made? Yes			21. Type Electric and Other Logs Run CBL										
22. Producing Interval(s), of this completion - Top, Bottom, Name 11,784 TO 24,366 PURPLE SAGE;WOLFCAMP (GAS)																		
23. CASING RECORD (Report all strings set in well)																		
CASING SIZE		WEIGHT LB./FT.		DEPTH SET		HOLE SIZE		CEMENTING RECORD		AMOUNT PULLED								
11 3/4"		54.0		1,344		14 3/4"		1,185										
7 5/8"		29.7		10,380		8 3/4"		1,320										
5 "		17.95		24,470		6 3/4"		1,160										
24. LINER RECORD						25. TUBING RECORD												
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET											
					2 7/8"	10,516	10,498											
26. Perforation record (interval, size, and number) 11,784 TO 24,366, 4spf, 3,028 Total Shots 63 stages					27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC. <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <th>DEPTH INTERVAL</th> <th>AMOUNT AND KIND MATERIAL USED</th> </tr> <tr> <td>11,784 TO 24,366</td> <td>662,912 bbl fluid + 31,042,120 lbs Proppant</td> </tr> <tr> <td> </td> <td> </td> </tr> <tr> <td> </td> <td> </td> </tr> </table>						DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED	11,784 TO 24,366	662,912 bbl fluid + 31,042,120 lbs Proppant				
DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED																	
11,784 TO 24,366	662,912 bbl fluid + 31,042,120 lbs Proppant																	
28. PRODUCTION																		
Date First Production 7/20/2022		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Producing												
Date of Test 8/1/22	Hours Tested 24	Choke Size	Prod'n For Test Period	Oil - Bbl 1872	Gas - MCF 7512	Water - Bbl. 5788	Gas - Oil Ratio 4013											
Flow Tubing Press. 970	Casing Pressure 234	Calculated 24-Hour Rate	Oil - Bbl. 1872	Gas - MCF 7512	Water - Bbl. 5788	Oil Gravity - API - (Corr.)												
29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold								30. Test Witnessed By										
31. List Attachments C-104 NW, C-102 & Supplement , Directional Survey (Log uploaded to NMOCD)																		
32. If a temporary pit was used at the well, attach a plat with the location of the temporary pit.								33. Rig Release Date:										
34. If an on-site burial was used at the well, report the exact location of the on-site burial:																		
Latitude				Longitude				NAD83										
I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief Printed Signature <i>Amanda Thames</i> Name Amanda Thames Title Regulatory Analyst Date 8/16/2022 E-mail Address amanda.thames@exxonmobil.com																		

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well and not later than 60 days after completion of closure. When submitted as a completion report, this shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 11, 12 and 26-31 shall be reported for each zone.

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn A"
T. Salt 1,394'	T. Strawn	T. Kirtland	T. Penn. "B"
B. Salt 3,604'	T. Atoka	T. Fruitland	T. Penn. "C"
T. Yates	T. Miss	T. Pictured Cliffs	T. Penn. "D"
T. 7 Rivers	T. Devonian	T. Cliff House	T. Leadville
T. Queen	T. Silurian	T. Menefee	T. Madison
T. Grayburg	T. Montoya	T. Point Lookout	T. Elbert
T. San Andres	T. Simpson	T. Mancos	T. McCracken
T. Glorieta	T. McKee	T. Gallup	T. Ignacio Otzte
T. Paddock	T. Ellenburger	Base Greenhorn	T. Granite
T. Blinebry	T. Gr. Wash	T. Dakota	
T. Tubb	T. Delaware Sand 3,809'	T. Morrison	
T. Drinkard	T. Bone Springs 7,594'	T. Todilto	
T. Abo	T. Rustler 1,187'	T. Entrada	
T. Wolfcamp 10,901'	T.	T. Wingate	
T. Penn	T.	T. Chinle	
T. Cisco (Bough C)	T.	T. Permian	

No. 1, from.....to.....
No. 2, from.....to.....
No. 3, from.....to.....
No. 4, from.....to.....

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from.....to.....feet.....
 No. 2, from.....to.....feet.....
 No. 3, from.....to.....feet.....


From	To	Thickness In Feet	Lithology



Schematic - Wellbore - Horizontal

Well Name: POKER LAKE UNIT 21 BD 126H

API/UWI 3001545517	SAP Cost Center ID 1666431001	Permit Number BLM	State/Province New Mexico	County Eddy	Spud Date 11/14/2020 01:00	Original KB Elevation (ft) 3,279.00	Ground Elevation (ft) 3,246.00	KB-Ground Distance (ft) 33.00	Surface Casing Flange Elevatio...
Surface Location T25S-R30E-S21									



Note: Directional schematic does not correlate to other tracks.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

ACKNOWLEDGMENTS

Action 134710

ACKNOWLEDGMENTS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 134710
	Action Type: [C-104] Completion Packet (C-104C)

ACKNOWLEDGMENTS

☒	I hereby certify that the required Water Use Report has been, or will be, submitted for this wells completion.
☒	I hereby certify that the required FracFocus disclosure has been, or will be, submitted for this wells completion.

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
<https://www.emnrd.nm.gov/oed/contact-us>

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Action 134710

CONDITIONS

Operator: XTO PERMIAN OPERATING LLC. 6401 HOLIDAY HILL ROAD MIDLAND, TX 79707	OGRID: 373075
	Action Number: 134710
	Action Type: [C-104] Completion Packet (C-104C)

CONDITIONS

Created By	Condition	Condition Date
crystal.walker	None	10/17/2025