

U.S. Department of the Interior BUREAU OF LAND MANAGEMENT

Sundry Print Report

Well Name: SALADO DRAW 29 26 33

FED COM

Well Number: 4H

Well Location: T26S / R33E / SEC 29 /

NENW / 32.021087 / -103.597958

Type of Well: OIL WELL

County or Parish/State: LEA /

NM

Allottee or Tribe Name:

Lease Number: NMNM27506 Unit or CA Name: SD EA 29 32 FED

STATE COM AREA

Unit or CA Number:

NMNM139732

US Well Number: 3002542639 Operator: CHEVRON USA

INCORPORATED

Notice of Intent

Sundry ID: 2874365

Type of Submission: Notice of Intent

Type of Action: Temporary Abandonment

Date Sundry Submitted: 09/18/2025 Time Sundry Submitted: 02:28

Date proposed operation will begin: 07/14/2025

Procedure Description: Salado Draw 29 26 33 Fed Com 4H (API # 30-025- 42639). Procedure to TA: RU slickline and run 2.4" GR to 9023'. RIH w/2.313" plug and set in profile nipple at 9023'. RD slickline. RU pulling unit and unseat on/off tool and pull production tbg and gas lift equipment. RU slickline and RIH w 4.24" GR to 8824'. RIH w/CIBP and set @ 8795'. RIH w/dump bail and set 35' of cement. Pressure test plug and cement per regulatory requirement. Rig down. Please see attached MIT chart, procedure, and wellbore diagrams. This sundry replaces the denied sundry ID# 2868250 due to attached corrupted file.

Surface Disturbance

Is any additional surface disturbance proposed?: No

NOI Attachments

Procedure Description

SALADO_DRAW_29_26_33_FED_COM_4H___TA_extension_pdf_20250918142742.pdf

Page 1 of 2

eived by OCD: 9/26/2025 2:50:22 PM Well Name: SALADO DRAW 29 26 33

FED COM

Well Location: T26S / R33E / SEC 29 / NENW / 32.021087 / -103.597958

County or Parish/State: LEA/ 2 of

Well Number: 4H

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM27506

Unit or CA Name: SD EA 29 32 FED

STATE COM AREA

Unit or CA Number: NMNM139732

US Well Number: 3002542639

Operator: CHEVRON USA

INCORPORATED

Conditions of Approval

Specialist Review

TA COA 20250918195301.pdf

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: JESSICA ZEMEN Signed on: SEP 18, 2025 02:28 PM

Name: CHEVRON USA INCORPORATED

Title: Environmental & Regulatory Specialist - New Mexico

Street Address: 6301 DEAUVILLE BLVD

City: MIDLAND State: TX

Phone: (432) 530-9187

Email address: JESSICAZEMEN@CHEVRON.COM

Field

Representative Name:

Street Address:

City: State: Zip:

Phone:

Email address:

BLM Point of Contact

Signature: Jonathon Shepard

BLM POC Name: JONATHON W SHEPARD BLM POC Title: Petroleum Engineer

BLM POC Phone: 5752345972 BLM POC Email Address: jshepard@blm.gov

Disposition: Approved Disposition Date: 09/18/2025

Page 2 of 2

Form 3160-5 (October 2024)

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED
OMB No. 1004-0220
Expires: October 31, 2027

BURE	EAU OF LAND MANAGEMENT	5. Lease Serial No.		
Do not use this fo	OTICES AND REPORTS ON Vorm for proposals to drill or to Use Form 3160-3 (APD) for su	to re-enter an	6. If Indian, Allottee or Tribe N	lame
SUBMIT IN TRIPLICATE - Other instructions on page 2			7. If Unit of CA/Agreement, N	ame and/or No.
1. Type of Well Oil Well Gas W	ell Other		8. Well Name and No.	
2. Name of Operator			9. API Well No.	
3a. Address	3b. Phone No	o. (include area code)	10. Field and Pool or Explorate	ory Area
4. Location of Well (Footage, Sec., T.,R.,M., or Survey Description)			11. Country or Parish, State	
12. CHEC	CK THE APPROPRIATE BOX(ES) TO IN	NDICATE NATURE	OF NOTICE, REPORT OR OTH	IER DATA
TYPE OF SUBMISSION		TYP	E OF ACTION	
Notice of Intent	= =	epen draulic Fracturing	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity
Subsequent Report		w Construction	Recomplete	Other
		g and Abandon	Temporarily Abandon	
Final Abandonment Notice	Convert to Injection Plusteration: Clearly state all pertinent details,	g Back	Water Disposal	
is ready for final inspection.)				
14. I hereby certify that the foregoing is t	rue and correct. Name (Printed/Typed)	Tial		
		Title		
Signature		Date		
	THE SPACE FOR FED	DERAL OR STA	ATE OFICE USE	
Approved by				
		Title		Date
	ed. Approval of this notice does not warra quitable title to those rights in the subject duct operations thereon.			
	U.S.C Section 1212, make it a crime for ants or representations as to any matter with		y and willfully to make to any de	partment or agency of the United States

(Instructions on page 2)

GENERAL INSTRUCTIONS

This form is designed for submitting proposals to perform certain well operations and reports of such operations when completed as indicated on Federal and Indian lands pursuant to applicable Federal law and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local area or regional procedures and practices, are either shown below, will be issued by or may be obtained from the local Federal office.

SPECIFIC INSTRUCTIONS

Item 4 - Locations on Federal or Indian land should be described in accordance with Federal requirements. Consult the local Federal office for specific instructions.

Item 13: Proposals to abandon a well and subsequent reports of abandonment should include such special information as is required by the local Federal office. In addition, such proposals and reports should include reasons for the abandonment; data on any former or present productive zones or other zones with present significant fluid contents not sealed off by cement or otherwise; depths (top and bottom) and method of placement of cement plugs; mud or other material placed below, between and above plugs; amount, size, method of parting of any casing, liner or tubing pulled and the depth to the top of any tubing left in the hole; method of closing top of well and date well site conditioned for final inspection looking for approval of the abandonment. If the proposal will involve **hydraulic fracturing operations**, you must comply with 43 CFR 3162.3-3, including providing information about the protection of usable water. Operators should provide the best available information about all formations containing water and their depths. This information could include data and interpretation of resistivity logs run on nearby wells. Information may also be obtained from state or tribal regulatory agencies and from local BLM offices.

NOTICES

The privacy Act of 1974 and the regulation in 43 CFR 2.48(d) provide that you be furnished the following information in connection with information required by this application.

AUTHORITY: 30 U.S.C. 181 et seq., 351 et seq., 25 U.S.C. 396; 43 CFR 3160.

PRINCIPAL PURPOSE: The information is used to: (1) Evaluate, when appropriate, approve applications, and report completion of subsequent well operations, on a Federal or Indian lease; and (2) document for administrative use, information for the management, disposal and use of National Resource lands and resources, such as: (a) evaluating the equipment and procedures to be used during a proposed subsequent well operation and reviewing the completed well operations for compliance with the approved plan; (b) requesting and granting approval to perform those actions covered by 43 CFR 3162.3-2, 3162.3-3, and 3162.3-4; (c) reporting the beginning or resumption of production, as required by 43 CFR 3162.4-1(c)and (d) analyzing future applications to drill or modify operations in light of data obtained and methods used.

ROUTINE USES: Information from the record and/or the record will be transferred to appropriate Federal, State, local or foreign agencies, when relevant to civil, criminal or regulatory investigations or prosecutions in connection with congressional inquiries or to consumer reporting agencies to facilitate collection of debts owed the Government.

EFFECT OF NOT PROVIDING THE INFORMATION: Filing of this notice and report and disclosure of the information is mandatory for those subsequent well operations specified in 43 CFR 3162.3-2, 3162.3-3, 3162.3-4.

The Paperwork Reduction Act of 1995 requires us to inform you that:

The BLM collects this information to evaluate proposed and/or completed subsequent well operations on Federal or Indian oil and gas leases.

Response to this request is mandatory.

The BLM would like you to know that you do not have to respond to this or any other Federal agency-sponsored information collection unless it displays a currently valid OMB control number.

BURDEN HOURS STATEMENT: Public reporting burden for this form is estimated to average 8 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to U.S. Department of the Interior, Bureau of Land Management (1004-0137), Bureau Information Collection Clearance Officer (WO-630), 1849 C St., N.W., Mail Stop 401 LS, Washington, D.C. 20240

(Form 3160-5, page 2)

Additional Information

Location of Well

0. SHL: NENW / 200 FNL / 1358 FWL / TWSP: 26S / RANGE: 33E / SECTION: 29 / LAT: 32.021087 / LONG: -103.597958 (TVD: 0 feet, MD: 0 feet) PPP: LOT 3 / 383 FSL / 2317 FWL / TWSP: 26S / RANGE: 33E / SECTION: 32 / LAT: 32.000886 / LONG: -103.59493 (TVD: 0 feet, MD: 0 feet) BHL: LOT 3 / 383 FSL / 2317 FWL / TWSP: 26S / RANGE: 33E / SECTION: 32 / LAT: 32.000886 / LONG: -103.59493 (TVD: 9235 feet, MD: 9571 feet)

THIS WELLBORE IS TEMPORARY ABANDONMENT AND HAS EXPIRED. CHEVRON USA INC IS REQUESTING AN ADDITIONAL TEMPORARY ABONDONMENT DUE TO BECOMING UNECONOMIC FROM WATER INFLUX PROHIBITING PRODUCTION OF HYDROCARBONS.

THE LAST WELL TEST WAS 08/05/2022, WHERE IT MADE:

0 BO / 325 BW / 0 MCF

ON 07/21/2022, WHERE IT MADE:

3 BO / 452 BW / 4MCF

THE ADDITIONAL TA OF THIS WELLBORE ALLOWS FUTHER INVESTIGATION AND PLANNING ON HOW TO RETURN WELL TO PRESERVE WELLBORE SHOULD A WAY TO ECONOMICALLY PRODUCE OR PROGRESS TO PLUG AND ABANDONMENT.

PROCEDURE TO TA.


- RU slickline and run 2.4" GR to 9023'
- RIH w/2.313" plug and set in profile nipple at 9023'. RD slickline.
- RU pulling unit and unseat on/off tool and pull production tbg and gas lift equipment
- RU slickline and RIH w 4.24" GR to 8824'.
- RIH w/CIBP and set @ 8795'. RIH w/dump bail and set 35' of cement
- Pressure test plug and cement per regulatory requirement
- Rig down

WELLBORES ARE ATTACHED.

This sundry replaces the denied sundry ID# 2868250 due to attached corrupted file.

PROPOSED Salado Draw 29-26-33 FED Com 4H

API#: 30-025-42639 Spud 10/6/2015 Chevno: PF9571 Complete 4/5/2016 Jennings Elevation 3216 Field: Lea County, Nm County KΒ 32.6




Production Casing 5-1/2" 20#/ft P-110 Set @ 16,604'

Page 8 of 1

Salado Draw 29-26-33 FED Com 4H

API#: 30-025-42639 10/6/2015 Spud Chevno: PF9571 Complete 4/5/2016 Elevation 3216 Field: Jennings County Lea County, Nm KΒ 32.6



BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

Conditions of Approval for Temporary Abandonment of Wells

Definition: A temporarily abandoned well is a completion that is not capable of production in paying quantities, but which may have future value. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

- 1. TA status will be effective for a period of up to one year from the date of sundry approval and can be renewed annually thereafter per IM NM-2016-017.
- 2. A bridge plug (CIBP) must be installed 50 to 100 feet above any open perforations/open hole/kick off point. The CIBP must be capped with either a minimum of 25 sacks of cement if placed with tubing or 35 feet of cement if placed with a bailer. The top of the cement must be verified by tagging.
- 3. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes. If the well does not pass the casing integrity test, then the operator shall, within 30 days, submit a procedure to either repair the casing or to plug and abandon the well.
- 4. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 5. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if it is not isolated by a packer.
- 6. A bradenhead test must be conducted. If the test indicates a problem, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- 7. Submit a subsequent Sundry Notice (Form 3160-5) with the following information:
 - a. A well bore diagram with all perforations, CIBP's, and tops of cement on CIBP's.
 - b. A description of the temporary abandonment procedure.
 - c. A clear copy or the original of the pressure test chart.

Sante Fe Main Office Phone: (505) 476-3441

General Information Phone: (505) 629-6116

Online Phone Directory https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico Energy, Minerals and Natural Resources Oil Conservation Division 1220 S. St Francis Dr. Santa Fe, NM 87505

CONDITIONS

Action 509779

CONDITIONS

Operator:	OGRID:
CHEVRON U S A INC	4323
6301 Deauville Blvd	Action Number:
Midland, TX 79706	509779
	Action Type:
	[C-103] Sub. Temporary Abandonment (C-103U)

CONDITIONS

Created By	Condition	Condition Date
gcordero	None	10/16/2025