Received by OCD: 10/15/2025 2:48:37 PM

U.S. Department of the Interior
BUREAU OF LAND MANAGEMENT

Sundry Print Report

09/09/2025

Well Name: SOUTH BLANCO FEDERAL 23

Well Location: T24N / R8W / SEC 23 / SESE / 36.293945 / -107.643524

County or Parish/State: SAN JUAN / NM

Well Number: 4

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM20304

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004528280

Operator: EPIC ENERGY LLC

Notice of Intent

Sundry ID: 2872685

Type of Submission: Notice of Intent

Type of Action: Other

Date Sundry Submitted: 09/09/2025

Time Sundry Submitted: 01:48

Date proposed operation will begin: 09/09/2025

Procedure Description: Epic Energy plans to set packer 100' above Gallup perforations to isolate potential frac hit. Wellbore diagrams with exact depths will be submitted in subsequent report.

Surface Disturbance

Is any additional surface disturbance proposed?: No

CONFIDENTIAL

Released to Imaging: 10/17/2025 10:18:09 AM

Well Name: SOUTH BLANCO FEDERAL 23

Well Location: T24N / R8W / SEC 23 / SESE / 36.293945 / -107.643524

County or Parish/State: SAN JUAN / NM

Well Number: 4

Type of Well: OIL WELL

Allottee or Tribe Name:

Lease Number: NMNM20304

Unit or CA Name:

Unit or CA Number:

US Well Number: 3004528280

Operator: EPIC ENERGY LLC

Operator

I certify that the foregoing is true and correct. Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. Electronic submission of Sundry Notices through this system satisfies regulations requiring a

Operator Electronic Signature: ARLEEN SMITH

Signed on: SEP 09, 2025 01:47 PM

Name: EPIC ENERGY LLC

Title: Regulatory Specialist

Street Address: 332 RD 3100

City: AZTEC **State:** NM

Phone: (505) 327-4892

Email address: ARLEEN@WALSHENG.NET

Field

Representative Name:

Street Address:

City: **State:** **Zip:**

Phone:

Email address:

BLM Point of Contact

BLM POC Name: KENNETH G RENNICK

BLM POC Title: Petroleum Engineer

BLM POC Phone: 5055647742

BLM POC Email Address: krennick@blm.gov

Disposition: Approved

Disposition Date: 09/09/2025

Signature: Kenneth Rennick

Released to Imaging: 10/17/2025 10:18:09 AM

WALSH ENGINEERING & PRODUCTION CORPORATION

Epic Energy

RBP Procedure

Well:	**South Blanco 23-4**	**Field:**	Lybrook - Gallup
Location:	581' FNL & 500' FEL	**Elevation:**	6867' GL
	Sec. 23, T24N, R08W	**By:**	Mark Thompson
	San Juan County, New Mexico		
	API: 30-045-28280		

Background/Purpose

Set RBP to isolate production zones and safeguard well integrity during nearby offset fracturing treatments.

Procedure:

Prior to rig move ensure anchors and road are in shape for rig and associated equipment

1. MIRU Service Unit. Hold safety meeting with all personnel on location and explain job procedure and possible hazards.
2. ND WH, NU BOP, RU rig floor and 2 3/8" handling tools.
3. POOH 2 3/8" production string including set at ~5390'.
4. TIH with 4.5" casing scraper to approx 5420'.
5. TIH with Retrievable Bridge Plug (RBP) and running tools to approx 5418'.
6. Set RBP @ approx 5418' using third party procedure. (~150' above top perf)
7. Fill hole with water. POOH.
8. RDMO

Mark Thompson

Walsh Engineering and Production

Well/Facility:	South Blanco 23-4	Well Status:	Producing
Operator:	EPIC Energy, LLC	Orig Oper:	Bannon Energy
Lease/Op Agmt:		KB:	
Field:	Lybrook Gallup	API #:	30-045-28280
County:	San Juan	GR/KB:	6867' GL
State:	NM	TD:	5855'
Spud:	11/5/1990	PBTD:	5760'
Comp. Date:	12/27/1990	WI:	
1st Prod:		NRI:	
Wellhead Conn:			
Surface Loc:	581' FNL & 500' FEL	Logs Ran	Compensated Neutron
Sec-Twn-Rge:	Sec 23/T24N/8W		
Pumper:		505-215-5170	lucky@walsheng.net
Foreman:	John Hampton	505-486-6988	jdhampton@walsheng.net
Anchors Tested			
Notes:			

Date Drawn: June 2020 (JCT)

WALSH ENGINEERING FARMINGTON, NM



Hole Size: 12-1/4"

Surf Csg @ 310' KB
8-5/8", 23#, J55
250 sxs - Circ 12 bbls cement to surface

Hole Size
7-7/8"

SET RBP ~150' ABOVE TOP PERF @ ~5418'

Gallup Perfs: 5568' - 5653'
5568'-73'(2 spf); 5609', 28', 30', 51', 53' (1spf)

4-1/2", 11.6#, J55 set at 5846'
Cement:
Single Stg: 590 sx 65/35 Poz & 250 sx 50/50 Poz
Circulated 30 bbls of cement to surface

PBTD: 5760' KB
TD: 5855' KB

Well/Facility:	South Blanco 23-4	Well Status:	Producing
Operator:	EPIC Energy, LLC	Orig Oper:	Bannon Energy
Lease/Op Agmt:		KB:	
Field:	Lybrook Gallup	API #:	30-045-28280
County:	San Juan	GR/KB:	6867' GL
State:	NM	TD:	5855'
Spud:	11/5/1990	PBTD:	5760'
Comp. Date:	12/27/1990	WI:	
1st Prod:		NRI:	
Wellhead Conn:			
Surface Loc:	581' FNL & 500' FEL	Logs Ran	Compensated Neutron
Sec-Twn-Rge:	Sec 23/T24N/8W		
Pumper:		505-215-5170	lucky@walsheng.net
Foreman:	John Hampton	505-486-6988	jdhampton@walsheng.net
Anchors Tested			
Notes:	Current		

Date Drawn: June 2020 (JCT)

WALSH ENGINEERING FARMINGTON, NM



Hole Size: 12-1/4"

Surf Csg @ 310' KB
8-5/8", 23#, J55
250 sxs - Circ 12 bbls cement to surface

Hole Size
7-7/8"

Tubing: 165 jts of 2-3/8", SN, 4-1/2" Pkr

EOT: 5390', SN: 5386', Pkr: 5387'

Rods: LD 9/9/2025
67 ea. 3/4" plain rods, 151 ea. 5/8" rods, 6 ea. 3/4" guided

Pump: 2'x1-1/4"x 7'x8'x11' RHAC

Pkr 5387'KB

Gallup Perfs: 5568' - 5653'
5568'-73'(2 spf); 5609', 28', 30', 51', 53' (1spf)

Frac: 100,000# 20/40 in 70Q Foam

4-1/2", 11.6#, J55 set at 5846'
Cement:
Single Stg: 590 sx 65/35 Poz & 250 sx 50/50 Poz
Circulated 30 bbls of cement to surface

PBTD: 5760' KB
TD: 5855' KB

Geologic Markers	
MD	Formation
1305'	Ojo Alamo
1405'	Kirtland
	Fruitland
1915'	Pictured Cliffs
2575'	Chacra
3560'	Cliff House
	Menefee
	Point Lookout
4385'	Mancos
5420'	Gallup

Production Tubing Detail			
	Length	Top	Bottom
KB Adjustment	12.00	0	12.00
		12.00	12.00
		12.00	12.00
		12.00	12.00
		12.00	12.00
		12.00	12.00
		12.00	12.00

Rod Detail
Pump Detail

Pumping Unit:	TRICO D 114	Gear Sheave:	
API Designation:	114D-143-64	Stroke Length:	
Samson Post SN:	85T4S 2180	Gear Ratio:	
Gear Box SN:		SPM:	
Structural Unbalance:		Horse Power:	
Power:		Volts:	
Power SN:		Amps:	
Sheave Size:		Belts:	

Sante Fe Main Office
Phone: (505) 476-3441

General Information
Phone: (505) 629-6116

Online Phone Directory
https://www.emnrd.nm.gov/ocd/contact-us

State of New Mexico
Energy, Minerals and Natural Resources
Oil Conservation Division
1220 S. St Francis Dr.
Santa Fe, NM 87505

CONDITIONS

Operator: EPIC ENERGY, L.L.C. 332 Road 3100 Aztec, NM 87410	OGRID: 372834
	Action Number: 515787
	Action Type: [C-103] NOI Workover (C-103G)

CONDITIONS

Created By	Condition	Condition Date
andrew.fordyce	Return the well to production when offset completion operations are concluded.	10/17/2025